# Textbook Exercise

## Fill in the Blanks

1. The.....element is a staring element in an HTML, it indicates that document type definition being used by the document. **March 2022**

**Ans. : <!DOCTYPE html>**

2. The..... is a tag in html that describe some aspects of contents of a webpage.

**Ans. : <meta>**

3. The <ol> tag defines an..... **March 2023**

**Ans. : Ordered List**

4. An unordered list created using the ..... tag. **March 2022**

**Ans. : <ul>**

5. The ..... element creates an inline frame.

**Ans. : <iframe>**

6. .....tag is used to specify video on an HTML document.

**Ans. : <video>**

7. If a web developer wants to add the description to an image he must use ..... attribute of <img> tag.

**Ans. : alt**

8. The.....property is used to set position for an element. **March 2023**

**Ans. : Position**

9. The float property defines the..of content. **March 2022**

**Ans. : Flow**

10. .....is used with elements that overlap with each other.

**Ans. : Positioning**

## State whether the following statement is True or False

1. HTML is an Object Oriented Programming Language. **March 2023**

**Ans. : False**

2. Charset is used for character encoding declaration. **March 2022**

**Ans. : True**

3. An unordered list can be numerical or alphabetical.

**Ans. : False**

4. Multilevel list can be created in HTML 5. **March 2023**

**Ans. : True**

5. Srcdoc specifies the HTML content of the page to show in the <iframe>

**Ans. : True**

6. The 'controls' attribute is not used to add play, pause, and volume.

**Ans. : False**

7. .cs is the extension of CSS file. **March 2022**

**Ans. : False**

## Choose Single correct answer from the given options.

1. .....element is used to create a linking image
   (a) <img> (b) <td> (c) <map> (d) <usemap>

**Ans. : (a)**

2. The .....tag is used to embed audio files on Webpages.
   (a) <sound> (b) <audio> (c) <video> (d) <embeded>

**Ans. : (b)**

3. A programmer wants to define range for age between 18 to 50, he will use a form with following appropriate control.
   (a) number (b) compare (c) range (d) Textboxes

**Ans. : (c)**

4. ..... character is used to create id in CSS.
   (a) % (b) $ (c) @ (d) #

**Ans. : (d)**

## Choose Two correct answers from the given options.

1. List within another list either.....list or.....list is called nested list. **March 2023**
   (a) multilevel (b) ordered
   (c) unordered (d) general (e) cascading

**Ans. : (b,c)**

2. Image maps are of two types .....and .....
   (a) Network side (b) Client Side
   (c) Computer side (d) Server Side (e) n-computing

**Ans. : (b,d)**

3. A CSS rule set contains..... and..... **March 2023**
   (a) Set (b) selector
   (c) post (d) declaration (e) get

**Ans. : (b,d)**

4. Client-side image map can be created using two elements .....and.....
   (a) <area> (b) <image>
   (c) <usemap> (d) <map> (e) <server>

**Ans. : (a,d)**

## Choose Three correct answers from the given options.

1. Attributes of <area> tag is.....
   (a) href (b) src (c) coords
   (d) data (e) alt (f) usemap

**Ans. : (a,c,e)**

2. Attributes used with iframe are.....
   (a) srcdoc (b) name (c) alt
   (d) src (e) href (f) loop

**Ans. : (a,b,d)**

3. Following are the Form controls.....
   (a) email (b) search (c) label
   (d) video (e) tel (f) audio

**Ans. : (a,b,e)**

4. Attributes used with <audio> tag.....
   (a) autoplay (b) href (c) controls
   (d) cntrl (e) loop (f) bgsound

**Ans. : (a,c,e)**

5. CSS types are ..... and.....
   (a) internal (b) external (c) control
   (d) inline (e) loop (f) style

**Ans. : (a,b,d)**

6. Positioning types in CSS are.....
   (a) Static (b) fixed (c) absolute
   (d) position (e) dynamic (f) nested

**Ans. : (a,b,c)**

7. Types of floating properties are....., ....., .....
   (a) left (b) zero (c) right
   (d) all (e) none (f) dock

**Ans. : (a,c,e)**

## Match the pair

| A | | B | |
|---|---|---|---|
| 1) | <ul> | a) | Client side image map |
| 2) | usemap | b) | CSS property |
| 3) | color March 2023 | c) | bulleted list |
| 4) | <img> | d) | Image as a submit button |
| 5) | <input type=image> | e) | inserts an image |

**Ans. : 1-c , 2-a , 3-b , 4-e , 5-d**

## Programs

1. Write a program using html with following CSS specification-
   (1) The background colour of the company name should be in green.
   (2) The text colour of the company name should be red.
   (3) The heading should be large with font "comic sans ms"
   (4) The description of the company should be displayed in blue color in a paragraph.

**Ans. : Coding :**

```
<!DOCTYPE html>
<html>
<head>
<title>
```

# Fill in the Blanks

## 1.1 Advanced Web Designing

1. HTML stands for .....

**Ans. : Hyper Text Markup Language**

2. The ..... is an evolving language with different version supporting different features.

**Ans. : HTML (Hyper Text Markup Language)**

3. ..... is currently used because it supports mobile technology.

**Ans. : HTML5**

## 1.2 Forms in HTML5

4. The ..... tag is used to create a form. **March 2022**

**Ans. : <form> </form>**

5. <input type="....."> defines a color picker. **March 2023, 24**

**Ans. : color**

6. <input type="....."> defines a field for entering a number. **March 2022, 24**

**Ans. : Number**

7. <input type= "....."> defines a field for entering a URL. **March 2023**

**Ans. : URL (Uniform Resource Locator)**

8. <input type="....."> defines an image as a submit button. **March 2022, 23, 24**

**Ans. : Image**

9. <input type= "....."> defines a date picker with the year, month and day. **March 2023, 24**

**Ans. : Date**

10. <input type="....."> defines a field for an email address. **March 2022, 23, 24**

**Ans. : email**

11. <input type= "....."> defines a month and year control in format as 'YYYY-MM'.

**Ans. : Month**

12. <input type= "....."> defines the range control. **March 2022, 24**

**Ans. : Range**

13. <input type= "....."> defines a date picker that includes the year, month day and time. **March 2022**

**Ans. : datetime –local**

14. <input type="....."> defines a control for entering a time. **March 2023, 24**

**Ans. : time**

15. <input type="....."> defines a week and year control.

**Ans. : week**

16. <input type= "....."> defines a text field for entering a search string.

**Ans. : search**

17. <input type= "....."> defines a file select field and a 'Browse' button for file uploads. **March 2022, 24**

**Ans. : file**

18. Default range of range control is 0 to _____.

**Ans. : 100**

19. <input type = "……."> used to define input fields that should contain a telephone number. March 2022

Ans. : **tel**

20. The ……attribute of <input> tag specifies that an input field should be disabled. March 2023

Ans. : **disabled**

21. The ……attribute of <input> tag specifies the maximum value for an input field. March 2022, 24

Ans. : **max**

22. The ……attribute of <input> tag specifies the minimum value for an input field.

Ans. : **min**

23. The…… attribute of <input> tag specifies a regular expression to check the input values. March 2022, 24

Ans. : **Pattern**

24. The…… attribute of <input> tag specifies that an input field is read only. March 2022, 23, 24

Ans. : **read only**

25. The …… attribute of <input> tag acts as a temporary label showing the purpose of a text field without requiring a label tag.

Ans. : **Placeholder**

26. The …… attribute of <input> tag specifies that an input field is required. March 2024

Ans. : **required**

27. The …… attribute of <input> tag specifies whether a form or input field should have auto completed on or off.

Ans. : **autocomplete**

28. The …… attribute of <input> tag specifies that the input field should automatically get focus when the page is loaded. March 2022

Ans. : **autofocus**

29. The …… attribute of <input> tag specifies the height of an <input type= "image">

Ans. : **Height**

30. The …… attribute of <input> tag specifies the width of an <input type= "image"> March 2022

Ans. : **Width**

31. The …… attribute of <input> tag specifies that the user is allowed to enter more than one value in the <input> element.

Ans. : **multiple**

32. The …… attribute of <input> tag is used to identify the html element uniquely through the document object model.

Ans. : **ID**

33. The …… attribute of <input> tag is used to apply CSS style to the individual input element. March 2022, 24

Ans. : **Class**

## 1.3 <meta> tag

34. The .....tag **describes aspects of contents** of a web page.

**Ans. : <meta>**

35. The .....tag is used by search engines to search information that is provided with the web page. **March 2022, 24**

**Ans. : <meta>**

36. .....will not be displayed on the web page.

**Ans. : Metadata**

37. .....tag is a singular tag which carries information within its attributes.

**Ans. : <meta>**

38. The .....attribute of <meta> tag specifies the *name* of the meta data. **March 2022, 24**

**Ans. : Name**

39. The ....attribute of <meta> tag can have any *textual matter* related to the name

**Ans. : Content**

40. The ..... attribute of <meta> tag specifies the *character encoding* used by the document.

**Ans. : Charset**

41. The ..... attribute of <meta> tag is used for http response message headers.

**Ans. : http-equiv** **March 2024**

42. <meta http-equiv= ".....">, the page will get refresh after every five seconds.

**Ans. : refresh**

43. <meta http-equiv= ".....">, browser sends the cookies back to the server. **March 2022, 24**

**Ans. : set-cookies**

44. <meta http-equiv= ".....">, specifies the *character encoding for* the document.

**Ans. : content-type**

45. <meta http-equiv= ".....">, page session will get expire at specified date and time.

**Ans.: expires**

46. _____ attribute of <meta> specifies the name of the metadata with the author. Keywords or description. **March 2023, 24**

**Ans. : Name**

47. The <meta> tag is placed between the opening and closing _____ tags. **March 2023, 24**

**Ans. : head**

## 1.4 Cascading Style Sheets HTML5

48. CSS stands for ..... **March 2023, 24**

**Ans. : Cascading Style Sheets.**

49. ..... can control the **layout of multiple web pages** all at once.

**Ans. : CSS (Cascading Style Sheets)**

50. ..... allows you to control the look and feel of several pages by changing a single source.

**Ans. : CSS (Cascading style Sheets)**

51. A ..... rule set contains a selector and a declaration blocks.

**Ans. : CSS (Cascading Style Sheets)**

52. ..... indicates the HTML element you want to style.

**Ans. : Selector**

53. The ..... block can contain one or more declarations separated by a semicolon. **March 2022, 24**

**Ans. : Declaration**

54. Each declaration contains a property name and value, separated by .....

**Ans. : Colon**

55. A ..... is a type of attribute of HTML element.

**Ans. : Property**

56. ..... are assigned to CSS properties.

**Ans. : Values**

57. There are ..... methods of implementing styling information to an HTML document.

**Ans. : Three**

58. ..... style sheet uses the style attribute in the HTML start tag.

**Ans. : Inline**

59. ..... CSS is used to apply CSS on a single line of element. **March 2022, 24**

**Ans. : Inline**

60. ..... style sheet is used to apply CSS on a single document or page. **March 2023**

**Ans. : Embedded/Internal**

61. Internal CSS is written inside ..... tag within head section of html. **March 2023**

**Ans. : <style>**

62. The ..... style sheet is used when you want to make changes on multiple pages. **March 2022, 24**

**Ans. : External**

63. ..... style sheet facilitates to change the look of the entire web site by changing just one file.

**Ans. : External**

64. External Style Sheet uses ..... tag on every page. **March 2022, 23, 24**

**Ans. : <link>**

65. In External CSS ..... tag is placed inside head section.

**Ans. : <link>**

66. External style sheet can be written in text editor and must be saved with ..... extension. **March 2022, 23, 24**

**Ans. : • CSS**

67. The ..... CSS file should not contain any HTML tags.

**Ans. : External**

68. In CSS, ..... property changes the color of the text. **March 2023, 24**

**Ans. : color**

69. The ..... property is used to set background color in your webpage. **March 2022**

**Ans. : Background-color**

70. The ..... property is used make the text bold.
**Ans. : Font-weight**
71. The ..... property is used to make the text italic. **March 2023, 24**
**Ans. : Font-style**
72. The ..... property is used to add strike through marks, underline, overline etc. **March 2022**
**Ans. : Text-decoration**
73. The ..... property is used to control the horizontal alignment of any block level text. **March 2022**
**Ans. : Text-Align**
74. The ..... property is used to control the fonts. **March 2023, 24**
**Ans. : font-family**
75. The ..... property allows you to control the size of the font. **March 2022**
**Ans. : font-size**
76. The ..... property helps in controlling the horizontal spacing between characters of text.
**Ans. : Letter-spacing**
77. The ..... property is used when you want to add padding around the contents of an element.
**Ans. : Padding**
78. The ..... property adds a border to a web page element.
**Ans. : Border**
79. The ..... property is used to set an image as the background of webpage. **March 2022, 24**
**Ans. : Background-image**
80. The ..... property sets margin area on the left side of the element.
**Ans. : Margin-left**
81. The ..... selector selects the id attribute of an HTML element to select a specific element. **March 2022, 24**
**Ans. : ID**
82. An ..... is always unique within the page so it is unique element.
**Ans. : ID**
83. ID is written with the ..... character followed by the ID name. **March 2023**
**Ans. : Hash (#)**
84. The ..... selector selects HTML elements with a specific class attribute.
**Ans. : Class**
85. The Class selector is used with ..... character followed by the class name. **March 2022, 23, 24**
**Ans. : Period ( . )**
86. The ..... selector is used when you want to change a group of elements within HTML page.
**Ans. : Class**
87. The _____ name should not start with number.
**Ans. : Class**
88. The ..... selector is used as a wildcard character. **March 2023, 24**
**Ans. : Universal**

89. The ..... selector is used to select all the elements with the same style definition.

**Ans. : Grouping**

90. In grouping selector ..... are used to separate each selector.

**Ans. : Commas**

91. In CSS, ..... property is used to set position for an element. **March 2023, 24**

**Ans. : Position**

92. There are ..... types of positioning in CSS. **March 2022**

**Ans. : Four**

93. The ..... positioning is not affected by the top, bottom, left and right properties. **March 2024**

**Ans. : Static**

94. The ..... positioning is the default position for HTML element. **March 2022, 23, 24**

**Ans. : Static**

95. The ..... positioning helps to put the text fixed on the browser.

**Ans. : Fixed**

96. The ..... property forces an element into a fixed positioning relative to the browser window.

**Ans. : Fixed**

97. The ..... positioning property is used to set the element relative to its normal position.

**Ans. : Relative**

98. The ..... positioning property sets an element in a specific location and it is not affected by the flow of the page.

**Ans. : Absolute**

99. _____ property positions the element at the coordinates relative to your screen top-left corner. **March 2024**

**Ans. : Absolute**

100. ..... is a CSS property written in CSS file or directly in the style of an element.

**Ans. : Float**

101. The _____ property defines the flow of content.

**Ans. : float**

102. ..... keeps the element float on left side of the container. **March 2022, 24**

**Ans. : float : left**

103. ..... keeps the element float on right side of container. **March 2022**

**Ans. : float : right**

104. ..... is a default property which shows the element as it is.

**Ans. : float : none**

105. The ..... property in CSS defines how the components are going to be placed on the web page.

**Ans. : Display**

106. ..... property is used to display an element as an inline element.

**Ans. : Display : Inline**

**107.** ..... property is used to display an element as an block element.

**Ans. : Display : Block**

**108.** ..... property is used to set the width and height.

**Ans. : Block-inline**

**109.** Using ..... property the element is completely removed.

**Ans. : Display : None**

**110.** Universal selector is denoted by _____ character. **March 2023, 24**

**Ans. : asterisk**

**111.** In html _____ is used to identify html element uniquely. **March 2023, 24**

**Ans. : Position**

## 1.5 Ordered list or numbered list

**112.** The ..... tag defines an Ordered list. **March 2023**

**Ans. : <OL>**

**113.** The ..... list can be numerical or alphabetical. **March 2024**

**Ans. : Ordered**

**114.** The ..... attribute of <ol> tag specifies the numbering type for the used items. **March 2022**

**Ans. : type**

**115.** The ..... attribute of <ol> tag specifies that the items of the list are specified in the reverse order. **March 2023, 24**

**Ans. : Reversed**

**116.** The ..... attribute of <ol> tag specifies the starting number of the first item.

**Ans. : start**

**117.** ..... list is also called as numbered list.

**Ans. : Ordered**

**118.** The common tag used with <OL> and <UL> is _____. **March 2023**

**Ans. : <li>**

## 1.6 Unordered list or bulleted list

**119.** An unordered list is created using tag. **March 2023, 24**

**Ans. : <UL>**

**120.** ..... list is also called as bulleted list. **March 2022, 24**

**Ans. : Unordered**

**121.** Each list item starts with ..... tag.

**Ans. : <li>**

**122.** The ..... attribute of <ul> tag sets the list item marked to disc, circle or square.

**Ans. : type**

**123.** ..... list can be numerical or alphabetical. **March 2022**

**Ans. : Ordered**

## 1.7 Definition list

124. To define a definition list ..... tag is used. March 2022, 23, 24

**Ans. : <dl>**

125. The ..... tag is used to define the term.

**Ans. : <dt>**

126. The ..... is used to define term's definition. March 2022, 24

**Ans. : <dd>**

127. The list within another list is called ..... list.

**Ans. : Nested**

## 1.8 Inserting audio and video in HTML5

128. MPEG stands for ..... March 2024

**Ans. : Moving Pictures Experts Group / Motion Pictures Experts Group**

129. AAC stands for ..... March 2024

**Ans. : Advanced Audio Coding**

130. The ..... element enables to embed or add audio files an webpages. March 2023

**Ans. : <audio>**

131. Using ..... attribute of <audio> tag the audio will start playing as soon as it is ready.

**Ans. : Autoplay**

132. The ..... attribute of <audio> tag defines the audio controls should be displayed.

**Ans. : controls**

133. The ..... attribute of <audio> tag sets the audio will start over again, every time it is finished. March 2022, 24

**Ans. : loop**

134. The ..... attribute of <audio> tag specifies that the audio output should be muted.

**Ans. : Muted**

135. The ..... attribute of <audio> tag specifies the URL of the audio file.

**Ans. : Src**

136. The ..... attribute is used to add audio controls such as play, pause and volume. March 2024

**Ans. : Controls**

137. The ..... tag is used to specify multiple media resources for media elements.

**Ans. : <source>**

138. The ..... tag is used to embed video into web page. March 2023

**Ans. : <video>**

139. The ..... attribute defines the link to video file. March 2024

**Ans. : Src**

140. The ..... attribute specifies that the video will start playing as soon as it is ready.

**Ans. : Autoplay**

141. The ..... attribute specifies that video controls should be displayed.

**Ans. : Controls**

142. The ..... attributes sets the height of the video player. **March 2023**

**Ans. : height**

143. The ..... attribute specifies that the video will start over again every time it is finished. **March 2024**

**Ans. : loop**

144. The ..... attribute specifies that the audio output of the video should be muted.

**Ans. : muted**

145. The ..... attribute specifies an image to be shown while the video is downloading. **March 2024**

**Ans. : poster**

146. The ..... attribute specifies if and how the author thinks the video should be loaded when the web page loads.

**Ans. : preload**

147. The ..... attribute sets the width of the video player.

**Ans. : width**

## 1.9 Image map in HTML5

148. _____ value of shape attribute of <area> tag specifies rectangular area.

**Ans. : Rect**

149. Rect specifies rectangular area with _____ co-ordinates. **March 2024**

**Ans. : four**

150. _____ value of shape attribute of <area> tag defines a circular region.

**Ans. : Circle**

151. Circle defines a circular region which requires _____ co-ordinates. **March 2023, 24**

**Ans. : three**

152. _____ value of shape attribute of <area> tag defines polygon region.

**Ans. : Poly**

153. An image with multiple hyperlinks is called an ..... **March 2022, 24**

**Ans. : Image map**

154. ..... is used to connect links to different regions on the web page.

**Ans. : Image Map**

155. The clickable regions of image map are called as ..... **March 2023, 24**

**Ans. : hotspots**

156. ..... tag is used to insert an image on a web page.

**Ans. : <img>**

157. To create a client Side Image Map ..... attribute of <img> tag is used. **March 2022, 24**

**Ans. : Usemap**

158. Usemap attribute of <img> tag is used with value which is preceded with a ..... symbol. **March 2023**

**Ans. : #**

159. The ..... attribute acts as a pointer which indicates that the image is a Client Side Image Map. March 2022, 24

Ans. : Usemap

160. The ..... tag is used to map the image.

Ans. : <map>

161. The ..... attribute of <map> tag specifies name of the image used for client side image map. March 2022, 24

Ans. : Name

162. ..... tag defines the specific clickable regions. March 2023, 24

Ans. : <area>

163. The ..... attribute of <area> tag defines the URL to which the clickable region within the image map navigates. March 2022, 24

Ans. : Href

164. The ..... attribute defines the shape as rect, circle or poly.

Ans. : Shape

165. The ..... attribute specifies co-ordinates of the clickable regions on the image map. March 2022, 24

Ans. : Coords

166. The ..... attribute specifies extra information about clickable area.

Ans. : alt

167. <map> tag has only one attribute _____. March 2023

Ans. : name

## 1.10 Inline Frame in HTML5

168. The ..... element creates an inline frame. March 2023, 24

Ans. : <iframe>

169. ..... frames are often used in online advertising. March 2024

Ans. : Inline

170. The ..... attribute specifies the address of the document to embed in the <iframe>.

Ans. : Src

171. The ..... attribute specifies the height of an <iframe>.

Ans. : Height

172. The ..... attribute specific the width of an <iframe>. March 2024

Ans. : width

173. The ..... attribute specifies name of an <iframe>.

Ans. : Name

174. The ..... attribute specifies the HTML content of the page to show in the <iframe>.

Ans. : Srcdoc

## 1.11 Website Hosting

5. Website is made available on the Internet with the help of ..... March 2022

**Ans. : Web Hosting**

6. ..... is the service of providing storage space.

**Ans. : Web Hosting**

7. The Companies that provides web hosting services are called ..... March 2024

**Ans. : Web hosts**

8. ..... own and manage web servers.

**Ans. : Web hosts**

9. ..... hosting gives domain name to your website.

**Ans. : Shared**

10. ..... are paid hosting servers for large web site. March 2023, 24

**Ans. : Dedicated hosting**

11. ..... provides you free hosting of the website for limited period of time.

**Ans. : Free hosting**

12. Cost effective method of web hosting is ..... March 2022, 24

**Ans. : Shared Hosting**

# True or False

## 1.1 Advanced Web Designing

1. HTML stands for Hyper Text Markup language. March 2023, 24

**Ans.: True**

2. HTML is an evolving language, with different versions supporting different features.

**Ans. : True**

3. Google chrome does not support the features of HTML5. March 2023, 24

**Ans. : False**

4. Microsoft Edge, Safari browsers support the features of HTML5.

**Ans. : True**

5. Fixed position is by default position for HTML element. March 2023

**Ans. : False**

## 1.2 Forms in HTML5

6. Text, radio, checkbox etc. are the controls used to collect user inputs. March 2023

**Ans. : True.**

7. <input type = "color"> defines a color picker. March 2022, 24

**Ans. : True**

8. <input type = "number"> defines a field for entering URL. **March 2024**

**Ans. : False**

9. <input type= "URL" > defines a field for entering URL.

**Ans. : True**

10. <input type = "image"> defines an image as a submit button.

**Ans. : True**

11. <input type = "date"> defines a date picker with year, month and day. **March 2023, 24**

**Ans. : True**

12. <input type = "email"> defines a field for entering number.

**Ans. : False**

13. <input type = "month"> defines a month and year control. **March 2022, 24**

**Ans. : True**

14. <input type = "range"> defines a range control.

**Ans. : True**

15. Default range of range control is 100-200.

**Ans. : False**

16. <input type = "datetime–local"> defines a date picker that includes the year, month, day and time. **March 2022**

**Ans. :True**

17. <input type = "time"> defines the control for entering a week. **March 2024**

**Ans. : False**

18. <input type = "week"> defines a week and year control. **March 2022**

**Ans. : True**

19. <input type = "search"> defines a text field for entering a search string.

**Ans. : True**

20. <input type = "file"> defines a file-select field and a browse button for file uploads. **March 2024**

**Ans. : True**

21. <input type = "tel"> used to define input fields should be disabled. **March 2022, 24**

**Ans. : False**

22. Enabled attribute specifies that an input field should be disabled.

**Ans. : False**

23. Max attribute specifies the maximum value for an input field. **March 2024**

**Ans. : True**

24. Min attribute specifies the minimum value for an input field.

**Ans. : True**

25. Pattern attribute specifies a regular expression to check the input values.

**Ans. : True**

26. Read only attribute specifies that an input field is Read only. **March 2022, 24**

**Ans. : True**

27. Placeholder attribute acts as a temporary label showing the purpose of a text field without requiring a label tag. **March 2023**

**Ans. : True**

28. Required attribute specifies that an input field must be filled out.

**Ans. : True**

29. Auto-complete attribute specifies that the input field should automatically get focus when the page loads.

**Ans. : False**

30. Autofocus attribute specifies whether input field should have autocomplete ON or OFF.

**Ans. : False**

31. Height and width attribute specifies the height and width of an <input type = "image">. **March 2022, 24**

**Ans. : True**

32. Multiple attribute works with input type like text and image.

**Ans. : False**

33. Multiple attribute specifies that the user is allowed to enter more than one value in the <input> element. **March 2024**

**Ans. : True**

34. ID attribute is used to identify the html element uniquely through the Document Object Model.

**Ans. : True**

35. Class attribute is used to apply CSS style to the individual input element.

**Ans. : True**

## 1.3 <meta> tag

36. <meta> tag is used by search engines to search information that is provided with the webpage. **March 2022, 24**

**Ans. : True**

37. <meta> tag is a paired tag. **March 2023, 24**

**Ans. : False**

38. <meta> tag is placed between <title> and </title> tag.

**Ans. : False**

39. Metadata will not be displayed on the web page. **March 2023, 24**

**Ans. : True**

40. Name attribute of <meta> tag specifies the name of metadata.

**Ans. : True**

41. Content attribute of <meta> tag cannot have any textual matter related to the name.

**Ans. : False**

42. Charset attribute of <meta> tag specifies the character encoding use by the document.

**Ans. : True**

43. <meta charset = "UTF-8"> is for Indian characters. **March 2023, 24**

**Ans.: True**

44. <meta charset = "Big5"> is for Chinese characters.

**Ans. : True**

45. http-equiv attribute of <meta> tag is used for http response message headers.

**Ans. : True**

46. <meta http-equiv = "refresh" content = "5">, here the page will get refresh after every 5 seconds.

**Ans. : True**

47. <meta http-equiv = "set-cookies">, the browser sends the cookies back to the server. **March 2022, 24**

**Ans. : True**

48. <meta http-equiv = "Content-type" content = "text/html" charset = "Big5"> specifies the character decoding of the document.

**Ans. : False**

49. Charset in <meta> tag is used to specify font name like arial. **March 2023, 24**

**Ans. : False**

## 1.4 Cascading Style Sheets HTML5

50. CSS stands for Cascading Style Sheets. **March 2022, 24**

**Ans. : True**

51. CSS describes how HTML elements are to be displayed on screen.

**Ans. : True**

52. CSS cannot control the layout of multiple web pages all at once.

**Ans. : False**

53. CSS allows you to control the look and feel of several pages by changing a single source. **March 2022, 24**

**Ans. : True**

54. A CSS rule set contains a selector and a declaration block. **March 2023, 24**

**Ans. : True**

55. Selector indicates the HTML element you want to style.

**Ans. : True**

56. The declaration block can contain one or more declarations separated by a semicolon. **March 2023, 24**

**Ans. : True**

57. Each declaration contains a property name and value separated by a semicolon. **March 2022, 24**

**Ans. : False**

58. A property is a type of attribute of HTML element.

**Ans. : True**

59. Values are assigned to CSS properties. **March 2024**

**Ans. : True**

60. There are four methods of implementing styling information to an HTML document.

**Ans. : False**

61. Inline style-sheet uses the style attribute in the HTML start tag.

**Ans. : True**

62. Inline CSS is used to apply CSS in multiple lines or elements. **March 2022, 24**

**Ans. : False**

63.  CSS  is the example of inline CSS. **March 2023**

**Ans. : True**

64. Internal style sheet is also known as embedded style sheet. **March 2023, 24**

**Ans. : True**

65. Internal CSS is used to apply CSS on a single document or page.

**Ans. : True**

66. Internal CSS cannot affect all the elements of the page.

**Ans. : False**

67. Internal CSS is written inside <style> tag within head section. **March 2023, 24**

**Ans. : True**

68. The color property changes the background color of the web page. **March 2023**

**Ans. : False**

69. Background-color property is used to set the background color in your web page.

**Ans. : True** **March 2023, 24**

70. Font-weight property is used to make the text bold.

**Ans. : True**

71. Font-style property is used to italicize text. **March 2022, 24**

**Ans. : True**

72. Text-decoration property is used to add strike-through marks, underline, overstrike etc. **March 2023, 24**

**Ans. : True**

73. Text-align property is used to control the vertical alignment of any block-level text.

**Ans. : False.**

74. Font-family property is used to control the fonts. **March 2024**

**Ans. : True**

75. Font-size property allows you to control the size of the font.

**Ans. : True**

76. Letter-spacing property helps in controlling the horizontal spacing between characters of text. **March 2024**

**Ans. : True**

77. Padding property is used when you want to remove blank spaces around the content of an element.

**Ans. : False**

78. Border property adds a border to a web page element.

**Ans. : True**

79. Background-image property is used to set an image as the background of your webpage.

**Ans. : True**

80. Margin-left property sets the margin area on the left side of the element.
**Ans. : True** March 2023, 24

81. External style sheet is used when you want to make changes on multiple pages.
**Ans. : True** March 2023

82. Internal style sheet facilitates to change the look of entire web site by changing just one file.
**Ans. : False.**

83. External CSS uses <link> tag. March 2024
**Ans. : True**

84. <link> tag is placed inside body section.
**Ans. : False**

85. External CSS file must be saved with .css extension. March 2022, 24
**Ans. : True**

86. External CSS file should contain HTML tags.
**Ans. : False**

87. The ID selector selects the id attribute of an HTML element to select a specific element.
**Ans. : True**

88. An ID is unique element. March 2022, 23, 24
**Ans. : True**

89. ID is written with hash (#) character followed by id name. March 2023, 24
**Ans. : True**

90. #abc {color : red} is example of ID selector.
**Ans. : True**

91. Class selector selects HTML elements with a specific class attribute. March 2024
**Ans. : True**

92. Class selector is used with a period character.
**Ans. : True**

93. Class name should start with a number. March 2022, 24
**Ans. : False**

94. The class selector is used when you want to change a group of elements within your HTML page.
**Ans. : True**

95. •abc {color : blue} is example of class selector. March 2022, 23, 24
**Ans.: True**

96. The universal selector is used as wildcard character.
Ans. : True

97. Universal selector selects single element on the web page. March 2024
Ans. : False

98. Grouping selector is used to select element with the different style definitions.
Ans. : False

99. Commas' are used to separate each selector in grouping. March 2022, 24
**Ans. : True**

100. h1, h2, b { color : pink} is example of class selector.

**Ans. : False**

101. The position property is used to set position for an element. **March 2024**

**Ans. : True**

102. The element can be positioned using the top, bottom, left and right properties.

**Ans. : True**

103. Values in positions are fixed, absolute and relative.

**Ans. : True**

104. There are four types of positioning in CSS.

**Ans. : True**

105. Static positioning is the default position for HTML elements. **March 2022, 23, 24**

**Ans. : True**

106. Static positioning is affected by the top, bottom, left and right properties.

**Ans. : False**

107. Fixed Positioning property helps to put the text fixed on the browser.

**Ans. : True**

108. The fixed element will move even when the page is scrolled.

**Ans. : False.**

109. The static property forces an element into a fixed position relative to the browser window.

**Ans. : False**

110. Relative Positioning property is used to set the element relative to its normal position. **March 2022, 24**

**Ans. : True**

111. Absolute positioning property sets an element in a specific location and it is not affected by the flow of the page.

**Ans. : True**

112. Absolute positioning property positions the element at the specified coordinates relative to screen top right corner. **March 2024**

**Ans. : False**

113. Float property is written in CSS file or directs in the style of an element.

**Ans. : True**

114. The float property defines the flow of content. **March 2022, 24**

**Ans. : True**

115. Float : left keeps the element float on right side of the container.

**Ans. : False**

116. Float : right keeps the element float on right side of the container.

**Ans. : True**

117. Float : none is the default property. **March 2022, 24**

**Ans. : True**

**118.** Float : none does not shows the element as it is.

**Ans. : False**

**119.** The Display property in CSS defines how the components are going to be placed on the web page.

**Ans. : True**

**120.** Display property specifies how the element is float. **March 2024**

**Ans. : False.**

**121.** Display property is used to define the display of different parts of a web page.

**Ans. : True**

**122.** Inline value is used to display an element as an block element. **March 2022, 24**

**Ans. : False**

**123.** Block value is used to display an element as an inline element.

**Ans. : False**

**124.** Block value starts on a new line, and takes up the whole width of the browser window. **March 2024**

**Ans. : True**

**125.** The difference between Inline and block inline value is that you are able to set the width and height.

**Ans. : True**

**126.** The element is completely removed using none value.

**Ans. : True**

**127.**  Hello CSS  In this CSS statement "color" is referred as value. **March 2023, 24**

**Ans. : False**

**128.** Erased through value is used to add strike-through marks on text in text decoration property of CSS. **March 2023**

**Ans. : False**

**129.** Text color property is used to change the text colour in CSS. **March 2023, 24**

**Ans. : False**

## 1.5 Ordered list or numbered list

**130.** <ol> tag defines ordered list. **March 2022, 24**

**Ans. : True**

**131.** Ordered list cannot be numerical or alphabetical.

**Ans. : False**

**132.** Type attribute is used to define number type for the used items.

**Ans. : True**

**133.** The default value of type attribute in ordered list is 1. **March 2022, 24**

**Ans. : True**

134. Reversed attribute specifies that the items of the list are specified in the reverse order.

**Ans. : True**

135. Start attribute specifies the ending number of the first item in an ordered list.

**Ans. : False**

## 1.6 Unordered list or bulleted list

136. An unordered list is created using <ul> tag.

**Ans. : True**

137. Each list item starts with <li> tag. **March 2024**

**Ans. : True**

138. The list items in unordered lists are marked with numbers. **March 2022**

**Ans. : False**

139. By default, the list items in unordered list are marked with bullets.

**Ans. : True**

140. <ul type = "disc"> sets the list item marker to a bullet. **March 2024**

**Ans. : True**

141. <ul type = "circle"> sets the list item marker to a square.

**Ans. : False**

142. <ul type = "square"> sets the list item marker to a square. **March 2022, 24**

**Ans. : True**

143. Using <ul type = "none"> the list items will not be marked.

**Ans. : True**

144. HTML5 does not support bullets, circle and square value of type attribute.

**Ans. : True**

145. HTML5 does not support type attribute of <ul> tag so you can use CSS style.

**Ans. : True**

## 1.7 Definition list

146. To define a definition list <dl> tag is used.

**Ans. : True**

147. Items can be created in definition list with <dt> and <dd> tags. **March 2024**

**Ans. : True**

148. The <dd> tag is used to define the term whereas the <dt> tag is used to define the term's definition.

**Ans. : False**

**149.** List within list is called nested list.

**Ans.: True**

**150.** List can be Single level nested list or multi level list. March 2023, 24

**Ans. : True**

## 1.8 Inserting audio and video in HTML5

**151.** HTML5 features includes native audio and video support without the need for flash.

**Ans. : True**

**152.** The <audio> element enables you to embed, audio files on webpages.

**Ans. : True**

**153.** The audio will stop playing as soon as it is ready using auto-play attribute.

**Ans. : False**

**154.** Controls attribute is used to display audio controls. March 2022, 24

**Ans. : True**

**155.** Controls attribute display play, pause buttons etc.

**Ans. : True**

**156.** Using loop attribute the audio will stop over again, every time it is finished.

**Ans. : False**

**157.** Muted attribute specifies that the audio output should be muted.

**Ans. : True**

**158.** Src attribute specifies the URL of the audio file. March 2022, 23, 24

**Ans. : True**

**159.** Autoplay, controls, muted are the attributes without any values.

**Ans. : True**

**160.** The source element is used to specify the audio files which the browser may use.

**Ans. : True**

**161.** The <source> tag is used to specify multiple media resources for media elements.

**Ans. : True**

**162.** Multiple sources of audios are specified so that if the browser is unable to play the first source then it will jump to the second source. March 2022, 24

**Ans. : True**

**163.** The <video> tag is used to embed video in web page.

**Ans. : True**

**164.** Src attribute defines link to video file. March 2024

**Ans. : True**

**165.** Autoplay attribute specifies that the video will start playing as soon as it is ready.

**Ans. : True**

**166.** Controls attribute specifies that video controls should not be displayed.

**Ans. : False**

167. Height attribute sets the height of the video-player. **March 2022, 24**

**Ans. : True**

168. Loop attribute specifies that the video will start over again every time it is finished.

**Ans. : True**

169. Muted attribute specifies that the video output of the video should be muted.

**Ans. : False**

170. Poster attribute specifies an image to be shown while the video is downloading.

**Ans. : True** **March 2024**

171. Preload attribute specifies if and how the author thinks the video should be loaded when the webpage loads.

**Ans. : True**

172. Width attribute sets the width of the video player.

**Ans. : True**

173. Width attribute sets the value in pixels. **March 2022, 24**

**Ans. : True**

174. The <source> tag cannot be used to specify multiple media resources for video as well as audio media elements.

**Ans. : False**

## 1.9 Image map in HTML5

175. An image with multiple hyperlinks is called as image map.

**Ans. : True**

176. Image map is used to connect links to different regions on the webpage.

**Ans. : True** **March 2024**

177. Clickable regions in Image map are called as hotspots.

**Ans. : True**

178. Image Maps are of four types.

**Ans. : False**

179. <img> tag is used to insert an image on a web page. **March 2022, 24**

**Ans. : True**

180. Image map is created by marking certain regions on an image clickable.

**Ans. : True**

181. To create a server side image map usemap attribute of <img> is used.

**Ans. : False**

182. The usemap attribute acts as a pointer which indicates that the image is a client side image map. **March 2024**

**Ans. : True**

183. Name attribute specifies name of the image used for client side image map.

**Ans. : True**

184. The attribute shape = poly is used when we wish to give hotspot of pentagon shape. **March 2022, 24**

**Ans. : False**

**185.** <map> tag is used to create client side image map.
**Ans. : True**
**186.** Usemap is the attribute used with <map> tag.
**Ans. : False**
**187.** <area> tag defines specifies clickable regions.
**Ans. : True**
**188.** <area> is paired tag.
**Ans. : False** March 2022, 24
**189.** <map> tag is paired tag.
**Ans. : True**
**190.** A given <map> element can contain multiple <area> element within it.
**Ans. : True**
**191.** Src attribute defines URL to which the clickable region within the image map navigates. March 2024
**Ans. : False**
**192.** Shape attribute can value rect, circle or poly.
**Ans. : True**
**193.** Coords attribute specifies co-ordinates of the clickable region on the image map.
**Ans. : True**
**194.** Rect value specifies rectangular area within four co-ordinates.
**Ans. : True**
**195.** Circle value specifies a circular region. March 2022, 24
**Ans. : True**
**196.** Circle requires two co-ordinates.
**Ans. : False**
**197.** Poly value defines a polygon region with co-ordinates specifying each point on the polygon.
**Ans. : True**
**198.** No coordinates are required in default value.
**Ans. : True**
**199.** Alt attribute specifies extra information about clickable area. March 2022, 24
**Ans. : True**
**200.** Href attribute gives alternative text to the clickable region.
**Ans. : False**

## 1.10 Inline Frame in HTML5

**201.** The <iframe> element creates an inline frame. March 2023, 24
**Ans. : True**
**202.** Inline frames are used in online advertising.
**Ans. : True**

203. Src attribute specifies the address of the document to embed in the <iframe>.

**Ans. : True**

204. Height attribute specifies the width of an <iframe>.

**Ans. : False**

205. Width attribute specifies the width of an <iframe>. **March 2022, 24**

**Ans. : True**

206. Height and width is defined in pixels.

**Ans. : True**

207. Name attribute specifies name of an <iframe>. **March 2024**

**Ans. : True**

208. Srcdoc specifies the HTML content of the page to show in the <iframe>.

**Ans. : True**

## 1.11 Website Hosting

209. Web server is the service of providing storage space.

**Ans. : False**

210. The website is made available on the internet with the help of web hosting.

**Ans. : True**

211. The companies that provides web hosting services are called web host. **March 2022, 24**

**Ans. : True**

212. Web host own and manage web servers.

**Ans. : True**

213. Web servers offer interrupted internet connectivity. **March 2024**

**Ans. : False.**

214. Shared hosting is cost effective.

**Ans.: True**

215. Free hosting gives domain name to your website.

**Ans. : False**

216. Websites which provide free hosting for limited period of time is called free hosting.

**Ans. : True** **March 2024**

217. Dedicated hosting are paid hosting servers for large website.

**Ans. : True**

218. You can buy your own web server space, but it is most expensive way to publish your website. **March 2022, 24**

**Ans. : True**

## MCQ (One Correct Answers)

### 1.1 Advanced Web Designing

1. HTML stands for .....
   (a) Hyper Transfer Markup Language (b) Hyper Text Markup Language
   (c) Hyper Transform Markup (d) Hyper Text Made Language

**Ans. : (b)**

2. The ..... is an evolving language with different versions supporting different features.
   (a) HTML (Hyper Text Markup Language)
   (b) ASP (Active Server Pages)
   (c) DOM (Document Object Model)
   (d) HTTP (Hyper Text Transfer Protocol)

**Ans. : (a)**

3. ..... is currently used because it supports mobile technology. **March 2023, 24**
   (a) DOM (b) HTTP (c) HTML5 (d) FTP

**Ans. : (c)**

### 1.2 Forms in HTML5

4. The ..... tag is used to create a form. **March 2022, 24**
   (a) <input> (b) <text area> (c) <select> (d) <form>

**Ans. : (d)**

5. <input type = "....."> defines a color picker. **March 2023, 24**
   (a) Number (b) URL (c) Color (d) Date

**Ans. : (c)**

6. <input type= "....."> defines a field for entering a number. **March 2022, 24**
   (a) color (b) Number (c) Date (d) email

**Ans. : (b)**

7. <input type="....."> defines a field for entering a URL. **March 2024**
   (a) color (b) image
   (c) email (d) URL (Uniform Resource Locator)

**Ans. : (d)**

8. <input type="....."> defines an image as a submit button. **March 2023, 24**
   (a) Image (b) Button (c) date (d) radio

**Ans. : (a)**

9. <input type="....."> defines a date picker with the year, month and day. **March 2023, 24**
   (a) Month (b) Range (c) Date (d) Number

**Ans. : (c)**

10. <input type="....."> defines a field for an email address. **March 2022, 23, 24**
(a) Image (b) email (c) URL (d) Color

**Ans. : (b)**

11. <input type="....."> defines a month and year control in format as 'YYYY-MM'.
(a) Date (b) datetime –local
(c) Week (d) month

**Ans. : (d)**

12. <input type= "....."> defines the range control. **March 2022, 24**
(a) time (b) search (c) range (d) file

**Ans. : (c)**

13. <input type= "....."> defines a date picker that includes the year, month day and time.
(a) datetime-local (b) date
(c) week (d) month

**Ans. : (a)**

14. <input type= "....."> defines a control for entering a time. **March 2024**
(a) week (b) time (c) date (d) date time-local

**Ans. : (b)**

15. <input type="....."> defines a week and year control. **March 2024**
(a) week (b) date
(c) datetime-control (d) Month

**Ans. : (a)**

16. <input type= "....."> defines a text field for entering a search string.
(a) File (b) Range (c) Search (d) tel

**Ans. : (c)**

17. <input type="....."> defines a field select field and a 'Browse' button for file uploads. **March 2022, 24**
(a) tel (b) Range (c) Search (d) File

**Ans. : (d)**

18. <input type= "....."> used to define input fields that should contain a telephone number.
(a) tel (b) search (c) number (d) color

**Ans. : (a)**

19. The default range of range control is ..... **March 2023, 24**
(a) 0 to 100 (b) 100 to 150 (c) 90 to 100 (d) 200 to 300

**Ans. : (a)**

20. The ..... attribute of <input> tag specifies that an input field should be disabled. **March 2022, 24**
(a) max (b) required (c) disabled (d) auto-complete

**Ans. : (c)**

21. The ..... attribute of <input> tag specifies the maximum value for an input field. March 2023, 24

(a) disabled (b) max (c) read only (d) min

**Ans. : (b)**

22. The ..... attribute of <input> tag specifies the minimum value for an input field. March 2022, 23, 24

(a) min (b) max (c) pattern (d) autofocus

**Ans. : (a)**

23. The ..... attribute of <input> tag specifies a regular expression to check the input values. March 2022, 24

(a) Required (b) Multiple (c) Pattern (d) Max

**Ans. : (c)**

24. The ..... attribute of <input> tag specifies that an input field is read only.

(a) read only (b) placeholder

(c) disabled (d) required

**Ans. : (a)**

25. The ..... attribute of <input> tag acts as a temporary label showing the purpose of a text field without requiring a label tag. March 2022, 24

(a) Pattern (b) Placeholder

(c) Multiple (d) Read only

**Ans. : (b)**

26. The ..... attribute of <input> tag specifies that an input field is required.

(a) required (b) disabled (c) multiple (d) auto focus March 2024

**Ans. : (a)**

27. The ..... attribute of <input> tag specifies whether a form or input field should have autocomplete on or off. March 2022, 24

(a) Required (b) max (c) autofocus (d) autocomplete

**Ans. : (d)**

28. The ..... attribute of <input> tag specifies that the input field should automatically get focus when the page loaded.

(a) autocomplete (b) multiple

(c) autofocus (d) required

**Ans. : (c)**

29. The ..... attribute of <input> tag specifies the height and width of an <input type ="image"> March 2024

(a) Multiple (b) Height and width

(c) disabled (d) min

**Ans. : (b)**

30. The ..... attribute of <input> tag specifies that the user is allowed to enter more than one value in the <input> element.

(a) Read only (b) required (c) multiple (d) pattern

**Ans. : (c)**

31. ..... attribute works with input types like email and file. **March 2022, 24**

(a) Required (b) Multiple (c) Pattern (d) Read only

**Ans. : (b)**

32. The ..... attribute of <input> tag is used to identify the html element uniquely through the document object model. **March 2024**

(a) ID (b) Class (c) Relative (d) Grouping

**Ans. : (a)**

33. The ..... attribute of <input> tag is used to apply CSS style to the individual input element. **March 2024**

(a) Relative (b) Class (c) ID (d) Absolute

**Ans. : (b)**

34. A placement agency wants to collect resume of the students of renowned college, which of the following is the correct option they should use in their form ?

(a) <input type = "url"> (b) <input type = "image">

(c) <input type = "file"> (d) <input type = "search">

**Ans. : (c)**

35. Sangeeta wants to collect mobile numbers of her friends in a specific format. Which of the following correct attribute of 'tel' she should use while designing a form ?

(a) <input type = "tel" pattern = "[0-9] {2} – [0-9] {10}">

(b) <input type = "tel" format = "[0-9] {2} – [0-9] {10}">

(c) <input type = "tel" max = "[0-9] {2} – [0-9] {10}">

(d) <input type = "tel" multiple = "[0-9] {2} – [0-9] {10}">

**Ans. : (a)**

36. To collect different kinds of user inputs _____ controls are used.

(a) form (b) image

(c) email (d) radio **March 2023, 24**

**Ans. : (a)**

37. For input restrictions _____ attribute of <input> tag is used set the MAXIMUM VALUE for an input field. **March 2023, 24**

(a) min (b) maximum

(c) max (d) highest

**Ans. : (c)**

## 1.3 <meta> tag

38. The .....tag is used by search engines to search information that is provided with the web page. March 2022, 24
(a) <input> (b) <body> (c) <form> (d) <meta>
**Ans. : (d)**

39. The .....tag is placed between <head> tag. March 2024
(a) <body> (b) <meta> (c) <form> (d) <audio>
**Ans. : (b)**

40. .....will not be displayed on the web page. March 2022, 24
(a) Head data (b) Form data (c) Metadata (d) Table data
**Ans. : (c)**

41. The .....attribute specifies the name of the metadata.
(a) Name (b) http-equiv (c) Content (d) Charset
**Ans. : (a)**

42. The .....attribute of <meta> tag can have any textual matter related to the name. March 2022, 24
(a) http-equiv (b) Name
(c) Content (d) Charset
**Ans. : (c)**

43. The .....attribute of <meta> tag specifies the character encoding used by the document.
(a) Metadata (b) Name (c) Content (d) Charset
**Ans. : (d)**

44. <meta charset = "UTF – 8"> is for .....characters. March 2023, 24
(a) Indian (b) Japan (c) America (d) Chinese
**Ans. : (a)**

45. <meta charset = "Big5" is for .....language. March 2024
(a) Indian (b) USA (c) Chinese (d) Italy
**Ans. : (c)**

46. The .....attribute of <meta> tag is used for http response message headers.
(a) Name (b) http-equiv (c) content (d) Charset
**Ans. : (b)**

47. The page will get refresh using .....value of http-equiv attribute. March 2022, 23
(a) expires (b) set-cookie
(c) content-type (d) Refresh
**Ans. : (d)**

48. The browser sends the cookies back to the server using .....value of http-equiv attribute.
(a) set – cookies (b) expires
(c) content-type (d) refresh
**Ans. : (a)**

49. The .....value specifies the character encoding for the document. **March 2022**
(a) expires (b) content-type
(c) charset (d) refresh

**Ans. : (c)**

50. The page session will get expire at specified date and time using .....value of http-equiv attribute.
(a) Expires (b) Refresh
(c) set-cookie (d) content-type

**Ans. : (a)**

51. Aim of web site is described using keywords used in _____ tag.
(a) <meta> (b) <marquee>
(c) <title> (d) <head>

**March 2023, 24**

**Ans. : (a)**

52. In CSS font-weight is used to apply _____ face. **March 2023, 24**
(a) bold (b) italic
(c) underline (d) strike through

**Ans. : (a)**

## 1.4 Cascading Style Sheets HTML5

53. CSS stands for ..... **March 2022, 24**
(a) Content Style Sheets (b) Commanding Style Sheets
(c) Cascading Style Sheets (d) Context Style Sheets

**Ans. : (c)**

54. ..... allows you to control the look and feel of several pages by changing a single source. **March 2023**
(a) ASP (b) CSS (c) PHP (d) DOM

**Ans. : (b)**

55. ..... indicates the HTML element you want to style. **March 2022, 24**
(a) Selector (b) Declaration
(c) Property (d) Value

**Ans. : (a)**

56. The ..... block can contain one or more declarations separated by a semi colon.
(a) Declaration (b) Selector (c) Property (d) Value

**Ans. : (a)**

57. Each declaration contains a property name and value, separated by .....
(a) Colon (b) Comma (c) Semicolon (d) Period

**Ans. : (a)**

58. A ..... is a type of attribute of HTML element. **March 2022, 23, 24**
(a) Property (b) Value (c) Declaration (d) Selector

**Ans. : (a)**

March 2023, 24

59. ..... are assigned to CSS properties.
(a) Methods (b) Values (c) Selector (d) Property

**Ans. : (b)**

60. There are ..... methods of implementing styling information to an HTML document.
(a) Four (b) Five (c) Three (d) Six

**Ans. : (c)**

March 2024

61. ..... style sheet uses the style attribute in the HTML start tag.
(a) Internal (b) Inline (c) External (d) Selector

**Ans. : (b)**

62. ..... CSS is used to apply CSS as an single line of element.
(a) Internal (b) External (c) Embedded (d) Inline

**Ans. : (d)**

63. Example of Inline CSS is .....
(a) <body background – color : red >
(b) <body style = "background – color : red">
(c) <body class = "background – color : red">
(d) <body id = "background" – color : red">

**Ans. : (b)**

March 2022, 23, 24

64. Internal CSS is also called as ..... CSS.
(a) Embedded (b) Inline (c) Inbuilt (d) External

**Ans. : (a)**

March 2023

65. ..... style sheet is used to apply CSS on a single document or page.
(a) Internal (b) Inline (c) External (d) Inbuilt

**Ans. : (a)**

66. Internal CSS is written inside ..... tag within head section of html.
(a) <body> (b) <style> (c) <link> (d) <title>

**Ans. : (b)**

67. The ..... style sheet is used when you want to make changes on multiple pages.

March 2022, 23, 24

(a) Internal (b) External (c) Inline (d) Embedded

**Ans. : (b)**

68. ..... style sheet facilitates to change the look of the entire web site by changing just one file.
(a) External (b) Inline (c) Internal (d) Embedded

**Ans. : (a)**

March 2022, 23, 24

69. In external CSS ..... tag should be put inside head section.
(a) <style> (b) <link> (c) <title> (d) <body>

**Ans. : (b)**

70. An external style sheet must be saved with ..... extension. **March 2023, 24**
(a) .txt (b) .html (c) .JS (d) .CSS

**Ans. : (d)**

71. The ..... CSS file should not contain any HTML tags.
(a) Internal (b) Inline (c) External (d) Embedded

**Ans. : (c)**

72. The ..... property changes the color of text. **March 2022, 23, 24**
(a) color (b) background-color
(c) font – color (d) text-color

**Ans. : (a)**

73. The ..... property sets background color in your webpage.
(a) background – color (b) background-bg color
(c) back color (d) color

**Ans. : (a)**

74. The ..... property is used to make the text bold. **March 2022, 24**
(a) font-color (b) font-size (c) font-weight (d) font-style

**Ans. : (c)**

75. The ..... property is used to make the text italics. **March 2023, 24**
(a) font-weight (b) font-size
(c) font-height (d) font-style

**Ans. : (d)**

76. The ..... property is used to decorate the text.
(a) Text-align (b) Text-color
(c) Text-decoration (d) Decoration

**Ans. : (c)**

77. The ..... value of text-decoration property is used to add strike through marks. **March 2022, 24**
(a) line-through (b) underline
(c) strike-through (d) overline

**Ans. : (a)**

78. The ..... value of text-decoration property is used to underline the text.
(a) Overline (b) line-through
(c) underline (d) strike

**Ans. : (c)**

79. The ..... value of text-decoration property is used to overstrike the text.
(a) Overline (b) underline (c) overstrike (d) line-through **March 2024**

**Ans. : (a)**

80. The .....value of text-decoration property is used to remove underlines from lines. **March 2022**
(a) Overline (b) Underline (c) none (d) line through

**Ans. : (c)**

81. The ..... property is used to control the horizontal alignment of any block leve text. March 2024
(a) Text-align (b) text- decoration
(c) font size (d) text size

**Ans. : (a)**

82. The ..... property is used to control the fonts.
(a) font-size (b) font-family
(c) font-style (d) font-weight

**Ans. : (b)**

83. The ..... property allows you to control the size of the font. March 2024
(a) font-style (b) font-weight
(c) font-size (d) font family

**Ans. : (c)**

84. The ..... property helps in controlling the horizontal spacing betwee characters of text. March 2022, 24
(a) letter-spacing (b) spacing
(c) padding (d) border

**Ans. : (a)**

85. The ..... property is used when you want to add blank spaces around th content of an element.
(a) Border (b) letter-spacing
(c) Padding (d) Margin-left

**Ans. : (c)**

86. The ..... property adds a border to a web page element. March 2022, 24
(a) padding (b) border (c) font-size (d) marginal

**Ans. : (b)**

87. The ..... property is used to set an image as the background of webpage.
(a) Background-color (b) Background-image
(c) Background-img (d) Image

**Ans. : (b)**

88. The ..... property sets margin area on the left side of the element. March 2022, 24
(a) Margin-left (b) Padding (c) Border (d) font-style

**Ans. : (a)**

89. The ..... selector selects the id attribute of an HTML element to select a specifi element. March 2022
(a) ID (b) Class (c) Grouping (d) Universal

**Ans. : (a)**

90. The ID selector is written with the .....character followed by the id name. March 2022, 23, 24
(a) Period (•) (b) asterisks (*) (c) hash (#) (d) Copyright ©

**Ans. : (c)**

91. The ..... selector selects HTML elements with a specific class attribute. **March 2022, 24**

(a) ID (b) Class (c) Grouping (d) Universal

**Ans. : (b)**

92. A Class selector is used with ....character followed by the class name. **March 2023**

(a) Period (•) (b) asterisks (*) (c) hash (#) (d) Copyright ©

**Ans. : (a)**

93. The class name should not start with a ..... **March 2022, 24**

(a) Text (b) Character (c) Number (d) Special symbol

**Ans. : (c)**

94. The .....Selector is used as a wildcard character.

(a) Grouping (b) Class (c) ID (d) Universal

**Ans. : (d)**

95. The .....selector is used to select all the elements with the same style definitions. **March 2022, 24**

(a) Class (b) Grouping (c) ID (d) Universal

**Ans. : (b)**

96. .....are used to separate each selector in grouping.

(a) Period (b) color (c) commas (d) semicolon

**Ans. : (c)**

97. The ..... property is used to select position for an element.

(a) Absolute (b) Position (c) Relative (d) Fixed

**Ans. : (b)**

98. There are ..... types of positioning in CSS. **March 2022**

(a) One (b) Four (c) Six (d) Three

**Ans. : (b)**

99. The ..... is the default position for HTML element.

(a) Static (b) Fixed (c) Relative (d) Absolute

**Ans. : (a)**

100. The ..... property helps to put the text fixed on the browser.

(a) Relative (b) Static (c) Fixed (d) Absolute

**Ans. : (c)**

101. The ..... property forces an element into a fixed position relative to the browser. **March 2022, 24**

(a) Fixed (b) Static (c) Absolute (d) Relative

**Ans. : (a)**

102. The ..... element will not move even when the page is scrolled. **March 2022, 24**

(a) Absolute (b) Relative (c) Static (d) Fixed

**Ans. : (d)**

103. The ..... positioning property is used to set the element relative to its normal position.

(a) Absolute (b) Relative (c) Fixed (d) Static

**Ans. : (b)**

104. The ..... property gets an element in a specific location and it is not affected by the flow of the page. March 2022, 23, 24
(a) Absolute (b) Fixed (c) Relative (d) Static

Ans. : (b)

105. Absolute positioning property positions the element at the specified coordinates relative to screen ..... corner.
(a) Top-left (b) Top-right (c) Top-bottom (d) Top-bottom.

Ans. : (a)

106. ..... is a CSS property written in CSS file or directly in the style of an element.
(a) Absolute (b) Fixed (c) Float (d) Static March 2022, 24

Ans. : (c)

107. ..... keeps the element float on left side of container.
(a) Float : left (b) Float : right
(c) Float : none (d) Float : top

Ans. : (a)

108. ..... keeps the element float on right side of container.
(a) Float : left (b) Float : right
(c) Float : none (d) Float : top

Ans. : (b)

109. ..... is default property which shows the element as it is. March 2022, 23, 24
(a) Float : left (b) Float : right
(c) Float : none (d) Float : top

Ans. : (c)

110. The ..... Property is CSS defines how the components are going to be placed on the web page.
(a) Static (b) Fixed (c) Display (d) Relative

Ans. : (c)

111. The ..... Property is used to define the display of different parts of a web-page.
(a) display (b) static (c) Fixed (d) absolute March 2022

Ans. : (a)

112. ..... Value is used to display an element as an inline element.
(a) Inline (b) Block (c) None (d) Block-inline

Ans. : (a)

113. ..... is used to display an element as an block element.
(a) Inline (b) Block (c) None (d) Block-inline

Ans. : (b)

114. ..... Value is used to set width and height.
(a) Inline (b) Block (c) None (d) Block-inline

Ans. : (d)

115. Using ..... Value element is completely removed. March 2022, 24
(a) Inline (b) Block (c) None (d) Block-inline

Ans. : (c)

**116.** Rucha has designed a website for her college but her principal told her to change the font color and background color of all pages by doing changes in one file only. Which of the following CSS she should use ?

(a) Internal CSS (b) Inline CSS

(c) Embedded CSS (d) External CSS

**Ans. : (d)**

**117.** Nikhil has designed a website for a firm, but after checking the output, his friend suggested him to remove the underline of all the links, he has used in his website. Which of the following change he should do in his coding ?

(a) a {text-decoration : underline} (b) a {text-decoration : remove}

(c) a {text-decoration : none} (d) a {text-decoration : delete}

**Ans. : (c)**

**118.** Class is written with the _____ character. **March 2023, 24**

(a) HASH (b) UNDERSCORE

(c) DOT (d) AMPERSAND

**Ans. : (c)**

**119.** The class selector is used when you want to change _____ within your HTML page. **March 2023**

(a) a group of elements (b) single element

(c) only one element (d) two elements.

**Ans. : (a)**

**120.** In HTML5 <link> tag is used in _____ stylesheet. **March 2023, 24**

(a) internal (b) external

(c) inline (d) embedded

**Ans. : (b)**

## 1.5 Ordered list or numbered list

**121.** The ..... tag defines an Ordered list.

(a) <ul> (b) <ol> (c) <dt> (d) <li>

**Ans. : (b)**

**122.** A ..... list can be numerical or alphabetical. **March 2022, 24**

(a) Ordered (b) Unordered

(c) Definition (d) None

**Ans. : (a)**

**123.** The ..... attribute is used to specify the numbering type for the used items.

(a) Reversed (b) start (c) Type (d) Name

**Ans. : (c)**

**124.** The default value of type attribute of ordered list is ..... **March 2022**

(a) I (b) a (c) 1 (d) 10

**Ans. : (c)**

125. The ..... Attribute specifies that the items of the lists are specified in the reverse order.

(a) type (b) reversed (c) Start (d) Name

**Ans. : (b)**

126. The ..... specifies the starting number of the first item in an ordered list. **March 2024**

(a) Type (b) Reversed (c) start (d) Name

**Ans. : (c)**

127. Suraj has designed a form to print the numbers 1 to 10 by using ordered list. Now he wants to print the numbers in descending order (i.e. from 10 to 1), which of the following attribute he should use with <∂L>.

(a) <OL decrease> (b) <OL descending>

(c) <OL ascending> (d) <OL reversed>

**Ans. : (d)**

128. A Geography teacher told the IT students to design a webpage that should contain the map of India with all states. She told the students to display the information of all the states after clicking on the area of that particular state. Which of the following students should use for designing such a webpage ?

(a) Image mapping (b) Website mapping

(c) Area mapping (d) Media mapping

**Ans. : (a)**

## 1.6 Unordered list or bulleted list

129. An Unordered list is created using .....tag. **March 2022, 24**

(a) <ol> (b) <ul> (c) <dd> (d) <dt>

**Ans. : (b)**

130. ..... list is also called as bulleted list.

(a) Unordered (b) Ordered (c) Dataset (d) lists

**Ans. : (a)**

131. Each list item starts with ..... tag. **March 2024**

(a) <dd> (b) <dt> (c) <ol> (d) <li>

**Ans. : (d)**

132. The ..... attribute of <ul> tag sets the list item marked to disc, circle or square.

(a) type (b) start (c) name (d) reversal

**Ans. : (a)**

133. The .....is the default value of type attribute of <ul> tag. **March 2023, 24**

(a) Disc (b) square (c) circle (d) bullet

**Ans. : (a)**

## 1.7 Definition list

134. To define a definition list ..... tag is used. March 2022
(a) <dd> (b) <dl> (c) <dt> (d) <ol>

Ans. : (b)

135. The ..... tag is used to define the term.
(a) <ul> (b) <dd> (c) <dt> (d) <dl>

Ans. : (c)

136. The ..... is used to define term's definition. March 2024
(a) <dd> (b) <dt> (c) <dl> (d) <ul>

Ans. : (a)

137. The list within another list is called ..... list. March 2023, 24
(a) listed (b) tested (c) none (d) nested.

Ans.: (d)

## 1.8 Inserting audio and video in HTML5

138. MPEG stands for ..... March 2022, 24
(a) Making Pictures Expert Groups (b) Moving pictures Experts Group
(c) Managing Pictures Expert Groups (d) Merging Pictures Expert Groups

Ans. : (b)

139. AAC stands for .....
(a) Auto Audio coding (b) Arrange Audio Coding
(c) Advanced Audio Coding (d) Advanced Arrange Coding

Ans. : (c)

140. The ..... element enables to embed or add audio files on the webpages.
(a) <audio> (b) <video> (c) <style> (d) <img> March 2024

Ans. : (a)

141. Using ..... attribute of <audio> tag the audio will start playing as soon as it is ready. March 2022
(a) Controls (b) Src (c) loop (d) Autoplay

Ans. : (d)

142. The ..... attribute of <audio> tag defines the audio controls should be displayed.
(a) loop (b) muted (c) controls (d) Src

Ans. : (c)

**143.** The ..... attribute of <audio> tag sets the audio will start over again, every time it is finished. March 2022, 23

(a) loop (b) controls (c) Src (d) muted

**Ans. : (a)**

**144.** The ..... attribute of <audio> tag specifies that the audio output should be muted. March 2024

(a) Src (b) Controls (c) Autoplay (d) muted

**Ans. : (d)**

**145.** The ..... attribute of <audio> tag specifies the URL of the audio file.

(a) muted (b) loop (c) Src (d) controls March 2024

**Ans. : (c)**

**146.** The ..... attribute is used to add audio controls such as play, pause and volume March 202

(a) loop (b) controls (c) autoplay (d) Src

**Ans. : (b)**

**147.** The ..... tag is used to specify multiple media resources for media elements.

(a) <ol> (b) <img> (c) <style> (d) <source>

**Ans. : (d)**

**148.** The ..... tag is used to embed video into web page. March 2022, 2

(a) <video> (b) <audio> (c) <style> (d) <img>

**Ans. : (a)**

**149.** The ..... attribute defines the link to video file.

(a) Autoplay (b) Height (c) Src (d) loop

**Ans. : (c)**

**150.** The ..... attribute specifies that the video will start playing as soon as it is read

(a) Controls (b) Autoplay (c) loop (d) Muted

**Ans. : (b)**

**151.** The ..... attribute specifies that video controls should be displayed.

(a) controls (b) loop (c) autoplay (d) muted March 202

**Ans. : (a)**

**152.** The ..... attribute sets the height of the video player.

(a) Width (b) loop (c) Muted (d) height

**Ans. : (d)**

**153.** The ..... attribute specifies that the video will start over again every time it i finished.

(a) Muted (b) loop (c) Controls (d) Autoplay

**Ans. : (b)**

154. The ..... attribute specifies that the audio output of the video should be muted. **March 2022**

(a) controls (b) loop (c) Muted (d) Height

**Ans. : (c)**

155. The ..... attribute an image to be shown while the video is downloading.

(a) Poster (b) URL (c) Autoplay (d) Muted **March 2024**

**Ans. : (a)**

156. The ..... attribute specifies if and how the author thinks the video should be loaded when the web page loads.

(a) Poster (b) width (c) controls (d) preload

**Ans. : (d)**

157. The ..... attribute sets the width of the video player. **March 2022, 24**

(a) Muted (b) width (c) loop (d) controls

**Ans. : (b)**

158. Audio file format _____ is an open container and free audio format.

(a) ogg (b) mp4 (c) aac (d) mid **March 2023, 24**

**Ans. : (a)**

## 1.9 Image map in HTML5

159. An image with multiple hyperlinks is called an .....

(a) links (b) Navigation

(c) Hyperlinks (d) Image map

**Ans. : (d)**

160. ..... is used to connect links to different regions on the web page. **March 2024**

(a) links (b) hotspots (c) Image map (d) Hyper links

**Ans. : (c)**

161. The clickable regions of image map are called as ..... **March 2024**

(a) hotspots (b) Image map (c) Hyperlinks (d) links

**Ans. : (a)**

162. ..... tag is used to insert an image on a web page. **March 2022, 24**

(a) <image> (b) <img> (c) <body> (d) <head>

**Ans. : (b)**

163. To create a Client Side Image Map ..... attribute of <img> tag is used.

(a) Ismap (b) Nomap (c) usemap (d) Mymap **March 2024**

**Ans. : (c)**

164. Usemap attribute of <img> tag is used with value which is preceded with a ..... symbol.

(a) # (b) @ (c) $ (d) •

**Ans. : (a)**

165. The ..... attribute acts as a pointer which indicates that the image is a Client Side Image Map. March 2023, 24
(a) Ismap (b) Nomap (c) Mymap (d) usemap
Ans. : (d)

166. The ..... tag is used to map the image. March 2022
(a) <img> (b) <map> (c) <area> (d) <body>
Ans. : (b)

167. The ..... attribute of <map> tag specifies name of the image used for client side image map. March 2023, 24
(a) src (b) href (c) Name (d) alt
Ans. : (c)

168. ..... tag defines the specific clickable regions.
(a) <map> (b) <img> (c) <body> (d) <area>
Ans. : (d)

169. The ..... attribute of <area> tag defines the URL to which the clickable region within the image map navigates. March 2022, 24
(a) Href (b) Src (c) URL (d) Link
Ans. : (a)

170. The ..... attribute defines the shape as rect, circle or poly.
(a) Coords (b) shape (c) alt (d) Href
Ans. : (b)

171. The ..... attribute specifies co-ordinates of the clickable regions on the image map. March 202
(a) shape (b) alt (c) coords (d) Href
Ans. : (c)

172. The ..... attribute specifies extra information about clickable area. March 202
(a) Coords (b) shape (c) href (d) alt
Ans. : (d)

173. ..... value of shape attribute of <area> tag specifies rectangular area.
(a) Rect (b) Circ (c) Poly (d) triangle March 202
Ans. : (a)

174. Rect specifies rectangular area with ..... co-ordinates.
(a) three (b) six (c) eight (d) four
Ans. : (d)

175. ..... value of shape attribute of <area> tag defines a circular region.
(a) Rect (b) Circle/Circ (c) Poly (d) Star
Ans. : (b)

176. Circle defines the circular region which requires ..... co-ordinates.
(a) three (b) two (c) six (d) seven March 2022, 2
Ans. : (a)

177. ..... value of shape attribute of <area> tag defines polygon region.
(a) Circ (b) Rect (c) Triangle (d) Poly
Ans. : (d)

178. Textual description about the image can be added by using _____ attribute.
(a) text (b) dex (c) alt (d) name **March 2023, 24**

**Ans. : (c)**

179. Which attribute of <img> tag gives extra info about images ? **March 2023**
(a) src (b) usemap (c) url (d) alt

**Ans. : (d)**

## 1.10 Inline Frame in HTML5

180. The ..... element creates an inline frame. **March 2023, 24**
(a) <body> (b) <frame> (c) <link> (d) <iframe>

**Ans. : (d)**

181. ..... frames are often used in online advertising. **March 2022**
(a) Inline (b) Internal (c) External (d) Embedded

**Ans. : (a)**

182. The ..... attribute specifies the address of the document to embed in the <iframe>. **March 2024**
(a) Height (b) Width (c) Src (d) Name

**Ans. : (c)**

183. The ..... attribute specifies the height of an <iframe> tag.
(a) Name (b) Height (c) Width (d) Srcdoc

**Ans. : (b)**

184. The ..... attributes specific the width of an <iframe> tag.
(a) Width (b) Height (c) Name (d) Src

**Ans. : (a)**

185. The ..... attribute specifies name of an <iframe> tag. **March 2022, 24**
(a) Srcdoc (b) Src (c) Width (d) Name

**Ans. : (d)**

186. The ..... attribute specifies the HTML content of the page to show in the <iframe> tag.
(a) Src (b) Srcdoc (c) Name (d) Height

**Ans. : (b)**

## 1.11 Website Hosting

187. Website is made available on the Internet with the help of ..... **March 2022**
(a) Website (b) Web space
(c) Web world (d) Web hosting

**Ans. : (d)**

188. ..... is the service of providing storage space.
(a) Website (b) Web hosting
(c) Web world (d) web page

**Ans.: (b)**

189. The Companies that provides web hosting services are called .....
(a) Web hosts (b) Web page (c) Web site (d) Browser March 2023, 24

**Ans. : (a)**

190. ..... own and manage web servers.
(a) Website (b) Web page (c) Web Hosts (d) Web link

**Ans. : (c)**

191. ..... hosting gives domain name to your website.
(a) free (b) fixed (c) Dedicated (d) shared

**Ans. : (d)**

192. ..... are paid hosting servers for large web site. March 2022
(a) free (b) dedicated hosting
(c) fixed (d) shared

**Ans. : (b)**

193. ..... provides you free hosting of the website for limited period of time.
(a) free hosting (b) fixed
(c) shared (d) Dedicated hosting March 2023, 24

**Ans. : (a)**

## MCQ (Two Correct Answers)

### 1.1 Advanced Web Designing

1. The major browsers which support features of HTML5 are
(a) Windows Explorer (b) Microsoft Edge
(c) Google Chrome (d) My files

**Ans. : (b), (c)**

### 1.2 Forms in HTML5

2. Default range of range control is ..... to ..... March 2022
(a) 0 (b) 100 (c) 120 (d) 200

**Ans. : (a), (b)**

3. Following are the values of type attribute of <input> tag
(a) Minimum (b) Maximum (c) date (d) email

**Ans. : (c), (d)**

4. Following attributes of <input> tag are used to specify minimum and maximum value for input field ..... March 2022
(a) min (b) disabled (c) multiple (d) max

**Ans. : (a), (d)**

5. Multiple value of type attribute of <input> tag works with ..... and .....
(a) email (b) file (c) week (d) month **March 2023, 24**

**Ans. : (a), (b)**

6. <input type = "month"> defines a _____ and _____ control in "yyyy-mm" format.
(a) Time (b) Month (c) Year (d) Week

**Ans. : (b), (c)**

7. Following are the attributes of <input type = "image">. **March 2022, 24**
(a) width (b) min (c) required (d) height

**Ans. : (a), (d)**

8. Auto complete attribute of <input> tag has _____ and _____ values.
(a) on (b) off (c) start (d) stop

**Ans. : (a), (b)**

9. Which of the following will show time when used in <input type = "_____"> ?
(a) date-time local (b) time
(c) calender (d) calendar-time
(e) local-time **March 2023, 24**

**Ans. : (a), (b)**

10. Following are controls of the forms in HTML5. **March 2023, 24**
(a) text (b) date (c) textbox
(d) valve (e) send

**Ans. : (a), (b)**

11. Following are common input restrictions on the form. **March 2023, 24**
(a) Class (b) Max (c) Time
(d) Pattern (e) Image

**Ans. : (b), (d)**

12. Which of the following are common input restrictions used for validation purpose.
(a) disabled (b) required (c) week
(d) height (e) search **March 2023, 24**

**Ans. : (a), (b)**

## 1.3 <meta> tag

13. Following are the attributes of <meta> tag ..... **March 2023, 24**
(a) Charset (b) email (c) http-equiv (d) file

**Ans. : (a), (c)**

14. Following are the values of http-equiv attribute of <meta> tag .....
(a) month (b) refresh (c) image (d) expires **March 2022**

**Ans. : (b), (d)**

15. Charset attribute of <meta> tag use ..... for Indian characters and ..... for Chinese characters.
(a) UTF-8 (b) Big 5 (c) UTF-2 (d) Big B

**Ans. : (a), (b)**

## 1.4 Cascading Style Sheets HTML5

16. A CSS rule set contains ..... and ..... block. March 2022, 23
(a) value (b) selector (c) Declaration (d) Property
Ans. : (b), (c)

17. Examples of declaration are .....
(a) H1 {color : green} (b) b {font – size : 11px}
(c) h1 (color : green) (d) b (font-style = 11px)
Ans. : (a), (b)

18. Text decoration property is used to add ..... March 2024
(a) line-through (b) strike-through
(c) underline (d) justify
Ans. : (a), (c)

19. Text-align property has following values ..... March 2022
(a) Middle (b) Center (c) top (d) Justify
Ans. : (b), (d)

20. In CSS following properties are used to position the element. March 2024
(a) Top (b) Bottom (c) Middle (d) Mid
Ans. : (a), (b)

21. Following are the values of border property.
(a) Solid (b) Liquid (c) Groove (d) Gentle
Ans. : (a), (c)

22. ID selector is written with ..... character followed by id name and class selector is written with ..... character followed by class name.
(a) asterisk (*) (b) Dollar ($) (c) hash (#) (d) period (•)
Ans. : (c), (d)

23. Types of positioning in CSS are ..... March 2022, 23, 24
(a) Form (b) Constant (c) Fixed (d) static
Ans. : (c), (d)

24. Following are the types of floating properties ..... March 2023
(a) float : left (b) float : right (c) float : top (d) float : bottom
Ans. : (a), (b)

25. Following are the values of Display properties. March 2022, 23, 24
(a) Middle (b) Inline (c) Block (d) top
Ans.: (b), (c)

26. Font style property has following values _____.
(a) solid (b) italic (c) groove (d) oblique
Ans.: (b), (d)

27. Types of positioning are _____. March 2022, 23, 24
(a) static (b) logical (c) absolute (d) disabled
Ans.: (a), (c)

28. Value of font size property can be in _____.
(a) pt (b) mp (c) px (d) mx
Ans.: (a), (c)

## 1.5 Ordered list or numbered list

29. An ordered list can be ..... or ..... March 2022
(a) Static (b) Numerical (c) Constant (d) Alphabetical

**Ans. : (b), (d)**

30. Following are the values of type attribute of <ol> tag .....
(a) I (b) 1 (c) 5 (d) z

**Ans. : (a), (b)**

31. Following are the attributes of <ol> tag ..... March 2022, 23, 24
(a) Alphabet (b) start (c) Number (d) Reversed

**Ans. : (b), (d)**

## 1.6 Unordered list or bulleted list

32. List item starts with <li> tag in ..... and ..... tags March 2024
(a) <dd> (b) <dt> (c) <ol> (d) <ul>

**Ans. : (c), (d)**

33. Following are the values of type attribute of <ul> tag ..... March 2022, 23, 24
(a) circle (b) triangle (c) square (d) bold

**Ans. : (a), (c)**

## 1.7 Definition list

34. To create items in definition list ..... and ..... tag are used. March 2024
(a) <dt> (b) <dd> (c) <dm> (d) <ul>

**Ans. : (a), (b)**

35. Examples of nested list are ..... and ..... March 2022, 23, 24
(a) Double list (b) Single level list
(c) Multi level list (d) Grouping list

**Ans. : (b), (c)**

## 1.8 Inserting audio and video in HTML5

36. Common audio formats are ..... March 2023, 24
(a) .aac (b) .mp3 (c) .mov (d) .webm

**Ans. : (a), (b)**

37. Following are attributes of <audio> tag ..... March 2022, 23, 24
(a) width (b) autoplay (c) muted (d) height

**Ans. : (b), (c)**

38. Following attributes of <audio> tag does not have any values. March 2022
(a) controls (b) arc (c) loop (d) muted

**Ans. : (a), (d)**

39. Following are common video formats .....
(a) .ogg (b) .aac (c) .mp4 (d) .webM

**Ans. : (c), (d)**

40. Following are the attributes of <video> tag ..... March 2022, 24
(a) href (b) Src (c) loop (d) link

**Ans. : (b), (c)**

41. Preload attribute of <video> tag have following values .....
(a) Src (b) width (c) auto (d) Metadata

**Ans. : (c), (d)**

42. To set the width and height of video following attributes of <video> tag are used .....
(a) top (b) bottom (c) width (d) height

**Ans. : (c), (d)**

## 1.9 Image map in HTML5

43. Image maps are of two types ..... March 2022, 23
(a) My side (b) client side (c) Host side (d) server side

**Ans. : (b), (d)**

44. Tags used to define Client Side Image Map are ..... March 2024
(a) <img> (b) <link> (c) <map> (d) <alt>

**Ans. : (a), (c)**

45. A given ..... element can contain multiple ..... element with it.
(a) <map> (b) <area>
(c) <link> (d) <body>

**Ans. : (a), (b)**

46. Following are the attributes of <area> tag. March 2022, 23, 24
(a) Href (b) Src (c) link (d) coords

**Ans. : (a), (d)**

47. Shape attribute of <area> tag can have following values.
(a) Square (b) Rect (c) Circle (d) Star

**Ans. : (b), (c)**

## 1.10 Inline Frame in HTML5

48. Attributes of <iframe> tag are ..... March 2023
(a) Src (b) href (c) loop (d) Srcdoc

**Ans. : (a), (d)**

## 1.11 Website Hosting

49. Types of Web Hosting are ..... March 2022, 23

(a) Fixed hosting (b) Shared Hosting

(c) Dedicated hosting (d) My Hosting

Ans. : (b), (c)

## MCQ (Three Correct Answers)

## 1.1 Advanced Web Designing

1. The major browsers which support features of HTMLs are .....

(a) Google Chrome (b) Window explorer

(c) My Documents (d) Safari

(e) Opera (f) My files

Ans. : (a), (d), (e)

2. Following form controls are used to collect different kinds of user inputs. March 2022, 24

(a) text (b) textbox (c) radio button

(d) checkbox (e) radio (f) option button

Ans. : (a), (d), (e)

3. Select correct input restrictions used for validation purpose. March 2023

(a) max (b) focus (c) multiple

(d) maximum (e) single (f) autofocus

Ans. : (a), (c), (f)

## 1.2 Forms in HTML5

4. <input type = "date"> defines a date picker with the ....., ..... and .....

(a) week (b) Date (c) year

(d) month (e) day (f) Mthname

Ans. : (c), (d), (e)

5. Following are the valid values of type attribute of <input> tag .....

(a) link (b) date (c) list

(d) email (e) file (f) start March 2022, 23, 24

Ans. : (b), (d), (e)

6. Following are the valid attributes of <input> tag .....

(a) autofocus (b) link (c) pattern

(d) list (e) multiple (f) start

Ans. : (a), (c), (e)

March 2023

7. Select correct input types of HTML5.
(a) <input type = "number"> (b) <input type = "phone">
(c) <input type = "url"> (d) <input type = "size">
(e) <input type = "date"> (f) <input type = "dt">

**Ans. : (a), (c), (e)**

## 1.3 <meta> tag

March 2022, 23, 24

8. Following are the attributes of <meta> tag .....
(a) Content (b) Charset (c) Name
(d) Min (e) Max (f) Minimum

**Ans. : (a), (b), (c)**

9. Name attribute of <meta>tag specifies the name of meta data like ....., ..... or .....
(a) Content (b) author (c) Keywords
(d) Src (e) Description (f) Desc

**Ans. : (b), (c), (e)**

10. Following are the valid values of http-equiv attribute of <meta> tag .....
(a) Refresh (b) expires (c) get-cookie (d) make-cookie
(e) set-cookie (f) get-value

**Ans. : (a), (b), (e)**

## 1.4 Cascading Style Sheets HTML5

March 2023, 24

11. Following are the types of CSS .....
(a) Inline (b) Internal (c) Object (d) External
(e) Multiple (f) Multilevel

**Ans. : (a), (b), (d)**

March 2022, 24

12. Text-decoration property is used to add .....
(a) Strike-through (b) line-through
(c) underline (d) overline
(e) middle line (f) Line between

**Ans. : (b), (c), (d)**

March 2024

13. Text-align property has following value .....
(a) left (b) top (c) right (d) Center
(e) middle (f) Joint

**Ans. : (a), (c), (d)**

March 2023

14. Following are valid CSS properties.
(a) Mg-color (b) Bg-color (c) Color (d) Background-image
(e) Background – color (f) Fg-color

**Ans. : (c), (d), (e)**

15. Types of selectors used in CSS are ..... March 2022, 23

(a) external (b) grouping (c) universal
(d) block (e) class (f) static

**Ans. : (b), (c), (e)**

16. Following are the valid CSS properties used to control fonts .....

(a) font-figure (b) font-family (c) font-style
(d) font-weight (e) font-color (f) font-face

**Ans. : (b), (c), (d)**

17. The elements can be positioned using ..... properties. March 2022, 24

(a) top (b) bottom (c) middle (d) right
(e) up (f) down

**Ans. : (a), (b), (d)**

18. Types of Positioning in CSS are .....

(a) Static (b) Fixed (c) Absolute (d) Mixed
(e) Firm (f) Constant

**Ans. : (a), (b), (c)**

19. Following are the type of floating properties March 2022, 24

(a) Float : mid (b) Float : top (c) Float : left
(d) Float : none (e) Float : right (f) Float : min

**Ans. : (c), (d), (e)**

20. Following are the values of Display Property ..... March 2023

(a) Internal (b) Inline (c) Block (d) Block-inline
(e) Outline (f) Between

**Ans. : (b), (c), (d)**

## 1.5 Ordered list or numbered list

21. Following are the valid values of type attribute of <ol> tag ..... March 2024

(a) I (b) 1 (c) a (d) 2
(e) 0 (f) C

**Ans. : (a), (b), (c)**

22. Following are the attributes of <ol> tag ..... March 2023, 24

(a) loop (b) type (c) Name (d) Reversed
(e) start (f) src

**Ans. : (b), (d), (e)**

## 1.6 Unordered list or bulleted list

23. Following are the valid values of type attribute of <ul> tag ..... March 2023

(a) rectangle (b) square (c) triangle (d) circle
(e) Disc (f) diamond March 2022

**Ans. : (b), (d), (e)**

## 1.8 Inserting audio and video in HTML5

**24.** Following are the common Audio format ..... March 2023

(a) .mp3 (b) .aac (c) .mov (d) .ogg

(e) .Webm (f) .www

**Ans. : (a), (b), (d)**

**25.** Following are the attribute of <audio> tag ..... March 2022, 23, 24

(a) Width (b) Controls (c) loop (d) muted

(e) Height (f) Depth

**Ans. : (b), (c), (d)**

**26.** Following attributes of <audio> and <video> tags does not have any values.

(a) Autoplay (b) Controls (c) Src (d) Muted

(e) loop (f) Href

**Ans. : (a), (b), (d)**

**27.** Following are the common video formats ..... March 2022, 24

(a) .AV (b) .mp4 (c) .ogg (d) .webM

(e) .aac (f) .MIDI

**Ans. : (b), (c), (d)**

**28.** Following are the attributes of <video> tag ..... March 2023, 24

(a) Height (b) links (c) href (d) loop

(e) muted (f) video

**Ans. : (a), (d), (e)**

**29.** Following are the valid values of preload attribute of <video> tag .....

(a) Auto (b) Metadata (c) None (d) Autoplay

(e) Autopause (f) SetData

**Ans. : (a), (b), (c)**

## 1.9 Image map in HTML5

**30.** Tags used to define Client Side Image Map are ..... March 2022

(a) <link> (b) <img> (c) <href> (d) <map>

(e) <area> (f) <image>

**Ans. : (b), (d), (e)**

**31.** Following are the values of shape attribute of <area> tag ..... March 2024

(a) rect (b) circle (c) square (d) star

(e) poly (f) triangle

**Ans. : (a), (b), (e)**

**32.** Following are the attributes of <area> tag. March 2023

(a) href (b) coords (c) width (d) alt

(e) height (f) src doc

**Ans. : (a), (b), (d)**

## 1.10 Inline Frame in HTML5

33. Following are the attributes of <iframe> tag. **March 2023, 24**

(a) Src (b) Name (c) Srcdoc (d) loop

(e) href (f) width

**Ans. : (a), (b), (c)**

## 1.11 Website Hosting

34. Types of Web hosting are ..... **March 2022, 23, 24**

(a) Fixed hosting (b) Dedicated hosting

(c) formal hosting (d) shared hosting

(e) free hosting (f) No hosting

**Ans. : (b), (d), (e)**

## Match the pair

## 1.2 Forms in HTML5

**(I)**

| | A | | B |
|---|---|---|---|
| (1) | <input type = "color"> **March 2022** | (a) | Defines image as submit button |
| (2) | <input type = "number"> **March 2024** | (b) | Define the color picker |
| (3) | <input type = "url"> | (c) | Defines a field for entering URL |
| (4) | <input type = "image"> **March 2024** | (d) | Defines a field for entering number |

**Ans. : (1) – (b), (2) – (d), (3) – (c), (4) – (a)**

**(II)**

| | A | | B |
|---|---|---|---|
| (1) | <input type = "date"> **March 2024** | (a) | Defines month and year control |
| (2) | <input type = "email"> **March 2022, 24** | (b) | Defines a range control |
| (3) | <input type = "month"> | (c) | Defines week control |
| (4) | <input type = "range"> **March 2024** | (d) | Defines a date picker |

**Ans. : (1) – (d), (2) – (c), (3) – (a), (4) – (b)**

## 1.3 <meta> tag

(I)

| | A | | B |
|---|---|---|---|
| (1) | Name **March 2023, 24** | (a) | Used for http response message headers |
| (2) | Content | (b) | Specifies the name of meta data |
| (3) | Charset | (c) | It can have any textual matter related to the name |
| (4) | http-equiv **March 2022, 24** | (d) | Specifies the character encoding used by the document |

**Ans. : (1) – (b), (2) – (c), (3) – (d), (4) – (a)**

## 1.4 Cascading Style Sheets HTML5

(I)

| | A | | B |
|---|---|---|---|
| (1) | Selector **March 2024** | (a) | It contains declarations separated by semicolon |
| (2) | Declaration Block | (b) | It is a type of attribute of HTML document |
| (3) | Property **March 2022** | (c) | These are assigned to CSS properties |
| (4) | Value **March 2023** | (d) | It indicates the HTML element you want to style |

**Ans. : (1) – (d), (2) – (a), (3) – (b), (4) – (c)**

(II)

| | A | | B |
|---|---|---|---|
| (1) | Font-weight | (a) | Used to control fonts |
| (2) | Font- style | (b) | Used to bold text |
| (3) | Font –family | (c) | Used to italicize text |
| (4) | Font-size | (d) | Used to control size of the font |

**Ans. : (1) – (b), (2) – (c), (3) – (a), (4) – (d)**

(VII)

| | A | | B |
|---|---|---|---|
| A. | Webpage optimization factor **March 2023** | 1. | Order of tags |
| B. | Array **March 2023** | 2. | getDay |
| C. | One of the method in Javascript **March 2023, 24** | 3. | Link tag |
| D. | External CSS **March 2023** | 4. | Variable which can hold more than one variable. |

**Ans. : A – (1), B – (4), C – (2), D – (3)**

## 1.5 Ordered list or numbered list

(I)

| | A | | B |
|---|---|---|---|
| (1) | <ol> **March 2023** | (a) | Defines values for the list |
| (2) | Type **March 2023** | (b) | Displays list items in reverse order |
| (3) | Reversed **March 2024** | (c) | Specifies starting number of list |
| (4) | Start | (d) | Defines ordered list |

**Ans. : (1) – (d), (2) – (a), (3) – (b), (4) – (c)**

## 1.6 Unordered list or bulleted list

(I)

| | A | | B |
|---|---|---|---|
| (1) | <ul> **March 2022** | (a) | Create unordered list |
| (2) | <li> **March 2024** | (b) | Sets the list item marker to a circle |
| (3) | Type = "circle"> | (c) | Sets the list item marker to square |
| (4) | Type = "square"> | (d) | Specifies list items |

**Ans. : (1) – (a), (2) – (d), (3) – (b), (4) – (c)**

**(III)**

| | A | | B |
|---|---|---|---|
| (1) | Muted | (a) | Sets the height of the video player |
| (2) | Height | (b) | Specifies if and how the author thinks the video should be loaded when webpage loads. |
| (3) | Poster | (c) | Specifies an image to be shown while video is downloading |
| (4) | Preload | (d) | Specifies that the audio output of the video should be muted |

**Ans. : (1) – (d), (2) – (a), (3) – (c), (4) – (b)**

## 1.9 Image map in HTML5

**(I)**

| | A | | B |
|---|---|---|---|
| (1) | <img> | (a) | It is used to connect links to different regions on the web page |
| (2) | <map> March 2024 | (b) | Defines the clickable regions |
| (3) | <area> | (c) | It specifies name of image used for client side image map |
| (4) | Image map March 2023, 24 | (d) | It is used to insert image on the web page |

**Ans. : (1) – (d), (2) – (c), (3) – (b), (4) – (a)**

**(II)**

| | A | | B |
|---|---|---|---|
| (1) | Href | (a) | It can have value rect, circle and poly |
| (2) | Shape March 2024 | (b) | Specifies extra information about clickable area |
| (3) | Coords March 2022 | (c) | Defines URL to which the clickable region within the image map navigators |
| (4) | Alt March 2023 | (d) | Specifies coordinates of the clickable regions |

**Ans. : (1) – (c), (2) – (a), (3) – (d), (4) – (b)**