Fill in the Blanks

5.2 Server Side Scripting

1. A ..... is a Computer system that serves as a central repository of data and programs. (March 2023)

Ans. : Server

2. The server side environment that runs a scripting language is called .....

Ans. : Web Server

3. PHP is .....side scripting language. (March 2022, 23, 24)

Ans. : Server

5.3 Features of PHP

4. PHP is .....language, there is no need for compilation.

Ans. : Interpreted

5.4 First Sample code of PHP

5. PHP files have extension ..... (March 2022, 23, 24)

Ans. : .php

6. .....keyword is used to display text on web page. (March 2022, 23)

Ans. : echo

7. .....is a symbol or name that stands for a value.

Ans. : Variable

8. A variable starts with the .....sign followed by the name of the variable. (March 2022, 24)

Ans. : $

9. A variable name cannot start with a .....

Ans. : Number

10. A variable declared outside a function has a .....scope and can only be accessed outside a function. (March 2022, 23)

Ans. : Global

11. A variable declared within a function has a .....scope and can only be accessed within that function. (March 2022, 23)

Ans. : Local

12. .....are the statements in PHP code, which are not visible in the output of the program.
Ans. : **Comments**

13. The .....statement allows programmer to make decision based on one or more conditions.
Ans. : **if**

14. The .....statement allows programmer to make decision based on either this or that condition.
Ans. : **if else**

15. .....are used to execute the same block of code repeatedly as long as certain condition is satisfied.
Ans. : **loop**

16. .....loop works only on arrays.
Ans. : **foreach**

17. .....functions returns the length of a string. **(March 2022, 23, 24)**
Ans. : **strlen()**

18. .....functions counts the number of words in a string.
Ans. : **str_word_count()**

19. .....function reverses a string. **(March 2022)**
Ans. : **strrev()**

20. .....function searches for a specific text within a string.
Ans. : **strpos()**

21. .....function replaces some characters with some other characters in a string.
Ans. : **str_replace()**

22. .....function returns a part of a string. **(March 2022, 23, 24)**
Ans. : **substr()**

23. .....function converts a string to lowercase. **(March 2022, 23, 24)**
Ans. : **strtolower()**

24. .....function counts the number of times a substring occurs in a string.
Ans. : **substr_count()**

25. .....converts the first character of each word in a string to uppercase. **(March 2022, 23, 24)**
Ans. : **ucwords()**

26. .....functions removes whitespace and other predefined characters from both sides of a string. **(March 2022, 23)**
Ans. : **trim()**

5.5 PHP String Functions

27. A .....is series of characters. **(March 2022, 23)**
Ans. : **string**

28. A .....is a block of statements that can be used repeatedly in a program.
Ans. : **function** **(March 2023)**

5.6 PHP Arrays

29. An .....is a special variable which can hold more than one value at a time.

Ans. : array

30. An .....stores multiple values in single variable. (March 2022, 23)

Ans. : array

31. The .....PHP function is used to create an array variable.

Ans. : array()

32. There are .....types of arrays in PHP.

Ans. : Three

33. The .....arrays are the arrays with numeric index. (March 2022, 23)

Ans. : Indexed

34. The .....arrays are the arrays with named keys. (March 2022, 24)

Ans. : Associative

35. The .....arrays are the arrays containing one or more arrays. (March 2022, 24)

Ans. : Multi-dimensional

36. The .....function is used to return the length of an array.

Ans. : count()

5.7 PHP User Defined Functions

37. A .....is a block of statements that can be used repeatedly in a program. (March 2022)

Ans. : Function

38. Information can be passed to functions through ..... (March 2024)

Ans. : Arguments

39. .....are specified after the function name, inside the parentheses.

Ans. : Arguments

40. The .....statement is used to let a function return a value. (March 2024)

Ans. : return

5.8 PHP Form Handling

41. The form data is sent with the .....method.

Ans. : HTTP POST

42. .....is an array of variables passed via the URL parameters. (March 2022, 23, 24)

Ans. : $_GET

43. .....is an array of variables passed via the HTTP post method. **(March 2022, 23)**

Ans. : $_POST

44. Information sent from a form with .....method is visible to everyone.

Ans. : GET

45. .....method may be used for sending non sensitive data. **(March 2022, 24)**

Ans. : GET

46. Information sent from a form with .....method is invisible to everyone.

Ans. : POST

47. .....method has no limits on the amount of information to send.

Ans. : POST

48. .....object helps to connect PHP code with any database server.

Ans. : PDO()

49. .....method in PHP is used to check whether variable has value or not.

Ans. : isset()

50. A .....is a small text file that the server sends on the user's computer. **(March 2023, 24)**

Ans. : Cookie

51. .....is used to identify user or its machine and track activities created on the user computer.

Ans. : Cookie

52. When browser requests server page .....are sent along with the request. **(March 2022, 23, 24)**

Ans. : cookie

53. .....is used to store user information on server to track user activities.

Ans. : session

54. .....helps web application to maintain user information on all the pages. **(March 2022, 24)**

Ans. : Session

True or False

5.1 Introduction to PHP

1. PHP is widely used open source general purpose scripting language. **(March 2023, 24)**

Ans. : True

2. PHP does not supports databases. **(March 2023)**

Ans. : False

3. PHP runs on client side. **(March 2022, 23, 24)**

Ans. : False

4. Server-side scripting is more secure than client-side scripting. (March 2023)

Ans. : True

5. PHP is easy to learn and runs efficiently on the client-side. (March 2023, 24)

Ans. : False

6. PHP is an interpreted language. (March 2023)

Ans. : True

7. PHP runs on only on windows. (March 2023, 24)

Ans. : False

8. PHP runs only on windows _____. (March 2023)

Ans. : False

5.2 Server Side Scripting

9. The server side environment that runs a scripting language is termed web server. (March 2024)

Ans. : True

10. PHP hides the code from the user.

Ans. : True

11. Python is a server side programming language. (March 2023)

Ans. : True

5.3 Features of PHP

12. PHP is very difficult to use. (March 2022, 23, 24)

Ans. : False

13. There is no need of compilation for PHP code. (March 2023)

Ans. : True

14. PHP is faster than other scripting language.

Ans. : True

15. You need to pay for use of PHP. (March 2022, 24)

Ans. : False

16. PHP is platform independent. (March 2023)

Ans.: True

17. PHP is case sensitive only at the time of variable declaration. (March 2023, 24)

Ans. : True

18. PHP is interpreted language. (March 2023)

Ans. : True

19. In PHP, the echo keyword is case insensitive. (March 2023, 24)

Ans. : False

5.4 First Sample code of PHP

The PHP code can also be embedded with HTML tags using <? PHP and ? >

20. PHP files are saved with .html extension. **(March 2022, 23, 24)**
Ans. : True

21. echo keyword is used to display text on web page.
Ans. : False

22. Variables are used to store values. **(March 2022)**
Ans. : True

23. A variable starts with $ sign, followed by name of variable. **(March 2023, 24)**
Ans. : True

24. A variable name can starts with a number. **(March 2023)**
Ans. : False

25. A variable name can contain only alpha-numeric characters and underscores. **(March 2022, 23, 24)**
Ans. : True

26. A variable declared outside a function has a GLOBAL SCOPE. **(March 2022, 23)**
Ans. : True

27. A variable declared within a function has a LOCAL SCOPE. **(March 2022, 23, 24)**
Ans. : True

28. Variables can store data of different types.
Ans. : True

29. To check data type of variable var _ put ( ) method is used. **(March 2022, 24)**
Ans. : False

30. Comments are the non executable statement in PHP code. **(March 2022)**
Ans. : True

31. If statement allows to make decision based on one or more conditions.
Ans. : True

32. For each loop works only on arrays. **(March 2022, 24)**
Ans. : True

33. StrLength() function returns the length of a string. **(March 2023)**
Ans. : False

34. Str_word_count() function counts the number of words in a string.
Ans. : True

35. Strrev() function reverses a string. **(March 2022, 23, 24)**
Ans. : True

36.

37. Strpos() function returns a string. (March 2022)

Ans. : False

38. Str_replace() function replaces some characters with some other characters in a string.

Ans. : True

39. Substr() function returns a part of a string. (March 2022)

Ans. : True

40. Strlower() function converts a string to lower case. (March 2022)

Ans. : False

41. Substr_count() function counts the number of times a substring occurs in a string.

Ans. : True

42. Ucwords() function converts the first characters of each word in a string to uppercase. (March 2022, 23)

Ans. : True

43. trim() function adds white space and other pre defined characters from both sides of a string. (March 2023)

Ans. : False

44. PHP supports NULL data type. (March 2023, 24)

Ans. : True

45. PHP does not support null data type. (March 2023)

Ans. : False

46. PHP supports none data types. (March 2023, 24)

Ans. : False

47. .ph is valid php file extension. (March 2023)

Ans. : False

48. PHP variable has three different scopes namely : local, global and static. (March 2023, 24)

Ans. : False

49. gedit is example of text editor. (March 2023)

Ans. : True

50. PHP supports NULL data type. (March 2023, 24)

Ans. : True

5.5 PHP String Functions

51. A string is a series of characters. (March 2022)

Ans. : True

52. A function is a block of statements that can be used repeatedly in a program.

Ans. : True

53. In PHP, string() returns the BOOLEAN value. (March 2023, 24)

Ans. : False

5.6 PHP Arrays

54. Array can store multiple values at a time.
Ans. : True

55. In PHP, array() function is used to create an array. (March 2022, 23, 24)
Ans. : True

56. Syntax of creating array variable is a = arr (values).
Ans. : False

57. In PHP there are six types of arrays. (March 2024)
Ans. : False

58. An array with a numeric index is called indexed arrays.
Ans. : True

59. Multi-dimensional arrays are the arrays with named keys. (March 2022)
Ans. : False

60. Associative array contains one or more arrays. (March 2024)
Ans. : False

61. Array index always starts with zero.
Ans. : True

62. The len() function is used to return the length of an array.
Ans. : false

63. PHP can handle multiple levels of multi dimensional arrays.
Ans. : True

64. We can create our own functions in PHP.
Ans. : True

5.7 PHP User Defined Functions

65. A function is a block of statements that can be used repeatedly in a program.
Ans. : True

66. A function name cannot start with a number. (March 2022, 24)
Ans. : True

67. Information can be passed to functions through methods.
Ans. : False

68. Arguments are specified after the function name, inside the parentheses.
Ans. : True (March 2022, 24)

69. Return statement is used to return a value of a function. (March 2022, 24)
Ans. : True

5.8 PHP Form Handling

70. The form data is sent with the HTTP Post method.

Ans. : True

71. The PHP superglobals $_GET and $_POST are used to collect form data. **(March 2022, 23)**

Ans. : True

72. $_GET and $_POST syperglobals which means that they are never accessible.

Ans. : False

73. $_GET is an array of variables passed via the URL parameters. **(March 2024)**

Ans. : True

74. $_POST is an array of variables passed via the HTTP POST method. **(March 2022)**

Ans. : True

75. Information sent from a form with GET method is not visible to everyone. **(March 2022, 23, 24)**

Ans. : False

76. GET has limits on the amount of information to send. **(March 2022)**

Ans. : True

77. GET should NEVER be used for sending passwords or other sensitive information. **(March 2023)**

Ans. : True

78. Information sent from a form with POST method is invisible to everyone. **(March 2022, 24)**

Ans. : True

79. POST has limits on the amount of information to send. **(March 2022)**

Ans. : False

80. isset() method in PHP is used to check whether variable has value or not. **(March 2022, 24)**

Ans. : True

81. A cookie is a small text file the client sends on the user's computer. **(March 2023)**

Ans. : False

82. When browser requests server page, cookies are sent along with the request.

Ans. : True

83. Cookies store visited page on browser to optimize search. **(March 2022)**

Ans. : True

84. Session is used to store user information on server to track user activities.

Ans. : True

85. Session helps web application to maintain user information on all the pages.

Ans. : True

86. PHP Data Object helps us to connect PHP code in Uniform Method of access to multiple databases. **(March 2022, 24)**

Ans. : True

MCQ (One Correct Answers)

5.1 Introduction to PHP

1. ..... is a widely used open source server side programming language which runs on various platforms.

(a) Word (b) PHP (c) Excel (d) PowerPoint

Ans. : (b)

5.2 Server Side Scripting

2. A .....is a Computer system that serves as a central repository of data and programs.

(a) Server (b) Network (c) Client (d) Object

Ans. : (a)

3. The server side environment that runs a scripting language is termed .....

(a) Browser (b) Computer (c) Web server (d) Client **(March 2022, 24)**

Ans. : (c)

5.3 Features of PHP

4. .....is a script executed on server which generate dynamic HTML pages.

(a) PHP (b) MS Word (c) MSExcel (d) Client

Ans. : (a)

5.4 First Sample code of PHP

5. The PHP code can also be embedded with HTML tags using .....

(a) <!Php!> (b) <?php and ?>

(c) <=php> (d) <#php#>

Ans. : (b)

6. PHP files are saved with ..... extension. **(March 2022, 23, 24)**

(a) .html (b) .xml (c) .js (d) .php

Ans. : (d)

7. .....keyword is used to display text on web page. **(March 2023, 24)**

(a) echo (b) print (c) write (d) cin

Ans. : (a)

8. .....is a symbol or name that stands for a value.

(a) Method (b) condition (c) Variable (d) Value

Ans. : (c)

9. A variable in PHP starts with the .....sign followed by name of the variable. (March 2022, 23)

(a) # (b) @ (c) = (d) $

Ans. : (d)

10. PHP variable name cannot starts with a ..... (March 2022, 23, 24)

(a) Number (b) Character

(c) Alphanumeric (d) Dollar

Ans. : (a)

11. Correct method for declaring PHP variable is ..... (March 2022)

(a) # age (b) $ age (c) @ age (d) age

Ans. : (b)

12. A variable declaration .....a function has a GLOBAL SCOPE. (March 2022, 23)

(a) inside (b) middle (c) outside (d) topside

Ans. : (c)

13. A variable declared .....a function has a LOCAL SCOPE (March 2022, 23, 24)

(a) Inside (b) outside (c) between (d) within

Ans. : (d)

14. PHP stores all .....variables in an array called $ GLOBAL[Index] (March 2022, 24)

(a) local (b) global (c) Static (d) within

Ans. : (b)

15. To check data type of variable in PHP .....method is used.

(a) var_dump() (b) var _del()

(c) var_remove() (d) var_delete()

Ans. : (a)

16. .....are the statements in PHP code which are not visible in the output of the program. (March 2024)

(a) Methods (b) comments (c) Objects (d) values

Ans. : (b)

17. How to add a single line comment in PHP ? (March 2024)

(a) // (b) * (c) $ (d) @

Ans. : (a)

18. How to a multiline comment in PHP ?

(a) // (b) # (c) $ (d) /* and */

Ans. : (d)

19. ..... statement allows programmer to make decision, based on one or more conditions. (March 2022, 24)

(a) if (b) loop (c) variable (d) method

Ans. : (a)

20. .....statement allows programmer to make decisions based on either this or that decision. **(March 2022)**

(a) loop (b) if else

(c) variable (d) method

Ans. : (b)

21. .....are used to execute the same block of code repeatedly as long as a certain condition is satisfied. **(March 2022)**

(a) Variable (b) Method (c) Object (d) loops

Ans. : (d)

22. .....loop works only on arrays. **(March 2022)**

(a) for next (b) for (c) foreach (d) forone

Ans. : (c)

23. .....function returns the length of a string. **(March 2022, 23, 24)**

(a) strrev() (b) strlen() (c) strlength() (d) substr()

Ans. : (b)

24. .....function counts the number of words in a string.

(a) strlen() (b) str_word_count()

(c) substr() (d) trim()

Ans. : (b)

25. .....function reverses a string. **(March 2022, 23, 24)**

(a) strrev() (b) trim() (c) UCwords() (d) strops()

Ans. : (a)

26. .....function searches for a specific text within a string. **(March 2022)**

(a) substr() (b) strrev() (c) strpos() (d) str_replace()

Ans. : (c)

27. .....function replaces some characters with same other character in a string.

(a) strrev() (b) str _replace()

(c) trim() (d) strpos()

Ans. : (b)

28. .....function returns a part of a string. **(March 2022, 23, 24)**

(a) substr() (b) trim() (c) strrev() (d) str_len()

Ans. : (a)

29. .....function converts a string to lowercase. **(March 2022, 23)**

(a) UCwords() (b) strtolower()

(c) strlower() (d) trim()

Ans. : (b)

30. .....function counts the number of times substring occurs in a string.
(a) substr() (b) substr_count()
(c) trim() (d) strlen() (March 2022)

Ans. (b)

31. .....function converts the first character of each word in a string to upper case.
(a) substr() (b) strtolower()
(c) trim() (d) ucwords() (March 2022, 23)

Ans.: (d)

32. .....function removes whitespace and other predefined characters from both sides of a string. (March 2022, 23, 24)
(a) trim() (b) strlen() (c) straps() (d) strrev()

Ans. : (a)

5.5 PHP String Functions

33. A .....is series of characters. (March 2022, 23)
(a) String (b) Number (c) Object (d) Value

Ans. : (a)

34. A .....is a block of statements that can be used repeatedly in a program.
(a) function (b) class (c) method (d) variable
(March 2022, 23)

Ans. : (a)

5.6 PHP Arrays

35. .....is a variable which can hold more than one value at a time. (March 2022, 24)
(a) Array (b) Method (c) Object (d) Constant

Ans. : (a)

36. In PHP .....function is used to create array.
(a) arr() (b) array() (c) value() (d) variable()

Ans. : (b)

37. Syntax of creating array variable is ..... (March 2022, 24)
(a) @ a = array() (b) #a = arr()
(c) = array() (d) $a = array (values)

Ans. : (d)

38. There are .....types of arrays in PHP. (March 2022)
(a) Two (b) One (c) Three (d) Four

Ans. : (c)

39. .....arrays are the arrays with a numeric index. **(March 2022, 23, 24)**

(a) Associative (b) Indexed

(c) Multi-dimensional (d) Normal

Ans. : (b)

40. .....arrays are the arrays with named keys. **(March 2023)**

(a) Indexed (b) Associative

(c) Dimensional (d) Normal

Ans. : (b)

41. .....arrays are arrays containing one or more arrays. **(March 2023, 24)**

(a) Multi-dimensional (b) Indexed

(c) Associative (d) Numbered

Ans. : (a)

42. Array index always starts with .....

(a) one (b) two (c) zero (d) four

Ans. : (c)

5.7 PHP User Defined Functions

43. A .....is a block of statements that can be repeatedly in a program. **(March 2022)**

(a) function (b) condition (c) object (d) value

Ans. : (a)

44. Information can be passed to functions through ..... **(March 2022, 24)**

(a) Condition (b) arguments (c) array (d) variable

Ans. : (b)

5.8 PHP Form Handling

45. The form data is sent with the .....method.

(a) HTTP POST (b) FTP POST

(c) STP POST (d) SMPT POST

Ans. : (a)

46. .....is an array of variables passed via the URL parameters. **(March 2022, 23, 24)**

(a) $_GET (b) #GET (c) ._GET (d) @_GET

Ans. : (a)

47. .....is an array of variables passed via the HTTP POST method. **(March 2022, 24)**

(a) $POST (b) $_POST (c) @_POST (d) #_POST

Ans. : (b)

48. Information sent from a form with .....method is visible to everyone.
(a) POST (b) GET (c) HTTP (D) FTP (March 2022)

Ans. : (b)

49. Information sent from a form with .....method is invisible to everyone.
(a) POST (b) GET (c) HTTP (d) FTP

Ans. : (a)

50. .....NEVER be used for sending sensitive information. (March 2022, 23, 24)
(a) POST (b) HTTP (c) GET (d) FTP

Ans. : (c)

51. .....method in PHP is used to check whether variable has value or not.
(a) outset() (b) inset() (c) noset() (d) isset() (March 2022)

Ans. : (d)

52. A .....is a small text file that the server sends on the user's computer.
(a) Cookie (b) session
(c) Presentation (d) Method (March 2023, 24)

Ans.: (a)

53. .....are sent along when browser requests server pages. (March 2023)
(a) Cookie (b) Session (c) Method (d) Server

Ans. : (a)

54. .....is used to store information on server to track user activities.
(a) Cookie (b) session (c) Presentation (d) Object

Ans. : (b)

55. .....helps web application to maintain user information on all the pages.
(a) Session (b) presentation
(c) Cookie (d) object (March 2023, 24)

Ans. : (a)

MCQ (Two Correct Answers)

5.1 Introduction to PHP

1. PHP runs on following platform. (March 2024)
(a) Linux (b) Excel (c) Word (d) Windows

Ans. : (a), (d)

2. PHP is compatible with following servers.
(a) Unix (b) XAMMP (c) Linux (d) Apache

Ans. : (b), (d)

3. Which servers can be used to execute PHP program. (March 2023)
(a) XAMPP (b) HTML (c) NGINX
(d) PHP.NET (e) Python

Ans. : (a), (c)

5.2 Server Side Scripting

4. Programming languages for server side programming are ..... (March 2023, 24)
(a) PHP (b) Tally (c) Excel (d) Python

Ans. : (a), (d)

5.3 Features of PHP

5. Features of PHP are ..... (March 2022)
(a) Interpreted (b) Open source
(c) Difficult (d) Platform dependent

Ans.: (a), (b)

6. Advantages of PHP are _____ and _____. (March 2023, 24)
(a) platform independent
(b) difficult to learn
(c) does not support to database
(d) easy to learn
(e) paid software

Ans. : (a), (d)

7. Which are invalid statement for PHP? (March 2023)
(a) Simple (b) Closed source language
(c) Loosely typed (d) Platform independent
(e) slower

Ans. : (b), (e)

5.4 First Sample code of PHP

8. Popular PHP Frameworks are ..... (March 2024)
(a) Echo (b) Laravel
(c) ServerSide (d) Symfony

Ans. : (b), (d)

9. Variables are used for storing values such as .....and ..... (March 2024)
(a) Methods (b) Numeric values
(c) Character Strings (d) Functions

Ans. : (b), (c)

10. A variable starts with the .....sign followed by .....of the variable.
(a) $ (b) # (c) name (d) value

Ans. : (a), (c)

11. A variable declared .....a function has GLOBAL SCOPE and a variable declared .....a function has LOCAL SCOPE. **(March 2023)**
(a) inside (b) outside (c) within (d) between

Ans. : (b), (c) **(March 2023)**

12. Following are the data types used in PHP .....
(a) Boolean (b) Text (c) Number (d) Array

Ans. : (a), (d) **(March 2022, 24)**

13. Control structures in PHP are .....
(a) for (b) if statement
(c) for each (d) if else statement

Ans. : (b), (d) **(March 2022, 23)**

14. Loop structure in PHP are .....
(a) for (b) for each (c) if (d) if else

Ans. : (a), (b) **(March 2022, 23)**

15. Comments in PHP is possible in following ways.
(a) // (b) \\ (c) /* and */ (d) /# and #/

Ans. : (a), (c)

16. Comments are of .....and .....type.
(a) Single line (b) No line (c) Two line (d) Multi-line

Ans. : (a), (d)

17. Following are the pre defined functions in PHP to manipulate string.
(a, trim() (b) substr() (c) length() (D) strreverse() **(March 2022, 23, 24)**

Ans. : (a), (b)

18. Which are the superglobal variables in pHp ? **(March 2023, 24)**
(a) $_POST (b) $_GLOBAL (c) $_SUPER
(d) $_TOP (e) $_GET

Ans. : (a), (e)

19. Which are correct variable names in php programs ? **(March 2023)**
(a) $empname (b) $emp-name (c) $emp-num
(d) $get (e) $else

Ans. : (a), (e)

20. Which are not correct variable names in PHP program ? **(March 2023, 24)**
(a) $Sname (b) $S-name (c) $S_name
(d) $1name (e) $Sname1

Ans. : (b), (d)

5.7 PHP User Defined Functions

21. A function name can start with a .....or ..... (March 2022)
(a) symbol (b) Number (c) Letter (d) Underscore

Ans. : (c), (d)

5.8 PHP Form Handling

22. Form data can be submitted by .....or .....method. (March 2022, 24)
(a) Return (b) forward (c) GET (d) POST

Ans. : (c), (d)

23. The PHP super globals .....and .....are used to collect form data.
(a) $_GET (b) $POST (c) $GET (d) $_POST (March 2023)

Ans. : (a), (d)

24. .....is an array of variables passed via URL parameters and .....is an array of variables passed via HTTP POST method. (March 2022)
(a) $GET (b) $_GET (c) $_POST (d) $POST

Ans. : (b), (c)

25. .....has limits on the amount of information to sends whereas .....has no limits on the amount of information to send. (March 2024)
(a) Value (b) Method (c) GET (d) POST

Ans. : (c), (d)

26. The PHP superglobals _____ and _____ are used to collect form data.
(a) $–GET (b) $–PET (c) $–POST
(d) $–CET (e) $–NET (March 2023, 24)

Ans. : (a), (c)

MCQ (Three Correct Answers)

5.1 Introduction to PHP

1. PHP runs on following platforms ..... (March 2022, 23, 24)
(a) Systems (b) Words (c) Linux (d) Excel
(e) Unix (f) Windows

Ans. : (c), (e), (f)

2. PHP is compatible with following servers.
(a) XAMMP (b) Linux (c) Apache
(d) Unix (e) Lighttpd (f) Word

Ans. : (a), (c), (e)

5.2 Server Side Scripting

3. Programming languages for server side programming are (March 2022, 23)

(a) PHP (b) Windows (c) Linux (d) Python

(e) Unix (f) Java and JSP

Ans. : (a), (d), (f)

5.3 Features of PHP

(March 2022, 23, 24)

4. Features of PHP are .....

(a) Difficult (b) Simple (c) Error Creating

(d) Platform Independent (e) Error Reporting

(f) Platform Dependent

Ans. : (b), (d), (e)

5.4 First Sample code of PHP

5. Variables are used for storing values such as ....., ..., and .....

(a) Character (b) Numeric (c) Objects (d) Methods

(e) Functions (f) Memory addresses (March 2022)

Ans. : (a), (b), (f)

6. The scope of variable in PHP are ..... (March 2022, 23, 24)

(a) Local (b) Regional (c) National (d) Global

(e) Static (f) International

Ans. : (a), (d), (e)

7. PHP data types are ..... (March 2022, 23, 24)

(a) Text (b) String (c) Number (d) Integer

(e) Empty (f) Boolean

Ans. : (b), (d), (f)

8. Following are the predefined functions in PHP to manipulate string

(a) Lower() (b) strops() (c) substr() (d) strlen()

(e) upper() (f) strlength() (March 2022, 23, 24)

Ans. : (b), (c), (d)

9. Rules for declaring php variables are _____ , _____ , _____. (March 2022, 24)

(a) A variable name start with $ sign

(b) A variable name can start with a number

(c) Variable names are case sensitive

(d) A variable same start with * sign