

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by ☐ CSS

```
<!DOCTYPE html>
<html lang="en-GB">

<head>
  <!--meta-->
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description"
    content="The only official source of Ewan James Music! Find Ewan's songs to
download and play, details about him and his equipment, plus exclusive pictures and
videos.">
  <meta name="keywords"
    content="Ewan, James, Christopher, Brown, Music, Guitar, Drums, Songwriter,
Musician, Sing, News, Videos, Downloads, Pictures, Audio, Logo, ejm, EJM">
  <meta name="author" content="Lee Anthony Brown">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Possible misuse of `aria-label`. (If you disagree with this warning, [file an issue report](#) or send e-mail to www-validator@w3.org.)

[From line 83, column 5; to line 83, column 69](#)

```
er-->< <div id="signup-banner-container" aria-label="callout-to-signup"><
```

2. **Error** Bad value `button` for attribute `type` on element `a`: Subtype missing.

[From line 85, column 9; to line 85, column 73](#)

```
>< <a class="signup-banner-button" type="button"
href="signup.html">Sign M
```

3. **Error** Element `p` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

[From line 106, column 29; to line 106, column 31](#)

```
<p>Born i
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

Content model for element `u1`:

Zero or more [li](#) and [script-supporting](#) elements.

4. **Error** Element `p` not allowed as child of element `u1` in this context.
(Suppressing further errors from this subtree.)

[From line 119, column 29; to line 119, column 31](#)

```
<p>Just b
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

Content model for element `u1`:

Zero or more [li](#) and [script-supporting](#) elements.

5. **Error** Element `p` not allowed as child of element `u1` in this context.
(Suppressing further errors from this subtree.)

[From line 136, column 29; to line 136, column 31](#)

```
<p>Anothe
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

Content model for element `u1`:

Zero or more [li](#) and [script-supporting](#) elements.

6. **Error** Element `p` not allowed as child of element `u1` in this context.
(Suppressing further errors from this subtree.)

[From line 143, column 29; to line 143, column 31](#)

```
<p>When I
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

Content model for element `u1`:

Zero or more [li](#) and [script-supporting](#) elements.

7. **Error** Element `a` not allowed as child of element `u1` in this context.
(Suppressing further errors from this subtree.)

[From line 156, column 29; to line 156, column 65](#)

```
<a class="back-to-top" href="#brand">Back t
```

Contexts in which element `a` may be used:

Where [phrasing content](#) is expected.

Content model for element `u1`:

Zero or more [li](#) and [script-supporting](#) elements.

8. **Error** Element `p` not allowed as child of element `u1` in this context.
(Suppressing further errors from this subtree.)

[From line 161, column 29; to line 161, column 31](#)

<p>As a p

Contexts in which element **p** may be used:

Where [flow content](#) is expected.

Content model for element **u1**:

Zero or more [li](#) and [script-supporting](#) elements.

9. **Error** Element **p** not allowed as child of element **u1** in this context.

(Suppressing further errors from this subtree.)

[From line 167, column 29; to line 167, column 31](#)

<p>I had

Contexts in which element **p** may be used:

Where [flow content](#) is expected.

Content model for element **u1**:

Zero or more [li](#) and [script-supporting](#) elements.

10. **Error** Element **p** not allowed as child of element **u1** in this context.

(Suppressing further errors from this subtree.)

[From line 179, column 29; to line 179, column 31](#)

<p>When m

Contexts in which element **p** may be used:

Where [flow content](#) is expected.

Content model for element **u1**:

Zero or more [li](#) and [script-supporting](#) elements.

11. **Error** Element **p** not allowed as child of element **u1** in this context.

(Suppressing further errors from this subtree.)

[From line 188, column 29; to line 188, column 31](#)

<p>About

Contexts in which element **p** may be used:

Where [flow content](#) is expected.

Content model for element **u1**:

Zero or more [li](#) and [script-supporting](#) elements.

12. **Error** Element **p** not allowed as child of element **u1** in this context.

(Suppressing further errors from this subtree.)

[From line 197, column 29; to line 197, column 31](#)

<p>After

Contexts in which element **p** may be used:

Where [flow content](#) is expected.

Content model for element **u1**:

Zero or more [li](#) and [script-supporting](#) elements.

13. **Error** Element `p` not allowed as child of element `u1` in this context.

(Suppressing further errors from this subtree.)

[From line 205, column 29; to line 205, column 31](#)

```
<p>Since
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

Content model for element `u1`:

Zero or more [li](#) and [script-supporting](#) elements.

14. **Error** Element `p` not allowed as child of element `u1` in this context.

(Suppressing further errors from this subtree.)

[From line 210, column 29; to line 210, column 31](#)

```
<p>So I m
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

Content model for element `u1`:

Zero or more [li](#) and [script-supporting](#) elements.

15. **Error** Element `p` not allowed as child of element `u1` in this context.

(Suppressing further errors from this subtree.)

[From line 211, column 29; to line 211, column 31](#)

```
<p>1. Mar
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

Content model for element `u1`:

Zero or more [li](#) and [script-supporting](#) elements.

16. **Error** Element `p` not allowed as child of element `u1` in this context.

(Suppressing further errors from this subtree.)

[From line 212, column 29; to line 212, column 31](#)

```
<p>2. Cho
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

Content model for element `u1`:

Zero or more [li](#) and [script-supporting](#) elements.

17. **Error** Element `a` not allowed as child of element `u1` in this context.

(Suppressing further errors from this subtree.)

[From line 213, column 29; to line 213, column 65](#)

```
<a class="back-to-top" href="#brand">Back t
```

Contexts in which element `a` may be used:

Where [phrasing content](#) is expected.

Content model for element `u1`:

Zero or more [li](#) and [script-supporting](#) elements.

18. **Error** Element `p` not allowed as child of element `u1` in this context.
(Suppressing further errors from this subtree.)

[From line 218, column 29; to line 218, column 31](#)

```
<p>I was
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

Content model for element `u1`:

Zero or more [li](#) and [script-supporting](#) elements.

19. **Error** Element `p` not allowed as child of element `u1` in this context.
(Suppressing further errors from this subtree.)

[From line 226, column 29; to line 226, column 31](#)

```
<p>At fir
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

Content model for element `u1`:

Zero or more [li](#) and [script-supporting](#) elements.

20. **Error** Element `p` not allowed as child of element `u1` in this context.
(Suppressing further errors from this subtree.)

[From line 239, column 29; to line 239, column 31](#)

```
<p>Since
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

Content model for element `u1`:

Zero or more [li](#) and [script-supporting](#) elements.

21. **Error** Element `p` not allowed as child of element `u1` in this context.
(Suppressing further errors from this subtree.)

[From line 244, column 29; to line 244, column 31](#)

```
<p>So, in
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

Content model for element `u1`:

Zero or more [li](#) and [script-supporting](#) elements.

22. **Error** Element `p` not allowed as child of element `u1` in this context.
(Suppressing further errors from this subtree.)

[From line 245, column 29; to line 245, column 31](#)

```
<p>1. 'Sh
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.
Content model for element [u1](#):
Zero or more [li](#) and [script-supporting](#) elements.

23. **Error** Element [p](#) not allowed as child of element [u1](#) in this context.
(Suppressing further errors from this subtree.)

[From line 246, column 29; to line 246, column 31](#)

```
<p>2. Sta
```

Contexts in which element [p](#) may be used:
Where [flow content](#) is expected.
Content model for element [u1](#):
Zero or more [li](#) and [script-supporting](#) elements.

24. **Error** Element [p](#) not allowed as child of element [u1](#) in this context.
(Suppressing further errors from this subtree.)

[From line 247, column 29; to line 247, column 31](#)

```
<p>3. Sta
```

Contexts in which element [p](#) may be used:
Where [flow content](#) is expected.
Content model for element [u1](#):
Zero or more [li](#) and [script-supporting](#) elements.

25. **Error** Element [p](#) not allowed as child of element [u1](#) in this context.
(Suppressing further errors from this subtree.)

[From line 248, column 29; to line 248, column 31](#)

```
<p>4. Beh
```

Contexts in which element [p](#) may be used:
Where [flow content](#) is expected.
Content model for element [u1](#):
Zero or more [li](#) and [script-supporting](#) elements.

26. **Error** Element [p](#) not allowed as child of element [u1](#) in this context.
(Suppressing further errors from this subtree.)

[From line 249, column 29; to line 249, column 31](#)

```
<p>5. App
```

Contexts in which element [p](#) may be used:
Where [flow content](#) is expected.
Content model for element [u1](#):
Zero or more [li](#) and [script-supporting](#) elements.

27. **Error** Element [p](#) not allowed as child of element [u1](#) in this context.
(Suppressing further errors from this subtree.)

[From line 250, column 29; to line 250, column 31](#)

<p>6. 'Ch

Contexts in which element **p** may be used:

Where [flow content](#) is expected.

Content model for element **u1**:

Zero or more [li](#) and [script-supporting](#) elements.

28. **Warning** Section lacks heading. Consider using **h2 - h6** elements to [add identifying headings to all sections](#).

[From line 90, column 5; to line 90, column 27](#)

```
me-->< <section id="about-me"><
```

Document checking completed.

Source

```
1. <!DOCTYPE html><
2. <html lang="en-GB"><
3. <
4. <head><
5.   <!--meta--><
6.   <meta charset="utf-8"><
7.   <meta name="viewport" content="width=device-width, initial-scale=1.0"><
8.   <meta name="description"
9.     content="The only official source of Ewan James Music! Find Ewan's
songs to download and play, details about him and his equipment, plus exclusive
pictures and videos."><
10.   <meta name="keywords"
11.     content="Ewan, James, Christopher, Brown, Music, Guitar, Drums,
Songwriter, Musician, Sing, News, Videos, Downloads, Pictures, Audio, Logo,
ejm, EJM"><
12.   <meta name="author" content="Lee Anthony Brown"><
13.   <!--/meta--><
14. <
15.   <!--title--><
16.   <title>Ewan James | Ewan James Music | About Me</title><
17.   <!--/title--><
18. <
19.   <!--The first link below is from https://getbootstrap.com/docs/4.6/getting-
started/introduction/--><
20.   <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/css/bootstrap.min.css"><
21.     integrity="sha384-
B0vP5xmATw1+K9KRQjQERjvTumQW0nPEzvF6L/Z6nronJ3oUOFUfPcJcEUQouq2+1"
crossorigin="anonymous"><
22.   <link rel="stylesheet" href="assets/css/style.css" type="text/css"><
23.   <!--/links--><
24. <
25.   <!--The following link is from https://fontawesome.com/kits/0dbc2017b9/use-
--><
26.   <script src="https://kit.fontawesome.com/0dbc2017b9.js"
crossorigin="anonymous"></script><
27.   <!--/fontawesome--><
28. </head><
29. <
30. <body><
31.   <header id="brand"><
32.     <!--brand-container--><
33.     <div class="brand-container"><
34.       <div class="brand-container-circle"><
35.         <a href="index.html"><
```

```

36.         
37.         alt="ewan-james-headshot.jpg" title="Go to Ewan James
Home Page">
38.     </a>
39. </div>
40. </div>
41. <!--/brand-container-->
42.
43. <!--nav-->
44. <nav>
45.     <!--The below links to icons were copied from www.fontawesome.com--
>
46.     <ul>
47.         <li><a class="active" href="about-me.html">About</a></li>
48.         <li class="nav-divider">|</li>
49.         <li><a href="downloads.html">Downloads</a></li>
50.         <li class="nav-divider">|</li>
51.         <li><a href="signup.html">Signup</a></li>
52.     </ul>
53. </nav>
54. <!--/nav-->
55. </header>
56.
57. <!--social-media-->
58. <nav id="social-media-container">
59.     <!--The following links to social-media icons were copied from
www.fontawesome.com-->
60.     <ul>
61.         <li>
62.             <a class="social-media-links"
href="https://www.instagram.com/ewanjamesmusic/" target="_blank"
63.             title="Go to Instagram"><i class="fab fa-instagram"></i>
</a>
64.         </li>
65.         <li>
66.             <a class="social-media-links"
67.             href="https://open.spotify.com/artist/49uTWgRbD8K7RSeApufkFT?
si=rkKSakixQWynHGm6H_b0Hw"
68.             target="_blank" title="Go to Spotify"><i class="fab fa-
spotify"></i></a>
69.         </li>
70.         <li>
71.             <a class="social-media-links"
href="https://www.youtube.com/channel/UCYf1PWRYbelwtc_5RNVzxpw"
72.             target="_blank" title="Go to Youtube"><i class="fab fa-
youtube"></i></a>
73.         </li>
74.         <li>
75.             <a class="social-media-links"
href="https://music.apple.com/gb/artist/ewan-james/1494115083"
76.             target="_blank" title="Go to Apple Music"><i class="fab fa-
apple"></i></a>
77.         </li>
78.     </ul>
79. </nav>
80. <!--/social-media-->
81.
82. <!--signup-banner-->
83. <div id="signup-banner-container" aria-label="callout-to-signup">
84.     <h2 class="signup-banner-heading">Want to receive the latest EJM news
first?</h2>
85.     <a class="signup-banner-button" type="button" href="signup.html">Sign
Me Up!</a>
86. </div>
87. <!--/signup-banner-->
88.
89. <!--about-me-->
90. <section id="about-me">
91.     <div class="container-fluid about-me-headshot-image">

```



```

92.         <div class="opaque-overlay">↵
93.             <div class="about-me-header-container">↵
94.                 <!--The following links to icons were copied from
www.fontawesome.com-->↵
95.                 <div id="about-me-anchor">↵
96.                     <ul>↵
97.                         <li><a href="#history" title="Read about my
history"><i class="fas fa-history"></i></a></li>↵
98.                         <li><a href="#my-guitars" title="Read about my
guitars"><i class="fas fa-guitar"></i></a></li>↵
99.                         <li><a href="#my-equipment" title="Read about my
equipment"><i class="fas fa-tools"></i></a></li>↵
100.                     </ul>↵
101.                 </div>↵
102.             </div>↵
103.         <ul>↵
104.             <!--history--><!--The following link to a history
icon was copied from www.fontawesome.com-->↵
105.             <li id="history"><i class="fas fa-history"></i>
History</li>↵
106.             <p>Born in Lister Hospital in Stevenage,
Hertfordshire (the same↵
107.                 as Lewis Hamilton)↵
108.                 I grew up in the garden-city called Letchworth
in North Hertfordshire, England. I can↵
109.                 recall spending time↵
110.                 with my family and friends, sometimes playing
my older brother's acoustic guitar when I↵
111.                 was allowed, well,↵
112.                 more like playing a toy than actually playing
an instrument. However, by the age of 10 I↵
113.                 was getting into↵
114.                 quite a lot of trouble at school which was
causing me problems at home as I would tend↵
115.                 to have a lot of↵
116.                 meltdowns. I wasn't a bad child according to my
mum and dad, but I was having a lot of↵
117.                 problems expressing↵
118.                 my emotions in a constructive way. I was more
DESTRUCTIVE, if you know what I mean.</p>↵
119.             <p>Just before I started secondary school I was
diagnosed with↵
120.                 Attention Deficit↵
121.                 Hyperactivity Disorder (ADHD) and↵
122.                 High-Function Autism. To help cope with these,
I started drum lessons at the↵
123.                 Letchworth↵
124.                 Drum Studio around the↵
125.                 corner from my house. My mum and dad thought
that 'drumming-out' my frustrations↵
126.                 might↵
127.                 be a good way↵
128.                 to relieve some anger and stress. This worked
for about a year until I got to the↵
129.                 point↵
130.                 of not enjoying it↵
131.                 as much as when I first started so I gave it up
for a while and that's when I fell↵
132.                 back↵
133.                 into trouble. As it↵
134.                 helped me out the first-time, I went back to
drumming. It was like riding a bike.↵
135.             </p>↵
136.             <p>Another year went past and I didn't feel the
need to play drums↵
137.                 anymore so instead I↵
138.                 started to learn guitar↵
139.                 (properly this time). I enjoyed the occasional
jamming sessions with my Dad and↵
140.                 Grandad↵
141.                 Peter or my Uncle Ron who↵

```

```

142.         all play guitar.</p><↵
143.         <p>When I first started playing guitar I was 13 and
I would↵
144.         practice every day by↵
145.         watching↵
146.         either youtube videos or↵
147.         playing along with my favourite guitarist, Ed
Sheeran. I even had my own youtube↵
148.         channel↵
149.         and was in a band at↵
150.         school. Unfortunately, I could only play four
chords at the time and the other band↵
151.         members wanted me to play↵
152.         songs I didn't know the chords for which caused
arguments. Eventually I left the↵
153.         band↵
154.         and carried on my practice↵
155.         at home.</p><↵
156.         <a class="back-to-top" href="#brand">Back to
top</a><↵
157.         <!--/history--><↵
158.         ↵
159.         <!--my-guitars--><!--The following link to a guitar
icon was copied from www.fontawesome.com--><↵
160.         <li id="my-guitars"><i class="fas fa-guitar"></i>
My Guitars</li><↵
161.         <p>As a present for my hard work, my Grandad Peter
bought me my↵
162.         first electric guitar↵
163.         along↵
164.         with a strap, tuner and↵
165.         little practice <a
href="https://www.avsl.com/brands/chord">'Chord'</a> brand amplifier↵
166.         (which I still use today).</p><↵
167.         <p>I had seen in a local music shop window the
exact guitar↵
168.         that I wanted in a light↵
169.         blue↵
170.         (as blue is my favourite color)↵
171.         and this guitar looked like a Fender
Stratocaster which is the guitar shape my↵
172.         Grandad↵
173.         Peter plays. However, when I↵
174.         looked closer it was actually a <a
href="https://www.avsl.com/brands/chord">'Chord'</a><↵
175.         brand guitar in the shape↵
176.         of a Stratocaster. Even better really because
the price in the window was fairly↵
177.         cheap.↵
178.         </p><↵
179.         <p>When my Grandad said he would buy it for me I
was really↵
180.         excited. MY FIRST GUITAR!↵
181.         One↵
182.         that was mine, not borrowed↵
183.         from my brother or the school! So, on the first
Saturday we were all able to get↵
184.         together, myself, Dad and Grandad↵
185.         Peter went into the shop and bought the guitar
combo deal. I've played that guitar↵
186.         for↵
187.         hours-upon-hours since then.</p><↵
188.         <p>About 2 years after, my sister-in-law had found
both her↵
189.         Casio keyboard (with stand)↵
190.         and↵
191.         half-size acoustic guitar↵
192.         which she offered to give to me if I wanted
them. I said yes and now had two guitars↵
193.         to↵
194.         learn on: my electric and↵

```

```

195.         this acoustic. I learned to play the keyboard
for a short-while but didn't enjoy it as
196.         much as guitar so it was put away in the loft.
</p>
197.         <p>After a few years I wanted to buy an electro-
acoustic guitar
198.         like the
199.         one Ed Sheeran plays, which is
200.         a Martin & Co. LX Ed Sheeran Signature. However
they were a bit too expensive so I
201.         saved
202.         up and settled on the LX 1E
203.         standard model instead and eventually sold the
other acoustic guitar. The Martin looks
204.         fantastic and plays beautifully.</p>
205.         <p>Since my last year of school I have been writing
my own
206.         songs and all of these I use
207.         my
208.         Martin to play on when I
209.         record the songs.</p>
210.         <p>So I mainly use two guitars for all my practice
and recordings:</p>
211.         <p>1. Martin & Co. LX 1E Small Body Electro-
acoustic guitar with pre-amp pickup.</p>
212.         <p>2. Chord Stratocaster Electric Guitar with 3
single-pole pickups</p>
213.         <a class="back-to-top" href="#brand">Back to
top</a>
214.         <!--/my-guitars-->
215.         <!--my-equipment--><!--The following link to a
216.         tools icon was copied from www.fontawesome.com-->
217.         <li id="my-equipment"><i class="fas fa-tools"></i>
My Equipment</li>
218.         <p>I was bought an Apple MacBook Air Laptop for my
16th
219.         birthday which has software on
220.         it
221.         called 'Garage Band'. I started
222.         to learn how to use this software in my last
year of secondary school and used that
223.         knowledge to play, sing, record
224.         and produce my own songs. I can't really sing
but auto-tune is a god-send! <i
225.         class="far fa-smile"></i>.</p>
226.         <p>At first, I was recording my voice and guitar on
separate
227.         tracks through a microphone
228.         on
229.         my gaming-headphones but
230.         although this worked it wasn't ideal. After a
visit to my Grandad Peter's house, we
231.         explored his music room and Dad
232.         showed me how to setup Grandad's 8-channel
Behringer Xenyx mixer. This was great fun
233.         because he also showed me how
234.         to use EQ tricks to make my guitar sound like a
bass and record it into my songs. I
235.         enjoyed that so much, I decided
236.         to buy myself a 2-channel Behringer Xenyx mixer
and borrowed one of Grandad's Shure
237.         SM58
238.         mics and mic stand.</p>
239.         <p>Since getting a desk in my bedroom I have used
an old tv
240.         to link up via HDMI to my
241.         laptop
242.         and plugged everything else
243.         in around the desk. It feels like my own little
recording studio!</p>

```

```
244.      <p>So, in summary, here's the list of my equipment:
      </p>↵
245.      <p>1. 'Shure' SM58 Microphone with on/off
      switch</p>↵
246.      <p>2. Standard XLR Balanced lead</p>↵
247.      <p>3. Standard 4-point adjustment tri-pod
      Microphone stand</p>↵
248.      <p>4. Behringer Xenyx 2-channel mixer with USB
      output</p>↵
249.      <p>5. Apple MacBook Air with Garage Band App</p>↵
250.      <p>6. 'Chord' 10 watt practice amplifier</p>↵
251.      <!--/my-equipment-->↵
252.      </ul>↵
253.      </div>↵
254.      </div>↵
255.      </div>↵
256.      </div>↵
257.      </section>↵
258.      <!--/about-me-->↵
259.      ↵
260.      <footer id="owner-designer">↵
261.          <div class="owner-designer-copyright">↵
262.              <a class="back-to-top" href="#brand">Back to top</a>↵
263.              <p class="owner-designer-copyright-notice">(c) Copyright Ewan James
      2021. Website designed by Lee Anthony Brown.</p>↵
264.          </div>↵
265.      </footer>↵
266. </body>↵
267. </html>
```

Used the HTML parser.

Total execution time 28 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.2.26