
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://fitlyfe.herokuapp.com/accounts/login/



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. ↩
3. <!doctype html>↔
4. <html lang="en">↔
5.
     <head>↩
6. ↩
7.
            <meta http-equiv="X-UA-Compatible" content="ie=edge">→
8.
            <meta charset="utf-8">↔
9.
            <meta name="viewport" content="width=device-width, initial-</pre>
10.
   scale=1, shrink-to-fit=no">↔
11.
12. ↩
13.
        ب
14.
15. ↩
16.
            <link rel="stylesheet"</pre>
17.
   href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min
    .css" integrity="sha384-
   Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
   crossorigin="anonymous">↩
18.
            <link rel="stylesheet"</pre>
   href="https://cdnjs.cloudflare.com/ajax/libs/font-
   awesome/5.15.3/css/all.min.css" ↔
19.
            integrity="sha512-
   iBBXm8fW90+nuLcSKlbmrPcLa0OT92xO1BIsZ+ywDWZCvqsWqccV3qFoRBv0z+8dLJqyAH1hR3
   5VZc2oM/gI1w==" crossorigin="anonymous" type="text/css" />↔
20.
            <link rel="stylesheet"</pre>
   href="https://fitlyfe.s3.amazonaws.com/static/css/base.css">↔
21.
```

```
22. ₽
23.
24.
        ے
25.
   ے
26.
27.
            <script src="https://kit.fontawesome.com/255771ed32.js"</pre>
   crossorigin="anonymous"></script>↔
28.
            <script src="https://code.jquery.com/jquery-3.4.1.min.js"</pre>
   integrity="sha256-CSXorXvZcTkaix6Yvo6HppcZGetbYMGWSFlBw8HfCJo=
   crossorigin="anonymous"></script>↔
29.
            <script
   src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
   integrity="sha384-
   Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
   crossorigin="anonymous"></script>↔
30.
            <script
   src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.j
   s" integrity="sha384-
   wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCEx130g8ifwB6"
   crossorigin="anonymous"></script>↔
            <!-- Stripe -->↔
31.
32.
            <script src="https://js.stripe.com/v3/"></script>↔
33.
34.
35.
36.
37. ↩
38.
       <title>FitLyfe </title>↔
39.
     </head>↔
40.
     <body>←
41.
        <header class="container-fluid fixed-top">←
42.
            <div id="topnav" class="row bg-white pt-lg-2 d-none d-lg-flex">←
43.
                <div class="col-12 col-1g-3 my-auto py-1 py-1g-0 text-center
   text-lg-left">↩
                    <a href="/" class="nav-link main-logo-link">↔
44.
45.
                        <h2 class="logo-font text-black my-0">
   <strong>FITLYFE</strong></h2>↔
46.
                    </a>↩
47.
                </div>↔
48.
                <div class="col-12 col-lg-6 my-auto py-1 py-lg-0">↔
                    <form method="GET" action="/products/"</pre>
49.
50.
                        <div class="input-group w-100">↔
                             <input class="form-control border border-black</pre>
51.
   rounded-0" type="text"
                           name="q" placeholder="Search Bar">↔
                             <div class="input-group-append">↔
52.
                                 <button class="form-control btn btn-black</pre>
53.
   border border-black rounded-0" type="submit">↔
                                     <span class="icon">↔
54.
                                         <i class="fas fa-search"></i>↔
55.
56.
                                     </span>↔
57.
                                 </button>↔
58.
                             </div>↩
                        </div>↔
59.
60.
                    </form>↔
61.
                </div>↩
62.
                <div class="col-12 col-lg-3 my-auto py-1 py-lg-0">←
63.
                    class="list-inline list-unstyled text-center text-lg-
   right my-0">↔
64.
                        ←
65.
                             <a class="text-black nav-link" href="#" id="user-</pre>
   options" data-toggle="dropdown" aria-haspopup="true" aria-
   expanded="false">↔
66.
                                 <div class="text-center">↔
67.
                                     <div><i class="fas fa-user fa-lg"></i>
   </div>↔
68.
                                     Members↔
69.
                                 </div>↔
70.
                             </a>↔
71.
                             <div class="dropdown-menu border-0" aria-</pre>
   labelledby="user-options">↔
72.
```

```
73.
                                   <a href="/accounts/signup/"
    class="dropdown-item">Register</a>↔
 74.
                                   <a href="/accounts/login/"
    class="dropdown-item">Login</a>
 75.
 76.
                           </div>↔
 77.
                       ↔
 78.
                       ←
 79.
80.
                           <a class="text-black nav-link"
    href="/accounts/login/">↔
81.
                               <div class="text-center">₽
82.
                                   <div><i class="fas fa-shopping-bag fa-lg">
    </i></div>↔
83.
                                   ↔
84.
85.
                                           $0.00↔
86.
87.
                                   ↔
88.
                               </div>↔
 89.
                           </a>
 90.
 91.
                       ↔
92.
                    ↔
93.
                </div>↔
94.
            </div>↔
95.
            <div class="row bg-white">↔
96.
              <nav class="navbar navbar-expand-lg navbar-light w-100">↔
97.
                  <button class="navbar-toggler" type="button" data-</pre>
    toggle="collapse" data-target="#main-nav" aria-controls="main-nav" aria-
    expanded="false" aria-label="Toggle navigation">↔
98.
                     <span class="navbar-toggler-icon"></span>↔
99.
                  </button>↔
100.
101.
                  <div class="text-lg-left collapse-logo-display">←
102.
        <a href="/" class="nav-link pb-0 pt-0">↔
103.
            <h2 class="logo-font text-black my-0"><strong>FITLYFE</strong>
    </h2>↔
104.
        </a>↩
105.
    </div>↔
106.
    <div class="collapse navbar-collapse" id="main-nav">↔
107.
        ←
108.
109. ↔
110.
            ←
111.
                <a class="text-black nav-link d-block d-lg-none" href="#"</pre>
    id="user-options-mn" data-toggle="dropdown" aria-haspopup="true" aria-
    expanded="false">↔
112.
                    <div class="text-center">↔
113.
                       <div><i class="fas fa-user fa-lq"></i></div>+
114.
                       Members↔
115.
116.
                </a>↔
117.
                <div class="dropdown-menu border-0 text-center" aria-</pre>
    labelledby="user-options-mn">↔
118.
119.
                       <a href="/accounts/signup/" class="dropdown-
    item">Register</a>↔
120.
                       <a href="/accounts/login/" class="dropdown-
    item">Login</a>↔
121.
122.
                </div>↔
123.
            ↔
124.
125.
            ←
126.
127.
                <a class="text-black nav-link d-block d-lg-none"
    href="/accounts/login/">↔
128.
                    <div class="text-center">↔
                       <div><i class="fas fa-shopping-bag fa-lg"></i></div>↔
129.
                       ↔
130.
```

```
131.
132.
                                 $0.00↔
133.
134.
                         ↔
135.
                     </div>↔
136.
                 </a>↔
137.
138.
            ↔
139.
140.
            ←
                 <a class="text-black nav-link d-block d-lg-none" href="#"</pre>
141.
    id="mobile-search" data-toggle="dropdown" aria-haspopup="true" aria-
    expanded="false">↔
142.
                     <div class="text-center">↔
143.
                         <div><i class="fas fa-search fa-lg"></i></div>↔
                         Search↔
144.
145.
                     </div>↔
146.
                 </a>↔
147.
                 <div class="dropdown-menu border-0 w-100 p-3 rounded-0 my-0"</pre>
    aria-labelledby="mobile-search">↩
148.
                     <form class="form" method="GET" action="/products/">↔
149.
                         <div class="input-group w-100">↔
                             <input class="form-control border border-black</pre>
150.
    rounded-0" type="text" name="q" placeholder="Search Bar">↔
151.
                             <div class="input-group-append">↔
                                 <button class="form-control form-control btn</pre>
152.
    btn-black border border-black rounded-0" type="submit">←
153.
                                     <span class="icon">₽
154.
                                         <i class="fas fa-search"></i>↔
155.
                                     </span>↔
156.
                                 </button>↔
157.
                             </div>↔
158.
                         </div>↔
159.
                     </form>↔
160.
                 </div>↔
161.
            ↔
162.
163.
            ₽
164.
                 <a class="logo-font font-weight-bold nav-link text-black text-
    center" href="#" id="all-products-link" data-toggle="dropdown" aria-
    haspopup="true" aria-expanded="false">₽
165.
                     Exercise Plans↔
166.
                 </a>↩
167.
                 <div class="dropdown-menu border-0 text-center" aria-</pre>
    labelledby="all-products-link">↔
                     -
<a href="/products/?category=strength" class="dropdown-</pre>
168.
    item ">Strength</a>↔
169.
                     <a href="/products/?category=endurance" class="dropdown-</pre>
    item ">Endurance</a>↔
170.
                     <a href="/products/?category=flexability" class="dropdown-</pre>
    item ">Flexability</a>↔
171.
                     <a href="/products/?
    category=flexability,strength,endurance" class="dropdown-item">Show
    All</a>↩
172.
                 </div>↩
173.
            ↔
174. ↔
175.
            ↔
176.
                 <a class="logo-font font-weight-bold nav-link text-black text-</pre>
    center" href="#" id="homeware-link" data-toggle="dropdown" aria-
    haspopup="true" aria-expanded="false">↔
177.
                     Nutrition Plans↔
178.
                 </a>↔
179.
                 <div class="dropdown-menu border-0 text-center" aria-</pre>
    labelledby="homeware-link">→
180.
                     <a href="/products/?category=men" class="dropdown-
    item">Men</a>↔
181.
                     <a href="/products/?category=women" class="dropdown-
    item">Women</a>↔
182.
                     <a href="/products/?category=men,women" class="dropdown-</pre>
    item">Show All</a>↔
```

```
183.
                  </div>↩
184.
             ↔
185.
         ↔
186. </div>↔
187. ↩
188.
               </nav>↔
189.
           </div>↔
190.
         </header>↔
191. ₽
192.
193. ↩
194.
         ب
195.
         ے
196. ↔
197.
198.
         <div class="container header-container">←
             <div class="overlay"></div>↔
199.
             <div class="row">↔
200.
                  <div class="col-12 col-md-6">↔
201.
202.
                      <div class="allauth-form-inner-content">←
203.
204. ↔
205. <hr>→
206. <h2 class="logo-font mb-4">Sign In</h2>↔
208. ↔
209. ↔
210. ↩
211. ↩
212. If you have not created an account yet, then please₽
213. <a href="/accounts/signup/">sign up</a> first.↔
214. ↩
215. ↩
216. <form class="login" method="POST" action="/accounts/login/">↔
217.
       <input type="hidden" name="csrfmiddlewaretoken"</pre>
    value="XEHGjj3v0lquP0RspCIzmMvauopEPEEnlyLyl0GjSeJIP15ZGSxNoqQo6qlGMVMy">↔
218.
219. ↩
220. <div id="div id login" class="form-group"> <label for="id_login" class="
    requiredField">
221.
                      Login<span class="asteriskField">*</span> </label> <div
    class=""> <input type="text" name="login" placeholder="Username or e-mail"
autofocus="autofocus" class="textinput textInput form-control" required</pre>
    id="id login"> </div> </div> <div id="div id password" class="form-group">
    <label for="id_password" class=" requiredField">←
222.
                      Password<span class="asteriskField">*</span> </label> <div
    class=""> <input type="password" name="password" placeholder="Password"</pre>
    class="textinput textInput form-control" required id="id password"> </div>
    </div> <div class="form-group"> <div id="div_id_remember" class="form-
    check"> <input type="checkbox" name="remember" class="checkboxinput form-
    check-input" id="id remember"> <label for="id remember" class="form-check-
    label">↩
223.
                          Remember Me↔
224.
                      </label> </div> </div>↔
225. ↩
226.
227.
       <button class="primaryAction" type="submit">Sign In</button>↔
228.
       ↔
229.
         <a class="button secondaryAction"</pre>
    href="/accounts/password/reset/">Forgot Password?</a>↔
230.
       231. </form>↔
232. ↔
233. ↩
234.
                      </div>↩
235.
                  </div>↔
236.
             </div>↔
237.
         </div>↔
238. ↩
239.
240.
```

```
241. <script>\(\varphi\)
242. $('.toast').toast('show');\(\varphi\)
243. </script>\(\varphi\)
244. \(\varphi\)
245. \(\varphi\)
246. \(\varphi\)
247. </body>\(\varphi\)
248. </html>
```

Used the HTML parser. Externally specified character encoding was utf-8.

Total execution time 117 milliseconds.

About this checker • Report an issue • Version: 22.2.21