

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for <https://fitlyfe.herokuapp.com/accounts/signup/>

Checker Input

Show ☒ source ☒ outline ☐ image report

Options...

Check by address ▼

<https://fitlyfe.herokuapp.com/accounts/signup/>

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. ↵
2. ↵
3. <!doctype html>↵
4. <html lang="en">↵
5.   <head>↵
6.   ↵
7.     ↵
8.       <meta http-equiv="X-UA-Compatible" content="ie=edge">↵
9.       <meta charset="utf-8">↵
10.      <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">↵
11.    ↵
12. ↵
13.   ↵
14.   ↵
15. ↵
16.   ↵
17.     <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min
.css" integrity="sha384-
Vkoo8x4CGsO3+HhXv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">↵
18.     <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.3/css/all.min.css" ↵
19.       integrity="sha512-
iBBXm8fW90+nuLcSKlbnrPcLa0OT92xO1BIsZ+YwDWZCvqsWgccV3gFoRBv0z+8dLJgyAHlR3
5VZc2oM/gIlw==" crossorigin="anonymous" type="text/css" />↵
20.     <link rel="stylesheet"
href="https://fitlyfe.s3.amazonaws.com/static/css/base.css">↵
21.   ↵
```

```

22. ↵
23.     ↵
24.     ↵
25. ↵
26.     ↵
27.         <script src="https://kit.fontawesome.com/255771ed32.js"
crossorigin="anonymous"></script>↵
28.         <script src="https://code.jquery.com/jquery-3.4.1.min.js"
integrity="sha256-CSXorXvZcTkaix6Yvo6HppcZGetbYMGWSFlBw8HfCJo="
crossorigin="anonymous"></script>↵
29.         <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>↵
30.         <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYdliqfktj0Uod8GCExl3Og8ifwB6"
crossorigin="anonymous"></script>↵
31.         <!-- Stripe -->↵
32.         <script src="https://js.stripe.com/v3/"></script>↵
33.     ↵
34. ↵
35.     ↵
36.     ↵
37. ↵
38.     <title>FitLyfe </title>↵
39. </head>↵
40. <body>↵
41.     <header class="container-fluid fixed-top">↵
42.         <div id="topnav" class="row bg-white pt-lg-2 d-none d-lg-flex">↵
43.             <div class="col-12 col-lg-3 my-auto py-1 py-lg-0 text-center
text-lg-left">↵
44.                 <a href="/" class="nav-link main-logo-link">↵
45.                     <h2 class="logo-font text-black my-0">
<strong>FITLYFE</strong></h2>↵
46.                 </a>↵
47.             </div>↵
48.             <div class="col-12 col-lg-6 my-auto py-1 py-lg-0">↵
49.                 <form method="GET" action="/products/">↵
50.                     <div class="input-group w-100">↵
51.                         <input class="form-control border border-black
rounded-0" type="text" name="q" placeholder="Search Bar">↵
52.                         <div class="input-group-append">↵
53.                             <button class="form-control btn btn-black
border border-black rounded-0" type="submit">↵
54.                                 <span class="icon">↵
55.                                     <i class="fas fa-search"></i>↵
56.                                 </span>↵
57.                             </button>↵
58.                         </div>↵
59.                     </div>↵
60.                 </form>↵
61.             </div>↵
62.             <div class="col-12 col-lg-3 my-auto py-1 py-lg-0">↵
63.                 <ul class="list-inline list-unstyled text-center text-lg-
right my-0">↵
64.                     <li class="list-inline-item dropdown">↵
65.                         <a class="text-black nav-link" href="#" id="user-
options" data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">↵
66.                             <div class="text-center">↵
67.                                 <div><i class="fas fa-user fa-lg"></i>
</div>↵
68.                                 <p class="my-0">Members</p>↵
69.                             </div>↵
70.                         </a>↵
71.                         <div class="dropdown-menu border-0" aria-
labelledby="user-options">↵
72.

```

```

73.             <a href="/accounts/signup/"
class="dropdown-item">Register</a>↵
74.             <a href="/accounts/login/"
class="dropdown-item">Login</a>↵
75.             ↵
76.         </div>↵
77.     </li>↵
78.     <li class="list-inline-item">↵
79.         ↵
80.         <a class="text-black nav-link"
href="/accounts/login/">↵
81.             <div class="text-center">↵
82.                 <div><i class="fas fa-shopping-bag fa-lg">
</i></div>↵
83.                     <p class="my-0">↵
84.                         ↵
85.                         $0.00↵
86.                     ↵
87.                 </p>↵
88.             </div>↵
89.         </a>↵
90.         ↵
91.     </li>↵
92. </ul>↵
93. </div>↵
94. </div>↵
95. <div class="row bg-white">↵
96.     <nav class="navbar navbar-expand-lg navbar-light w-100">↵
97.         <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#main-nav" aria-controls="main-nav" aria-
expanded="false" aria-label="Toggle navigation">↵
98.             <span class="navbar-toggler-icon"></span>↵
99.         </button>↵
100.         ↵
101.         <div class="text-lg-left collapse-logo-display">↵
102.             <a href="/" class="nav-link pb-0 pt-0">↵
103.                 <h2 class="logo-font text-black my-0"><strong>FITLYFE</strong>
</h2>↵
104.             </a>↵
105.         </div>↵
106.         ↵
107.     <div class="collapse navbar-collapse" id="main-nav">↵
108.         <ul class="navbar-nav w-auto mx-auto">↵
109.             ↵
110.             <li class="list-inline-item dropdown">↵
111.                 <a class="text-black nav-link d-block d-lg-none" href="#"
id="user-options-mn" data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">↵
112.                     <div class="text-center">↵
113.                         <div><i class="fas fa-user fa-lg"></i></div>↵
114.                         <p class="my-0">Members</p>↵
115.                     </div>↵
116.                 </a>↵
117.                 <div class="dropdown-menu border-0 text-center" aria-
labelledby="user-options-mn">↵
118.                     ↵
119.                     <a href="/accounts/signup/" class="dropdown-
item">Register</a>↵
120.                     <a href="/accounts/login/" class="dropdown-
item">Login</a>↵
121.                     ↵
122.                 </div>↵
123.             </li>↵
124.             ↵
125.             <li class="list-inline-item">↵
126.                 ↵
127.                 <a class="text-black nav-link d-block d-lg-none"
href="/accounts/login/">↵
128.                     <div class="text-center">↵
129.                         <div><i class="fas fa-shopping-bag fa-lg"></i></div>↵
130.                         <p class="my-0">

```

```

131.             ↵
132.             $0.00↵
133.             ↵
134.         </p>↵
135.     </div>↵
136. </a>↵
137. ↵
138. </li>↵
139. ↵
140.     <li class="list-inline-item">↵
141.         <a class="text-black nav-link d-block d-lg-none" href="#"
142. id="mobile-search" data-toggle="dropdown" aria-haspopup="true" aria-
143. expanded="false">↵
144.             <div class="text-center">↵
145.                 <div><i class="fas fa-search fa-lg"></i></div>↵
146.                 <p class="my-0">Search</p>↵
147.             </div>↵
148.             <div class="dropdown-menu border-0 w-100 p-3 rounded-0 my-0"
149. aria-labelledby="mobile-search">↵
150.                 <form class="form" method="GET" action="/products/">↵
151.                     <div class="input-group w-100">↵
152.                         <input class="form-control border border-black
153. rounded-0" type="text" name="q" placeholder="Search Bar">↵
154.                         <div class="input-group-append">↵
155.                             <button class="form-control form-control btn
156. btn-black border border-black rounded-0" type="submit">↵
157.                                 <span class="icon">↵
158.                                     <i class="fas fa-search"></i>↵
159.                                 </span>↵
160.                             </button>↵
161.                         </div>↵
162.                     </div>↵
163.                 </form>↵
164.             </div>↵
165.         </li>↵
166. ↵
167.     <li class="nav-item dropdown">↵
168.         <a class="logo-font font-weight-bold nav-link text-black text-
169. center" href="#" id="all-products-link" data-toggle="dropdown" aria-
170. haspopup="true" aria-expanded="false">↵
171.             Exercise Plans↵
172.         </a>↵
173.         <div class="dropdown-menu border-0 text-center" aria-
174. labelledby="all-products-link">↵
175.             <a href="/products/?category=strength" class="dropdown-
176. item ">Strength</a>↵
177.             <a href="/products/?category=endurance" class="dropdown-
178. item ">Endurance</a>↵
179.             <a href="/products/?category=flexability" class="dropdown-
180. item ">Flexability</a>↵
181.             <a href="/products/?
182. category=flexability,strength,endurance" class="dropdown-item">Show
183. All</a>↵
184.         </div>↵
185.     </li>↵
186. ↵
187.     <li class="nav-item dropdown">↵
188.         <a class="logo-font font-weight-bold nav-link text-black text-
189. center" href="#" id="homeware-link" data-toggle="dropdown" aria-
190. haspopup="true" aria-expanded="false">↵
191.             Nutrition Plans↵
192.         </a>↵
193.         <div class="dropdown-menu border-0 text-center" aria-
194. labelledby="homeware-link">↵
195.             <a href="/products/?category=men" class="dropdown-
196. item">Men</a>↵
197.             <a href="/products/?category=women" class="dropdown-
198. item">Women</a>↵
199.             <a href="/products/?category=men,women" class="dropdown-
200. item">Show All</a>↵

```

```

183.         </div>↵
184.     </li>↵
185. </ul>↵
186. </div>↵
187. ↵
188.     </nav>↵
189. </div>↵
190. </header>↵
191. ↵
192. ↵
193. ↵
194. ↵
195. ↵
196. ↵
197. ↵
198.     <div class="container header-container">↵
199.         <div class="overlay"></div>↵
200.         <div class="row">↵
201.             <div class="col-12 col-md-6">↵
202.                 <div class="allauth-form-inner-content">↵
203.                     ↵
204. <hr>↵
205. <h2 class="logo-font mb-4">Sign Up</h2>↵
206. <hr>↵
207. ↵
208. <p>Already have an account? Then please <a href="/accounts/login/">sign
    in</a>.</p>↵
209. ↵
210. <form class="signup" id="signup_form" method="post"
    action="/accounts/signup/">↵
211.     <input type="hidden" name="csrfmiddlewaretoken"
    value="Sg5MSNvY48Q10IwYURyuZFGWyT7hxeqe6J2e2YpD4TsPPbyRJ67jJKQfrpWwUh5u">↵
212.     ↵
213.     ↵
214. <div id="div_id_email" class="form-group"> <label for="id_email" class="
    requiredField">↵
215.         E-mail<span class="asteriskField">*</span> </label> <div
    class=""> <input type="email" name="email" placeholder="E-mail address"
    class="textinput textInput form-control" required id="id_email"> </div>
    </div> <div id="div_id_email2" class="form-group"> <label for="id_email2"
    class=" requiredField">↵
216.         E-mail (again)<span class="asteriskField">*</span>
    </label> <div class=""> <input type="email" name="email2" placeholder="E-
    mail address confirmation" class="textinput textInput form-control"
    required id="id_email2"> </div> </div> <div id="div_id_username"
    class="form-group"> <label for="id_username" class="" requiredField">↵
217.         Username<span class="asteriskField">*</span> </label> <div
    class=""> <input type="text" name="username" placeholder="Username"
    autofocus="autofocus" minlength="4" maxlength="150" class="textinput
    textInput form-control" required id="id_username"> </div> </div> <div
    id="div_id_password1" class="form-group"> <label for="id_password1"
    class=" requiredField">↵
218.         Password<span class="asteriskField">*</span> </label> <div
    class=""> <input type="password" name="password1" placeholder="Password"
    class="textinput textInput form-control" required id="id_password1">
    </div> </div> <div id="div_id_password2" class="form-group"> <label
    for="id_password2" class=" requiredField">↵
219.         Password (again)<span class="asteriskField">*</span>
    </label> <div class=""> <input type="password" name="password2"
    placeholder="Password (again)" class="textinput textInput form-control"
    required id="id_password2"> </div> </div>↵
220.     ↵
221.     ↵
222.     <button type="submit">Sign Up</button>↵
223. </form>↵
224. ↵
225. ↵
226.         </div>↵
227.     </div>↵
228. </div>↵
229. </div>↵

```

```
230. ↵
231. ↵
232. ↵
233. <script>↵
234.     $( '.toast' ).toast( 'show' );↵
235. </script>↵
236. ↵
237. ↵
238. ↵
239. </body>↵
240. </html>
```

Heading-level outline

<h1> [missing]

<h2> FITLYFE

<h2> FITLYFE

<h2> Sign Up

Structural outline

├─ **FITLYFE**

│ └─ **FITLYFE**

└─ **Sign Up**

Used the HTML parser. Externally specified character encoding was utf-8.

Total execution time 62 milliseconds.