Jump to: Warnings (1) Validated CSS

W3C CSS Validator results for TextArea (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as CSS level 3 + SVG!

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:





(close the img tag with > instead of /> if using HTML <= 4.01)



The W3C validators rely on community support for hosting and development.

Donate and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link
or
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

↑ TOP

Warnings (1)

URI : TextArea

1

Imported style sheets are not checked in direct input and file upload modes

↑ TOP

Valid CSS information

@import url('https://fonts.googleapis.com/css2? family=Montserrat&family=Permanent+Marker&family=Roboto&family=Rock+Salt&display=swap');

```
margin : 0;
padding : 0;
box-sizing : border-box;
}
```

```
.main-cont {
    display : grid;
    height : auto;
    gap : 1rem;
```

```
grid-template-columns : repeat(3,1fr);
grid-template-rows : auto;
grid-template-areas : "nav nav" "main main main" "box1 box2 box3" "footer footer footer";
body {
  color : rgb(93, 93, 93);
  height : 100vh;
  font-family : 'Roboto', sans-serif;
h1, h2, h3, h4 {
  font-family : 'Montserrat', sans-serif;
  padding : 10px;
a {
  text-decoration : none;
  color : rgb(90, 87, 87, 0.8);
  font-family : 'Montserrat', sans-serif;
}
    {
font-family : 'Roboto', sans-serif;
button {
  text-decoration : none;
  color : rgb(90, 87, 87, 0.8);
  font-family : 'Montserrat', sans-serif;
}
nav {
    grid-area : nav;
    box-shadow : 0 5px 5px 0 rgb(128, 128, 128, 0.5);
    background-color : rgb(144, 24, 241);
    display : flex;
    flex-wrap : wrap;
}
#bamisoro-logo {
  width : 200px;
  height : 200px;
  margin : 20px;
#bamisoro-logo:hover {
  width : 250px;
  height : 250px;
main {
   grid-area : main;
   padding : 10px;
}
 .box1 {
  grid-area : box1;
  padding : 10px;
 .box2 {
  grid-area : box2;
  padding : 10px;
.box3 {
   grid-area : box3;
   padding : 10px;
footer {
  grid-area : footer;
  padding : 10px;
  margin-top : 20px;
  background-color : rgb(144, 24, 241);
 .footer-links {
  float : right;
  font-size : 50px;
  padding : 10px;
.footer-links > a {
  position : relative;
  top : -40px;
  font -5ize : 30px;
  padding : 10px;
  color : rgb(255, 255, 255);
}
.footer-links > a:hover {
  text-shadow : 4px 4px 4px rgb(93, 93, 93, 0.5);
  font-size : 50px;
```

```
.logo-footer {
  width : 150px;
  height : 150px;
#background {
  background-color : rgb(144, 24, 241);
  height : 100vh;
 #enter-bamisoro-logo {
      margin : 10px;
width : 500px;
height : 500px;
margin-right : auto;
margin-left : auto;
display : block;
}
#enter-bamisoro-logo:hover {
  width : 550px;
  height : 550px;
#enter-site-space {
  position : relative;
  display : block;
 .enter-site-btn {
     enter-site-btn {
  width : 300px;
  height : 80px;
  font-family : 'Montserrat', sans-serif;
  font-size : 27px;
  font-weight : 700;
  background-color : rgb(255, 255, 255);
  border : rgb(0, 0, 0) solid 4px;
  border-radius : 70px;
  position : absolute;
  top : 50%;
  left : 50%;
  transform : translate(-50%, -50%);
  display : inline-block;
  margin-top : 30px;
  text-align : center;
 .enter-site-btn > p {
  padding-top : 20px;
  text-align : center;
.enter-site-btn:hover {
  box-shadow : 7px 7px 7px rgb(0, 0, 0, 0.8);
.enter-site-btn > p:hover {
  color : rgb(239, 130, 62);
}
 .error-text {
  color : rgb(255, 255, 255);
  text-align : center;
  padding : 20px;
  margin : 20px;
}
.nav-MU {
  padding : 0 60px;
}
 .nav-MU > 1i {
    display : table-cell;
    float : left;
    font-size : 25px;
    padding : 20px;
    line-height : 200px;
}
}
.nav-MU > li > a {
    color : rgb(255, 255, 255);
}
.nav-MU > li:hover {
  text-decoration : underline solid;
}
 .ham {
  position : relative;
  border : none;
  cursor : pointer;
  align-items : center;
  justify-content : center;
  display : none;
  transition : all 0.20s ease-in-out;
  margin-top : 60px;
}
```

```
.ham-burger-btn {
    width: 50px;
height: 6px;
background: rgb(255, 255, 255);
border-radius: 6px;
transition: all 0.20s ease-in-out;
margin: 6px 6px;
 . \verb|ham-burger-btn::before, .ham-burger-btn::after \{ \\
    nam-burger-btn::before, .nam-burge
content: '';
position: absolute;
width: 50px;
height: 6px;
background: rgb(255, 255, 255);
border-radius: 6px;
.ham-burger-btn::before {
  transform : translateY(-16px);
.ham-burger-btn::after {
  transform : translateY(16px);
}
.ham.open .ham-burger-btn {
  transform : translateX(-50px);
  background : transparent;
.ham.open .ham-burger-btn::before {
  transform : rotate(45deg) translate(45px,-45px);
.ham.open .ham-burger-btn::after {
  transform : rotate(-45deg) translate(45px,45px);
section {
    ection {
  padding : 20px;
  text-align : center;
  display : block;
  border-radius : 20px;
  background-color : rgb(93, 93, 93, 0.05);
  margin : 70px 70px;
  box-shadow : 9px 9px rgb(144, 24, 241, 0.5);
.quiz-lp {
  padding : 20px;
  margin : 5px 5px;
.quiz-lp > h1, h3 {
  color : rgb(239, 130, 62);
  padding : 10px;
  margin-bottom : 10px;
.quiz-lp > a {
  color : rgb(239, 130, 62);
  font-size : 50px;
  margin : 10px 10px;
.quiz-lvl-boxes {
     display : flex;
justify-content : center;
.quiz-lvl-logo {
   width : 300px;
   height : 300px;
   margin : 10px;
}
.quiz-lp > a:hover {
  color : rgb(144, 24, 241, 0.8);
.quiz-lvl-logo:hover {
  width : 350px;
  height : 350px;
.quiz-cont > section {
   box-shadow : 9px 9px psb(144, 24, 241, 0.5);
.quiz-cont > h3 {
  color : rgb(239, 130, 62);
  margin-bottom : 30px;
```

```
#game > h2 {
  padding : 10px;
  color : rgb(239, 130, 62);
        margin-bottom : 30px;
#tracker {
  display : inline-block;
  text-align : center;
  margin-top : 20px;
#tracker > h2 > span {
    margin-left : 15px;
    margin-right : 15px;
    color : rgb(239, 130, 62);
 .quiz-cont {
  display : block;
  text-align : center;
  margin : 60px 60px;
#beginnerqs {
  padding : 10px;
  color : rgb(239, 130, 62);
  font-size : 30px;
  margin-top : 25px;
  margin-bottom : 15px;
}
  .option-cont {
  display : inline-block;
  margin-bottom : 20px;
.optionsbl {
    width : 200px;
    height : 200px;
    text-align : center;
    padding : 10px;
    margin-Left : 20px;
    margin-right : 20px;
    margin : 20px 20px;
    border : rgb(90, 87, 87, 0.5) solid 6px;
    border-radius : 50%;
    font-size : 20px;
    background-color : rgb(255, 255, 255);
    color : rgb(90, 87, 87, 0.8);
    font-weight : 800;
}
 .optionsbl:hover {
  border : rgb(239, 130, 62) solid 5px;
  color : rgb(239, 130, 62);
  box-shadow : 5px 5px rgb(90, 87, 87, 0.5);
.right > .optionsbl {
  color : rgb(154, 205, 50);
  border : rgb(154, 205, 50) solid 8px;
  box-shadow : none;
 .wrong > .optionsbl {
  color : rgb(255, 0, 0);
  border : rgb(255, 0, 0) solid 8px;
  box-shadow : none;
  .quiz-cont {
  display : block;
  text-align : center;
  margin : 60px 60px;
 #intermediateqs {
       padding: 10px;
color: rgb(239, 130, 62);
font-size: 30px;
margin-top: 25px;
margin-bottom: 15px;
}
 .option-cont {
  display : inline-block;
  margin-bottom : 20px;
 .optionsil {
  width : 200px;
  height : 200px;
  text-align : center;
  padding : 10px;
  margin-left : 20px;
  margin-right : 20px;
  margin : 20px 20px;
  border : rgb(90, 87, 87, 0.5) solid 6px;
```

```
border-radius : 50%;
font-size : 20px;
background-color : rgb(255, 255, 255);
color : rgb(90, 87, 87, 0.8);
 .optionsil:hover {
  border : rgb(239, 130, 62) solid 5px;
  color : rgb(239, 130, 62);
  box-shadow : 5px 5px 5px rgb(90, 87, 87, 0.5);
 .right > .optionsil {
  color : yellowgreen;
  border : yellowgreen solid 8px;
  box-shadow : none;
 .wrong > .optionsil {
  color : red;
  border : red solid 8px;
  box-shadow : none;
 .quiz-cont {
  display : block;
  text-align : center;
  margin : 60px 60px;
#gameal-text {
  margin-top : 15px;
  margin-bottom : 15px;
  font-size : 20px;
 #gameal-text > p > span {
  color : rgb(239, 130, 62);
  font-weight : 700;
#advancedqs {
  padding : 10px;
  color : rgb(239, 130, 62);
  font-size : 30px;
  margin-top : 25px;
  margin-bottom : 15px;
}
 }
  .option-cont {
  display : inline-block;
  margin-bottom : 20px;
 .optionsal {
  width : 200px;
  height : 200px;
  text-align : center;
  padding : 20px;
  margin-left : 20px;
  margin-right : 20px;
  margin : 20px 20px;
  border : rgb(90, 87, 87, 0.5) solid 6px;
  border-radius : 50%;
  font-size : 20px;
        font-size: 20px;
background-color: rgb(255, 255, 255);
color: rgb(90, 87, 87, 0.8);
 .optionsal:hover {
  border : rgb(239, 130, 62) solid 5px;
  box-shadow : 5px 5px 5px rgb(239, 130, 62);
  color : rgb(239, 130, 62);
 .optionsal:hover {
  border : rgb(239, 130, 62) solid 5px;
  color : rgb(239, 130, 62);
  box-shadow : 5px 5px 5px rgb(90, 87, 87, 0.5);
 }
 .right > .optionsal {
  color : yellowgreen;
  border : yellowgreen solid 8px;
  box-shadow : none;
 .wrong > .optionsal {
  color : red;
  border : red solid 8px;
  box-shadow : none;
 .return-center {
  position : absolute;
  top : 50%;
  left : 50%;
  transform : translate(-50%,-50%);
```

```
.return-content {
    display : flex;
    flex-direction : column;
    justify-content : center;
    align-items : center;
    text-align : center;
}
 .return-content > h1 {
  text-align : center;
  color : rgb(255, 255, 255);
  flex-direction : column;
  margin-bottom : 30px;
}
  .return-content > button {
       width: 270px;
height: 60px;
      height: 60px;

font-size: 27px;

font-weight: 600;

background-color: rgb(255, 255, 255);

border: rgb(0, 0, 0) solid 4px;

border-radius: 70px;

text-align: center;

margin-bottom: 20px;

padding: 10px 10px;
.return-content > a {
  width : 270px;
  height : 60px;
  font-size : 27px;
  font-weight : 600;
  background-color : rgb(255, 255, 255);
  border : rgb(0, 0, 0) solid 4px;
  border-radius : 70px;
  text-align : center;
  margin-bottom : 20px;
  padding : 10px 10px;
}
 .return-content > button:hover {
  color : rgb(239, 130, 62);
  box-shadow : 7px 7px 7px rgb(0, 0, 0, 0.8);
 }
 .return-content > a:hover {
  color : rgb(239, 130, 62);
  box-shadow : 7px 7px 7px rgb(0, 0, 0, 0.8);
#tallyTotal {
   font-weight : 600;
.hidden {
  display : none;
 #gamefin {
       font-size : 35px;
#pointsDisplay {
  font-size : 50px;
  text-decoration : underline rgb(239, 130, 62);
  border-radius : 50px;
  padding : 30px;
  transition : 0.5s ease-in;
}
 .phrasesheet-cont {
  border-radius : 10px;
  padding : 30px;
  margin-bottom : 20px;
  text-align : center;
}
 .phrasesheet-cont > span {
  margin : 25px 25px;
  width : 45%;
  height : auto;
  display : inline-block;
  padding : 20px;
}
  .phrasesheet-cont > span:hover {
  box-shadow : 9px 9px 9px rgb(144, 24, 241, 0.5);
  border-radius : 20px;
 .phrasesheet-cont > h1 {
  color : rgb(239, 130, 62);
  .phrasesheet-descript > i {
       color : rgb(239, 130, 62);
font-size : 50px;
```

```
margin-bottom : 20px;
padding : 15px;
}
  .phrasesheet-descript > ul {
     padding-left : 50px;
color : rgb(239, 130, 62);
padding-bottom : 10px;
.phrase-box {
  padding : 30px;
  border-radius : 10px;
  text-align : left;
  background-color : rgb(93, 93, 93, 0.05);
  box-shadow : 3.5px 3.5px 3.5px rgb(90, 87, 87, 0.5);
}
 .phrase-box > h2 {
  color : rgb(239, 130, 62);
}
 .phrase-box:hover {
  box-shadow : 9px 9px 9px rgb(144, 24, 241, 0.5);
}
      padding : 10px 10px;
      text-decoration: underline;
font-weight: 700;
color: rgb(239, 130, 62);
 }
td\ \{
      padding : 10px 10px;
 }
     margin-top : 50px;
padding : 10px 10px;
 .download-btn {
    margin-top : 20px;
    text-align : center;
    width : auto;
    height : auto;
    font-family : 'Montserrat', sans-serif;
    font-size : 16px;
    font-weight : 700;
    background-color : rgb(255, 255, 255);
    border : rgb(239, 130, 62) solid 2px;
    border-radius : 70px;
    padding : 10px 10px;
    color : rgb(90, 87, 87, 0.8);
}
 .download-btn:hover {
  box-shadow : 5px 5px 5px rgb(90, 87, 87, 0.5);
  border : rgb(144, 24, 241, 0.5) solid 4px;
 .download-btn > a:hover {
  color : rgb(239, 130, 62);
  .form-center {
  display : block;
  text-align : center;
form > img {
  width : 300px;
  height : 300px;
  margin-right : auto;
  margin-left : auto;
}
 }
 form {
     orm {
    padding : 20px;
    border-radius : 20px;
    background-color : rgb(93, 93, 93, 0.05);
    font-weight : 500;
    display : inline-block;
    margin-top : 50px;
}
 form:hover {
      box-shadow : 9px 9px 9px rgb(144, 24, 241, 0.3);
 }
form > input {
  padding : 20px;
  width : 200px;
  height : 25px;
  font-size : 20px;
  margin-bottom : 30px;
  border-radius : 20px;
```

```
display : inline-block;
margin-right : 30px;
margin-left : 30px;
text-align : left;
border : rgb(240, 98, 32, 0.7) solid 2px;
 form > textarea {
      prm > textarea {
  padding : 20px;
  width : 100%;
  height : 200px;
  font-size : 16px;
  margin-right : 20px;
  margin-bottom : 30px;
  border-radius : 20px;
  text-align : center;
  border : rgb(240, 98, 32, 0.7) solid 2px;
form > i {
   font-size : 30px;
   padding : 0 20px 0 20px;
   margin-bottom : 30px;
   color : rgb(240, 98, 32, 0.8);
}
 .submit-button {
  margin-bottom : 30px;
  margin-top : 30px;
  border : rgb(240, 98, 32, 0.7) solid 2px;
  background-color : rgb(255, 255, 255);
  border-radius : 30px;
  padding : 20px;
  width : 200px;
  font-size : 16px;
  font-family : 'Montserrat', sans-serif;
  font-weight : 500;
}
form > i:hover {
   text-shadow : 4px 4px 4px rgb(93, 93, 93, 0.7);
   font-size : 50px;
form > input:hover {
  color : rgb(240, 98, 32, 0.7);
 }
  .submit-button:hover {
      bubmit-Dutton:nover {
  box-shadow : 4px 4px 4px rgb(90, 87, 87, 0.5);
  background-color : rgb(255, 255, 255);
  color : rgb(240, 98, 32, 0.7);
  border : rgb(144, 24, 241, 0.5) solid 4px;
@media only screen and (max-width: 320px) {
    .main-cont {
  display : grid;
  width : 100%;
  height : auto;
  grid-template-columns : 1fr;
  grid-template-rows : auto;
  grid-template-areas : "nav" "main" "box1" "box2" "box3" "footer";
     #enter-bamisoro-logo {
  width : 70%;
  height : 70%;
     #enter-bamisoro-logo:hover {
           width : 75%;
height : 75%;
     .enter-site-btn {
  width : 200px;
  height : 80px;
     .enter-site-btn > p {
  padding-top : 25px;
  text-align : center;
  font-size : 20px;
     .nav-MU {
  display : none;
  width : 100%;
  flex-direction : column;
     .nav-MU > li {
   line-height : 20px;
   padding-bottom : 50px;
   font-size : 20px;
```

```
.nav-MU.show {
   display : flex;
#bamisoro-logo {
  width : 120px;
  height : 120px;
  margin : 10px;
#bamisoro-logo:hover {
  width : 150px;
  height : 150px;
.ham {
    display : block;
    margin-left : auto;
    font-size : 30px;
    margin-right : 50px;
}
section {
  margin-left : auto;
  margin-right : auto;
}
 .quiz-lvl-boxes {
  text-align : center;
  display : block;
.quiz-lvl-logo {
  width : 70%;
  height : 70%;
  margin : auto;
}
.quiz-lvl-logo:hover {
  width : 75%;
  height : 75%;
 .quiz-cont {
  margin-left : auto;
  margin-right : auto;
}
.optionsbl {
  width : 150px;
  height : 150px;
.optionsil {
  width : 150px;
  height : 150px;
 .optionsal {
  width : 200px;
  height : 200px;
#gameal-text {
  margin-bottom : 30px;
  font-size : 25px;
 .phrasesheet-cont > span {
  display : block;
  width : auto;
form > img {
    width : 50%;
    height : 50%;
form > span {
  margin-bottom : 30px;
  font-weight : 400;
  display : block;
}
.logo-footer {
  width : 55px;
  height : 55px;
  margin-right : 20px;
}
.footer-links > a {
  position : relative;
  top : -15px;
  font-size : 20px;
  padding : 10px;
```

```
margin-right : 10px;
    .footer-links > a:hover {
  font-size : 25px;
@media screen and (max-width: 411px) and (min-width: 321px) {
    .main-cont {
    display : grid;
    width : 100%;
    height : auto;
    grid-template-columns : 1fr;
    grid-template-rows : auto;
    grid-template-areas : "nav" "main" "box1" "box2" "box3" "footer";
}
   #enter-bamisoro-logo {
  width : 70%;
  height : 70%;
   #enter-bamisoro-logo:hover {
  width : 75%;
  height : 75%;
   .enter-site-btn {
  width : 200px;
  height : 80px;
    .nav-MU {
    display : none;
    width : 100%;
    flex-direction : column;
}
   .nav-MU > li {
   line-height : 20px;
   padding-bottom : 50px;
   font-size : 20px;
   .nav-MU.show {
   display : flex;
   #bamisoro-logo {
  width : 200px;
  height : 200px;
  margin : 20px;
   #bamisoro-logo:hover {
  width : 220px;
  height : 220px;
    .ham {
        nam {
    display : block;
    margin-left : auto;
    font-size : 30px;
    margin-right : 70px;
    margin-top : 120px;
    .quiz-lvl-boxes {
  text-align : center;
  display : block;
   .quiz-lvl-logo {
  width : 70%;
  height : 70%;
  margin : auto;
    .quiz-lvl-logo:hover {
  width : 75%;
  height : 75%;
    .quiz-cont {
  margin-left : auto;
  margin-right : auto;
    .optionsbl {
  width : 150px;
  height : 150px;
```

```
.optionsil {
  width : 150px;
  height : 150px;
   .optionsal {
  width : 200px;
  height : 200px;
   #gameal-text {
   margin-bottom : 30px;
         font-size : 25px;
    .phrasesheet-cont > span {
  display : block;
  width : auto;
   form > img {
   width : 50%;
   height : 50%;
   form > span {
  margin-bottom : 30px;
  font-weight : 400;
  display : block;
   .logo-footer {
  width : 70px;
  height : 70px;
  margin-right : 20px;
   .footer-links > a {
  position : relative;
  top : -15px;
  font-size : 30px;
  padding : 10px;
  margin-right : 10px;
}
   .footer-links > a:hover {
  font-size : 25px;
@media screen and (max-width: 800px) and (min-width: 412px) {
    .main-cont {
    display : grid;
    height : auto;
    grid-template-columns : 1fr;
    grid-template-rows : auto;
    grid-template-areas : "nav" "main" "box1" "box2" "box3" "footer";
}
    .nav-MU {
  display : none;
  width : 100%;
  flex-direction : column;
}
    .nav-MU > li {
    line-height : 20px;
    padding-bottom : 50px;
    .nav-MU.show {
  display : flex;
        ham {
display : block;
margin-left : auto;
margin-right : 30px;
font-size : 40px;
margin-right : 60px;
margin-top : 120px;
   .ham:hover {
  font-size : 60px;
}
   #enter-bamisoro-logo {
  width : 50%;
  height : 50%;
   #enter-bamisoro-logo:hover {
  width : 60%;
  height : 60%;
```

```
phrasesheet-cont > span {
    display : block;
    width : auto;
}

form > span {
    margin-bottom : 30px;
    font-weight : 400;
    display : block;
}

.footer-links > a {
    position : relative;
    top : -15px;
    font-size : 20px;
    padding : 10px;
    padding : 10px;
    margin-right : 10px;
}

.logo-footer {
    width : 55px;
    height : 55px;
    height : 55px;
    morgin-right : 40px;
}

.quiz-lvl-boxes {
    text-align : center;
    display : block;
}
```

Home About Documentation Download Feedback Credits



COPYRIGHT © 1994-2014 <u>W3C</u>® (<u>MIT, ERCIM, KEIO, BEIHANG</u>), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.

I VALIDATOR

↑ TOP