
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Warning Consider adding a lang attribute to the html start tag to declare the language of this document.

From line 1, column 1; to line 1, column 25
{% extends 'base.html' %} ← {% bl}
For further guidance, consult Declaring the overall language of a page and Choosing language tags.

If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.
```

```
2. Error Non-space characters found without seeing a doctype first. Expected

<!DOCTYPE html>.

From line 1, column 1; to line 1, column 25

[% extends 'base.html' %}↔ 8 bl]
```

3. Error Element head is missing a required instance of child element title.

From line 1, column 1; to line 1, column 25

[% extends 'base.html' %} ← {% bl}

Content model for element head:

If the document is <u>an iframe srcdoc document</u> or if title information is available from a higher-level protocol: Zero or more elements of <u>metadata content</u>, of which no more than one is a <u>title</u> element and no more than one is a <u>base</u> element.

Otherwise: One or more elements of <u>metadata content</u>, of which exactly one is a <u>title</u> element and no more than one is a <u>base</u> element.

```
4. Error Bad value {% static 'js/js_packmybag' %} for attribute src on element script: Illegal character in path segment: {} is not allowed.

From line 249, column 5; to line 249, column 49

e -->← <script src="{% static 'js/js_packmybag' %}"></scri
```

Document checking completed.

Source

```
1. {% extends 'base.html' %}↔
 2. {% block content %}↔
 3. {% load static %}↔
 4. <main>←
 5.
        <div class="container">↔
 6.
            <article>←
 7.
                 <!-- Page Title -->↔
                 <!-- If current user is owner of the bag, allow to add items -->\leftrightarrow
 8.
 9.
                {% if request.user == bag.user %}↔
10.
                <header>←
                     <div class="row page-title mb-3">←
11.
12.
                         <div class="col-12">↔
13.
                             <h1 class="black-shadow text-center">Add Items</h1>↔
14.
                             <h4 class="text-danger">{{ errorMsg }}</h4>↔
15.
                         </div>←
16.
                     </div>←
17.
                 </header>←
                <!-- Details of current bag to which items are added -->↔
18.
19.
                <section class="card card-shadow">←
                     <div class="collapsible-section" id="section-aboutmybag">←
20.
                         <input type="checkbox" name="collapse" id="coll-section-</pre>
21.
    aboutbag">↔
22.
                         <div class="collapsible-section-title mt-2">←
23.
                             <label class="black-shadow text-center custom-header"←</pre>
24.
                                     for="coll-section-aboutbag">About My
    Bag</label>↔
25.
                         </div>↔
26.
                         <div class="collapsible-section-content mt-2">←
27.
                             <div class="form-container">←
28.
                                 <div class="center-container items-bag-text mb-</pre>
    3">←
29.
                                      <div class="form-section">←
30.
                                          <h4 class="bag-label">Basics</h4>↔
31.
                                          <label class="bag-label">Name :
    {{bag.name}}</label>↔
32.
                                          <label class="bag-label">User Weight (kg) :
    {{bag.weight user}}</label>↔
```

```
33.
                                          <label class="bag-label">Bag Weight (kg) :
    {{bag.weight_bag}}</label>↔
                                      </div>←
34.
35.
                                  </div>←
36.
                                  <div class="center-container items-bag-text mb-</pre>
    3">←
37.
                                      <div class="form-section">←
                                           <h4 class="bag-label">Company</h4>↔
38.
39.
                                          <label class="bag-label">Underage company :
    {{bag.with_child}}</label>↔
40.
                                          <label class="bag-label">Elder company :
    {{bag.with_elder}}</label>↔
41.
                                          <label class="bag-label">Pet :
    {\{bag.with\_pet\}}</label>{\leftarrow}
42.
                                      </div>←
                                  </div>↩
43.
44.
                                  <div class="center-container items-bag-text mb-</pre>
    3">←
45.
                                      <div class="form-section">←
46.
                                          <h4 class="bag-label">Locale</h4>↔
47.
                                          <label class="bag-label">Climate :
    {{bag.climate.name}}</label>↔
48.
                                          <label class="bag-label">Landform :
    {{bag.landform.name}}</label>↔
49.
                                          <label class="bag-label">Environment :
    {{bag.environment.name}}</label>↔
50.
                                      </div>↩
51.
                                  </div>←
52.
                                  <div class="center-container items-bag-text mb-</pre>
    3">←
53.
                                      <div class="form-section">←
54.
                                          <h4 class="bag-label">Conditions</h4>↔
55.
                                           <label class="bag-label">←
56.
                                               Human infrastructure :
    {{bag.available_infrastructure}}↔
57.
                                           </label>↩
58.
                                          <label class="bag-label">Drinking water :
    {{bag.available water}}</label>↔
59.
                                          <label class="bag-label">Comestibles (food)
    : {{bag.available_food}}</label>↔
60.
                                      </div>↩
                                  </div>↩
61.
                              </div>↔
62.
                         </div>↔
63
64.
                     </div>←
65.
                 </section>↩
66.
                 <!-- Dynamic calculation of bag's current weight based on the
    weight of the items added -->↔
67.
                 <section>↩
68.
                     <div class="row page-title mt-4 mb-3">↔
69.
                         <div class="col-12">←
70.
                              <h4 class="black-shadow text-center">Current weight of
    bag :</h4>↔
71.
                              <input type="hidden" id="starting_bag_weight" value="</pre>
    {\{bag.weight\_bag\_actual\}}">
72.
                              <h4 id="additems_bag_weight" class="black-shadow text-</pre>
    center">0.00 kg</h4>↔
73.
                         </div>←
74.
                         <input type="hidden" value="{{bag.weight_bag}}"</pre>
    id="additems max bag weight">↔
75.
                     </div>↔
76.
                 </section>↩
77.
                 <!-- List of recommended items per categories which can be added to
    bag (with respect to max weight) -->↔
78.
                 <section>←
                     <div class="row page-title mb-3">↔
79.
80.
                         <div class="col-12">↔
81.
                              <h2 class="black-shadow text-center">Recommended
    Items</h2>↔
82.
                         </div>←
83.
                     </div>↩
```

```
84.
                       <div class="row">↔
                           <div class="center-container">↔
 85.
                                <h4 class="black-shadow text-danger text-center">{{
 86.
     errorMsg }}</h4>↔
 87.
                           </div>↩
 88.
                       </div>↔
                       <form class="form-container" method="POST">←
 89.
                           {% csrf_token %}↔
 90.
                                \{\% \text{ for c in choices } \%\} \leftrightarrow
 91.
 92.
                                <div class="card">↔
 93.
                                    <div class="collapsible-section" id="section-items-</pre>
     {{c}}">↔
 94.
                                         <input type="checkbox" name="collapse"</pre>
     id="coll-section-{{c}}">↔
 95.
                                         <div class="collapsible-section-title mt-2">←
 96.
                                             <label id="{{c}}-title" class="black-shadow</pre>
     text-center items-section-title"↔
 97.
                                                     for="coll-section-{{c}}">{{c}}}
     </label>↩
 98.
                                         </div>←
 99.
                                         <div class="collapsible-section-content mt-</pre>
     2">↩
100.
                                             <div class="form-container">←
101.
                                                 <!-- Basic items which are needed under
     all conditions, ↔
102.
                                                 regardless company or locale -->↔
103.
                                                 <div class="items-section text-center</pre>
     mb-3">↔
104.
                                                      <div class="form-group">←
                                                          <h5 class="bag-label">Basic
105.
     Items</h5>↔
106.
                                                           {% for i in basic_items %}↔
107.
                                                               {% if i.category in c%}↔
108.
                                                                   {% if i in
     existing_items %}↔
109.
                                                                   <input type="checkbox"</pre>
     id="{{i.name}}_checked"↔
110.
     class="item_checkbox" name="item_checkbox"↔
                                                                           value="
111.
     {{i.name}}" checked>↔
112.
                                                                   {% else %}←
                                                                   <input type="checkbox"</pre>
113.
     id="{{i.name}}"↔
114.
     class="item_checkbox" name="item_checkbox"↔
115.
                                                                           value="
     {{i.name}}">↔
116.
                                                                   {% endif %}←
                                                                   <label class="items-</pre>
117.
     list-label" for="{\{i.name\}}">{\{i.name\}}
118.
                                                                   </label>←
                                                                   <label class="info-item</pre>
119.
     info-item-modal"↔
120.
                                                                           id="{{i.name}}-
     info-additems">?↔
121.
                                                                   </label>↩
122.
                                                                   <br>→
123.
                                                               {% endif %}↔
124.
                                                           {% endfor%}↔
125.
                                                      </div>←
126.
                                                 </div>←
127
                                                 <!-- Items specific to special company
     (child, elder person, pet) -->↔
128.
                                                 <div class="items-section text-center</pre>
     mb-3">↔
129.
                                                      <div class="form-group">←
130.
                                                          <h5 class="bag-label">Company-
     specific Items</h5>↔
131.
                                                           {% for i2 in
     items user company %}↔
```

```
132.
                                                               {% if i2.category in c%}↔
133.
                                                                   {% if i2 in
     existing_items %}↔
134.
                                                                   <input type="checkbox"</pre>
     id="{{i2.name}}_checked"↔
135.
     class="item_checkbox" name="item_checkbox"↔
136.
                                                                           value="
     {{i2.name}}" checked>↔
137
                                                                   {% else %}←
138.
                                                                   <input type="checkbox"</pre>
     id="{{i2.name}}"↔
139.
     class="item_checkbox" name="item_checkbox"↔
140.
                                                                           value="
     {{i2.name}}">↔
141.
                                                                   {% endif %}←
                                                                   <label class="items-</pre>
142.
     list-label" for="{{i2.name}}">{{i2.name}}↔
143.
                                                                   </label>↩
144.
                                                                   <label class="info-item</pre>
     info-item-modal"↔
145.
                                                                           id="{{i2.name}}-
     info-additems">?↔
146.
                                                                   </label>↩
147.
                                                                   <br>→
                                                               {% endif %}↔
148.
                                                           {% endfor%}↔
149.
150.
                                                      </div>↩
151.
                                                  </div>↩
152.
                                                 <!-- Items specific to special
     conditions (no human infra, water or food) --> \leftarrow
153.
                                                 <div class="items-section text-center</pre>
     mb-3">↔
154.
                                                      <div class="form-group">←
                                                          <h5 class="bag-
155.
     label">Condition-specific Items</h5>↔
156.
                                                           {% for i3 in
     items_user_condition %}↔
                                                               {% if i3.category in c%}↔
157.
158.
                                                                   {% if i in
     existing_items %}↔
159.
                                                                   <input type="checkbox"</pre>
     id="{{i3.name}}_checked"↔
160.
     class="item_checkbox" name="item_checkbox"↔
161.
                                                                           value="
     {{i3.name}}" checked>↔
162.
                                                                   {% else %}←
                                                                   <input type="checkbox"</pre>
163.
     id="{{i3.name}}"↔
164.
     class="item_checkbox" name="item_checkbox"

165.
                                                                           value="
     {{i3.name}}">↔
166.
                                                                   {% endif %}←
167.
                                                                   <label class="items-</pre>
     list-label" for="{{i3.name}}">{{i3.name}}↔
168.
                                                                   </label>↔
169.
                                                                   <label class="info-item</pre>
     info-item-modal"↔
170.
                                                                           id="{{i3.name}}-
     info-additems">?↔
171.
                                                                   </label>←
172.
                                                                   <br>
<
                                                               {% endif %}↔
173.
174.
                                                           {% endfor%}↔
175.
                                                      </div>↩
176.
                                                 </div>←
177.
                                             </div>↩
178.
                                         </div>↩
```

</div>↩

</section>↩

{% else %}*←*

224. 225.

226.

227.

```
228.
                 <!-- If current user is not owner of the bag, show error message --
229.
                 <header>←
230.
                     <div class="row page-title mb-3">←
231.
                         <div class="col-12">←
232.
                              <h1 class="black-shadow text-center">Wrong Bag!</h1>↔
233.
                          </div>←
234.
                     </div>←
235.
                 </header>↩
236.
                 <div class="row">↔
237.
                     <div class="center-container">↔
238.
                         <h4 class="black-shadow text-danger text-center">Hands off,
     this is not your bag!</h4>↔
239.
                     </div>←
240.
                 </div>←
241.
                 {% endif %}↔
242.
             </article>↩
243.
         </div>↩
244.
         <!-- Passing list of Item objects to javascript from Django view (View
     'add_items') -->↩
245.
         <script>↔
             window.add_items_JSON = {{items_json|safe}};
246.
247.
         </script>↩
248.
         <!-- Inclusion of JS file -->↔
249.
         <script src="{% static 'js/js_packmybag' %}"></script>↩
250. </main>↔
251. {% endblock content %}
```

Used the HTML parser.

Total execution time 15 milliseconds.

About this checker • Report an issue • Version: 22.3.25