Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
the language of this document.

From line 1, column 1; to line 1, column 25
{% extends 'base.html' %} \( \) bl

For further guidance, consult Declaring the overall language of a page and Choosing language tags.

If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.
```

```
2. Error Non-space characters found without seeing a doctype first. Expected

<!DOCTYPE html>.

From line 1, column 1; to line 1, column 25

[{% extends 'base.html' %}↔{% bl}]
```

```
3. Error Element head is missing a required instance of child element title.

From line 1, column 1; to line 1, column 25

{% extends 'base.html' %} \( \phi \) \( \phi \) b1

Content model for element head:

If the document is an iframe srcdoc document or if title information is available from a higher-level protocol: Zero or more elements of metadata content, of which no more than one is a title element and no more than one is a base element.

Otherwise: One or more elements of metadata content, of which exactly one is a title element and no more than one is a base element.
```

```
5. Error Bad value [% url 'profile' %] for attribute href on element a:

Illegal character in path segment: [{ is not allowed.

From line 28, column 29; to line 28, column 87

<a class="btn btn-lg btn-light" href="{% url 'profile' %}">

(a class="btn btn-lg btn-light" href="{% url 'profile' %}">

(b) Column 29; to line 28, column 87
```

Document checking completed.

Source

```
9.
                 {% if request.user == bag.user %}↔
10.
                 <header>←
11.
                     <div class="row page-title mb-3">←
12.
                         <div class="col-12">↔
13.
                             <h1 class="black-shadow text-center">My
    Bag<br>'{{bag.name}}'</h1>↔
14.
                         </div>↩
15.
                     </div>←
16.
                 </header>↩
                 <div class="card mb-3">↔
17.
                     <div class="center-container profile-buttons">←
18.
19.
                         <div class="row mb-2">←
                              <div class="col-12">←
20.
21.
                                  <a class="btn btn-lg btn-light" href="{% url</pre>
    'mybag_add_items' id=bag.id %}">↩
22.
                                      Edit Items↔
23.
                                  </a>←
24.
                              </div>↩
                         </div>←
25.
                         <div class="row mb-2">←
26.
27.
                              <div class="col-12">↔
28.
                                  <a class="btn btn-lg btn-light" href="{% url</pre>
     'profile' %}">↩
                                      Bag List↔
29.
30.
                                  </a>←
31.
                              </div>←
32.
                         </div>↔
                         <form method="POST">↔
33.
                              {% csrf_token %}↔
34.
35.
                              <div class="row mb-2">←
36.
                                  <div class="col-12">↔
37.
                                      <input type="hidden" id="thisbag-to-delete"←</pre>
38.
                                              name="thisbag-to-delete" value="
    {{bag.id}}">↩
39.
                                      <input type="submit" value="Delete Bag"←</pre>
40.
                                              class="btn btn-lg btn-danger">↔
41.
                                  </div>←
42.
                              </div>←
43.
                         </form>←
44.
                     </div>←
                 </div>↩
45.
46.
                 <!-- Details of current bag -->↔
47.
                 <div>←
48.
                     <article class="card card-shadow">←
49.
                         <div>←
50.
                              <header class="text-center mt-2">←
51.
                                  <h2 class="black-shadow">Bag Details</h2>↔
52.
                              </header>←
                              <section class="form-container">↔
53.
                                  <div class="center-container items-bag-text mb-</pre>
54.
    3">←
55.
                                      <div class="form-section">←
                                           <h4 class="bag-label">Basics</h4>↔
56.
                                           <label class="bag-label">Name :
57.
    {{bag.name}}</label>↔
58.
                                          <label class="bag-label">User Weight (kg) :
    {{bag.weight_user}}</label>↔
59.
                                          <label class="bag-label">←
60.
                                               Bag Weight (kg):
    {{bag.weight bag actual}} / Max
                                       {{bag.weight_bag}}↔
61.
                                           </label>←
62.
                                      </div>↩
63.
                                  </div>↩
64.
                                  <div class="center-container items-bag-text mb-</pre>
    3">←
                                      <div class="form-section">←
65.
66.
                                          <h4 class="bag-label">Company</h4>↔
67.
                                          <label class="bag-label">Underage company :
    {{bag.with_child}}</label>↔
68.
                                          <label class="bag-label">Elder company :
    {{bag.with_elder}}</label>↔
```

```
69.
                                            <label class="bag-label">Pet :
     {{bag.with_pet}}</label>↔
 70.
                                       </div>←
 71.
                                   </div>↔
 72.
                                   <div class="center-container items-bag-text mb-</pre>
     3">←
 73.
                                       <div class="form-section">←
                                            <h4 class="bag-label">Locale</h4>↔
 74.
 75.
                                            <label class="bag-label">Climate :
     {{bag.climate.name}}</label>↔
 76.
                                            <label class="bag-label">Landform :
     {{bag.landform.name}}</label>↔
                                           <label class="bag-label">Environment :
 77.
     {{bag.environment.name}}</label>↔
 78.
                                       </div>←
                                   </div>↩
 79.
 80.
                                   <div class="center-container items-bag-text mb-</pre>
     3">←
 81.
                                       <div class="form-section">←
 82.
                                            <h4 class="bag-label">Conditions</h4>↔
 83.
                                            <label class="bag-label">↔
 84.
                                                Human infrastructure :
     {{bag.available_infrastructure}}↔
 85.
                                            </label>←
 86.
                                            <label class="bag-label">Drinking water :
     {{bag.available_water}}</label>↔
 87.
                                            <label class="bag-label">Comestibles (food)
     : {{bag.available food}}</label>↔
 88.
                                        </div>↩
                                   </div>←
 89.
 90.
                               </section>↩
 91.
                          </div>←
 92.
                      </article>↔
 93.
                      <!-- List of items per categories which were added to bag -->↔
 94.
                      <article>←
 95.
                          <header class="row page-title mt-4 mb-3">←
 96.
                               <div class="col-12">←
 97.
                                   <h2 class="black-shadow text-center">Bag
     Items</h2>↔
 98.
                               </div>←
 99.
                          </header>←
100.
                           <section>←
101.
                               <div class="form-container">←
102.
                                   {% for c in choices %}↔
103.
                                   <div class="card">↔
104.
                                       <div class="collapsible-section" id="details-</pre>
     section-items-{{c}}">↔
105.
                                            <input type="checkbox" name="collapse"</pre>
     id="coll-section-details-{{c}}">↔
106.
                                            <div class="collapsible-section-title mt-</pre>
     2">←
107.
                                                <label id="{{c}}-title-details"←</pre>
                                                       class="black-shadow text-center
108.
     items-section-title"↔
109.
                                                       for="coll-section-details-
     {{c}}">{{c}}</label>↔
110.
                                            </div>←
111.
                                            <div class="collapsible-section-content mt-</pre>
     2">←
112.
                                                <div class="form-container">←
113.
                                                    <!-- Basic items which are needed
     under all conditions, ↔
114.
                                                    regardless company or locale -->↔
115.
                                                    <div class="items-section text-</pre>
     center mb-3">↔
116.
                                                        <div class="form-group">←
117.
                                                             <h5 class="bag-label">Basic
     Items</h5>↔
118.
                                                              {% for i in basic items %}
```

```
119.
                                                                  {% if i.category in c%}
120.
                                                                      <label class="info-</pre>
     item items-list-label details-list"↔
121.
                                                                             id="
     {{i.name}}-info-detailsitems">↔
122.
                                                                          {{i.name}}↔
123.
                                                                      </label>↩
124.
                                                                      <br>→
125.
                                                                  {% endif %} ↔
126.
                                                              {% endfor%}↔
127.
                                                         </div>↔
128.
                                                     </div>↔
129.
                                                     <!-- Items specific to special
     company (child, elder person, pet) -->↔
130.
                                                     <div class="items-section text-</pre>
     center mb-3">↔
131.
                                                         <div class="form-group">↔
132.
                                                             <h5 class="bag-
     label">Company-specific Items</h5>↔
133.
                                                              {% for i2 in
     items_user_company %}↔
134.
                                                                  {% if i2.category in
     c%}←
135.
                                                                      <label class="info-</pre>
     item items-list-label details-list"↔
                                                                             id="
136.
     {{i2.name}}-info-detailsitems">↔
137.
                                                                          {{i2.name}}↔
138.
                                                                      </label>↩
139.
                                                                      <br>→
                                                                  {% endif %}↔
140.
141.
                                                              {% endfor%}↔
142.
                                                         </div>↩
143.
                                                     </div>↔
144.
                                                     <!-- Items specific to special
     conditions (no human infra, water or food)-->↔
145.
                                                     <div class="items-section text-</pre>
     center mb-3">↔
146.
                                                         <div class="form-group">↔
147.
                                                             <h5 class="bag-
     label">Condition-specific Items</h5>↔
148.
                                                              {% for i3 in
     items_user_condition %}↔
149.
                                                                  {% if i3.category in
     c%}↔
150.
                                                                      <label class="info-</pre>
     item items-list-label details-list"↔
                                                                             id="
151.
     {{i3.name}}-info-detailsitems">↔
152.
                                                                          {{i3.name}} ↔
153.
                                                                      </label>↩
154.
                                                                      <br>→
155.
                                                                  {% endif %} ←
                                                              {% endfor%}↔
156.
                                                         </div>↔
157.
158.
                                                     </div>↔
159.
                                                </div>↩
160.
                                            </div>←
161.
                                        </div>←
162.
                                   </div>↔
163.
                                   {% endfor %}↔
164.
                               </div>↩
                           </section>←
165.
166.
                      </article>↩
167.
                      <!-- Pop-up modal to show item details upon clicking on
     information sign next to item name -->↔
168.
                      <section id="detailsitems-modal" class="modal">←
169.
                           <span id="detailsitems-close-modal" class="close-</pre>
     modal">×</span>↔
```

```
170.
                           <h3 class="text-center"
     id="detailsitems_item_name">Name</h3>↔
171.
                           <div class="row mb-3">←
172.
                                <div class="center-container">←
173.
                                    <a class="btn btn-lg btn-warning text-center"</pre>
     id="detailsitems item amazon btn"↔
174.
                                         target=" blank" rel="noopener noreferrer"
     aria-label="" href="">↔
175.
                                         Check on Amazon↔
176.
                                    </a>←
177.
                                </div>↔
178.
                           </div>←
                           <div class="row mb-3">↔
179.
180.
                                <div class="center-container">←
181.
                                     <div class="form-section">←
182.
                                         <h4 class="mt-1">Basics</h4>↔
183.
                                         <label class="modal-label mb-2"</pre>
     \verb|id="detailsitems_item_category"></label>{\leftarrow}
184.
                                         <label class="modal-label mb-2"</pre>
     id="detailsitems item weight"></label>↔
185.
                                         <label class="modal-label mb-2"</pre>
     id = "details items\_item\_usefulness" > </label> \hookleftarrow
                                         <label class="modal-label mb-2"</pre>
186.
     id="detailsitems_item_external"></label>↔
187.
                                         <h4 class="mt-1">Related to special
     company</h4>↔
188.
                                         <label class="modal-label mb-2"</pre>
     id="detailsitems_item_with_child"></label>↔
189.
                                         <label class="modal-label mb-2"</pre>
     id="detailsitems_item_with_elder"></label>↔
190.
                                         <label class="modal-label mb-2"</pre>
     id \verb|="detailsitems_item_with_pet"></label> \leftarrow
191.
                                         <h4 class="mt-1">Locale</h4>↔
192.
                                         <label class="modal-label mb-2"</pre>
     id = "details items\_item\_climates" > </label> \hookleftarrow
193.
                                         <label class="modal-label mb-2"</pre>
     id="detailsitems item landforms"></label>↔
194.
                                         <label class="modal-label mb-2"</pre>
     id="detailsitems_item_environments"></label>↔
195.
                                         <h4 class="mt-1">Related to special
     condition</h4>↔
196.
                                         <label class="modal-label mb-2"</pre>
     id="detailsitems_item_available_infrastructure"></label>↔
197.
                                         <label class="modal-label mb-2"</pre>
     id="detailsitems_item_available_water"></label>↔
198.
                                         <label class="modal-label mb-2"</pre>
     id="detailsitems available food"></label>↔
199.
                                    </div>←
200.
                                </div>←
201.
                           </div>↩
202.
                       </section>↔
203.
                   </div>←
204.
                   {% else %}←
205.
                   <!-- If current user is not owner of the bag, show error message --
206.
                   <header>←
207.
                       <div class="row page-title mb-3">←
208.
                           <div class="col-12">↔
209.
                                <h1 class="black-shadow text-center">Wrong Bag!</h1>↔
210.
                            </div>←
211.
                       </div>←
212.
                   </header>↩
                   <div class="row">↔
213.
                       <div class="center-container">←
214.
215.
                           <h4 class="black-shadow text-danger text-center">Hands off,
     this is not your bag!</h4>↔
216.
                       </div>↩
217.
                   </div>←
218.
                   {% endif %}↔
219.
              </article>↩
220.
          </div>←
```

```
221.
         <!-- Passing list of Item objects to javascript from Django view (View
     \verb|'mybag_details'|) --> \hookleftarrow
222.
         <script>↩
223.
             window.details_items_JSON = {{items_json|safe}};
224.
         </script>↩
225.
         <!-- Inclusion of JS file -->↔
         <script type="text/javascript" src="{% static 'js/js_packmybag.js' %}">
226.
     </script>↩
227. </main>↩
228. {% endblock content %}
```

Used the HTML parser.

Total execution time 18 milliseconds.

About this checker • Report an issue • Version: 22.4.22