Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Warning Consider adding a lang attribute to the html start tag to declare the language of this document.

From line 1, column 1; to line 1, column 25
{% extends 'base.html' %} ← {% bl}
For further guidance, consult Declaring the overall language of a page and Choosing language tags.

If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.
```

```
2. Error Non-space characters found without seeing a doctype first. Expected

<!DOCTYPE html>.

From line 1, column 1; to line 1, column 25

[% extends 'base.html' %}↔ bl]
```

```
Error | Element | head | is missing a required instance of child element | title |.
From line 1, column 1; to line 1, column 25
{% extends 'base.html' %}↔{% bl
Content model for element <u>head</u>:
   If the document is an iframe srcdoc document or if title information is available from a
   higher-level protocol: Zero or more elements of metadata content, of which no more than one
   is a title element and no more than one is a base element.
   Otherwise: One or more elements of metadata content, of which exactly one is a title
   element and no more than one is a base element.
Error Bad value {% url 'mybag_details' id=b.id %} for attribute | href |
on element a: Illegal character in path segment: { is not allowed.
From line 47, column 53; to line 47, column 118
           <a class="btn btn-light" href="{% url 'mybag_details' id=b.id %}">←
[ Error | Bad value | {% url 'mybag_add_items' id=b.id %} | for attribute
hrefion element a: Illegal character in path segment: { is not allowed.
From line 54, column 53; to line 54, column 120
            <a class="btn btn-light" href="{% url 'mybag_add_items' id=b.id</pre>
%}">←
Error Bad value {% url 'blog' %} for attribute href on element a:
Illegal character in path segment: | { | is not allowed.
From line 127, column 61; to line 127, column 109
           <a class="btn btn-light" href="{% url 'blog' %}">←
[ Error ] Bad value | {% url 'blog' %} | for attribute | href | on element | a |:
```

```
7. Error Bad value {% url 'blog' %} for attribute href on element a:

Illegal character in path segment: {{ is not allowed.}

From line 210, column 49; to line 210, column 104

<a class="btn btn-outline-dark" href="{% url 'blog' %}">

(a class="btn btn-outline-dark" href="{% url 'blog' %}">

(blog' %}">

(class="btn btn-outline-dark" href="{% url 'blog' %}">

(cla
```

Document checking completed.

Source

```
1. {% extends 'base.html' %}↔
2. {% block content %}↔
3. <main>←
       <div class="container">←
4.
5.
            <article>←
6.
                <!-- Page Title -->↔
7.
                <header>←
8.
                    <div class="row page-title mb-3">←
9.
                        <div class="col-12">↔
                            <h1 class="black-shadow text-center">Profile</h1>↔
10.
```

```
11.
                         </div>↔
12.
                     </div>←
                     <div class="row mt-3">←
13.
14.
                         <h4 class="black-shadow text-center">↔
15.
                              User : {{request.user.username}}↔
16.
                          </h4>←
17.
                     </div>←
18.
                 </header>↩
19.
                 <hr>
<
                 <!-- List of created bags with links for each toward the Bag
20.
    Details page and Delete option -->↔
21.
                 <div class="row mt-4 mb-3">←
                     <div class="card card-shadow">←
22.
23.
                         <div class="collapsible-section" id="section-aboutmybag">←
24.
                              <input type="checkbox" name="collapse" id="coll-</pre>
    section-my-bags">↔
25.
                              <div class="collapsible-section-title mt-2">←
                                  <label class="black-shadow text-center custom-</pre>
26.
    header"↔
27.
                                          for="coll-section-my-bags">My Bags</label>↔
28.
                              </div>↩
29.
                              <div class="collapsible-section-content mt-2">←
30.
                                  <div class="row">↔
31.
                                      {% for b in bags %}↔
                                           <div class="card mt-2 mb-3">↔
32.
33.
                                               <div class="center-container">←
34.
                                                    <div class="items-bag-text mb-3">←
35.
                                                        <div class="form-section text-</pre>
    center">↩
36.
                                                            <h4 class="black-
    shadow">Bag {{b.name}}</h4>↔
37.
                                                            <label>User Weight (kg) :
    {{b.weight_user}}</label><br>↔
38.
                                                            <label>←
39.
                                                                Bag Weight (kg):
    {{b.weight_bag_actual}} / Max {{b.weight_bag}}↔
40.
                                                            </label>↩
41.
                                                        </div>↔
42.
                                                   </div>↔
43.
                                               </div>←
44.
                                               <div class="center-container profile-</pre>
    buttons">↔
45.
                                                   <div class="row mb-2">←
46.
                                                        <div class="col-12">↔
47.
                                                            <a class="btn btn-light"</pre>
    href="{% url 'mybag_details' id=b.id %}">↩
48.
                                                                Check Bag←
49.
                                                            </a>←
50.
                                                        </div>↩
                                                   </div>↩
51.
                                                   <div class="row mb-2">←
52.
                                                        <div class="col-12">↔
53.
54.
                                                            <a class="btn btn-light"</pre>
    href="{% url 'mybag_add_items' id=b.id %}">↩
55.
                                                                Edit Items ↔
56.
                                                            </a> ←
57.
                                                        </div>↔
58.
                                                   </div>↔
59.
                                                   <form method="POST">←
60.
                                                        {% csrf token %}↔
                                                        <div class="row mb-2">↔
61.
                                                            <div class="col-12">↔
62.
63.
                                                                <input type="hidden"</pre>
    id="mybag-to-delete"↔
64.
                                                                        name="mybag-to-
    delete" value="{{b.id}}">↔
65.
                                                                <input type="submit"</pre>
    value="Delete Bag"↔
66.
                                                                        class="btn btn-
    md btn-danger">↔
67.
                                                            </div>↩
```

```
68.
                                                         </div>↔
                                                     </form>←
 69.
 70.
                                                </div>←
 71.
                                            </div>←
 72.
                                        {% endfor %}↔
 73.
                                   </div>←
 74.
                               </div>←
 75.
                           </div>↔
 76.
                      </div>↔
 77.
                  </div>↔
                  <!-- List of item recommendations made by user with links for each
 78.
     toward the Blog page↔
 79.
                   where user can create new recommendation and Delete option-->↔
                  <div class="row mt-4 mb-3">←
 80.
 81.
                      <div class="card card-shadow">↔
 82.
                           <div class="collapsible-section">←
 83.
                               <input type="checkbox" name="collapse" id="coll-</pre>
     section-my-recommendations">←
 84.
                               <div class="collapsible-section-title mt-2">←
 85.
                                   <label class="black-shadow text-center custom-</pre>
     header"↔
 86.
                                           for="coll-section-my-recommendations">My
     Recommendations</label>←
 87.
                               </div>←
 88.
                               <div class="collapsible-section-content mt-2">←
 89.
                                   <div class="row">↔
 90.
                                        {% for r in recommendations %}↔
 91.
                                            <article class="card mb-3">←
 92.
                                                <header>↩
                                                     <h5 class="text-center mt-2 mb-
 93.
     3">Recommendation #{{r.id}}</h5>↔
 94.
                                                </header>←
 95.
                                                <div>←
 96.
                                                     <div class="form-container">←
                                                         <div class="center-container</pre>
 97.
     mb-3">↔
 98.
                                                              <div class="form-
     section">↩
 99.
                                                                  <label class="bag-</pre>
     label">Name : {{r.name}}</label>↔
100.
                                                                  <label class="bag-
     label">Status : {{r.status}}</label>↔
                                                             </div>←
101.
102.
                                                         </div>←
103.
                                                         <div class="center-container</pre>
     mb-3">↔
104.
                                                             <div class="form-
     section">↩
105.
                                                                  <label class="bag-
     label">Category : {{r.category}}</label>↔
106.
                                                                  <label class="bag-
     label">External : {{r.external}}</label>↔
107.
                                                             </div>←
108.
                                                         </div>←
109.
                                                         <div class="center-container</pre>
     mb-3">↔
110.
                                                             <div class="form-
     section">↩
111.
                                                                  <label class="bag-
     label"> Weight (kg) : {{r.weight}}</label>←
112.
                                                                  <label class="bag-</pre>
     label">Usefulness : {{r.usefulness}}</label>↔
                                                             </div>←
113.
114.
                                                         </div>←
115.
                                                     </div>←
116.
                                                     <div class="center-container mb-</pre>
     3">←
117.
                                                         <div class="form-section">←
118.
                                                             <label class="bag-</pre>
     label">Justification :</label>↔
```

```
119.
                                                               <label class="bag-label">
     {{r.justification}}</label>↔
120.
                                                           </div>↔
121.
                                                       </div>↔
122.
                                                       <div class="card">↔
123.
                                                           <div class="center-container</pre>
     profile-buttons">↔
124.
                                                                {% if request.user ==
     r.user %}↔
125.
                                                                <div class="row mb-2">←
                                                                    <div class="col-12">↔
126.
                                                                         <a class="btn btn-
127.
     light" href="{% url 'blog' %}">↩
128.
                                                                             Create New↩
129.
                                                                         </a>←
130.
                                                                    </div>←
                                                                </div>↔
131.
                                                                <form method="POST">←
132.
133.
                                                                    {% csrf_token %}↔
134.
                                                                    <div class="row mb-
     2">←
135.
                                                                         <div class="col-
     12">←
136.
                                                                             <input</pre>
     type="hidden" id="myrecommendations-to-delete"↔
137.
     name="myrecommendations-to-delete"↔
138.
                                                                                     value="
     {{r.id}}}">↔
139.
                                                                             <input</pre>
     type="submit" value="Delete"↔
140.
     class="btn btn-md btn-danger">↔
141.
                                                                         </div>↔
142.
                                                                    </div>←
143.
                                                                </form>↔
144.
                                                                {% endif %}↔
145.
                                                                {% if
     request.user.is_superuser and r.status == 'Pending'
                                                               %}←
                                                                <form method="POST">←
146.
147.
                                                                    {% csrf_token %}↔
148.
                                                                    <div class="row mb-
     2">←
149.
                                                                         <div class="col-
     12">←
150.
                                                                             <input</pre>
     type="hidden" id="recommendations-to-approve"↔
151.
     name="recommendations-to-approve"↔
152.
                                                                                     value="
     {{r.id}}}">↔
153.
                                                                             <input</pre>
     type="submit" value="Approve"↔
154.
     class="btn btn-md btn-light">↔
155.
                                                                         </div>←
156.
                                                                    </div>↔
157.
                                                                </form>←
                                                                <form method="POST">←
158.
159.
                                                                    {% csrf token %}↔
                                                                    <div class="row mb-
160.
     2">←
161.
                                                                         <div class="col-
     12">←
162.
                                                                             <input
     \texttt{type="hidden"} \  \, \texttt{id="recommendations-to-reject"} \, \boldsymbol{\leftarrow}
163.
     name="recommendations-to-reject"↔
164.
                                                                                     value="
     {{r.id}}}">↔
```

```
165.
     type="submit" value="Reject"↔
166.
     class="btn btn-md btn-danger">↔
167.
                                                                    </div>←
168.
                                                                </div>↩
169.
                                                            </form>←
170.
                                                            {% endif %}↔
171.
                                                        </div>←
                                                   </div>↔
172.
                                               </div>←
173.
174.
                                           </article>←
                                       {% endfor %}↔
175.
176.
                                  </div>↔
177.
                              </div>←
178.
                          </div>↔
                      </div>↔
179.
180.
                  </div>↩
181.
                  <!-- List of feedbacks made by user with links for each toward the
     Blog page where user can leave new↔
182.
                  feedback and Delete option-->↔
183.
                  <div class="row mt-4 mb-3">↔
                      <div class="card card-shadow">←
184.
185.
                          <div class="collapsible-section">←
186.
                              <input type="checkbox" name="collapse" id="coll-</pre>
     section-my-feedbacks">↔
187.
                              <div class="collapsible-section-title mt-2">←
188.
                                  <label class="black-shadow text-center custom-</pre>
     header"↩
189.
                                          for="coll-section-my-feedbacks">My
     Feedbacks</label>←
190.
                              </div>←
191.
                              <div class="collapsible-section-content mt-2">←
192.
                                  <div class="row">↔
193.
                                       {% for f in feedbacks %}↔
                                           <div class="card card-shadow card-blog mb-</pre>
194.
     3">←
195.
                                               <article class="row">←
196.
                                                   <header>←
197.
                                                       <h5 class="mt-2 feedback-post-</pre>
     title">↩
198.
                                                            <strong>Feedback #{{f.id}}
     </strong>↩
199.
                                                       </h5>↔
200.
                                                   </header>←
201.
                                                   <div>←
202.
                                                       By user :
     {{f.user}}↔
203.
                                                       Created on : {{f.created}}
     ←
204.
                                                       Rating : {{f.rating_point}}
     stars ({{f.rating_description}})

205.
                                                       Feedback :<br>
     {{f.content|default:"N/A"}}↔
206.
                                                   </div>←
207.
                                               </article>←
208.
                                               <div class="row mb-2">←
209.
                                                   <div class="col-12">↔
210.
                                                        <a class="btn btn-outline-dark"</pre>
     href="{% url 'blog' %}">↩
211.
                                                            Go to Blog←
212.
                                                        </a>←
213.
                                                   </div>↔
214.
                                               </div>←
215.
                                               <form method="POST">←
216.
                                                   {% csrf_token %}↔
217.
                                                   <div class="row mb-2">←
                                                        <div class="col-12">←
218.
219.
                                                            <input type="hidden"</pre>
     id="myfeedback-to-delete"↔
```

```
220.
                                                                       name="myfeedback-to-
      delete" value="{{f.id}}">↔
221.
                                                               <input type="submit"</pre>
      value="Delete Feedback"↔
222.
                                                                       class="btn btn-md
      btn-outline-danger">↔
223.
                                                           </div>↩
224.
                                                      </div>←
225.
                                                  </form>←
226.
                                             </div>↩
227.
                                         {% endfor %}↔
                                     </div>←
228.
                                </div>←
229.
                            </div>↔
230.
231.
                       </div>↔
232.
                   </div>←
233.
               </article>↩
234.
          </div>↩
235. </main>↔
236. {% endblock content %}
Used the HTML parser.
Total execution time 17 milliseconds.
```

About this checker • Report an issue • Version: 22.3.25