
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Warning Consider adding a lang attribute to the html start tag to declare the language of this document.

From line 1, column 1; to line 1, column 25
{% extends 'base.html' %} ← {% bl
For further guidance, consult Declaring the overall language of a page and Choosing language tags.

If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.
```

```
2. Error Non-space characters found without seeing a doctype first. Expected

<!DOCTYPE html>.

From line 1, column 1; to line 1, column 25

[{% extends 'base.html' %}↔{% bl}]
```

3. Error Element head is missing a required instance of child element title.

From line 1, column 1; to line 1, column 25

{% extends 'base.html' %}⇔{% bl}

Content model for element head:

If the document is an iframe srcdoc document or if title information is available from a higher-level protocol: Zero or more elements of metadata content, of which no more than one

Otherwise: One or more elements of <u>metadata content</u>, of which exactly one is a <u>title</u> element and no more than one is a <u>base</u> element.

is a title element and no more than one is a base element.

```
5. Warning The type attribute is unnecessary for JavaScript resources.

From line 249, column 5; to line 249, column 75

e -->

e -->

cscript type="text/javascript" src="{% static 'js/js_packmybag.js' %}"></scri
```

Document checking completed.

Source

```
1. {% extends 'base.html' %}↔
 2. {% block content %}↔
 3. {% load static %}↔
 4. <main>←
 5.
        <div class="container">←
 6.
            <article>←
 7.
                 <!-- Page Title -->↔
 8.
                 <!-- If current user is owner of the bag, allow to add items -->\leftrightarrow
 9.
                 {% if request.user == bag.user %}↔
10.
                 <header>←
11.
                     <div class="row page-title mb-3">←
12.
                         <div class="col-12">←
13.
                              <h1 class="black-shadow text-center">Add Items</h1>↔
14.
                              <h4 class="text-danger">{{ errorMsg }}</h4>↔
15.
                         </div>↔
16.
                     </div>←
17.
                 <!-- Details of current bag to which items are added -->←
18.
                 <section class="card card-shadow">←
19.
                     <div class="collapsible-section" id="section-aboutmybag">←
20.
                         <input type="checkbox" name="collapse" id="coll-section-</pre>
21.
    aboutbag">↔
22.
                         <div class="collapsible-section-title mt-2">←
23.
                             <label class="black-shadow text-center custom-header"←</pre>
24.
                                     for="coll-section-aboutbag">About My
    Bag</label>↔
25.
                         </div>←
```

```
76.
                  </section>←
 77.
                  <!-- List of recommended items per categories which can be added to
     bag (with respect to max weight) -->↔
 78.
                  <section>←
 79.
                      <div class="row page-title mb-3">←
 80.
                           <div class="col-12">↔
 81.
                               <h2 class="black-shadow text-center">Recommended
     Items</h2>↔
 82.
                           </div>↩
 83.
                      </div>↩
 84.
                      <div class="row">↔
                           <div class="center-container">←
 85.
 86.
                               <h4 class="black-shadow text-danger text-center">{{
     errorMsg }}</h4>↔
 87.
                           </div>↔
 88.
                      </div>↩
                      <form class="form-container" method="POST">←
 89.
 90.
                           {% csrf_token %}↔
 91.
                               {% for c in choices %}↔
 92.
                               <div class="card">↔
                                   <div class="collapsible-section" id="section-items-</pre>
 93.
     {{c}}">↔
 94.
                                        <input type="checkbox" name="collapse"</pre>
     id="coll-section-{{c}}">↔
 95.
                                        <div class="collapsible-section-title mt-2">←
                                            <label id="{{c}}-title" class="black-shadow</pre>
 96.
     text-center items-section-title"↔
 97.
                                                   for="coll-section-{{c}}">{{c}}
     </label>↩
 98.
                                        </div>←
                                        <div class="collapsible-section-content mt-</pre>
 99.
     2">←
100.
                                            <div class="form-container">←
101.
                                                <!-- Basic items which are needed under
     all conditions, ↔
102.
                                                regardless company or locale -->←
103.
                                                <div class="items-section text-center</pre>
     mb-3">↔
104.
                                                     <div class="form-group">←
105.
                                                         <h5 class="bag-label">Basic
     Items</h5>↔
106.
                                                          {% for i in basic items %}↔
107.
                                                             {% if i.category in c%}↔
108.
                                                                  {% if i in
     existing_items %}↔
109.
                                                                  <input type="checkbox"</pre>
     id="{{i.name}}_checked"↔
110.
     class="item_checkbox" name="item_checkbox"↔
                                                                         value="
111.
     {{i.name}}" checked>↔
112.
                                                                  {% else %}←
                                                                  <input type="checkbox"</pre>
113.
     id="{{i.name}}"↔
114.
     class="item_checkbox" name="item_checkbox"↔
115.
                                                                         value="
     {{i.name}}">↩
116.
                                                                  {% endif %}←
117.
                                                                  <label class="items-</pre>
     list-label" for="{{i.name}}">{{i.name}}↔
118.
                                                                  </label>↩
119.
                                                                  <label class="info-item</pre>
     info-item-modal"↔
120.
                                                                         id="{{i.name}}-
     info-additems">?↔
121.
                                                                  </label>↔
122.
                                                                  <br>→
123.
                                                             {% endif %}↔
124.
                                                          {% endfor%}↔
125.
                                                     </div>↩
```

```
126.
                                                 </div>↔
127.
                                                 <!-- Items specific to special company
     (child, elder person, pet) -->↔
128.
                                                 <div class="items-section text-center</pre>
     mb-3">↔
129.
                                                     <div class="form-group">←
130.
                                                          <h5 class="bag-label">Company-
     specific Items</h5>↔
131.
                                                           {% for i2 in
     items_user_company %}↔
132.
                                                              {% if i2.category in c%}↔
133.
                                                                   {% if i2 in
     existing_items %}↔
                                                                   <input type="checkbox"</pre>
134.
     id="{{i2.name}} checked"↔
135.
     class="item checkbox" name="item checkbox"↔
136.
                                                                          value="
     {{i2.name}}" checked>↔
137.
                                                                   {% else %}←
138.
                                                                   <input type="checkbox"</pre>
     id="{{i2.name}}"↔
139.
     class="item_checkbox" name="item_checkbox"↔
140.
                                                                          value="
     {{i2.name}}">↔
141.
                                                                   {% endif %}←
142.
                                                                   <label class="items-</pre>
     list-label for="{\{i2.name\}}">{\{i2.name\}}
143.
                                                                   </label>↩
144.
                                                                   <label class="info-item</pre>
     info-item-modal"↔
145.
                                                                          id="{{i2.name}}-
     info-additems">?↔
146.
                                                                   </label>↔
147.
                                                                   <br>→
148.
                                                              {% endif %}←
149.
                                                           {% endfor%}↔
                                                     </div>↩
150.
                                                 </div>←
151.
152.
                                                 <!-- Items specific to special
     conditions (no human infra, water or food) -->↔
153.
                                                 <div class="items-section text-center</pre>
     mb-3">↔
154.
                                                     <div class="form-group">↔
155.
                                                          <h5 class="bag-
     label">Condition-specific Items</h5>↔
156.
                                                           {% for i3 in
     items user condition %}↔
157.
                                                              {% if i3.category in c%}↔
158.
                                                                   {% if i3 in
     existing_items %}↔
159.
                                                                   <input type="checkbox"</pre>
     id="{{i3.name}}_checked"↔
160.
     class="item_checkbox" name="item_checkbox"↔
161.
                                                                          value="
     {{i3.name}}" checked>↔
162.
                                                                   {% else %}←
163.
                                                                   <input type="checkbox"</pre>
     id="{{i3.name}}"↔
164.
     class="item_checkbox" name="item_checkbox"↔
165.
                                                                          value="
     {{i3.name}}">↔
                                                                   {% endif %}↔
166.
167.
                                                                   <label class="items-</pre>
     list-label for= {\{i3.name\}} > {\{i3.name\}}
168.
                                                                   </label>←
169.
                                                                   <label class="info-item</pre>
     info-item-modal"↔
```

```
170.
                                                                          id="{{i3.name}}-
     info-additems">?↔
171.
                                                                  </label>↔
172.
                                                                  <br>→
173.
                                                              {% endif %}↔
174.
                                                           {% endfor%}↔
175.
                                                     </div>←
176.
                                                 </div>←
                                             </div>↔
177.
                                        </div>←
178.
179.
                                    </div>↔
180.
                               </div>←
181.
                               {% endfor %}↔
                               <input type="hidden" id="additems_new_bag_weight"</pre>
182.
     name="additems_new_bag_weight">↔
183.
                               <div class="card mt-4">←
                                    <div class="center-container">↔
184.
185.
                                        <input id="add-items-btn" type="submit"</pre>
     value="Add Items To My Bag"↔
186.
                                                class="btn btn-lg btn-light text-
     center"/>↩
187.
                                    </div>↔
188.
                               </div>←
189.
                       </form>←
190.
                  </section>↩
191.
                  <!-- Pop-up modal to show item details upon clicking on information
     sign next to item name -->↔
192.
                  <section id="additems-modal" class="modal">←
                       <span id="additems-close-modal" class="close-modal">&times;
193.
     </span>←
194.
                       <h3 class="text-center" id="additems item name">Name</h3>↔
195.
                       <div class="row mb-3">←
196.
                           <div class="center-container">←
197.
                               <a class="btn btn-lg btn-warning text-center"</pre>
     id="additems item amazon btn"↔
198.
                                   target=" blank" rel="noopener noreferrer" aria-
     label="" href="">↔
199.
                                    Check on Amazon↔
200.
                               </a>←
201.
                           </div>↔
202.
                       </div>↔
203.
                       <div class="row mb-3">←
204.
                           <div class="center-container">←
205.
                               <div class="form-section">←
206.
                                    <h4 class="mt-1">Basics</h4>↔
207.
                                    <label class="modal-label mb-2"</pre>
     id="additems_item_category"></label>↔
208.
                                    <label class="modal-label mb-2"</pre>
     id="additems item weight"></label>↔
209.
                                    <label class="modal-label mb-2"
     id="additems_item_usefulness"></label>\leftrightarrow
210.
                                    <label class="modal-label mb-2"</pre>
     id="additems_item_external"></label>↔
211.
                                    <h4 class="mt-1">Related to special company</h4>↔
212.
                                    <label class="modal-label mb-2"</pre>
     \verb|id="additems_item_with_child"></label>{\leftarrow}
213.
                                    <label class="modal-label mb-2"</pre>
     id="additems_item_with_elder"></label>↔
214.
                                    <label class="modal-label mb-2"</pre>
     id="additems item with pet"></label>←
215.
                                    <h4 class="mt-1">Locale</h4>↔
                                    <label class="modal-label mb-2"</pre>
216.
     id="additems item climates"></label>←
217.
                                    <label class="modal-label mb-2"</pre>
     id="additems item landforms"></label>←
                                    <label class="modal-label mb-2"</pre>
218.
     id="additems item environments"></label>↔
219.
                                    <h4 class="mt-1">Related to special
     condition</h4>↔
220.
                                    <label class="modal-label mb-2"</pre>
     id="additems item available infrastructure"></label>↔
```

```
221.
                                  <label class="modal-label mb-2"</pre>
     id="additems_item_available_water"></label>↔
222.
                                  <label class="modal-label mb-2"</pre>
     id="additems available food"></label>↔
223.
                              </div>↩
224.
                          </div>←
225.
                      </div>↩
226.
                 </section>←
227.
                 {% else %}←
228.
                 <!-- If current user is not owner of the bag, show error message --
     >←
229.
                 <header>↩
230.
                      <div class="row page-title mb-3">←
                          <div class="col-12">←
231.
232.
                              <h1 class="black-shadow text-center">Wrong Bag!</h1>↔
233.
                          </div>←
234.
                      </div>↩
235.
                  </header>←
                 <div class="row">↔
236.
237.
                      <div class="center-container">←
238.
                          <h4 class="black-shadow text-danger text-center">Hands off,
     this is not your bag!</h4>↔
239.
                      </div>←
240.
                  </div>←
241.
                  {% endif %}↔
242.
             </article>↩
243.
         </div>←
         <!-- Passing list of Item objects to javascript from Django view (View
244.
     'add_items') -->↩
245.
         <script>↔
246.
             window.add items JSON = {{items json|safe}};
247.
         </script>↩
248.
         <!-- Inclusion of JS file -->↔
         <script type="text/javascript" src="{% static 'js/js_packmybag.js' %}">
249.
     </script>↩
250. </main>↔
251. {% endblock content %}
```

Used the HTML parser.

Total execution time 19 milliseconds.

About this checker • Report an issue • Version: 22.4.22