Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Warning Consider adding a lang attribute to the html start tag to declare the language of this document.

From line 1, column 1; to line 1, column 25
{% extends 'base.html' %} ↔ {% bl
For further guidance, consult Declaring the overall language of a page and Choosing language tags.

If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.
```

```
2. Error Non-space characters found without seeing a doctype first. Expected

<!DOCTYPE html>.

From line 1, column 1; to line 1, column 25

[{% extends 'base.html' %} ← {% bl}]
```

```
Error Element head is missing a required instance of child element title.
From line 1, column 1; to line 1, column 25
{% extends 'base.html' %}↔{% bl
Content model for element <u>head</u>:
   If the document is an iframe srcdoc document or if title information is available from a
   higher-level protocol: Zero or more elements of metadata content, of which no more than one
   is a title element and no more than one is a base element.
   Otherwise: One or more elements of metadata content, of which exactly one is a title
   element and no more than one is a base element.
Error Bad value {% url 'mybag_details' id=b.id %} for attribute | href |
on element a: Illegal character in path segment: { is not allowed.
From line 59, column 53; to line 59, column 118
           <a class="btn btn-light" href="{% url 'mybag_details' id=b.id %}">←
[ Error | Bad value | {% url 'mybag_add_items' id=b.id %} | for attribute
hrefion element a: Illegal character in path segment: { is not allowed.
From line 66, column 53; to line 66, column 120
           <a class="btn btn-light" href="{% url 'mybag_add_items' id=b.id</pre>
%}">←
Error Bad value {% url 'blog' %} for attribute href on element a:
Illegal character in path segment: | { | is not allowed.
From line 139, column 61; to line 139, column 109
           <a class="btn btn-light" href="{% url 'blog' %}">←
```

```
[ Error ] Bad value | {% url 'blog' %} | for attribute | href | on element | a |;
7.
    Illegal character in path segment: | { | is not allowed.
    From line 222, column 49; to line 222, column 104
                <a class="btn btn-outline-dark" href="{% url 'blog' %}">←
```

Document checking completed.

Source

```
1. {% extends 'base.html' %}↔
2. {% block content %}↔
3. <main>←
       <div class="container">←
4.
5.
            <article>↩
6.
                <!-- Page Title -->↔
7.
                <header>←
8.
                    <div class="row page-title mb-3">←
9.
                        <div class="col-12">↔
                            <h1 class="black-shadow text-center">Profile</h1>↔
10.
```

```
</div>↔
11
12.
                     </div>↔
                     <div class="row mt-3">←
13.
14.
                         <h4 class="black-shadow text-center">↔
15.
                             User : {{request.user.username}}↔
16.
                         </h4>←
17.
                     </div>←
18.
                 </header>↩
19.
                 <!-- Handling successful / failed user operation for better UX --
20.
                 <div class="row mt-3">←
21.
                     <div class="center-container">←
22.
                         {% if successMsg %}↔
23.
                              <br>
<
24.
                              <h4 class="black-shadow text-success">{{ successMsg }}
    </h4>↔
25.
                         {% else %}←
26.
                              <br>
<
27.
                              <h4 class="black-shadow text-danger">{{ errorMsg }}
    </h4>↔
28.
                         {% endif %}↔
29.
                     </div>↔
30.
                 </div>←
31.
                 <br>
<
32.
                 <!-- List of created bags with links for each toward the Bag
    Details page and Delete option -->↔
                 <div class="row mt-4 mb-3">←
33.
                     <div class="card card-shadow">↔
34.
                         <div class="collapsible-section" id="section-aboutmybag">←
35.
36.
                              <input type="checkbox" name="collapse" id="coll-</pre>
    section-my-bags">↔
37.
                              <div class="collapsible-section-title mt-2">←
38.
                                  <label class="black-shadow text-center custom-</pre>
    header"↔
39.
                                         for="coll-section-my-bags">My Bags</label>↔
                              </div>↩
40.
41.
                              <div class="collapsible-section-content mt-2">←
42.
                                  <div class="row">↔
43.
                                      {% for b in bags %}↔
44.
                                           <div class="card mt-2 mb-3">↔
45.
                                               <div class="center-container">↔
                                                   <div class="items-bag-text mb-3">←
46.
47.
                                                       <div class="form-section text-</pre>
    center">↩
48.
                                                            <h4 class="black-
    shadow">Bag {{b.name}}</h4>↔
49.
                                                            <label>User Weight (kg) :
    {{b.weight_user}}</label><br>↔
50.
                                                            <label>←
51.
                                                                Bag Weight (kg):
    {{b.weight_bag_actual}} / Max {{b.weight_bag}}↔
52.
                                                            </label>←
53.
                                                       </div>←
54.
                                                   </div>↔
55.
                                               </div>←
56.
                                               <div class="center-container profile-</pre>
    buttons">↔
57.
                                                   <div class="row mb-2">←
58.
                                                        <div class="col-12">←
59.
                                                            <a class="btn btn-light"</pre>
    href="{% url 'mybag_details' id=b.id %}">↔
60.
                                                                Check Bag←
61.
                                                            </a>←
                                                        </div>←
62.
63.
                                                   </div>←
64.
                                                   <div class="row mb-2">←
65.
                                                        <div class="col-12">↔
66.
                                                            <a class="btn btn-light"</pre>
    href="{% url 'mybag_add_items' id=b.id %}">←
67.
                                                                Edit Items ←
68.
                                                            </a>←
```

```
</div>←
                                                     </div>↔
                                                     <form method="POST">←
                                                         {% csrf_token %}↔
                                                         <div class="row mb-2">↔
                                                             <div class="col-12">↔
                                                                  <input type="hidden"</pre>
     id="mybag-to-delete" \leftarrow
                                                                         name="mybag-to-
     delete" value="{{b.id}}">↔
                                                                  <input type="submit"</pre>
     value="Delete Bag"↔
                                                                         class="btn btn-
     md btn-danger">↔
                                                             </div>←
                                                         </div>←
                                                     </form>←
                                                </div>↩
                                            </div>←
                                        {% endfor %}↔
                                   </div>↩
                               </div>↔
                           </div>↔
                      </div>↔
                  </div>↩
                  <!-- List of item recommendations made by user with links for each
     toward the Blog page↔
 91.
                   where user can create new recommendation and Delete option-->↔
                  <div class="row mt-4 mb-3">←
 92.
                      <div class="card card-shadow">↔
 93.
 94.
                           <div class="collapsible-section">←
                               <input type="checkbox" name="collapse" id="coll-</pre>
 95.
     section-my-recommendations">↔
 96.
                               <div class="collapsible-section-title mt-2">←
                                   <label class="black-shadow text-center custom-</pre>
 97.
     header"←
 98.
                                           for="coll-section-my-recommendations">My
     Recommendations</label>↔
 99.
                               </div>←
100.
                               <div class="collapsible-section-content mt-2">←
101.
                                   <div class="row">↔
102.
                                        {% for r in recommendations %}↔
103.
                                            <article class="card mb-3">←
104.
                                                <header>←
105.
                                                     <h5 class="text-center mt-2 mb-
     3">Recommendation #{{r.id}}</h5>↔
106.
                                                </header>↩
107.
                                                <div>←
108.
                                                     <div class="form-container">↔
109.
                                                         <div class="center-container</pre>
     mb-3">←
110.
                                                             <div class="form-
     section">↩
111.
                                                                  <label class="bag-
     label">Name : {{r.name}}</label>↔
112.
                                                                  <label class="bag-</pre>
     label">Status : {{r.status}}</label>←
113.
                                                             </div>←
114.
                                                         </div>←
115.
                                                         <div class="center-container</pre>
     mb-3">↔
116.
                                                             <div class="form-
     section">↩
117.
                                                                  <label class="bag-</pre>
     label">Category : {{r.category}}</label>↔
118.
                                                                  <label class="bag-</pre>
     label">External : {{r.external}}</label>↔
119.
                                                             </div>←
120.
                                                         </div>←
121.
                                                         <div class="center-container</pre>
     mb-3">↔
```

```
122.
                                                              <div class="form-
     section">↩
123.
                                                                  <label class="bag-</pre>
     label"> Weight (kg) : {{r.weight}}</label>↔
124.
                                                                  <label class="bag-
     label">Usefulness : {{r.usefulness}}</label>←
125.
                                                              </div>←
126.
                                                          </div>←
127.
                                                     </div>↩
                                                     <div class="center-container mb-</pre>
128.
     3">←
129.
                                                          <div class="form-section">←
                                                              <label class="bag-</pre>
130.
     label">Justification :</label>←
131.
                                                              <label class="bag-label">
     {{r.justification}}</label>↔
132.
                                                          </div>↩
133.
                                                     </div>↩
134.
                                                     <div class="card">←
135.
                                                          <div class="center-container</pre>
     profile-buttons">↔
136.
                                                              {% if request.user ==
     r.user %}↔
137.
                                                              <div class="row mb-2">←
138.
                                                                  <div class="col-12">↔
139.
                                                                       <a class="btn btn-
     light" href="{% url 'blog' %}">↩
140.
                                                                           Create New↩
141.
                                                                       </a>←
142.
                                                                  </div>←
143.
                                                              </div>←
144.
                                                              <form method="POST">←
145.
                                                                  {% csrf_token %}↔
                                                                  <div class="row mb-</pre>
146.
     2">←
147.
                                                                       <div class="col-
     12">↩
148.
                                                                           <input</pre>
     type="hidden" id="myrecommendations-to-delete"↔
149.
     name="myrecommendations-to-delete"↔
150.
                                                                                   value="
     {{r.id}}}">↔
151.
                                                                           <input
     type="submit" value="Delete"↔
152.
     class="btn btn-md btn-danger">↔
153.
                                                                       </div>←
154.
                                                                  </div>←
155.
                                                              </form>←
                                                              {% endif %} ←
156.
                                                              {% if
157.
                                                              %}↩
     request.user.is_superuser and r.status == 'Pending'
158.
                                                              <form method="POST">↔
159.
                                                                  {% csrf_token %}↔
160.
                                                                  <div class="row mb-
     2">←
161.
                                                                       <div class="col-
     12">←
162.
                                                                           <input</pre>
     type="hidden" id="recommendations-to-approve"↔
163.
     name="recommendations-to-approve"↔
164.
                                                                                   value="
     {{r.id}}}">↩
165.
                                                                           <input
     type="submit" value="Approve"↔
166.
     class="btn btn-md btn-light">↔
167.
                                                                       </div>←
168.
                                                                  </div>←
```

</article>←

<div class="row mb-2">↔

<div class="col-12">←

219.

220.

221.

```
222.
                                                          <a class="btn btn-outline-dark"</pre>
     href="{% url 'blog' %}">↩
223.
                                                              Go to Blog←
224.
                                                          </a>←
225.
                                                     </div>↩
226.
                                                 </div>↩
227.
                                                 <form method="POST">←
228.
                                                     {% csrf_token %}↔
                                                     <div class="row mb-2">↔
229.
230.
                                                          <div class="col-12">↔
231.
                                                              <input type="hidden"</pre>
     id="myfeedback-to-delete"↔
232.
                                                                     name="myfeedback-to-
     delete" value="{{f.id}}">↔
233.
                                                              <input type="submit"</pre>
     value="Delete Feedback"↔
234.
                                                                     class="btn btn-md
     btn-outline-danger">↔
235.
                                                          </div>↩
236.
                                                     </div>↩
237.
                                                 </form>←
238.
                                             </div>↩
239.
                                        {% endfor %}↔
240.
                                    </div>↩
241.
                                </div>↩
242.
                           </div>↩
243.
                       </div>↩
                   </div>↔
244.
245.
              </article>↩
246.
          </div>↔
247. </main>↔
248. {% endblock content %}
Used the HTML parser.
```

Total execution time 10 milliseconds.

About this checker • Report an issue • Version: 22.4.22