## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Warning Consider adding a lang attribute to the html start tag to declare the language of this document.

From line 1, column 1; to line 1, column 25
{% extends 'base.html' %} ← {% bl}
For further guidance, consult Declaring the overall language of a page and Choosing language tags.

If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.
```

```
2. Error Non-space characters found without seeing a doctype first. Expected

<!DOCTYPE html>.

From line 1, column 1; to line 1, column 25

[% extends 'base.html' %}↔ {% bl]
```

```
Showing results for contents of text-input area - Nu Html Checker
    Error | Element | head | is missing a required instance of child element | title |...
    From line 1, column 1; to line 1, column 25
    {% extends 'base.html' %}↔{% bl
    Content model for element <u>head</u>:
       If the document is an iframe srcdoc document or if title information is available from a
       higher-level protocol: Zero or more elements of metadata content, of which no more than one
       is a title element and no more than one is a base element.
       Otherwise: One or more elements of metadata content, of which exactly one is a title
       element and no more than one is a base element.
     Error | Bad value | {% url 'mybag_add_items' id=bag.id %} | for attribute
4.
    href on element a: Illegal character in path segment: { is not allowed.
    From line 21, column 29; to line 21, column 105
                <a class="btn btn-lg btn-light" href="{% url 'mybag_add_items'</pre>
    id=bag.id %}">←
    [ Error | Bad value | {% url 'profile' %} | for attribute | href | on element | a |:
5.
    Illegal character in path segment: | { | is not allowed.
    From line 28, column 29; to line 28, column 87
                <a class="btn btn-lg btn-light" href="{% url 'profile' %}">←
    Error Bad value {% static 'js/js_packmybag' %} for attribute src on
```

```
element | script |: Illegal character in path segment: | { | is not allowed.
From line 226, column 5; to line 226, column 49
e -->↩
             <script src="{% static 'js/js_packmybag' %}"></scri
</pre>
```

Document checking completed.

## Source

```
1. {% extends 'base.html' %}↔
2. {% block content %}↔
3. {% load static %}↔
4. <main>←
5.
       <div class="container">↔
6.
            <article>←
                <!-- Page Title -->↔
7.
8.
                <!-- If current user is owner of the bag, show bag details -->↔
9.
                {% if request.user == bag.user %}↔
10.
11.
                    <div class="row page-title mb-3">←
                        <div class="col-12">←
12.
13.
                            <h1 class="black-shadow text-center">My
   Bag<br>'{{bag.name}}'</h1>↔
14.
                        </div>↔
15.
                    </div>←
16.
                </header>←
                <div class="card mb-3">←
```

```
18.
                     <div class="center-container profile-buttons">←
19.
                         <div class="row mb-2">←
20.
                              <div class="col-12">↔
21.
                                  <a class="btn btn-lg btn-light" href="{% url</pre>
    'mybag_add_items' id=bag.id %}">↩
22.
                                      Edit Items←
23.
                                  </a>←
24.
                              </div>←
25.
                         </div>↔
                         <div class="row mb-2">←
26.
                              <div class="col-12">↔
27.
28.
                                  <a class="btn btn-lg btn-light" href="{% url</pre>
    'profile' %}">↩
29.
                                      Bag List↩
30.
                                  </a>←
31.
                              </div>←
                         </div>↔
32.
33.
                         <form method="POST">←
34.
                              {% csrf_token %}↔
35.
                              <div class="row mb-2">←
36.
                                  <div class="col-12">↔
37.
                                      <input type="hidden" id="thisbag-to-delete"←</pre>
38.
                                              name="thisbag-to-delete" value="
    {{bag.id}}">←
39.
                                      <input type="submit" value="Delete Bag"←</pre>
40.
                                              class="btn btn-lg btn-danger">↔
41.
                                  </div>←
42.
                              </div>←
43.
                         </form>←
44.
                     </div>←
45.
                 </div>←
46.
                 <!-- Details of current bag -->↔
47.
                 <div>←
48.
                     <article class="card card-shadow">←
49.
                         <div>←
50.
                              <header class="text-center mt-2">←
51.
                                  <h2 class="black-shadow">Bag Details</h2>↔
52.
                              </header>←
53.
                              <section class="form-container">←
                                  <div class="center-container items-bag-text mb-</pre>
54.
    3">←
                                      <div class="form-section">↔
55.
                                           <h4 class="bag-label">Basics</h4>↔
56.
57.
                                           <label class="bag-label">Name :
    {{bag.name}}</label>↔
58.
                                           <label class="bag-label">User Weight (kg) :
    {{bag.weight_user}}</label>↔
59.
                                           <label class="bag-label">←
60.
                                               Bag Weight (kg):
    {{bag.weight bag actual}} / Max
                                       {{bag.weight bag}}↔
61.
                                           </label>←
62.
                                      </div>←
63.
                                  </div>←
64.
                                  <div class="center-container items-bag-text mb-</pre>
    3">←
                                      <div class="form-section">←
65.
                                           <h4 class="bag-label">Company</h4>↔
66.
67.
                                           <label class="bag-label">Underage company :
    {{bag.with_child}}</label>↔
68.
                                          <label class="bag-label">Elder company :
    {{bag.with_elder}}</label>↔
69.
                                          <label class="bag-label">Pet :
    {{bag.with_pet}}</label>↔
70.
                                      </div>←
71.
                                  </div>↩
72.
                                  <div class="center-container items-bag-text mb-</pre>
    3">←
73.
                                      <div class="form-section">←
74.
                                           <h4 class="bag-label">Locale</h4>↔
75.
                                           <label class="bag-label">Climate :
    {{bag.climate.name}}</label>↔
```

```
76.
                                            <label class="bag-label">Landform :
     {{bag.landform.name}}</label>↔
                                            <label class="bag-label">Environment :
 77.
     {{bag.environment.name}}</label>↔
 78.
                                        </div>←
 79.
                                   </div>↔
 80.
                                   <div class="center-container items-bag-text mb-</pre>
     3">↩
 81.
                                        <div class="form-section">←
                                            <h4 class="bag-label">Conditions</h4>↔
 82.
 83.
                                            <label class="bag-label">←
 84.
                                                Human infrastructure :
     {{bag.available_infrastructure}}↔
 85.
                                            </label>↩
 86.
                                            <label class="bag-label">Drinking water :
     {{bag.available_water}}</label>↔
 87.
                                            <label class="bag-label">Comestibles (food)
     : {{bag.available_food}}</label>↔
 88.
                                        </div>↩
 89.
                                   </div>↔
 90.
                               </section>↩
 91.
                           </div>↔
 92.
                      </article>←
 93.
                      <!-- List of items per categories which were added to bag -->↔
 94.
                      <article>←
 95.
                           <header class="row page-title mt-4 mb-3">←
 96.
                               <div class="col-12">↔
 97.
                                   <h2 class="black-shadow text-center">Bag
     Items</h2>↔
 98.
                               </div>↩
 99.
                           </header>↩
100.
                            <section>←
101.
                               <div class="form-container">↔
102.
                                   {% for c in choices %}↔
103.
                                   <div class="card">←
104.
                                        <div class="collapsible-section" id="details-</pre>
     section-items-{{c}}">↔
105.
                                            <input type="checkbox" name="collapse"</pre>
     id="coll-section-details-{{c}}">↔
106.
                                            <div class="collapsible-section-title mt-</pre>
     2">←
107.
                                                <label id="{{c}}-title-details"↔</pre>
108.
                                                        class="black-shadow text-center
     items-section-title"↔
109.
                                                        for="coll-section-details-
     {{c}}">{{c}}</label>↔
110.
                                            </div>←
111.
                                            <div class="collapsible-section-content mt-</pre>
     2">←
112.
                                                <div class="form-container">←
113.
                                                     <!-- Basic items which are needed
     under all conditions,↔
114.
                                                     regardless company or locale -->↔
                                                     <div class="items-section text-</pre>
115.
     center mb-3">↔
116.
                                                         <div class="form-group">←
                                                             <h5 class="bag-label">Basic
117.
     Items</h5>↔
118.
                                                              {% for i in basic_items %}
119.
                                                                  {% if i.category in c%}
120.
                                                                      <label class="info-</pre>
     item items-list-label details-list"↔
121.
                                                                              id="
     {{i.name}}-info-detailsitems">↔
122.
                                                                           \{\{i.name\}\} \leftarrow
123.
                                                                      </label>↩
124.
                                                                      <br>→
125.
                                                                  {% endif %}←
126.
                                                               {% endfor%}↔
```

```
127.
                                                         </div>←
128.
                                                     </div>↔
129.
                                                     <!-- Items specific to special
     company (child, elder person, pet) -->↔
130.
                                                     <div class="items-section text-</pre>
     center mb-3">↔
131.
                                                         <div class="form-group">↔
132.
                                                             <h5 class="bag-
     label">Company-specific Items</h5>↔
133.
                                                              {% for i2 in
     items_user_company %}↔
134.
                                                                  {% if i2.category in
     c%}←
135.
                                                                      <label class="info-</pre>
     item items-list-label details-list"↔
                                                                              id="
136.
     {{i2.name}}-info-detailsitems">↔
137.
                                                                          {{i2.name}} ↔
138.
                                                                      </label>↔
139.
                                                                      <br>→
140.
                                                                  {% endif %}←
141.
                                                               {% endfor%}↔
142.
                                                         </div>↔
143.
                                                     </div>↔
144.
                                                     <!-- Items specific to special
     conditions (no human infra, water or food)-->↔
145.
                                                     <div class="items-section text-</pre>
     center mb-3">↔
146.
                                                         <div class="form-group">↔
147.
                                                             <h5 class="bag-
     label">Condition-specific Items</h5>↔
148.
                                                              {% for i3 in
     items_user_condition %}↔
149.
                                                                  {% if i3.category in
     c%}←
150.
                                                                      <label class="info-</pre>
     item items-list-label details-list"↔
                                                                              id="
151.
     {{i3.name}}-info-detailsitems">↔
152.
                                                                          {{i3.name}}↔
153.
                                                                      </label>↩
154.
                                                                      <br>→
155.
                                                                  {% endif %}←
156.
                                                               {% endfor%}↔
                                                         </div>←
157.
158.
                                                     </div>↔
159.
                                                </div>←
160.
                                            </div>←
161.
                                        </div>←
162.
                                    </div>↩
163.
                                   {% endfor %}↔
                               </div>↔
164.
165.
                           </section>←
166.
                      </article>←
167.
                      <!-- Pop-up modal to show item details upon clicking on
     information sign next to item name --> \leftarrow
168.
                      <section id="detailsitems-modal" class="modal">←
169.
                           <span id="detailsitems-close-modal" class="close-</pre>
     modal">×</span>↔
170.
                           <h3 class="text-center"
     id="detailsitems_item_name">Name</h3>↔
                           <div class="row mb-3">↔
171.
                               <div class="center-container">←
172.
173.
                                    <a class="btn btn-lg btn-warning text-center"</pre>
     id="detailsitems_item_amazon_btn"↔
174.
                                        target=" _blank" rel="noopener noreferrer"
     aria-label="" href="">↔
175.
                                        Check on Amazon↔
176.
                                   </a>←
177.
                               </div>↩
178.
                           </div>↩
```

```
179.
                           <div class="row mb-3">←
                                <div class="center-container">↔
180.
181.
                                    <div class="form-section">←
182.
                                        <h4 class="mt-1">Basics</h4>↔
183.
                                        <label class="modal-label mb-2"</pre>
     id="detailsitems item category"></label>↔
184.
                                        <label class="modal-label mb-2"</pre>
     id="detailsitems item weight"></label>←
185.
                                         <label class="modal-label mb-2"
     id = "details items\_item\_usefulness" > </label> \hookleftarrow
186.
                                        <label class="modal-label mb-2"</pre>
     id="detailsitems item external"></label>↔
187.
                                        <h4 class="mt-1">Related to special
     company</h4>↔
188.
                                        <label class="modal-label mb-2"</pre>
     id="detailsitems item with child"></label>↔
                                        <label class="modal-label mb-2"</pre>
189.
     \verb|id="detailsitems_item_with_elder"></label>{\leftarrow}
190.
                                        <label class="modal-label mb-2"</pre>
     id="detailsitems item with pet"></label>↔
191.
                                        <h4 class="mt-1">Locale</h4>↔
                                        <label class="modal-label mb-2"</pre>
192.
     id="detailsitems item climates"></label>↔
193.
                                        <label class="modal-label mb-2"</pre>
     id="detailsitems item landforms"></label>↔
194.
                                        <label class="modal-label mb-2"</pre>
     id="detailsitems item environments"></label>←
195.
                                        <h4 class="mt-1">Related to special
     condition</h4>↔
196.
                                        <label class="modal-label mb-2"</pre>
     id="detailsitems item available infrastructure"></label>←
                                        <label class="modal-label mb-2"</pre>
197.
     id="detailsitems item available water"></label>←
198.
                                        <label class="modal-label mb-2"</pre>
     id="detailsitems available food"></label>←
199.
                                    </div>←
200.
                                </div>←
201.
                           </div>↔
202.
                       </section>↔
203.
                  </div>←
204.
                  {% else %}←
205.
                  <!-- If current user is not owner of the bag, show error message --
     \rightarrow \leftarrow
206.
                  <header>←
207.
                       <div class="row page-title mb-3">←
208.
                           <div class="col-12">←
209.
                                <h1 class="black-shadow text-center">Wrong Bag!</h1>↔
210.
                           </div>←
211.
                       </div>←
212.
                  </header>↩
                  <div class="row">↔
213.
214.
                       <div class="center-container">←
215.
                           <h4 class="black-shadow text-danger text-center">Hands off,
     this is not your bag!</h4>↔
216.
                       </div>↔
217.
                  </div>↔
218.
                  {% endif %}↔
219.
              </article>↩
220.
221.
          <!-- Passing list of Item objects to javascript from Django view (View
      'mybag_details') -->↩
222.
          <script>←
223.
              window.details items JSON = {{items json|safe}};
224.
          </script>↩
225.
          <!-- Inclusion of JS file -->↔
226.
          <script src="{% static 'js/js_packmybag' %}"></script>↔
227. </main>↔
228. {% endblock content %}
```

Used the HTML parser.

Total execution time 14 milliseconds.

About this checker • Report an issue • Version: 22.3.25