

## Index.html

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Checker Input

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings

Document checking completed. No errors or warnings to show.

```

1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5   <meta charset="UTF-8">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
8     integrity="sha384-JcKb8q3myJ5pU5JCNpQ57B5+v3qthX1J6Ww1kgCe484nsKQqYSc6dz19anF073" crossorigin="anonymous">
9   <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.15.1/css/all.css"
10     integrity="sha384-U5eG43J6Nq4pq05udlxK7a8y6F0Rhg5kj4+MvudkY1bZw0yktqI1Uu140C0/YJ8" crossorigin="anonymous">
11   <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.5.1/jquery.min.js"
12     integrity="sha384-JcKb8q3myJ5pU5JCNpQ57B5+v3qthX1J6Ww1kgCe484nsKQqYSc6dz19anF073" crossorigin="anonymous">
13   <link rel="preconnect" href="https://fonts.gstatic.com">
14   <link href="https://fonts.googleapis.com/css?family=Arial&sig=94wup" rel="stylesheet">
15   <script src="https://code.jquery.com/jquery-3.5.1.min.js">
16     integrity="sha384-JcKb8q3myJ5pU5JCNpQ57B5+v3qthX1J6Ww1kgCe484nsKQqYSc6dz19anF073"
17     crossorigin="anonymous"></script>
18   <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
19     integrity="sha384-c67008bbBCzOjabuqAE193Z0eu2Y744UDJx6b3cccvrN9N8041453891b5A277F1"
20     crossorigin="anonymous"></script>
21   <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstrap.min.js"
22     integrity="sha384-OEGVR05wZ6V0e0707178N84DdVnS6p0j7UUAeN4B5aDn8+B50d8Yf6Z668"
23     crossorigin="anonymous"></script>

```

# Service.html

## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Check by  ☐ css

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
    integrity="sha384-JcKb8q3iqG6dUeKhCp8h3TSvMxOm8Sq10nVtqM3L3DkI6hIwMTh+UmKqm3UDHlMj986hMioNqWHu" crossorigin="anonymous">
  <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.15.1/css/all.css"
    integrity="sha384-v88gPETrmHvgL5j93s737p8QwN6sLqZ1j84ssrN6S1h41f103fJt8426h3U48" crossorigin="anonymous">
  <link rel="stylesheet" href="assets/style.css">
  <link rel="preconnect" href="https://fonts.gstatic.com">
  <link href="https://fonts.googleapis.com/css2?family=Lato&display=swap" rel="stylesheet">
  <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"
    integrity="sha384-DfHzf4XLH4W83XNy6EIoGbz55w76L484t4aa687305eB468Jl4J1d563KJk6q"
    crossorigin="anonymous"></script>
  <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
    integrity="sha384-QRwzBMj1Qdd/QYr67Mh0t4m3965iN138JcUyLtgVND90yeOBs70afl5vNyE"
    crossorigin="anonymous"></script>
  <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"
    integrity="sha384-9kVv4oQj21dw1AA8cH245yJ3883vhACj0/BH6m04JcRxln8a8F0vj7xhc6wSfKP70"
    crossorigin="anonymous"></script>
</head>
<body>
  <div class="container">
    <div class="row">
      <div class="col">
        <h1>Hello, World!</h1>
      </div>
    </div>
  </div>
</body>
</html>
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html>
2. <html lang="en">
3.
4. <head>
5.   <meta charset="UTF-8">
6.   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7.   <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
8.     integrity="sha384-JcKb8q3iqG6dUeKhCp8h3TSvMxOm8Sq10nVtqM3L3DkI6hIwMTh+UmKqm3UDHlMj986hMioNqWHu" crossorigin="anonymous">
9.   <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.15.1/css/all.css"
10.    integrity="sha384-v88gPETrmHvgL5j93s737p8QwN6sLqZ1j84ssrN6S1h41f103fJt8426h3U48" crossorigin="anonymous">
11.   <link rel="stylesheet" href="assets/style.css">
12.   <link rel="preconnect" href="https://fonts.gstatic.com">
13.   <link href="https://fonts.googleapis.com/css2?family=Lato&display=swap" rel="stylesheet">
14.   <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"
15.     integrity="sha384-DfHzf4XLH4W83XNy6EIoGbz55w76L484t4aa687305eB468Jl4J1d563KJk6q"
16.     crossorigin="anonymous"></script>
17.   <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
18.     integrity="sha384-QRwzBMj1Qdd/QYr67Mh0t4m3965iN138JcUyLtgVND90yeOBs70afl5vNyE"
19.     crossorigin="anonymous"></script>
20.   <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"
21.     integrity="sha384-9kVv4oQj21dw1AA8cH245yJ3883vhACj0/BH6m04JcRxln8a8F0vj7xhc6wSfKP70"
22.     crossorigin="anonymous"></script>
23. </head>
24. <body>
```

# Contact.html

## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Check by  ☐ css

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
    integrity="sha384-JcKb8q3iqG6dUeKhCp8h3TSvMxOm8Sq10nVtqM3L3DkI6hIwMTh+UmKqm3UDHlMj986hMioNqWHu" crossorigin="anonymous">
  <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.15.1/css/all.css"
    integrity="sha384-v88gPETrmHvgL5j93s737p8QwN6sLqZ1j84ssrN6S1h41f103fJt8426h3U48" crossorigin="anonymous">
  <link rel="stylesheet" href="assets/style.css">
  <link rel="preconnect" href="https://fonts.gstatic.com">
  <link href="https://fonts.googleapis.com/css2?family=Lato&display=swap" rel="stylesheet">
  <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"
    integrity="sha384-DfHzf4XLH4W83XNy6EIoGbz55w76L484t4aa687305eB468Jl4J1d563KJk6q"
    crossorigin="anonymous"></script>
  <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
    integrity="sha384-QRwzBMj1Qdd/QYr67Mh0t4m3965iN138JcUyLtgVND90yeOBs70afl5vNyE"
    crossorigin="anonymous"></script>
  <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"
    integrity="sha384-9kVv4oQj21dw1AA8cH245yJ3883vhACj0/BH6m04JcRxln8a8F0vj7xhc6wSfKP70"
    crossorigin="anonymous"></script>
</head>
<body>
  <div class="container">
    <div class="row">
      <div class="col">
        <h1>Hello, World!</h1>
      </div>
    </div>
  </div>
</body>
</html>
```


Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html>
2. <html lang="en">
3.
4. <head>
5.   <meta charset="UTF-8">
6.   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7.   <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
8.     integrity="sha384-JcKb8q3iqG6dUeKhCp8h3TSvMxOm8Sq10nVtqM3L3DkI6hIwMTh+UmKqm3UDHlMj986hMioNqWHu" crossorigin="anonymous">
9.   <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.15.1/css/all.css"
10.    integrity="sha384-v88gPETrmHvgL5j93s737p8QwN6sLqZ1j84ssrN6S1h41f103fJt8426h3U48" crossorigin="anonymous">
11.   <link rel="stylesheet" href="assets/style.css">
12.   <link rel="preconnect" href="https://fonts.gstatic.com">
13.   <link href="https://fonts.googleapis.com/css2?family=Lato&display=swap" rel="stylesheet">
14.   <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"
15.     integrity="sha384-DfHzf4XLH4W83XNy6EIoGbz55w76L484t4aa687305eB468Jl4J1d563KJk6q"
16.     crossorigin="anonymous"></script>
17.   <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
18.     integrity="sha384-QRwzBMj1Qdd/QYr67Mh0t4m3965iN138JcUyLtgVND90yeOBs70afl5vNyE"
19.     crossorigin="anonymous"></script>
20.   <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"
21.     integrity="sha384-9kVv4oQj21dw1AA8cH245yJ3883vhACj0/BH6m04JcRxln8a8F0vj7xhc6wSfKP70"
22.     crossorigin="anonymous"></script>
23. </head>
24. <body>
```

# Style.css


 The W3C CSS Validation Service  
W3C CSS Validator results for TextArea (CSS level 3 + SVG)

Jump to: [Errors \(1\)](#) [Validated CSS](#)

W3C CSS Validator results for TextArea (CSS level 3 + SVG)

**Sorry! We found the following errors (1)**

URI : TextArea	
528	Parse Error



The W3C validators rely on community support for hosting and development.  
[Donate](#) and help us build better tools for a better web.

[1 TOP](#)

Valid CSS Information

```
body {
  font-family : 'lato', sans-serif;
}

.header {
  padding : 60px;
  text-align : center;
  background : #0ef9f3;
  color : #272728;
}

.header h1 {
  color : #593c8f;
}

.header h5 {
  font-style : oblique;
  color : #272728;
}

.footer {
  left : 0;
  bottom : 0;
  width : 100%;
  text-align : center;
  background : #000000;
  color : #f9f9f9;
  padding : 30px;
  margin : 0;
}

@media (max-width: 600px) {
  .footer, .footer h3, .footer-social, .footer-social a, .form-inline, .footer-form, .footer-form button, .footer-sub, .footer-contact {
    padding-top : 10px;
  }
}
```

## Notes

HTML5 tests were conducted on <https://validator.w3.org/nu>

CSS3 tests were conducted on <https://jigsaw.w3.org/css-validator/>