

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by  ☐ css

```
{% extends "base.html" %}
{% load static %}
{% load basket_tools %}

{% block other_css %}
<link rel="stylesheet" href="{% static 'checkout/css/checkout.css' %}">
{% endblock %}

{% block page_header %}
<div class="container header-container">
  <div class="row">
    <div class="col">

    </div>
  </div>
</div>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

[From line 1, column 1; to line 1, column 25](#)

```
{% extends "base.html" %}↵{% lo
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** Non-space characters found without seeing a doctype first. Expected

```
<!DOCTYPE html>.
```

[From line 1, column 1; to line 1, column 25](#)

```
{% extends "base.html" %}↵{% lo
```

3. **Error** Element `head` is missing a required instance of child element `title`.

[From line 1, column 1; to line 1, column 25](#)

```
{% extends "base.html" %}↵{% lo
```

Content model for element [head](#):

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

4. **Error** Bad value `{% static 'checkout/css/checkout.css' %}` for attribute `href` on element `link`: Illegal character in path segment: `{` is not allowed.

[From line 6, column 1; to line 6, column 71](#)

```
er_css %}<link rel="stylesheet" href="{% static 'checkout/css/checkout.css'
%}">{% en
```

5. **Error** Bad value `{% url 'product_detail' item.product.id %}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 48, column 29; to line 48, column 81](#)

```
<a href="{% url 'product_detail' item.product.id %}">
```

6. **Error** Bad value `{{ item.product.image.url }}` for attribute `src` on element `img`: Illegal character in path segment: `{` is not allowed.

[From line 50, column 33; to line 50, column 111](#)

```

```

7. **Error** Bad value `{{ MEDIA_URL }}noimage.png` for attribute `src` on element `img`: Illegal character in path segment: `{` is not allowed.

[From line 52, column 33; to line 52, column 109](#)

```

```

8. **Error** Bad value `{% url 'checkout' %}` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.

[From line 84, column 17; to line 84, column 84](#)

```
<form action="{% url 'checkout' %}" method="POST" id="payment-form">
```

9. **Error** Bad value `{% url 'account_signup' %}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 113, column 33; to line 113, column 87](#)

```
<a class="text-info" href="{% url 'account_signup' %}">Regist
```

10. **Error** Bad value `{% url 'account_login' %}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 114, column 33; to line 114, column 86](#)

```
<a class="text-info" href="{% url 'account_login' %}">login<
```

11. **Error** Bad value `{% url 'view_basket' %}` for attribute `href` on element `a`:

Illegal character in path segment: `{` is not allowed.

[From line 134, column 29; to line 134, column 123](#)

```
<a href="{% url 'view_basket' %}" class="btn btn-outline-black
rounded-0 col-12 col-md-5 mb-2">↵
```

12. **Warning** Empty heading.

[From line 159, column 5; to line 159, column 55](#)

```
ing">↵ <h1 class="text-light custom-font loading-spinner">↵
```

13. **Error** Bad value `{% static 'checkout/js/stripe_elements.js' %}` for attribute `src` on element `script`: Illegal character in path segment: `{` is not allowed.

[From line 172, column 5; to line 172, column 64](#)

```
t" }}↵ <script src="{% static 'checkout/js/stripe_elements.js' %}"></scri
```

Document checking completed.

## Source

```
1. {% extends "base.html" %}↵
2. {% load static %}↵
3. {% load basket_tools %}↵
4. ↵
5. {% block other_css %}↵
6. <link rel="stylesheet" href="{% static 'checkout/css/checkout.css' %}">↵
7. {% endblock %}↵
8. ↵
9. {% block page_header %}↵
10. <div class="container header-container">↵
11.     <div class="row">↵
12.         <div class="col">↵
13. ↵
14.         </div>↵
15.     </div>↵
16. </div>↵
17. {% endblock %}↵
18. ↵
19. {% block content %}↵
20. <div class="container mb-2">↵
21.     <!-- Title of the page-->↵
22.     <div class="row">↵
23.         <div class="col text-center mt-lg-5 mt-md-2">↵
24.             <h2 class="custom-font mt-lg-4 mt-md-2">Checkout</h2>↵
25.             <hr class="w-50 mb-3 mb-md-5 mx-auto">↵
26.         </div>↵
27.         <div class="row mx-auto">↵
28. ↵
29.         </div>↵
30. ↵
31.         <div class="row checkout-container">↵
32.             <div class="col-12 col-lg-6 order-lg-first mb-5 order-checkout-
summary">↵
33.                 <!-- The order summary which displays all the information of the
products in the bag -->↵
34.                 <div class="bg-light border border-2 rounded-3 p-3">↵
35.                     <p class="text-muted">Order Summary ({{ item_count }})</p>↵
36.                     <div class="row">↵
37.                         <div class="col-7 offset-2">↵
38.                             <p class="mb-1 mt-0 small text-muted">Item</p>↵
39.                         </div>↵
40.                         <div class="col-3 text-right">↵
41.                             <p class="mb-1 mt-0 small text-muted">Subtotal</p>↵
```

```

42.         </div>
43.     <!-- Image placeholder for the order -->
44.     {% for item in basket_products %}
45.     <div class="row mb-2">
46.         <div class="col-2 mb-1">
47.             <a href="{% url 'product_detail' item.product.id
48. %}">
49.                 {% if item.product.image %}
50.                 
51.                 {% else %}
52.                 
53.                 {% endif %}
54.             </a>
55.         </div>
56.         <!-- Product details of the image -->
57.         <div class="col-7">
58.             <p class="my-0"><strong>{% item.product.name %}
</strong></p>
59.             <p class="my-0 small">Size: {% item.product.size %}
</p>
60.             <p class="my-0 small text-muted">Qty: {%
item.quantity %}</p>
61.             </div>
62.             <div class="col-3 text-right">
63.                 <p class="my-0 small text-muted">£ {%
item.product.price %}</p>
64.             </div>
65.         </div>
66.     {% endfor %}
67.     <hr class="my-0">
68.     <div class="row text-black text-right">
69.         <div class="col-7 offset-2">
70.             <p class="my-0">Order Total:</p>
71.             <p class="my-0">Delivery:</p>
72.             <p class="my-0">Grand Total:</p>
73.         </div>
74.         <div class="col-3">
75.             <p class="my-0">£{% total | floatformat:2 %}</p>
76.             <p class="my-0">£{% delivery | floatformat:2 %}</p>
77.             <p class="my-0"><strong>£{% grand_price |
floatformat:2 %}</strong></p>
78.         </div>
79.     </div>
80. </div>
81. </div>
82. <div class="col-12 col-lg-6">
83.     <p class="text-muted">To complete your order, please fill out
the form below</p>
84.     <form action="{% url 'checkout' %}" method="POST" id="payment-
form">
85.         {% csrf_token %}
86.         <!-- Placeholder for user details -->
87.         <fieldset class="rounded px-3 mb-3">
88.             <legend class="fieldset-label small text-black px-2 w-
auto">Personal Details</legend>
89.             {{ order_form.full_name | as_crispy_field }}
90.             {{ order_form.email | as_crispy_field }}
91.         </fieldset>
92.         <!-- Placeholder for delivery information -->
93.         <fieldset class="rounded px-3 mb-3">
94.             <legend class="fieldset-label small text-black px-2 w-
auto">Delivery Details</legend>
95.             {{ order_form.phone_number | as_crispy_field }}
96.             {{ order_form.address_line1 | as_crispy_field }}
97.             {{ order_form.address_line2 | as_crispy_field }}
98.             {{ order_form.town_or_city | as_crispy_field }}
99.             {{ order_form.county_state | as_crispy_field }}
100.            {{ order_form.postcode | as_crispy_field }}
101.            {{ order_form.country | as_crispy_field }}
102.            <!-- Providing the option for the user to save the
delivery information if not already saved to their profile -->
103.            <div class="form-check form-check-inline float-right mr-
0">
104.                <!-- Option for authenticated user to save the
delivery details -->
105.                {% if user.is_authenticated %}
106.                <label class="form-check-label " for="id-save-
info">Save delivery details to my

```

```

107.         profile</label>↵
108.         <input class="form-check-input ml-2 mr-0"
type="checkbox" id="id-save-info" name="save-info"↵
109.             checked>↵
110.             {% else %}↵
111.             <!-- Option for the user to register or log if they
want the information saved -->↵
112.             <label class="form-check-label" for="id-save-info">↵
113.                 <a class="text-info" href="{% url
'account_signup' %}">Register an account</a> or↵
114.                 <a class="text-info" href="{% url
'account_login' %}">login</a> to save this information↵
115.             </label>↵
116.             {% endif %}↵
117.         </div>↵
118.     </fieldset>↵
119. ↵
120.     <fieldset class="px-3">↵
121.         <!-- Payment details placeholder, using Stripe as the
way to make payments -->↵
122.         <legend class="fieldset-label small text-black px-2 w-
auto">Payment Details</legend>↵
123.         <!-- Placeholder for Stripe card elements -->↵
124.         <div class="mb-3" id="card-element"></div>↵
125. ↵
126.         <!-- Placeholder for when there is an error -->↵
127.         <div class="mb-3 text-danger" id="card-errors"
role="alert"></div>↵
128.         <!-- Pass the client secret to the view so we can
get the payment intent id -->↵
129.         <input type="hidden" value="{{ client_secret }}"
name="client_secret">↵
130.     </fieldset>↵
131. ↵
132.     <!-- Submit buttons for the form where the user can edit
their basket or but now -->↵
133.     <div class="submit-button text-right px-3 mt-3 mb-2
justify-checkout-buttons">↵
134.         <a href="{% url 'view_basket' %}" class="btn btn-
outline-black rounded-0 col-12 col-md-5 mb-2">↵
135.             <span class="icon">↵
136.                 <i class="fas fa-chevron-left"></i>↵
137.             </span>↵
138.             <span class="font-weight-bold">Adjust
Bag</span>↵
139.         </a>↵
140.         <button id="submit-button" class="btn btn-black
rounded-0 col-12 col-md-5 mb-2">↵
141.             <span class="font-weight-bold">Complete
Order</span>↵
142.             <span class="icon">↵
143.                 <i class="fas fa-lock"></i>↵
144.             </span>↵
145.         </button>↵
146.         <p class="small text-danger my-0">↵
147.             <span class="icon">↵
148.                 <i class="fas fa-exclamation-circle"></i>↵
149.             </span>↵
150.             <span>Your card will be charged <strong>£ {{
grand_price|floatformat:2 }}</strong></span>↵
151.         </p>↵
152.     </div>↵
153. </form>↵
154. </div>↵
155. </div>↵
156. </div>↵
157. </div>↵
158. <div id="overlay-processing">↵
159.     <h1 class="text-light custom-font loading-spinner">↵
160.         <span class="icon">↵
161.             <i class="fas fa-3x fa-splotch fa-spin"></i>↵
162.         </span>↵
163.     </h1>↵
164. </div>↵
165. {% endblock %}↵
166. ↵
167. {% block afterloadjs %}↵
168.     {{ block.super }}↵
169.     <!-- template filters called json_script as it is not possible to render
Django template variables in external js files -->↵
170.     {{ stripe_public_key|json_script:"id_stripe_public_key" }}↵

```

```
171.      {{ client secret | ison script:"id client secret" }}↵
172.      <script src="{% static 'checkout/js/stripe_elements.js' %}"></script>↵
173. {% endblock %}
```

Used the HTML parser.

Total execution time 18 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 21.7.28