## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
the language of this document.

From line 1, column 1; to line 1, column 45

{% extends 'base.html' %} {% block content %} 

For further guidance, consult Declaring the overall language of a page and Choosing language tags.

If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.
```

```
2. Error Non-space characters found without seeing a doctype first. Expected

[<!DOCTYPE html>].

From line 1, column 1; to line 1, column 45

[% extends 'base.html' %} {% block content %} e <<di>di
```

```
Error Element head is missing a required instance of child element
   title.
   From line 1, column 1; to line 1, column 45
   {% extends 'base.html' %} {% block content %}↔ ↔ <di
   Content model for element head:
      If the document is an iframe srcdoc document or if title information is available from a
      higher-level protocol: Zero or more elements of metadata content, of which no more than one
      is a title element and no more than one is a base element.
      Otherwise: One or more elements of metadata content, of which exactly one is a title
      element and no more than one is a base element.
   Error Bad value {{url for('all recipes')}} for attribute href on
   element a: Illegal character in path segment: { is not allowed.
   From line 4, column 2; to line 4, column 75
                     <a href="{{url_for('all_recipes')}}" class="waves-</pre>
    button">↩
   effect waves-light btn"><i cla
   Error Bad value {{ url_for('update_recipe',
   recipe id=recipe. id)}} | for attribute | action | on element | form |: | Illegal
   character in path segment: { is not allowed.
   From line 9, column 2; to line 9, column 128
    ipe</h3>↩
                    <form action="{{ url_for('update_recipe',
   recipe_id=recipe._id)}}" method="POST" class="col s12"
   enctype="multipart/form-data">↔
   Error Bad value {{ url_for('upload',
6.
   filename=recipe_recipe_image) }} | for attribute | src | on element | img |:
   Illegal character in path segment: | { | is not allowed.
   From line 22, column 9; to line 22, column 118
                                           <img height="200" width="200" src="</pre>
   {{ url_for('upload', filename=recipe.recipe_image) }}" alt="photo of
   dish">↩
   Error Bad value {{ url_for('static',
   filename='images/placeholder.png')}}|for attribute|src|on element
   <u>img</u>: Illegal character in path segment: { is not allowed.
   From line 36, column 5; to line 36, column 119
                                       <img height="200" width="200" src="{{</pre>
    se %}↩
   url_for('static', filename='images/placeholder.png')}}" alt="photo of
   dish"/>↩
```

```
Error Duplicate ID recipe-image.
8.
    From line 37, column 5; to line 37, column 107
                                          <input type="file" class="image"</pre>
     sh"/>↩
    name="recipe_image" id="recipe-image" accept="image/png, image/jpeg">\rightarrow
     <
     Warning The first occurrence of ID recipe-image was here.
9.
    From line 27, column 25; to line 27, column 126
                 <input type="file" class="image" name="recipe image"</pre>
     id="recipe-image" accept="image/png, image/jpeg">↔
     Error Text not allowed in element select in this context.
10.
    From line 47, column 1; to line 47, column 87
     </option>←
                                         {% for cat in categories %} {% if
     cat.category == recipe.category%}

    Content model for element select:
       Zero or more option, optgroup, and script-supporting elements.
     Error The select element cannot have more than one selected option
11.
     descendant unless the multiple attribute is specified.
     From line 48, column 25; to line 48, column 66
                 <option value="{{cat.category}}" selected>{{cat.}
     Error Text not allowed in element select in this context.
12.
    From line 49, column 1; to line 49, column 30
     </option>↩
                                         {% else %}↔
     Content model for element <u>select</u>:
       Zero or more option, optgroup, and script-supporting elements.
     Error Text not allowed in element select in this context.
13.
    From line 51, column 1; to line 51, column 44
     </option>↩
                                         {% endif %} {% endfor %}↔
     Content model for element <u>select</u>:
       Zero or more <u>option</u>, <u>optgroup</u>, and <u>script-supporting</u> elements.
    Error Text not allowed in element select in this context.
14.
    From line 59, column 1; to line 59, column 45
     </option>↔
                                         {% for level in levels %}↔
     Content model for element select:
       Zero or more <u>option</u>, <u>optgroup</u>, and <u>script-supporting</u> elements.
     Error Text not allowed in element select in this context.
15.
```

```
From line 60, column 1; to line 60, column 65
      levels %}<u>↔</u>
                                           {% if level.difficulty ==
     recipe.difficulty%}↔
     Content model for element select:
        Zero or more option, optgroup, and script-supporting elements.
     (Error) The select element cannot have more than one selected option
16.
     descendant unless the |multiple | attribute is specified.
     From line 61, column 25; to line 61, column 70
                  <option value="{{level.difficulty}}" selected>{{leve}
      Error Text not allowed in element select in this context.
17.
     From line 62, column 1; to line 62, column 30
     </option>↩
                                           {% else %}↔
     Content model for element select:
        Zero or more option, optgroup, and script-supporting elements.
     Error Text not allowed in element select in this context.
18.
     From line 64, column 1; to line 64, column 32
     </option>↩
                                           {% endif %} ₽
     Content model for element select:
        Zero or more <u>option</u>, <u>optgroup</u>, and <u>script-supporting</u> elements.
     Error Text not allowed in element select in this context.
19.
     From line 65, column 1; to line 65, column 32
     endif %} ↔
                                           {% endfor %}↔
     Content model for element <u>select</u>:
        Zero or more <u>option</u>, <u>optgroup</u>, and <u>script-supporting</u> elements.
     Error Text not allowed in element select in this context.
20.
     From line 75, column 1; to line 75, column 49
     </option>↩
                                           {% for cuisine in cuisines %}↔
     Content model for element select:
        Zero or more <u>option</u>, <u>optgroup</u>, and <u>script-supporting</u> elements.
     Error Text not allowed in element select in this context.
21.
     From line 76, column 1; to line 76, column 65
      isines %}↔
                                                {% if cuisine.cuisine ==
     recipe.cuisine%}
     Content model for element <u>select</u>:
        Zero or more option, optgroup, and script-supporting elements.
```

```
22.
     Error The select element cannot have more than one selected option
     descendant unless the multiple attribute is specified.
     From line 77, column 29; to line 77, column 73
                 <option value="{{cuisine.cuisine}}" selected>{{cuis}
     Error Text not allowed in element <u>select</u> in this context.
23.
     From line 78, column 1; to line 78, column 34
     </option>↩
                                              {% else %}←
     Content model for element select:
        Zero or more option, optgroup, and script-supporting elements.
     Error Text not allowed in element select in this context.
24.
     From line 80, column 1; to line 80, column 36
     </option>↩
                                              {% endif %} ↔
     Content model for element <u>select</u>:
        Zero or more <u>option</u>, <u>optgroup</u>, and <u>script-supporting</u> elements.
     Error Text not allowed in element select in this context.
25.
     From line 81, column 1; to line 81, column 32
     endif %} ↔
                                         {% endfor %}↔
     Content model for element select:
        Zero or more option, optgroup, and script-supporting elements.
      Error Bad value {{recipe.servings}} for attribute value on element
26.
     <u>input</u>: Expected a minus sign or a digit but saw { instead.
     From line 87, column 5; to line 87, column 144
       s6">←
                                          <input id="servings" name="servings"</pre>
     type="number" placeholder="Servings" class="validate" min="1"
     required="" value="{{recipe.servings}}"/>←
     Error Bad value | {{recipe.time}} | for attribute | value | on element
27.
     <u>input</u>: Expected a minus sign or a digit but saw | { | instead.
     From line 95, column 5; to line 95, column 136
                                          <input id="time" name="time"</pre>
     abel>←
     placeholder="Cooking time" class="validate" type="number" min="1"
     required="" value="{{recipe.time}}"/>
     Error Bad value { {recipe.temperature} } for attribute value on
28.
     element | <u>input</u> |: Expected a minus sign or a digit but saw | { | instead.
     From line 100, column 5; to line 100, column 144
     abel>←
                                          <input id="temperature"</pre>
     name="temperature" placeholder="Temperature" class="validate"
```

```
type="number" min="1" value="{{recipe.temperature}}"/>←
     Error Text not allowed in element select in this context.
29.
     From line 123, column 1; to line 123, column 51
     multiple>↩
                                          {% for allergen in allergens %}↔
     Content model for element <u>select</u>:
        Zero or more <u>option</u>, <u>optgroup</u>, and <u>script-supporting</u> elements.
30.
      Error Text not allowed in element select in this context.
     From line 124, column 1; to line 124, column 69
     ergens %}↩
                                               {% if allergen.allergen in
     recipe.allergens%}↔
     Content model for element select:
        Zero or more option, optgroup, and script-supporting elements.
     Error Text not allowed in element select in this context.
31.
     From line 126, column 1; to line 126, column 34
     </option>↩
     Content model for element select:
        Zero or more option, optgroup, and script-supporting elements.
      Error Text not allowed in element select in this context.
32.
     From line 128, column 1; to line 128, column 36
     </option>↩
                                               {% endif %} ←
     Content model for element select:
        Zero or more <u>option</u>, <u>optgroup</u>, and <u>script-supporting</u> elements.
      Error Text not allowed in element select in this context.
33.
     From line 129, column 1; to line 129, column 32
     endif %} ↔
                                          {% endfor %}↔
     Content model for element select:
        Zero or more <u>option</u>, <u>optgroup</u>, and <u>script-supporting</u> elements.
     Error | Bad value | {{url_for('delete_recipe',
34.
     recipe_id=recipe._id)}} | for attribute | href | on element | a |: | Illegal
     character in path segment: | { | is not allowed.
     From line 144, column 6; to line 144, column 120
      </a>↔
                                                      <a href="
     {{url_for('delete_recipe', recipe_id=recipe._id)}}" class="modal-close"
     waves-effect waves-green btn-flat">Delete
```

Document checking completed.

## Source

```
1. {% extends 'base.html' %} {% block content %}↔
 3. <div class="back-button">←
            <a href="{{url_for('all_recipes')}}" class="waves-effect waves-</pre>
 4.
   light btn"><i class="fa fa-arrow-left" aria-hidden="true"></i> Back to
   Recipes</a>↔
 5. </div>↔
 6. ↔
 7.
   <div id="edit-form" class="container">←
 8.
            <h3>Edit Recipe</h3>↔
   9.
    enctype="multipart/form-data">↔
10.
            <!-- Recipe Name -->↔
                     <div class="row">↔
11.
                              <div class="input-field col s6">↔
12.
                                      <input id="recipe_name"</pre>
13.
   name="recipe name" type="text" class="validate" value="
    {{recipe.recipe_name}}}"/>↩
14.
                                      <label>Recipe Name
15.
                              </div>↔
16.
                     </div>↩
17.
                     <!--Recipe Image-->↔
18.
                     <div class="row">↔
                              <div class="file-field input-field col s6">←
19.
20.
                                      {% if recipe.recipe_image %}↔
                     <div class="col 6">€
21.
22.
                                           <imq height="200" width="200" src="</pre>
    {{ url_for('upload', filename=recipe.recipe_image) }}" alt="photo of
    dish">↩
23.
                     </div>↔
24.
                     <div class="file-field input-field">←
25.
                         <div class="btn">↔
26.
                              <span>+ Photo>↔
27.
                              <input type="file" class="image"</pre>
   name="recipe_image" id="recipe-image" accept="image/png, image/jpeg">↩
28.
                         </div>↩
29.
                         <div class="file-path-wrapper">
                              <div class="col s6">↔
30.
31.
                                  <input class="file-path validate"</pre>
    type="text">↔
32.
                              </div>↔
33.
                         </div>↔
34.
                     </div>↔
35.
                     {% else %}←
36.
                                      <img height="200" width="200" src="{{</pre>
   url for('static', filename='images/placeholder.png')}}" alt="photo of
    dish"/>↩
   cinput type="file" class="image"
name="recipe_image" id="recipe-image" accept="image/png, image/jpeg">
<label class="recipe-image-label"</pre>
37.
38.
   for="recipe-image">Recipe Image</label>↔
                                      {% endif %}↔
39.
40
                              </div>↔
41.
                     </div>↔
42.
                     <!-- Meal Type -->↔
                     <div class="row">↔
43.
```

```
44.
                               <div class="input-field col s6">←
45.
                                        <select id="category" name="category">↔
                           <option value="" disabled selected>Select</option>
46.
 47.
                           {% for cat in categories %} {% if cat.category ==
    recipe.category%}↩
 48.
                               <option value="{{cat.category}}" selected>
    {{cat.category}}</option>
 49
                           {% else %}↔
50.
                               <option value="{{cat.category}}">
    {{cat.category}}</option>↩
51.
                           {% endif %} {% endfor %}↔
52.
                       </select>₽
53.
                                        <label>Meal Type:
54.
                               </div>↔
                          <!-- Difficulty Level -->↔
  <div class="input-field col s6">↔
55.
56.
                                        <select name="difficulty">↔
57.
                           <option value="" disabled selected>Select</option>↔
 58.
 59.
                           {% for level in levels %}↔
60.
                           {% if level.difficulty == recipe.difficulty%}↩
61.
                               <option value="{{level.difficulty}}" selected>
    {{level.difficulty}}</option>↩
 62
                           {% else %} ↔
63.
                               <option value="{{level.difficulty}}">
    {{level.difficulty}}</option>↩
 64.
                           {% endif %} ↔
 65.
                           {% endfor %}↔
66.
                      </select>↔
67.
                                        <label>Difficulty:
 68.
                               </div>↔
69.
                      </div>↩
 70.
                      <!-- Cuisine -->₽
 71.
                      <div class="row">↔
                               <div class="input-field col s6">€
72.
 73.
                                        <select name="cuisine">₽
 74.
                           <option value="" disabled selected>Select</option>+
 75.
                           {% for cuisine in cuisines %}↩
 76.
                               {% if cuisine.cuisine == recipe.cuisine%}↩
 77.
                                   <option value="{{cuisine.cuisine}}'</pre>
    selected>{{cuisine.cuisine}}</option>↔
 78.
                               {% else %}↔
 79.
                                    <option value="{{cuisine.cuisine}}">
    {{cuisine.cuisine}}</option>↩
80.
                               {% endif %} ←
81.
                           {% endfor %}↔
82.
                      </select>↔
83.
                                        <label>Cuisine:
                               </div>↩
84.
85.
                           <!-- Servings -->↔
86.
                               <div class="input-field col s6">←
                                        <input id="servings" name="servings"</pre>
87
    type="number" placeholder="Servings" class="validate" min="1"
    required="" value="{{recipe.servings}}"/>↩
88.
                                        <label>Number of Servings</label>↩
89.
                               </div>↔
90.
                      </div>↩
91.
                      <!-- Time -->↔
92.
                      <div class="row">↔
                               <div class="input-field col s6">↔
93.
94
                                        <label>Cooking Time (Mins)
                                        <input id="time" name="time"</pre>
95.
    placeholder="Cooking time" class="validate" type="number" min="1"
    required="" value="{{recipe.time}}"/>
96.
                  </div>↔
97.
                  <!-- Temperature -->↔
98.
                               <div class="input-field col s6">↔
99.
                                        <label-Temperature (&#176;C)</label>↔
100.
                                        <input id="temperature"</pre>
    name="temperature" placeholder="Temperature" class="validate" type="number" min="1" value="{{recipe.temperature}}"/>↔
101.
                  </div>↔
102.
                      </div>↩
103.
                      <!-- Ingredients -->↔
104.
                      <div class="row">↔
105.
                               <div class="input-field col s12">↔
106.
                                        <h5>Ingredients:</h5>↔
```

```
107.
                                         <em>Add each ingredient on a new
     line</em>↔
108.
                                        <textarea id="ingredients"
     name="ingredients" class="materialize-textarea validate" required="">
     {{existing_ingredients}}</textarea>↔
109.
                                </div>↔
110.
                       </div>↔
111
                       <!-- Method -->↔
                       <div class="row">↔
112.
                                <div class="input-field col s12">←
113.
114.
                                         <h5>Method:</h5>↔
115.
                                         <em>Add each step on a new line</em>
     ↩
     $$ \end{tabular} $$ \text{textarea id="method" name="method" class="materialize-textarea validate" required="">{{existing_method}}</textarea>e
116.
117.
                                </div>↔
118.
                       </div>↔
                       <!-- Allergens -->↔
119.
                       <div class="row">↔
120.
                                <div class="input-field col s8">↔
121.
122.
                                         <select id="allergens" name="allergens"</pre>
     class="validate" multiple>↩
123.
                           {% for allergen in allergens %}↔
124.
                                {% if allergen.allergen in recipe.allergens%}↩
125.
                                    <option value="{{allergen.allergen}}</pre>
     selected>{{allergen.allergen}}</option>↔
126.
                                {% else %}↔
127.
                                    <option value="{{allergen.allergen}}">
     {{allergen.allergen}}</option>
128.
                                {% endif %} ↔
129.
                            {% endfor %}↔
130.
                       </select>↔
131.
                                         <label>Allergens:</label>↔
132.
                                </div>↔
133.
                       </div>↔
134.
                       <button class="btn waves-effect waves-light"</pre>
     type="submit" name="action">Update</button>↔
135.
              <!-- A Materialize modal is used for the delete recipe warning --
136.
                       <a class="waves-effect waves-light btn modal-trigger"</pre>
     href="#delete-modal">Delete</a>
137.
                                <div id="delete-modal" class="modal">↔
138.
                                         <div class="modal-content">→
139.
                                                 <h4>Delete Recipe</h4>↔
140.
                                                  Are you sure you want to
     delete this recipe?↔
141.
                                         </div>↔
142.
                                         <div class="modal-footer">↔
143.
                                                  <a href="#!" class="modal-close
     waves-effect waves-green btn-flat">Cancel</a>↔
144
                                                  <a href="
     {{url for('delete recipe', recipe id=recipe._id)}}" class="modal-close
     waves-effect waves-green btn-flat">Delete</a>>
145.
                                         </div>↔
146.
                                </div>↔
147.
              </form>↔
148. </div>↔
149. ↔
150.
          <div class="row back-button">↔
                       <a href="{{url_for('all_recipes')}}" class="waves-effect</pre>
151.
     waves-light btn"> <i class="fa fa-arrow-left" aria-hidden="true"></i>
     Back to Recipes</a>↔
152.
          </div>↔
153.
154. {% endblock %}
Used the HTML parser.
```

Total execution time 28 milliseconds.