

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://adnanmuhtadi.github.io/milestone-project-1/portfolio.html

Checker Input

Show ☐ source ☐ outline ☐ image report

Options...

Check by address ▼

https://adnanmuhtadi.github.io/milestone-project-1/portfolio.html

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Error** Attribute `button` not allowed on element `a` at this point.

From line 66, column 21; to line 66, column 161

```
<a href="assets/portfolio-sites/love-running/index.html"
target="_blank" button type="button" class="btn btn-primary visitme"
value="Submit">Visit
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

2. **Error** Bad value `button` for attribute `type` on element `a`: Subtype missing.

From line 66, column 21; to line 66, column 161

```
<a href="assets/portfolio-sites/love-running/index.html"
target="_blank" button type="button" class="btn btn-primary visitme"
```

3. **Error** Attribute `value` not allowed on element `a` at this point.

From line 66, column 21; to line 66, column 161

```
<a href="assets/portfolio-sites/love-running/index.html"
target="_blank" button type="button" class="btn btn-primary visitme"
value="Submit">Visit
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

4. **Error** Attribute `button` not allowed on element `a` at this point.

From line 78, column 21; to line 78, column 155

```
<a href="assets/portfolio-sites/stream/index.html" target="_blank"
button type="button" class="btn btn-primary visitme" value="Submit">Visit
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

5. **Error** Bad value `button` for attribute `type` on element `a`: Subtype missing.

From line 78, column 21; to line 78, column 155

```
<a href="assets/portfolio-sites/stream/index.html" target="_blank"
button type="button" class="btn btn-primary visitme" value="Submit">Visit
```

6. **Error** Attribute `value` not allowed on element `a` at this point.

From line 78, column 21; to line 78, column 155

```
<a href="assets/portfolio-sites/stream/index.html" target="_blank"
button type="button" class="btn btn-primary visitme" value="Submit">Visit
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

7. **Error** Attribute `button` not allowed on element `a` at this point.

From line 90, column 21; to line 90, column 161

```
<a href="assets/portfolio-sites/whiskey-drop/index.html"
target="_blank" button type="button" class="btn btn-primary visitme"
value="Submit">Visit
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

8. **Error** Bad value `button` for attribute `type` on element `a`: Subtype missing.

From line 90, column 21; to line 90, column 161

```
<a href="assets/portfolio-sites/whiskey-drop/index.html"
target="_blank" button type="button" class="btn btn-primary visitme"
```

9. **Error** Attribute `value` not allowed on element `a` at this point.

From line 90, column 21; to line 90, column 161

```
<a href="assets/portfolio-sites/whiskey-drop/index.html"
target="_blank" button type="button" class="btn btn-primary visitme"
value="Submit">Visit
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

10. **Error** Attribute `button` not allowed on element `a` at this point.

From line 102, column 21; to line 102, column 163

```
<a href="assets/portfolio-sites/resume-project/index.html"
target="_blank" button type="button" class="btn btn-primary visitme"
value="Submit">Visit
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

11. **Error** Bad value `button` for attribute `type` on element `a`: Subtype missing.

From line 102, column 21; to line 102, column 163

```
<a href="assets/portfolio-sites/resume-project/index.html"
target="_blank" button type="button" class="btn btn-primary visitme"
value="Submit">Visit
```

12. **Error** Attribute `value` not allowed on element `a` at this point.

From line 102, column 21; to line 102, column 163

```
<a href="assets/portfolio-sites/resume-project/index.html"
target="_blank" button type="button" class="btn btn-primary visitme"
value="Submit">Visit
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

13. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 19, column 17; to line 19, column 20

```
<h1><a href="assets/portfolio-sites/resume-project/index.html"
target="_blank" button type="button" class="btn btn-primary visitme"
value="Submit">Visit
```

Document checking completed.

Used the HTML parser. Externally specified character encoding was utf-8.

Total execution time 98 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 20.10.19