Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

```
Checker Input
Show source
                outline
                         image report
                                         Options...
<!--Extends base template-->
 {% extends "base.html" %}
 <!--Content block start-->
 {% block content %}
 <!--Main content container start-->
 <section class="container content-container">
     <!--Page heading start-->
     <div class="row no-gutters">
         <div class="col-12">
            <h1 class="text-center heading-1 headings">{{session.user.first_name + "'s " + page_title}}</h1>
         </div>
     </div>
     <!--Page heading end-->
     <div class="row no-gutters">
         {% if reviews %}
 Check
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

```
Message Filtering
     Warning Consider adding a lang attribute to the html start tag to declare the language of this document.
    From line 1, column 29; to line 2, column 25
    emplate--><mark>~{% extends "base.html" %}</mark>~<!--C
    For further guidance, consult <u>Declaring the overall language of a page</u> and <u>Choosing language tags</u>.
    If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.
     Error Non-space characters found without seeing a doctype first. Expected | <! DOCTYPE html> |
     From line 1, column 29; to line 2, column 25
     emplate--><mark>~{% extends "base.html" %}</mark>~<!--C
     Error Element head is missing a required instance of child element title.
     From line 1, column 29; to line 2, column 25
     emplate--><mark>⊷{% extends "base.html" %}</mark>⊷<!--C
    Content model for element <u>head</u>:
       If the document is an iframe srcdoc document or if title information is available from a higher-level protocol: Zero or more elements of metadata content, of which no more
       than one is a <u>title</u> element and no more than one is a <u>base</u> element.
       Otherwise: One or more elements of metadata content, of which exactly one is a title element and no more than one is a base element.
     Error Bad value {{url_for('edit_review', review_id=review._id, next=request.url)}} for attribute href on element a: Illegal
    character in path segment: | { | is not allowed.
    From line 22, column 29; to line 22, column 122
                 <a class="btn py-0" href="{{url_for('edit_review', review_id=review._id, next=request.url)}}">
     Error Bad value {{url_for('delete_review', review_id=review._id, next=request.url)}} for attribute href on element a:
    Illegal character in path segment: { is not allowed.
     From line 27, column 29; to line 27, column 124
                 <a class="btn py-0" href="{{url_for('delete_review', review_id=review._id, next=request.url)}}">↩
```

Document checking completed.

Source

```
1. <!--Extends base template-->↔
2. {% extends "base.html" %}↔
3. <!--Content block start-->↔
4. {% block content %}↔
   <!--Main content container start-->↩
    <section class="container content-container">↩
        <!--Page heading start-->↩
        8.
 9.
                 <h1 class="text-center heading-1 headings">{{session.user.first_name + "'s " + page_title}}</h1>→
10.
            </div>↔
11.
12.
        </div>↔
13.
        <!--Page heading end-->↔
        15.
            <div class="col-12">↔
16.
                 {% for review in reviews %}↔
17.
                 <div class="card mb-4">↔
18.
                     <div class="card-body">↩
19.
                              <div class="float-right">↔
20.
    <!--Code for next search perameter is from https://stackoverflow.com/questions/51783658/url-for-creates-a-url-query-string-with-amp and https://stackoverflow.com/questions/15974730/how-do-i-get-the-different-parts-of-a-flask-requests-
                                  <a class="btn py-0" href="{{url_for('edit_review', review_id=review._id, next=request.url)}}">↩
22.
                                       <!--Code for edit icon is from https://fontawesome.com/icons/edit?style=solid-->↩
                                      <i class="far fa-edit" aria-hidden="true"></i><span class="sr-only">Edit</span>↩
24.
25.
                                  </a>↔
26.
                                  <!--Code for next search perameter is from https://stackoverflow.com/questions/51783658/url-for-creates-
    a-url-query-string-with-amp and https://stackoverflow.com/questions/15974730/how-do-i-get-the-different-parts-of-a-flask-requests-
    url-->↩
                                  <a class="btn py-0" href="{{url_for('delete_review', review_id=review._id, next=request.url)}}">↩
27.
                                      <!--Code for trash icon is from https://fontawesome.com/icons/trash?style=solid-->
28.
                                       <i class="fas fa-trash" aria-hidden="true"></i><span class="sr-only">Delete</span>↩
30.
                              </div><strong>{{review.product}}</strong> - {{review.review title}}↔
31.
32.
                         </div>
33.
                 </div>↔
34.
35.
                 {% endfor %}↔
                 {{pagination.links}}↩
36.
37.
            </div>→
             {% else %}↔
38.
39.
             <div class="col-12 mx-auto my-4">↔
                 You haven't reviewed any products yet. ↔
40.
41.
                     Search for a product to write a review.↩
42.
             </div>↩
             {% endif %}⊷
43.
        </div>↔
44.
    </section>↔
45.
    <!--Main content container end-->↩
47. {% endblock %}↔
48. <!--Content block end-->
```

Used the HTML parser.

Total execution time 29 milliseconds.