

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show

☒source☐outline☐image report

Options...

Check by

text input

CSS

```
<!--Extends base template-->
{% extends "base.html" %}
<!--Content block start-->
{% block content %}
<!--Main content container start-->
<section class="container content-container">
  <!--Page heading start-->
  <div class="row no-gutters">
    <div class="col-12">
      <h1 class="text-center heading-1 headings-top">{{session.user.first_name + "'s " + page_title}}</h1>
    </div>
  </div>
  <!--Page heading end-->
  <div class="row no-gutters">
    {% if reviews %}
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1.

Warning

Consider adding a lang attribute to the html start tag to declare the language of this document.

From line 1, column 29; to line 2, column 25

emplate-->{% extends "base.html" %}<!--C

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).
2.

Error

Non-space characters found without seeing a doctype first. Expected <!DOCTYPE html>.

From line 1, column 29; to line 2, column 25

emplate-->{% extends "base.html" %}<!--C
3.

Error

Element head is missing a required instance of child element title.

From line 1, column 29; to line 2, column 25

emplate-->{% extends "base.html" %}<!--C

Content model for element head:

If the document is an iframe srcdoc document or if title information is available from a higher-level protocol: Zero or more elements of metadata content, of which no more than one is a title element and no more than one is a base element.  
Otherwise: One or more elements of metadata content, of which exactly one is a title element and no more than one is a base element.
4.

Error

Bad value {{url\_for('edit\_review', review\_id=review.\_id, next=request.url)}} for attribute href on element a: Illegal character in path segment: { } is not allowed.

From line 22, column 29; to line 22, column 122

<a class="btn py-0" href="{{url\_for('edit\_review', review\_id=review.\_id, next=request.url)}}">
5.

Error

Bad value {{url\_for('delete\_review', review\_id=review.\_id, next=request.url)}} for attribute href on element a: Illegal character in path segment: { } is not allowed.

From line 27, column 29; to line 27, column 124

<a class="btn py-0" href="{{url\_for('delete\_review', review\_id=review.\_id, next=request.url)}}">

Document checking completed.

Source

```
1. <!--Extends base template-->
2. {% extends "base.html" %}
3. <!--Content block start-->
4. {% block content %}
5. <!--Main content container start-->
6. <section class="container content-container">
7.   <!--Page heading start-->
8.   <div class="row no-gutters">
9.     <div class="col-12">
10.      <h1 class="text-center heading-1 headings-top">{{session.user.first_name + "'s " + page_title}}</h1>
11.    </div>
12.  </div>
13.  <!--Page heading end-->
14.  <div class="row no-gutters">
15.    {% if reviews %}
16.    <div class="col-12">
17.      {% for review in reviews %}
18.      <div class="card mb-4">
19.        <div class="card-body">
20.          <div class="float-right">
21.            <!--Code for next search parameter is from https://stackoverflow.com/questions/51783658/url-for-creates-a-url-query-string-with-amp and https://stackoverflow.com/questions/15974730/how-do-i-get-the-different-parts-of-a-flask-requests-url-->
22.            <a class="btn py-0" href="{{url_for('edit_review', review_id=review._id, next=request.url)}}">
23.              <!--Code for edit icon is from https://fontawesome.com/icons/edit?style=solid-->
24.              <i class="far fa-edit" aria-hidden="true"></i><span class="sr-only">Edit</span>
25.            </a>
26.            <!--Code for next search parameter is from https://stackoverflow.com/questions/51783658/url-for-creates-a-url-query-string-with-amp and https://stackoverflow.com/questions/15974730/how-do-i-get-the-different-parts-of-a-flask-requests-url-->
27.            <a class="btn py-0" href="{{url_for('delete_review', review_id=review._id, next=request.url)}}">
28.              <!--Code for trash icon is from https://fontawesome.com/icons/trash?style=solid-->
29.              <i class="fas fa-trash" aria-hidden="true"></i><span class="sr-only">Delete</span>
30.            </a>
31.          </div><p class="mb-0"><strong>{{review.product}}</strong> - {{review.review_title}}
32.        </p>
33.      </div>
34.    </div>
35.    {% endfor %}
36.    {{pagination.links}}
37.  </div>
38.  {% else %}
39.  <div class="col-12 mx-auto my-4">
40.    <p class="text-center">You haven't reviewed any products yet.
41.      Search for a product to write a review.</p>
42.  </div>
43.  {% endif %}
44. </div>
45. </section>
46. <!--Main content container end-->
47. {% endblock %}
48. <!--Content block end-->
```

Used the HTML parser.  
Total execution time 5 milliseconds.