Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change Showing results for contents of text-input area

Checker Input
Show ✓ source □ outline □ image report
Options
Check by text input 🗸
Enter the URL for an HTML, CSS, or SVG document
Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. Warning Consider adding a lang attribute to the html start tag to declare the language of this document.
From line 1, column 1; to line 1, column 25
{% extends "base.html" %} ← {% bl
For further guidance, consult Declaring the overall language of a page and Choosing language tags.
If the HTML checker has misidentified the language of this document, please file an issue report or send email to report the problem.

```
2. Error Non-space characters found without seeing a doctype first. Expected

<!DOCTYPE html>.

From line 1, column 1; to line 1, column 25

{% extends "base.html" %} ← {% bl}
```

```
3. Error Element head is missing a required instance of child element title.

From line 1, column 1; to line 1, column 25

[{% extends "base.html" %} ← {% bl}]
```

Content model for element head:

If the document is <u>an iframe srcdoc document</u> or if title information is available from a higher-level protocol: Zero or more elements of <u>metadata content</u>, of which no more than one is a <u>title</u> element and no more than one is a <u>base</u> element.

Otherwise: One or more elements of <u>metadata content</u>, of which exactly one is a <u>title</u> element and no more than one is a <u>base</u> element.

```
4. Error Bad value [{ url_for('add_category') }} for attribute href on element a: Illegal character in path segment: [{ is not allowed.

From line 11, column 17; to line 11, column 73

<a href="{{ url_for('add_category') }}" class="btn teal">Add Ca</a>
```

```
Error Bad value | {{ url_for('delete_category', category_id=category._id) }} |
5.
   for attribute | href|on element|a|: Illegal character in path segment: | { | is not allowed.
   From line 23, column 25; to line 23, column 109
               <a href="{{ url_for('delete_category', category_id=category._id) }}"</pre>
    class="btn red">Delete
    Error Bad value | {{ url_for('edit_category', category_id=category._id) }} |
6.
   for attribute | href|on element | a |: Illegal character in path segment: | { | is not allowed.
    From line 25, column 25; to line 25, column 108
               <a href="{{ url_for('edit_category', category_id=category._id) }}"</pre>
   class="btn teal">Edit/
```

Document checking completed.

Source

```
1. {% extends "base.html" %}↔
  2. {% block content %}↔
  3. ←
  4. <div class="container">←
  5.
         <h3 class="center-align blue-grey-text">Manage Categories</h3>↔
  6.
          <!--Manage meal types-->↔
  7.
          <div class="row center-align border">←
  8.
              <h4> Remove or Edit Meal types</h4>↔
              <div class="row">←
  9.
 10.
                  <div class="col s12 right-align">←
 11.
                      <a href="{{ url_for('add_category') }}" class="btn teal">Add
     Category</a>←
 12.
                  </div>↩
 13.
              </div>←
 14.
              <!-- generate card for every category -->↔
 15.
              {% for category in categories %}↔
                  <div class="col s12 m4">↔
 16.
 17.
                      <div class="card center-align">←
 18.
                          <div class="card-content">↔
                               <span class="card-title">{{ category.category_name }}</span>↩
 19.
 20.
                          </div>←
                          <div class="card-action">↔
 21.
 22.
                              <!-- delete button-->↔
 23.
                               <a href="{{ url_for('delete_category', category_id=category._id)</pre>
     }}" class="btn red">Delete</a>↔
 24.
                              <!-- edit button-->↔
 25.
                               <a href="{{ url_for('edit_category', category_id=category._id)</pre>
     }}" class="btn teal">Edit</a>↔
 26.
 27.
                      </div>←
 28.
                  </div>←
 29.
              {% endfor %}↔
 30.
         </div>←
 31. </div>↩
 32. ←
 33. {% endblock %}
Used the HTML parser.
```

Total execution time 7 milliseconds.