Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

```
Checker Input
Show source
               outline
                        image report
Options...
Check by text input ✓ □ css
 {% extends "base.html" %}
{% block content %}
 <div class="row">
     <div class="col s10 offset-s1 m6 offset-m3">
         <div class="card-panel teal lighten-5">
             <h4 class="center-align blue-grey-text">Log In</h4>
             <div class="row">
                 <form class="col s12 m10 offset-m1" method="POST" action="{{</pre>
url_for('login') }}">
                     <div class="card-panel">
                     <!-- username -->
                          <div class="row">
                              <div class="input-field col s12">
                                  <i class="material-icons prefix blue-grey-text">person</i>
 Check
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Warning Consider adding a lang attribute to the html start tag to declare the language of this document.

From line 1, column 1; to line 1, column 25

{% extends "base.html" %} ← {% bl

For further guidance, consult Declaring the overall language of a page and Choosing language tags.

If the HTML checker has misidentified the language of this document, please file an issue report or send email to report the problem.
```

```
2. Error Non-space characters found without seeing a doctype first. Expected <!DOCTYPE html>.

From line 1, column 1; to line 1, column 25

{% extends "base.html" %} \( \cdot \) \( \text{bl} \)
```

```
3. Error Element head is missing a required instance of child element title.

From line 1, column 1; to line 1, column 25

[{% extends "base.html" %}↔{% bl}

Content model for element head:
```

If the document is <u>an iframe srcdoc document</u> or if title information is available from a higher-level protocol: Zero or more elements of <u>metadata content</u>, of which no more than one is a <u>title</u> element and no more than one is a <u>base</u> element.

Otherwise: One or more elements of <u>metadata content</u>, of which exactly one is a <u>title</u> element and no more than one is a <u>base</u> element.

Document checking completed.

Source

```
1. {% extends "base.html" %}↔
 2. {% block content %}↔
 3. ←
 4. <div class="row">←
 5.
        <div class="col s10 offset-s1 m6 offset-m3">←
             <div class="card-panel teal lighten-5">↔
 6.
 7.
                 <h4 class="center-align blue-grey-text">Log In</h4>↔
                 <div class="row">←
 8.
                     <form class="col s12 m10 offset-m1" method="POST" action="{{</pre>
 9.
    url_for('login') }}">↔
10.
                          <div class="card-panel">←
11.
                          <!-- username -->↩
12.
                              <div class="row">↔
13.
                                  <div class="input-field col s12">←
14.
                                      <i class="material-icons prefix blue-grey-</pre>
    text">person</i>↔
15.
                                      <input id="username" name="username" type="text"</pre>
    class="validate"↔
16.
                                           minlength="5" maxlength="15" pattern="^[a-zA-Z0-9]
    {5,15}$" required>↔
17.
                                       <label for="username">Username</label>↔
18.
                                  </div>↩
19.
                              </div>↩
20.
                          <!-- password -->↔
21.
                              <div class="row">↔
22.
                                  <div class="input-field col s12">←
23.
                                       <i class="material-icons prefix blue-grey-</p>
    text">lock</i>↔
24.
                                      <input id="password" type="password" name="password"</pre>
    class="validate" minlength="5"\leftrightarrow
25.
                                           maxlength="15" pattern="^[a-zA-Z0-9]{5,15}$"
    required>←
26.
                                      <label for="password">Password</label>←
27.
                                  </div>←
28.
                              </div>←
29.
                          <!-- login -->↔
                              <div class="row">↔
30.
31.
                                  <button type="submit" class="col s12 btn-large waves-effect</pre>
    waves-light">↔
```

```
32.
33.
                                     Log In↩
                                 </button>←
34.
                             </div>↩
35.
                        </div>↩
36.
                    </form>←
37.
                </div>
38.
                <div class="row">↔
39.
                    <div class="col s12 center-align">↔
40.
                        Con't have an account yet? <a href="{{ ('register') }}">Register</a>
    here</a>↩
41.
                    </div>↩
42.
                </div>↩
43.
            </div>↔
44.
       </div>↩
45. </div>↩
46. ←
47. {% endblock %}
```

Used the HTML parser.

Total execution time 9 milliseconds.

About this checker • Report an issue • Version: 22.4.22