Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source ☐ outline ☐ image report

[Options…]

Check by [text input ▾] ☐ css

```
{% extends "base.html" %}
{% block content %}

<div class="row">
    <div class="col s10 offset-s1 m6 offset-m3">
        <div class="card-panel teal lighten-5">
            <h4 class="center-align blue-grey-text">Register</h4>
            <div class="row">
                <form class="col s12 m10 offset-m1" method="POST" action="{{
url_for('register') }}">
                    <div class="card-panel">
                        <!-- username -->
                        <div class="row">
                            <div class="input-field col s12">
                                <i class="material-icons prefix blue-grey-
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **[Warning]** **Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.**

   From line 1, column 1; to line 1, column 25

   `{% extends "base.html" %}↵{% bl`

   For further guidance, consult Declaring the overall language of a page and Choosing language tags.

   If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.

2. **[Error]** **Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.**

   From line 1, column 1; to line 1, column 25

   `{% extends "base.html" %}↵{% bl`

3. **[Error]** **Element `head` is missing a required instance of child element `title`.**

   From line 1, column 1; to line 1, column 25

   `{% extends "base.html" %}↵{% bl`

   Content model for element head:

If the document is an iframe srcdoc document or if title information is available from a higher-level protocol: Zero or more elements of metadata content, of which no more than one is a `title` element and no more than one is a `base` element.

Otherwise: One or more elements of metadata content, of which exactly one is a `title` element and no more than one is a `base` element.

4. **Error** **Bad value** `{{ url_for('register') }}` **for attribute** `action` **on element** `form`: **Illegal character in path segment:** `{` **is not allowed.**

From line 9, column 17; to line 9, column 101

```
            <form class="col s12 m10 offset-m1" method="POST" action="{{
url_for('register') }}">↵
```

5. **Error** **Bad value** `{{ ('login') }}` **for attribute** `href` **on element** `a`: **Illegal character in path segment:** `{` **is not allowed.**

From line 39, column 44; to line 39, column 69

```
gistered? <a href="{{ ('login') }}"> Log I
```

Document checking completed.

Source

```
1.  {% extends "base.html" %}↵
2.  {% block content %}↵
3.  ↵
4.  <div class="row">↵
5.      <div class="col s10 offset-s1 m6 offset-m3">↵
6.          <div class="card-panel teal lighten-5">↵
7.              <h4 class="center-align blue-grey-text">Register</h4>↵
8.              <div class="row">↵
9.                  <form class="col s12 m10 offset-m1" method="POST" action="{{
url_for('register') }}">↵
10.                     <div class="card-panel">↵
11.                         <!-- username -->↵
12.                         <div class="row">↵
13.                             <div class="input-field col s12">↵
14.                                 <i class="material-icons prefix blue-grey-
text">person_add</i>↵
15.                                 <input id="username" name="username" type="text"
class="validate"↵
16.                                     minlength="5" maxlength="15" pattern="^[a-zA-Z0-9]
{5,15}$" required>↵
17.                                 <label for="username">Username</label>↵
18.                             </div>↵
19.                         </div>↵
20.                         <!-- password -->↵
21.                         <div class="row">↵
22.                             <div class="input-field col s12">↵
23.                                 <i class="material-icons prefix blue-grey-
text">lock</i>↵
24.                                 <input id="password" type="password" name="password"
class="validate"↵
25.                                     minlength="5" maxlength="15" pattern="^[a-zA-Z0-9]
{5,15}$" required>↵
26.                                 <label for="password">Password</label>↵
27.                             </div>↵
28.                         </div>↵
29.                         <!-- register -->↵
30.                         <div class="row">↵
31.                             <button type="submit" class="col s12 btn-large waves-effect
waves-light">Register↵
```

```
32.                                    </button>↵
33.                                </div>↵
34.                            </div>↵
35.                        </form>↵
36.                    </div>↵
37.                    <div class="row">↵
38.                        <div class="col s12 center-align">↵
39.                            <p>Already registered? <a href="{{ ('login') }}"> Log In here</a>
    </p>↵
40.                        </div>↵
41.                    </div>↵
42.                </div>↵
43.            </div>↵
44.    </div>↵
45.    ↵
46.    {% endblock %}
```

Used the HTML parser.

Total execution time 9 milliseconds.