Validations		NOTES
HTML	**1 - HTML Code (all pages)** Checked on https://validator.w3.org **2 - HTML Indentation (all pages)** Checked on https://www.freeformatter.com/html-formatter.html *[4 spaces per indent level]*	**Warnings** - "The date and time input types not supported in all browsers. Please be sure to test, and consider using a polyfill."
CSS	Checked on https://jigsaw.org/css-validator	**Error** - "Font-weight included 'px' in error"

Responsiveness (layout)							NOTES
All Pages	**Galaxy S5**	**iPhone 6/7/8**	**iPhone X**	**IPad**	**Desktop 1024px**	**Desktop >1200px**	
Navigation is responsive	Good	Good	Good	Good	Good	Good	n/a
index.html							
Links	Good	Good	Good	Good	Good	Good	n/a
Images	Good	Good	Good	Good	Good	Good	n/a
Renders as expected	Good	Good	Good	Good	Good	Good	n/a
appointment.html							
Links	Good	Good	Good	Good	Good	Good	n/a
Images	Good	Good	Good	Good	Good	Good	n/a
Renders as expected	Good	Good	Good	Good	Good	Good	n/a
prescription.html							
Links	Good	Good	Good	Good	Good	Good	n/a
Images	Good	Good	Good	Good	Good	Good	n/a
Renders as expected	Good	Good	Good	Good	Good	Good	n/a
contact us.html							
Links / URL	Good	Good	Good	Good	Good	Good	n/a
Images	Good	Good	Good	Good	Good	Good	n/a
Renders as expected	Good	Good	Good	Good	Good	Good	n/a

Browser Compatibility						NOTES
All Pages	**Chrome**	**Edge**	**Opera**	**IE**		
Intended appearance?	Good	Good	Good	Poor		**IE** - CSS styling not correct and white text not displayed"
Intended responsiveness?	Good	Good	Good	Poor		