



Orviohub Application-First Migration Plan

1. Executive decision

Change Orviohub from an **organization-first onboarding model** to an **application-first model**, similar to the Zoho-style pattern you described.

The new principle is:

A user creates an Orviohub account first, selects the application they want to use, and creates or selects an organization only when that application requires one.

The initial experience should not ask users to configure an organization, workspace, or branch before they have chosen a product.

```
Create account
  ↓
Verify account
  ↓
Sign in
  ↓
Select application
  ↓
Create or select organization
  ↓
Complete application onboarding
  ↓
Open application dashboard
```

For Inventory:

```
Account
  ↓
Select Inventory
  ↓
Create Inventory organization
  ↓
Set up products and stock
  ↓
Open Inventory dashboard
```

This approach reduces onboarding friction while preserving the existing multi-tenant architecture. The current project already separates authentication from authorization and

supports multiple applications, organizations/workspaces, memberships, product access, subscriptions, and onboarding flows. ^[1] ^[2]

2. New product model

Personal account

The account belongs to an individual user and exists independently of any organization.

It includes:

- Login methods.
- Password.
- Profile.
- Sessions.
- Security activity.
- Notifications.
- Preferences.
- Privacy controls.
- Application history.
- Organization memberships.

A user may have no organization at all.

```
User: Mary Johnson
Account: Active
Organizations owned: None
Organizations joined: None
```

Application

An application is the product the user wants to use.

Examples:

- Inventory.
- Task Management.
- Bookings.
- Gym Management.
- CRM.

The application is the first meaningful decision after login.

Organization

An organization is the business, store, company, team, gym, or group that owns the application data.

For technical purposes, the organization continues to be represented by a workspace.

Customer-facing term: Organization

Backend term: Workspace

Branch

Branches should not be part of the initial account or organization creation flow.

They become an optional feature inside an application after the user has entered the product.

Organization

└─ Inventory

└─ Optional branches

For the first Inventory version, the user can operate without consciously managing branches. The system may use a default internal location if required, but the user should not be forced to configure one during signup.

3. New end-to-end user journey

Stage 1: Account creation

The user visits Orviohub and selects **Create account**.

The signup page should say:

Create your Orviohub account

Your account lets you securely sign in, manage your profile, and access Orviohub app.

Supported methods:

- Email and password.
- Google.
- Facebook.

At this stage, collect only:

- First name.
- Last name.
- Email.

- Password.
- Terms acceptance.
- Privacy acknowledgement.
- Optional marketing consent.

Do not ask for:

- Organization name.
- Business name.
- Branch name.
- Business address.
- Products.
- Pricing plan.
- Inventory information.

The backend creates only the user account.

```
User created: Yes
Organization created: No
Workspace created: No
Branch created: No
Application activated: No
```

The existing onboarding plan already recommends collecting minimum account data before asking for workspace or business information. ^[3]

Stage 2: Verification

For email signup:

1. Create a pending user.
2. Send a verification email.
3. Store only a hashed verification token.
4. Require verification before sensitive actions.
5. Mark the account active after successful verification.
6. Record the verification event.
7. Redirect to the application-selection screen.

For Google or Facebook:

1. Validate the provider response server-side.
2. Find or create the Orvionhub account.
3. Link the provider identity.
4. Create an Orvionhub session.

5. Redirect to application selection.

Stage 3: Application selection

After login, show the App Launcher.

What would you like to use?

Inventory

Manage products, stock, sales, customers, and suppliers.

Task Management

Manage tasks, projects, and team work.

Bookings

Manage appointments and reservations.

Gym Management

Manage members, plans, and attendance.

CRM

Manage customers and relationships.

Each product card should include:

- Product name.
- Short description.
- Main benefits.
- Availability status.
- Explore action.
- Create or select organization action where appropriate.

The user should not be asked to create an organization before selecting an application.

Stage 4: Application eligibility check

After the user selects an application, the backend checks:

Is the user authenticated?

Is the account active?

Does the user already have access to this application?

Does the user belong to an organization with this application?

Does the user own an organization that can activate it?

Does the user have a pending invitation?

Then route the user accordingly.

Case A: Existing application access

```
Select Inventory
  ↓
Find organizations with Inventory access
  ↓
Show organization selector
  ↓
User selects organization
  ↓
Open Inventory
```

Case B: No organization or application access

```
Select Inventory
  ↓
Show "Create your Inventory organization"
  ↓
Collect organization details
  ↓
Create organization
  ↓
Activate Inventory
  ↓
Begin Inventory onboarding
```

Case C: Pending invitation

```
Select Inventory
  ↓
Show invitation to Code X Stores
  ↓
User accepts invitation
  ↓
Membership activated
  ↓
Open Inventory
```

Case D: User only wants to explore

```
Select Inventory
  ↓
User chooses Explore
  ↓
Show Inventory product preview
  ↓
No organization created
```

4. Organization creation flow

Organization creation should be triggered by the selected application.

For Inventory, show:

Create your Inventory organization

This is where you'll manage your products, stock, sales, and customers.

Organization name

Country

Currency

[Create organization]

Use business-focused language where possible:

Create your business

Business name

Business type

The user may select:

- Business or store.
- Company or team.
- Gym or club.
- School or institution.
- Personal use.
- Other.

For Inventory, collect only the minimum required fields:

Required:

- Organization or business name.
- Country.
- Currency.

Optional:

- Business phone.
- Business email.
- Address.
- State.
- City.

- Logo.
- Industry.

Do not require branch setup at this point.

When the user submits the form, the backend creates:

```
Workspace
Owner membership
Default roles
Organization settings
Inventory entitlement
Inventory onboarding flow
Audit event
Welcome notification
```

The organization-creation operation must be idempotent so retries do not create duplicate organizations. The existing workspace plan already requires creation of the workspace, owner membership, default roles, product entitlements, onboarding records, audit events, and notifications.^[4]

5. Inventory onboarding

After organization creation, begin Inventory onboarding.

```
Create organization
  ↓
Inventory organization created
  ↓
Inventory onboarding
```

Recommended sequence:

1. Welcome to Inventory.
2. Select business type.
3. Add or confirm business details.
4. Configure basic currency and pricing.
5. Add products manually, import CSV, use sample products, or start empty.
6. Add opening stock, skip, or add later.
7. Configure receipt preferences.
8. Invite staff, skip, or add later.
9. Complete a first-sale tutorial.
10. Enter the Inventory dashboard.

Do not require all steps before dashboard access.

The user may:

- Skip optional steps.
- Resume setup later.
- Add branches later.
- Invite staff later.
- Import products later.
- Configure receipts later.

The first successful outcome should be:

```
Organization created
↓
At least one product added
↓
User can record a sale
↓
User reaches Inventory dashboard
```

The current Inventory PRD identifies the essential business loop as product, stock received, sale, payment, receipt, stock deduction, report, and reorder. ^[2]

6. App Launcher behavior

The App Launcher becomes the central navigation point after login.

Recommended structure:

```
App Launcher
├─ Current organization
├─ Application list
├─ Create organization
├─ Join organization
├─ Invitations
├─ Billing
├─ Help
└─ Personal account
```

When the user has no organization

Show:

```
Welcome to Orvionhub

You haven't created or joined an organization yet.

Choose an application to get started, or explore Orvionhub and decide later.
```

```
[Explore applications]
[Create an organization]
[Join an organization]
[Go to my account]
```

When the user has one organization

Show the organization and its available applications.

```
Code X Stores

Inventory
[Open application]

Task Management
[Activate]
```

When the user has multiple organizations

Show an organization selector:

```
Choose an organization

Code X Stores
Inventory

Code X Pharmacy
Inventory

Code X Projects
Task Management

[Create another organization]
```

When the user belongs to organizations owned by others

Show them alongside owned organizations, but distinguish the relationship:

```
My organizations
- Code X Stores — Owner

Organizations I joined
- ABC Wholesale — Staff
```

A user should be able to access an organization only if the membership is active and the application is enabled.

7. Organization and application relationship

Use this model:

```
User
├── Organization membership
│   ├── Organization/workspace
│   │   ├── Application access
│   │   │   ├── Application role
│   │   │   └── Optional branch access
```

Example:

```
User: Mary Johnson
Organization: Code X Stores
Application: Inventory
Application role: Sales Attendant
Branch access: Not explicitly configured initially
```

Later:

```
User: Mary Johnson
Organization: Code X Stores
Application: Inventory
Application role: Sales Attendant
Branch access:
- Main Store
```

Product access must be evaluated separately from organization membership.

A user may belong to an organization but not have access to every application.

```
Mary
├── Code X Stores
│   ├── Inventory: Sales Attendant
│   ├── Task Management: No access
│   └── CRM: No access
```

The existing platform design already distinguishes workspace membership, product entitlement, and product membership.^[1]

8. Branch migration and simplification

Branches should remain supported in the data model because Inventory may later need:

- Multiple stores.
- Warehouses.

- Stock transfers.
- Branch-specific reports.
- Branch-specific staff access.
- Branch-level inventory.
- Branch performance comparisons.

However, branches should be deferred in the user journey.

MVP branch behavior

For the initial release:

- Do not show branch creation during signup.
- Do not require branch selection before organization creation.
- Do not require users to understand branches.
- Use one default operational location internally where necessary.
- Allow the user to rename or configure it later.
- Show branch management only when the user opens it from Inventory settings.
- Introduce additional branches as a paid or plan-controlled feature if appropriate.

This preserves the existing multi-branch capability without making it part of the first-use experience. The Inventory PRD already treats multiple branches as a product capability that can be introduced after the core product workflow.^[2]

Later branch flow

```
Inventory dashboard
↓
Settings
↓
Branches and locations
↓
Create branch
↓
Add name, address, phone, and code
↓
Assign staff
↓
Assign branch access
↓
Manage branch inventory
```

9. Notifications plan

Notifications should follow the new application-first journey.

Account notifications

Send for:

- Account created.
- Email verification.
- New login.
- New device.
- Password changed.
- Email changed.
- Login method connected.
- Login method disconnected.
- Session revoked.
- Account recovery.
- Account deletion request.

Application notifications

Send for:

- Application selected.
- Application activated.
- Application onboarding started.
- Application onboarding incomplete.
- Application onboarding completed.
- Product import completed.
- Product import failed.
- First sale completed.
- Low stock.
- Failed synchronization.

Organization notifications

Send only after an organization exists:

- Organization created.
- Organization updated.

- Invitation sent.
- Invitation accepted.
- Member joined.
- Member role changed.
- Member suspended.
- Member removed.
- Application activated.
- Application deactivated.
- Organization archived.
- Organization restored.

Billing notifications

Send to the organization owner or authorized billing manager:

- Plan selected.
- Checkout started.
- Payment successful.
- Payment failed.
- Trial ending.
- Subscription renewed.
- Subscription cancelled.
- Plan changed.
- Usage limit reached.
- Grace period started.

The existing project notification plan already separates account, workspace, product, billing, and security notifications. Update it so organization and product events occur only after the relevant organization or application exists. [\[3\]](#) [\[2\]](#)

10. Billing changes

Billing should be triggered by application and organization activation, not by account creation.

Account-only user

```
Account: Active
Organization: None
Application subscription: None
Billing obligation: None
```

User creates Inventory organization

```
Account: Active
Organization: Code X Stores
Application: Inventory
Plan: Free or paid
Billing: Attached to organization/workspace
```

User joins another organization

```
User: Mary Johnson
Organization: ABC Wholesale
Role: Sales Attendant
Subscription payer: ABC Wholesale
Mary's personal billing obligation: None
```

The application-first model should support:

- Free application activation.
- Paid application activation.
- Organization-level subscriptions.
- Multiple organizations later.
- Application-specific plans if required.
- Usage limits.
- Upgrade prompts only when a limit is reached.

The project's pricing plan already recommends billing the workspace/business rather than individual employees.^[5]

11. Backend migration

Existing architecture to preserve

Keep:

```
users
authIdentities
userPreferences
userSessions
userConsents

workspaces
workspaceMemberships
workspaceProducts
productMemberships
workspaceInvitations
branches
```

```
workspaceEntitlements
workspaceAuditLogs
onboardingFlows

plans
billingAccounts
subscriptions
usageCounters
```

New or updated fields

Add or confirm fields that support application-first entry:

```
users:
- onboardingStatus
- lastSelectedProduct
- lastSelectedWorkspaceId
- explorerMode
- profileCompletedAt

workspaceProducts:
- activationSource
- activatedAt
- onboardingStatus

onboardingFlows:
- productKey
- workspaceId
- entryPoint
- status
- currentStep
- completedSteps
- skippedSteps
```

Possible entryPoint values:

```
product_landing_page
app_launcher
invitation
organization_settings
support
```

Important rule

Do not require workspaceId for:

- Signup.
- Login.
- Email verification.
- Personal profile.

- Security.
- Sessions.
- Notifications.
- Product discovery.
- App selection.

Require workspaceId only for:

- Organization data.
- Application data.
- Product access.
- Business operations.
- Members.
- Branches.
- Billing entitlements.
- Organization audit logs.

12. Backend request flow

Use this flow for application access:

```
Request
↓
Authenticate user
↓
Resolve requested application
↓
Resolve selected organization, if any
↓
Verify active organization membership
↓
Verify application entitlement
↓
Verify product membership
↓
Verify role and permissions
↓
Resolve branch context if required
↓
Verify resource ownership
↓
Execute operation
↓
Write audit event
```

The backend must never authorize access based only on:

- User ID.
- Organization ID.
- Workspace ID.
- Product key.
- Branch ID.
- Frontend role.
- Frontend application state.

The existing architecture requires authorization to evaluate the user, workspace, product, membership, role, permissions, resource ownership, and session. ^[1]

13. Routing plan

Account routes

```
/accounts.orviohub.com/signup  
/accounts.orviohub.com/login  
/accounts.orviohub.com/verify-email  
/accounts.orviohub.com/profile  
/accounts.orviohub.com/security  
/accounts.orviohub.com/sessions
```

App Launcher routes

```
/app.orviohub.com/  
/app.orviohub.com/apps  
/app.orviohub.com/organizations  
/app.orviohub.com/organizations/new  
/app.orviohub.com/invitations  
/app.orviohub.com/billing
```

Product routes

```
/inventory.orviohub.com/  
/inventory.orviohub.com/onboarding  
/inventory.orviohub.com/dashboard  
/inventory.orviohub.com/settings
```

Routing rules

```
Unauthenticated:  
  redirect to login
```

```
Authenticated but unverified:  
  redirect to verification
```

Authenticated with incomplete profile:
redirect to profile setup

Authenticated with no application selected:
redirect to App Launcher

Authenticated with application selected but no organization:
show create/select/join organization options

Authenticated with selected application and one valid organization:
continue to application

Authenticated with selected application and multiple organizations:
show organization selector

Authenticated with pending invitation:
show invitation decision

Authenticated with organization but no product access:
show activation or access-request screen

Authenticated with product access but incomplete onboarding:
redirect to product onboarding

Authenticated with completed onboarding:
open product dashboard

14. Data migration strategy

Phase 1: Freeze current behavior

Before changing the flow:

- Document current signup routes.
- Document current workspace creation behavior.
- Identify all automatic workspace creation logic.
- Identify all routes that assume a workspace exists.
- Identify all components that require `workspaceId`.
- Identify all onboarding redirects.
- Identify all notification triggers.
- Identify all billing triggers.
- Create test coverage for the current flow.

Phase 2: Separate account creation

Change signup so it:

- Creates only a user.
- Does not create a workspace automatically.
- Does not create a branch automatically.
- Does not activate a product automatically.
- Redirects to application selection after verification.

Phase 3: Build application selection

Implement:

- App Launcher.
- Product cards.
- Product descriptions.
- Application selection state.
- Product discovery pages.
- Application return URLs.
- Application eligibility checks.

Phase 4: Move organization creation after application selection

Implement:

- Product-specific organization creation.
- Inventory organization creation.
- Organization creation from the App Launcher.
- Organization creation from product landing pages.
- Organization creation from invitations where applicable.
- Idempotent organization creation.

Phase 5: Update onboarding

Change onboarding from:

```
Account
  ↓
Create organization
  ↓
Select application
  ↓
Select plan
```

↓
Product onboarding

To:

Account
↓
Select application
↓
Create or select organization
↓
Select plan
↓
Product onboarding

Phase 6: Defer branch setup

Change Inventory onboarding so branch setup is:

- Optional.
- Hidden from the initial signup path.
- Available after entering Inventory.
- Available from Inventory settings.
- Triggered when the user selects multi-location operation.
- Controlled by plan limits.

Phase 7: Update App Launcher

Implement:

- Organization selector.
- Product selector.
- Application status.
- Onboarding progress.
- Invitations.
- Create organization.
- Join organization.
- Billing access.
- Personal account access.

Phase 8: Update notifications

Audit all notification triggers and ensure:

- Account notifications do not require organization context.
- Organization notifications occur only after organization creation.
- Product notifications include the correct organization and application.
- Billing notifications go to authorized organization billing users.
- Branch notifications are not sent before branches exist.

Phase 9: Update billing

Change billing so:

- Account creation is free.
- Organization creation does not automatically require payment.
- Application activation determines whether a plan is needed.
- Subscription belongs to the organization/workspace.
- Staff members do not pay independently.
- Usage is calculated per organization and product.

Phase 10: Remove obsolete flows

Remove or replace:

- Mandatory organization creation immediately after signup.
- Mandatory branch setup during onboarding.
- Global organization selection before application selection.
- Automatic default workspace creation.
- Routes that assume every user owns a workspace.
- Notifications that imply an organization exists before one is created.
- Billing logic triggered by account creation alone.

15. Example user stories

Account-only user

As a new user, I want to create an Orviohub account without creating an organization so that I can explore the platform before deciding what I need.

Acceptance criteria:

- Account creation succeeds without organization details.

- No workspace is created automatically.
- No branch is created automatically.
- The user can sign in.
- The user can access the App Launcher.
- The user can manage personal account settings.

Application selection

As an authenticated user, I want to select an Orviohub application before creating an organization so that I only provide business information relevant to the product I want to use.

Acceptance criteria:

- The user sees available applications.
- The user can select Inventory.
- The user is not asked to create an organization before selecting Inventory.
- The selected application is preserved through the next step.

Create Inventory organization

As a user who selects Inventory without an existing Inventory organization, I want to create one directly from the Inventory flow so that I can begin managing products and sales quickly.

Acceptance criteria:

- The user sees an Inventory-specific organization form.
- The form collects only required information.
- The organization is created once.
- The user becomes the organization owner.
- Inventory is activated.
- Inventory onboarding begins.
- The user can enter the Inventory dashboard.

Join an organization

As a staff member, I want to accept an invitation to an organization without creating my own organization so that I can use the application my employer assigned to me.

Acceptance criteria:

- The invitation identifies the organization.
- The invitation identifies the application and role.

- The user can accept or decline.
- The user does not need to own an organization.
- Product access is granted only after acceptance.
- The user is redirected to the correct application.

Multiple organizations

As an organization owner, I want to create another organization later so that I can manage more than one business from the same Orvionhub account.

Acceptance criteria:

- The user can create another organization from the App Launcher.
- Existing organizations remain separate.
- Each organization has separate members, applications, billing, and data.
- The user can switch between organizations.
- The selected organization is validated by the backend.

Deferred branches

As an Inventory user, I want to start managing products and sales without configuring branches so that I can begin using the system quickly.

Acceptance criteria:

- Branch setup is not required during signup.
- The user can add products and record sales.
- The user can configure branches later.
- Branch access is enforced when branches are enabled.
- Adding branches does not change existing product records incorrectly.

16. Testing plan

Account tests

- Signup with email and password.
- Signup with Google.
- Signup with Facebook.
- Email verification.
- Duplicate signup.
- Password reset.
- Login without organization.

- Logout without organization.
- Profile management without organization.
- Security management without organization.

Application-selection tests

- View App Launcher.
- Select Inventory.
- Select Task Management.
- Select an unavailable application.
- Explore a product without creating an organization.
- Preserve selected application after redirect.
- Return to App Launcher.

Organization tests

- Create organization after selecting Inventory.
- Create organization after selecting Task Management.
- Create duplicate organization request.
- Create multiple organizations.
- Join organization by invitation.
- Decline invitation.
- Expired invitation.
- Revoked invitation.
- User with no organization.
- User with organization owned by someone else.

Application-access tests

- Organization with Inventory enabled.
- Organization without Inventory enabled.
- User with organization membership but no product membership.
- User with product membership but insufficient role.
- User with suspended organization.
- User with removed membership.
- Cross-organization data access attempt.

Branch tests

- Inventory without branch configuration.
- Default operational location.
- Add branch later.
- Assign user to branch.
- Deny unauthorized branch access.
- Cross-branch data isolation.
- Branch-specific reports.
- Branch limits based on subscription.

Billing tests

- Account signup without billing.
- Free application activation.
- Paid application activation.
- Organization subscription.
- Staff member joining paid organization.
- Usage limit reached.
- Upgrade.
- Downgrade.
- Payment failure.
- Subscription cancellation.

Notification tests

- Account notifications without organization.
- Organization-created notification.
- Application-activated notification.
- Invitation notification.
- First-sale notification.
- Low-stock notification.
- Billing notifications.
- No organization notification sent before organization creation.

17. Final experience

The final Orvionhub experience should be:

```
User creates account
  ↓
User logs in
  ↓
User sees App Launcher
  ↓
User selects Inventory
  ↓
If Inventory organization exists:
  Select organization
  ↓
If none exists:
  Create Inventory organization
  ↓
Complete or skip optional Inventory setup
  ↓
Open Inventory dashboard
```

For a new user:

```
Account
  ↓
Inventory
  ↓
Create your Inventory organization
  ↓
Add products
  ↓
Record first sale
  ↓
View dashboard
```

For an invited staff member:

```
Account
  ↓
Inventory invitation
  ↓
Accept invitation
  ↓
Select assigned organization
  ↓
Open Inventory
```

For an exploratory user:

```
Account
  ↓
App Launcher
  ↓
Explore Inventory
  ↓
View product information or demo
  ↓
Create organization later
```

Final product policy

Orviohub should use an application-first onboarding model. Users create one personal Orviohub account, sign in, and select the application they want to use. If the selected application requires an organization and the user has none, Orviohub asks them to create one at that moment. If the user already belongs to an organization with access, they select it and continue. Branches are optional and deferred until the user needs multi-location management. The App Launcher connects the user account, applications, organizations, and later branches without forcing unnecessary setup before the user has chosen a product.

✱✱

1. docs/authentication and onboarding plans.pdf
2. docs/Orviohub full PRD.pdf
3. docs/Orviohub Account Signup and Onboarding Journey.pdf
4. docs/Workspace Management Implementation Plan.pdf
5. docs/Orviohub Pricing Implementation Plan.pdf