



Orviohub Account Signup and Onboarding Journey

Journey objective

The journey should take a new visitor from the public Orviohub website to a usable application dashboard with the minimum necessary information collected.

The user should be able to:

1. Discover Orviohub.
2. Create one account.
3. Verify their identity.
4. Create or join a workspace.
5. Select an application.
6. Choose a pricing plan.
7. Complete product onboarding.
8. Reach the product dashboard.
9. Start using the application.

The recommended principle is **data minimization**: collect only information needed for authentication, security, workspace setup, billing, and the selected application. Nigeria's Data Protection Act requires users to be informed about the controller, lawful basis, purposes, and recipients before personal data is collected. Privacy-by-design guidance also recommends collecting only information that is adequate, relevant, and necessary for a defined purpose. ^[1]
^[2] ^[3]

1. Journey overview

```
orviohub.com
  ↓
Product landing page
  ↓
Create account
  ↓
Choose authentication method
  ↓
Verify email if required
  ↓
Welcome screen
  ↓
```

```
Basic profile setup
↓
Create or join workspace
↓
Select application
↓
Select pricing plan
↓
Product onboarding
↓
Invite team members
↓
Onboarding completion
↓
Application dashboard
```

For the first product:

```
inventory.orviohub.com
```

For future products:

```
taskmanagement.orviohub.com
gym.orviohub.com
booking.orviohub.com
```

Organizations should not have their own subdomains. Workspace information should be managed inside the application.

2. Screen 1: Main landing page

URL:

```
https://orviohub.com
```

What the user sees

- Orviohub logo.
- Navigation menu.
- Product overview.
- Main value proposition.
- Inventory product preview.
- List of future applications.
- Pricing preview.
- Customer benefits.

- Testimonials later.
- Help and support link.
- Sign in button.
- Get started button.

Primary actions

```
Get started
Explore Inventory
View pricing
Sign in
```

Data collected

No personal data should be required just to view the landing page.

Optional anonymous analytics may collect:

- Page visited.
- Device type.
- Browser type.
- Approximate country or region.
- Referral source.
- Session duration.
- Button clicks.

Avoid collecting names, emails, phone numbers, or precise location without a clear reason and notice.

User journey

1. User reads about Orviohub.
2. User chooses a product.
3. User selects “Get started.”
4. User is redirected to the selected product landing page or account creation.

3. Screen 2: Product landing page

Example URL:

```
https://orviohub.com/inventory
```

What the user sees

- Inventory product name.
- Main benefits.
- Product screenshots.
- Features.
- Offline capability.
- Pricing preview.
- Frequently asked questions.
- “Start free” button.
- “Book a demo” button, if available.
- “Sign in” button.

Data collected

No required personal data for viewing the page.

If the user selects “Book a demo,” collect:

- Name.
- Email.
- Phone number, optional.
- Business name, optional.
- Business type.
- Preferred contact method.
- Message.
- Consent to be contacted.

Do not automatically subscribe demo-request users to marketing messages without separate consent.

4. Screen 3: Account creation method

URL:

```
https://accounts.orviohub.com/signup
```

What the user sees

Create your Orvionhub account

Options:

- Continue with Google.
- Continue with Facebook.
- Continue with email.
- Sign in instead.
- Terms of Service link.
- Privacy Policy link.

Data collected at this stage

For email signup:

- Email address.
- Password.
- First name.
- Last name.
- Terms acceptance.
- Privacy-policy acknowledgement.
- Optional marketing consent.

For Google or Facebook signup:

- Provider user ID.
- Provider email, if available.
- Provider email verification status.
- Provider display name.
- Provider profile image, if available.
- Authentication provider.
- Consent and authorization result.

Do not request business details at this stage. The user has not yet chosen or created a workspace.

Consent controls

Use separate controls for:

- Acceptance of Terms of Service.
- Acknowledgement of Privacy Policy.
- Optional marketing communication.

Marketing consent must not be bundled with account creation.

5. Authentication methods

Email and password

User journey

1. User enters email.
2. User enters password.
3. User enters first and last name.
4. User accepts Terms and Privacy Policy.
5. User selects Create account.
6. Backend validates the request.
7. System creates a pending user.
8. System sends verification email.
9. User proceeds to email verification.

Validation

- Valid email format.
- Normalized lowercase email.
- Password minimum length.
- Password strength.
- Password confirmation.
- Terms accepted.
- Privacy policy acknowledged.
- Rate limits applied.
- Duplicate-account handling.

Google

User journey

1. User selects Continue with Google.
2. Redirect to Google.
3. User authenticates and grants permission.
4. Google redirects to Orvionhub.
5. Backend validates the response.
6. System finds or creates the Orvionhub user.
7. System creates an Orvionhub session.
8. User proceeds to onboarding.

Google authentication should use OAuth 2.0 Authorization Code Flow with OpenID Connect. Google documents OIDC endpoints and identity claims for this flow. ^[4] ^[5]

Data collected

- Google provider subject.
- Email.
- Email verification status.
- Name.
- Profile image.
- Provider access metadata necessary for the session.
- Consent timestamp.

Do not collect Google contacts, Drive files, Calendar data, or other scopes unless a future product explicitly requires them.

Facebook

User journey

1. User selects Continue with Facebook.
2. Redirect to Facebook.
3. User authenticates and approves requested permissions.
4. Facebook redirects to Orvionhub.
5. Backend validates the response.
6. System finds or creates the Orvionhub user.
7. If no verified email is available, ask the user to provide one.
8. System creates the session.

9. User proceeds to onboarding.

Data collected

- Facebook provider subject.
- Name.
- Email, if available.
- Email verification status, if available.
- Profile image, if available.
- Provider connection metadata.
- Consent timestamp.

Request only minimum permissions. Do not assume Facebook will always provide an email address.

6. Screen 4: Email verification

URL:

```
https://accounts.orviohub.com/verify-email
```

What the user sees

```
Check your email  
We sent a verification link to your email address.
```

Actions:

- Resend verification email.
- Change email.
- Open email application.
- Continue after verification.
- Contact support.

Data collected

- Email-verification token hash.
- User ID.
- Token creation time.
- Token expiration time.
- Verification timestamp.
- Request IP and user agent for security logs.

Do not store raw verification tokens.

Verification states

- Email sent.
- Email verified.
- Link expired.
- Link already used.
- Too many resend attempts.
- Email delivery failed.
- Account suspended.

After verification

- Mark email as verified.
- Record audit event.
- Send confirmation notification.
- Redirect to welcome or return URL.
- Continue account onboarding.

7. Screen 5: Welcome screen

URL:

```
https://accounts.orviohub.com/welcome
```

What the user sees

```
Welcome to Orviohub  
One account for all your business applications.
```

Actions:

- Create a workspace.
- Join an existing workspace.
- Explore applications.
- Continue later.

Data collected

No new personal data is required.

The system records:

- Welcome screen viewed.
- Selected action.
- User ID.
- Timestamp.
- Source application.

8. Screen 6: Basic profile setup

URL:

```
https://accounts.orviohub.com/profile/setup
```

What the user sees

- Profile photo upload.
- First name.
- Last name.
- Phone number.
- Country.
- State.
- City.
- Time zone.
- Preferred language.

Required fields

- First name.
- Last name.
- Country.
- Time zone.

Optional fields

- Profile photo.
- Phone number.
- State.
- City.
- Preferred language.

Why each field is collected

Field	Purpose
First name	Personalization and communication
Last name	Account identification
Email	Authentication and notifications
Phone	Recovery, support, and future OTP
Country	Localization and billing
State/city	Optional regional support and localization
Time zone	Correct dates and notifications
Language	Future localization
Profile photo	Team recognition

The user should be allowed to skip optional fields.

Data not collected

Do not request:

- National identification number.
- Bank account details.
- BVN.
- NIN.
- Business registration certificate.
- Home address.
- Date of birth.

These are not required for ordinary account creation.

9. Screen 7: Workspace choice

URL:

```
https://accounts.orviohub.com/workspaces/choose
```

What the user sees

Options:

- Create a new workspace.
- Join an existing workspace.
- Continue to my workspaces.

If the user has invitations, show them clearly.

Data collected

The system records:

- Chosen action.
- User ID.
- Invitation IDs viewed.
- Timestamp.

10. Screen 8: Create workspace

URL:

```
https://accounts.orviohub.com/workspaces/new
```

What the user sees

```
Create your workspace  
Your workspace is where you manage your business or team.
```

Required fields

- Workspace name.
- Workspace type.
- Country.
- Currency.
- Time zone.

Optional fields

- Workspace logo.
- State.
- City.
- Business phone.
- Business email.
- Address.
- Business description.
- Industry.
- Estimated team size.

Recommended workspace types

- Business.
- Team.
- Personal.
- Club or community.
- School or institution.
- Other.

For Inventory, default to Business.

Data collected

Workspace identity

- Workspace ID.
- Workspace name.
- Workspace slug.
- Workspace type.
- Owner ID.
- Status.
- Created date.

Location and localization

- Country.
- State.
- City.
- Time zone.

- Currency.

Business information

- Business phone.
- Business email.
- Address.
- Industry.
- Business description.
- Logo.

Collect business address and phone only if they are useful for receipts, support, or product functionality.

Workspace creation result

The backend creates:

1. Workspace.
2. Owner membership.
3. Default roles.
4. Default workspace settings.
5. Selected product entitlement later.
6. Onboarding flow.
7. Audit event.
8. Welcome notification.

The workspace is not assigned its own subdomain.

11. Screen 9: Product selection

URL:

```
https://app.orviohub.com/products
```

What the user sees

Product cards:

- Inventory.
- Task Management.
- Gym.
- Bookings.

- CRM.
- Future applications.

Each card shows:

- Product name.
- Description.
- Main benefits.
- Availability.
- Free-plan eligibility.
- Activate button.

Free-plan rule

A Free user can activate only one application in one owned workspace.

If the user selects a second application, show:

Your Free plan includes one application.
Upgrade to Standard to activate more applications.

Data collected

- Selected product.
- Product activation event.
- Workspace ID.
- User ID.
- Timestamp.

12. Screen 10: Pricing-plan selection

URL:

<https://app.orviohub.com/pricing>

What the user sees

Free

- One workspace.
- One application.
- One branch.

- Limited members.
- Limited products.
- Basic reports.
- Basic support.

Standard

- Multiple workspaces.
- Multiple applications.
- More members.
- More branches.
- Larger product catalogue.
- Better reports.
- Email and WhatsApp support.

Premium

- More workspaces.
- All applications.
- More members.
- More branches.
- Advanced reports.
- API access.
- Priority support.

Data collected

Before a free plan:

- Plan selection.
- Currency.
- Acceptance of plan terms.

Before a paid plan:

- Billing name.
- Billing email.
- Billing phone, if required.
- Billing address, where needed.
- Tax information, if needed.
- Payment-provider customer ID.

- Selected billing interval.
- Payment transaction reference.

Do not collect card information directly. Use the payment provider's secure checkout.

Important distinction

The plan belongs to the billing account or workspace subscription, not to every employee.

A staff member invited into a paid workspace should not need to pay separately.

13. Screen 11: Inventory onboarding

URL:

```
https://inventory.orviohub.com/onboarding
```

Step 1: Inventory welcome

Show:

- Setup progress.
- Estimated time.
- Required and optional steps.
- Continue button.
- Skip optional setup button.

Data recorded:

- Onboarding started.
- Product key.
- Workspace ID.
- User ID.
- Timestamp.

Step 2: Business type

Options:

- Provision store.
- Supermarket.
- Boutique.
- Cosmetics.
- Electronics.

- Wholesale.
- Pharmacy.
- Other.

Data collected:

- Business category.
- Optional business subtype.

Purpose:

- Customize defaults.
- Recommend relevant setup.
- Improve product analytics.

Step 3: Branch setup

Fields:

- Branch name.
- Address.
- Phone.
- Branch code.
- Manager.
- Operating status.

For MVP:

- Create one primary branch automatically.
- Allow the user to rename it.
- Additional branches depend on plan.

Step 4: Inventory settings

Fields:

- Currency.
- Prices include tax: Yes/No.
- Negative stock allowed: Yes/No.
- Default product unit.
- Default price type.
- Default reorder behavior.

Recommended defaults:

Currency: NGN
Negative stock: No
Default unit: Piece

Step 5: Product setup choice

Options:

- Add products manually.
- Import from CSV.
- Use sample products.
- Start without products.

Data collected:

- Setup method.
- Import file, if used.
- Product records.
- Product category.
- Product prices.
- Opening quantities.
- Reorder levels.

Step 6: Manual product setup

Fields:

- Product name.
- SKU.
- Barcode.
- Category.
- Brand.
- Unit.
- Purchase cost.
- Selling price.
- Wholesale price, optional.
- Opening quantity.
- Reorder level.
- Image, optional.
- Preferred supplier, optional.

Step 7: CSV import

The user:

1. Downloads a template.
2. Fills product information.
3. Uploads the file.
4. Reviews validation results.
5. Fixes errors.
6. Confirms import.
7. Sees import summary.

Do not store uploaded files indefinitely. Apply a retention policy.

Step 8: Opening stock

Options:

- Enter manually.
- Import.
- Start with zero.
- Add later.

Data collected:

- Product ID.
- Branch ID.
- Quantity.
- Cost.
- Opening-stock date.
- User who entered it.

Step 9: Staff invitation

Fields:

- Staff name.
- Email or phone.
- Role.
- Product.
- Branch.
- Optional message.

The invitee's information is collected only for the purpose of invitation and workspace access.

Step 10: Receipt settings

Fields:

- Receipt business name.
- Business phone.
- Business address.
- Logo.
- Footer message.
- Return policy.
- Tax display.
- Receipt numbering preference.

Step 11: First-sale tutorial

The system guides the user through:

1. Search product.
2. Add product.
3. Select customer.
4. Select payment method.
5. Complete sale.
6. View receipt.
7. View updated stock.

Step 12: Completion

Display:

- Products added.
- Opening stock configured.
- Staff invited.
- First sale completed.
- Next recommended actions.

Actions:

- Go to dashboard.
- Add products.
- Set low-stock levels.
- Invite staff.
- View reports.

14. What data is collected

Account data

Required or commonly collected:

- User ID.
- First name.
- Last name.
- Email.
- Password hash, for password accounts.
- Email verification status.
- Authentication provider.
- Provider subject.
- Profile photo URL, if provided.
- Phone number, optional.
- Country.
- Time zone.
- Account status.
- Created date.
- Last login date.

Authentication security data

- Session ID.
- Session hash.
- Device ID.
- Device name.
- Browser type.
- Operating system.
- IP address.
- Approximate location derived from IP, if used.
- Login timestamp.
- Last active timestamp.
- Session expiry.
- Revocation timestamp.
- Authentication method.

Do not store raw passwords, raw session tokens, OAuth client secrets, or raw password-reset tokens.

Workspace data

- Workspace ID.
- Workspace name.
- Workspace slug.
- Workspace type.
- Owner ID.
- Logo.
- Country.
- State.
- City.
- Address.
- Business phone.
- Business email.
- Currency.
- Time zone.
- Industry.
- Status.
- Created and updated dates.

Membership data

- Workspace ID.
- User ID.
- Product.
- Role.
- Permission scope.
- Branch access.
- Membership status.
- Inviter.
- Invitation date.
- Acceptance date.
- Removal or suspension date.

Billing data

- Billing account ID.
- Billing name.
- Billing email.
- Billing phone.
- Billing address.
- Plan.
- Subscription status.
- Payment provider.
- Provider customer ID.
- Provider subscription ID.
- Transaction references.
- Billing period.
- Invoice records.

Do not store full card numbers or card security codes.

Product onboarding data

- Business category.
- Branch details.
- Product setup choice.
- Onboarding progress.
- Completed steps.
- Skipped steps.
- Product count.
- Opening-stock setup.
- Staff invitation status.
- Receipt preferences.
- Onboarding completion time.

Analytics data

- Page views.
- Button clicks.
- Signup stage.
- Authentication method.
- Onboarding stage.

- Feature usage.
- Device type.
- Browser.
- Approximate region.
- Error events.
- Performance data.

Analytics should be minimized and documented.

Audit data

- Actor.
- Workspace.
- Product.
- Event type.
- Entity affected.
- Request ID.
- Timestamp.
- IP address.
- User agent.
- Event metadata.
- Severity.

Never include:

- Passwords.
- Session tokens.
- OAuth authorization codes.
- Payment-card data.
- Private authentication secrets.

15. Optional versus mandatory data

Mandatory before account creation

- Authentication method.
- Email or provider identity.
- Password for password accounts.
- First name.
- Last name.

- Terms acceptance.
- Privacy acknowledgement.

Mandatory before workspace creation

- Workspace name.
- Workspace type.
- Country.
- Currency.
- Time zone.

Mandatory before Inventory use

- Primary branch or location.
- Product setup method.
- Basic inventory configuration.
- At least one product before making a product sale.

Optional

- Profile photo.
- Phone number.
- State.
- City.
- Business logo.
- Business address.
- Business email.
- Business description.
- Staff invitation.
- Product image.
- Wholesale price.
- Supplier details.
- Tax ID.

16. Data retention plan

Define retention periods before launch.

Suggested initial policy

- Active account data: retained while account exists.
- Verification tokens: deleted after use or expiry.
- Password-reset tokens: deleted after use or expiry.
- Sessions: deleted or anonymized after expiration according to security policy.
- Audit logs: retained for a defined period, such as 12–24 months.
- Billing records: retained according to legal and accounting requirements.
- Abandoned onboarding data: retained for a limited period.
- Uploaded CSV files: deleted after processing or short-term retention.
- Deleted account personal data: deleted or anonymized according to policy.
- Aggregated analytics: retained only when no longer personally identifying.

Do not promise exact periods until reviewed against applicable legal, tax, contractual, and operational requirements.

17. Notifications during onboarding

Account notifications

- Verification email.
- Welcome email.
- Password-reset email.
- New-login notification.
- New-device notification.
- Provider-linked notification.

Workspace notifications

- Workspace created.
- Invitation sent.
- Invitation accepted.
- Member joined.
- Role changed.
- Product activated.

Billing notifications

- Trial started.
- Trial ending.
- Payment successful.
- Payment failed.
- Subscription changed.
- Subscription cancelled.

Product notifications

- Onboarding incomplete.
- Import successful.
- Import failed.
- First sale completed.
- Low stock, after Inventory setup.

User controls

Allow users to control marketing and non-critical product notifications. Security notifications should remain enabled.

18. Audit logs during onboarding

Record these events:

```
auth.signup_started
auth.signup_completed
auth.email_verification_sent
auth.email_verified
auth.google_login
auth.facebook_login
auth.login_success
auth.login_failed
profile.created
profile.updated
workspace.creation_started
workspace.created
workspace.updated
workspace.owner_assigned
workspace.product_selected
workspace.product_activated
workspace.invitation_sent
workspace.invitation_accepted
billing.plan_selected
billing.checkout_started
billing.payment_verified
onboarding.started
```

```
onboarding.step_completed
onboarding.step_skipped
onboarding.import_started
onboarding.import_completed
onboarding.import_failed
onboarding.first_sale_completed
onboarding.completed
```

Audit logs must be append-only and accessible only to authorized users.

19. Failure and recovery states

User closes the browser

- Save onboarding progress.
- Resume at the last incomplete step.
- Show “Continue setup” on next login.

Email verification fails

- Allow resend.
- Allow email change.
- Expire old tokens.
- Rate-limit resends.
- Provide support option.

Google or Facebook fails

- Show clear error.
- Offer retry.
- Offer email/password signup.
- Do not create incomplete duplicate accounts.

User has no provider email

- Ask for email.
- Send verification email.
- Continue only after required verification.

Workspace creation fails

- Do not create partial duplicate records.
- Allow retry.
- Use idempotency key.
- Display reference ID for support.

CSV import fails

- Preserve original user data locally if safe.
- Show row-level errors.
- Allow correction and retry.
- Do not partially activate invalid records silently.

Payment fails

- Keep the user on the selected plan or trial state.
- Display failure reason where safe.
- Allow retry.
- Do not activate paid entitlements until payment is verified.

User reaches a free-plan limit

- Display current usage.
- Explain the limit.
- Offer Standard and Premium.
- Preserve existing data.
- Do not delete anything automatically.

20. Recommended screen sequence

1. orviohub.com
2. Product landing page
3. Account signup
4. Authentication provider flow
5. Email verification
6. Welcome
7. Profile setup
8. Workspace choice
9. Workspace creation
10. Product selection
11. Pricing selection
12. Payment, if paid
13. Product onboarding
14. Staff invitation

- 15. Onboarding completion
- 16. Product dashboard

For an Inventory user:

```
inventory.orviohub.com
↓
accounts.orviohub.com/login or signup
↓
Global profile
↓
Workspace
↓
Inventory activation
↓
Inventory onboarding
↓
inventory.orviohub.com/dashboard
```

21. Final data-minimization rule

At every screen, ask:

Is this data necessary to authenticate the user, secure the account, create the workspace, process payment, configure the selected product, provide support, or satisfy a defined legal requirement?

If the answer is no, do not collect it during the initial journey.

The ideal experience is:

```
Minimum account data
↓
Minimum workspace data
↓
Product-specific setup
↓
Optional details collected later when needed
```

This keeps signup fast, reduces privacy risk, and makes the onboarding system reusable across Inventory, Task Management, Gym, Booking, and future Orviohub applications.

✱✱

1. https://cert.gov.ng/ngcert/resources/Nigeria_Data_Protection_Act_2023.pdf
2. https://www.edpb.europa.eu/system/files/en?file=consultation/edpb_guidelines_201904_dataprotection_by_design_and_by_default.pdf
3. https://commission.europa.eu/law/law-topic/data-protection/information-business-and-organisations/principles-gdpr_en

4. <https://www.convex.dev/can-do/auth>
5. <https://docs.cloud.google.com/identity-platform/docs/web/oidc>
6. <https://cheatsheetseries.owasp.org/IndexASVS.html>
7. https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html
8. <https://gdpr-info.eu/art-25-gdpr/>
9. https://wiki.owasp.org/images/9/9a/OWASP_Cheatsheets_Book.pdf
10. <https://deepwiki.com/OWASP/CheatSheetSeries/3-authentication-and-session-management>
11. <https://deepwiki.com/OWASP/CheatSheetSeries/3.2-session-management-and-cookies>
12. https://opencre.org/node/standard/OWASP_Cheat_Sheets/section/Session_Management_Cheat_Sheet
13. <https://www.scribd.com/document/341619798/OWASP-Cheatsheets-Book>
14. <https://eur-lex.europa.eu/legal-content/EN/TXT/HTML/?uri=CELEX:32016R0679>
15. <https://ico.org.uk/for-organisations/uk-gdpr-guidance-and-resources/accountability-and-governance/guide-to-accountability-and-governance/data-protection-by-design-and-by-default/>
16. https://www.edpb.europa.eu/our-work-tools/our-documents/topic/privacy-design-and-default_en
17. https://cheatsheetseries.owasp.org/cheatsheets/Authentication_Cheat_Sheet.html