

CODEBASE AUDIT AUDIT ONLY — NO CODE MODIFIED

RIFAH Mobile App — Complete Website Parity Audit

A feature-by-feature comparison of the Expo mobile client against the Next.js web client, using the website as the source of truth for roles, modules, workflows, permissions and business behaviour.

Website rifah-frontend Mobile app rifah-app Shared API rifah-backend Date 10 Sep 2026

WEBSITE FEATURES	WEIGHTED PARITY	STRICT PARITY	MISSING
248	80.0%	78.2%	40
Audited units of behaviour	Complete + ½ partial	Complete only	Not developed in app
BROKEN			
3			
+ 3 app-only defects			

01 Executive Summary

Naming note. The directories named in the brief (`rifah_folder` , `rifah`) do not exist. The workspace contains `rifah-frontend` (the Next.js website — treated as source of truth), `rifah-app` (the Expo/React Native mobile app — the subject of the audit) and `rifah-backend` (a shared Express + MongoDB API consumed by both). The audit is against those.

Headline. The mobile app is far further along than a typical port: 54 of 61 website routes exist, all 19 backend domains are wired, and whole modules — admin leads routing, business leads and quotations, catalogue CRUD, membership and payments with Razorpay, realtime messaging over Socket.IO — are genuinely at parity, not screen-only shells. Weighted parity is 80.0%.

The gap is not evenly spread. Admin (86.6%) and Business (86.7%) surfaces are close to done. What is weak is the connective tissue: authentication

guards, the verification access gate, and three complete user journeys that have no mobile implementation at all.

Four findings that should be read before any implementation work

- **Hardcoded super-admin backdoor.** `src/context/AuthContext.tsx` falls back to a mock `super_admin` session for `admin@gmail.com / 12345678` when the API rejects login, and `src/api/client.ts` silently re-authenticates with those same literal credentials on any 401. This has no website counterpart. It must be removed before release regardless of parity work.
- **No authentication or role guard anywhere in the app.** The website's `AppShell` redirects unauthenticated users to `/login?redirect=...` on every `/me` , `/biz` and `/admin` page. No mobile screen performs this check, and no screen checks role before rendering an admin surface. Role flags exist but are used only for data scoping and labels.
- **The business verification gate is absent.** On the website an unverified business is locked out of Leads, Enquiries, Catalogue, Analytics and Messaging and is shown an *Under Secretariat Approval* gate with the four accessible modules. The app grants full workspace access regardless of verification status — a business-rules divergence, not a UI one.
- **Three complete journeys have no mobile implementation:** business-to-business sourcing (`/biz/my-enquiries` and its post form), chamber-wide/chapter-targeted enquiry broadcast, and paid onboarding during business registration (certificate upload → verification submit → Razorpay).

STRONGEST AREAS

- Admin dashboard, businesses, users, leads, enquiries, payments, categories, units, announcements, reviews, audit — all at 100%
- Business leads, catalogue, analytics, membership, payments, notifications — all at 100%
- Public directory, catalogue, events and business profile
- Realtime messaging with Socket.IO, matching the website's implementation

WEAKEST AREAS

- Cross-cutting platform behaviour — 34.4%
- Auth & onboarding journeys — 60.9%
- Customer profile (no avatar, no preferences) — 30%
- Business enquiries — view-only, 40%
- Admin verification queue — no search or chapter filter, 40%

02 Project Architecture Overview

CONCERN

WEBSITE — RIFAH-FRONTEND

MOBILE APP — RIFAH-APP

Framework	Next.js App Router, JavaScript (<code>.js</code> / <code>.jsx</code>), React 19	Expo SDK 57, expo-router, TypeScript, React Native
Architecture	Thin route files under <code>app/</code> delegating to feature modules under <code>modules/<domain>/components</code> ; shared layer in <code>shared/</code>	Screen-per-route under <code>src/app/</code> containing full implementations; shared components in <code>src/components/</code>
Entry point	<code>app/layout.js</code> → <code>shared/providers/providers.jsx</code>	<code>src/app/_layout.tsx</code> → Stack + providers
Routing	File-system routes; rewrites map <code>/:chapterSlug/admin/*</code> → <code>/admin/*</code>	expo-router file-system routes; no chapter-slug URLs (cosmetic only)
Auth	<code>shared/providers/auth-provider.jsx</code> , tokens in <code>localStorage</code>	<code>src/context/AuthContext.tsx</code> , tokens via <code>secureStorage</code>
Authorization	AppShell redirects unauthenticated users; verification gate for business role	NONE No redirect, no role guard, no verification gate
State	TanStack Query + React context	TanStack Query + React context (<code>AuthContext</code> , <code>SavedContext</code>)
API layer	<code>shared/lib/api-client.js</code> + <code>api-services.js</code> (19 service objects)	<code>src/api/client.ts</code> + <code>services.ts</code> (19 service objects, near-identical shape)
Data hooks	<code>shared/hooks/use-rifah-api.js</code> — 26 hooks	<code>src/hooks/useRifahApi.ts</code> — 18 hooks; several screens call services directly
Realtime	<code>shared/lib/socket.js</code> — Socket.IO	<code>src/lib/socket.ts</code> — Socket.IO, connected from <code>AuthContext</code>
i18n	<code>next-intl</code> + <code>messages/</code> + language selector	NONE
Env	<code>NEXT_PUBLIC_API_URL</code> , <code>NEXT_PUBLIC_SERVER_URL</code>	<code>EXPO_PUBLIC_API_URL</code> , <code>EXPO_PUBLIC_SERVER_URL</code> , with emulator host auto-detection
Backend	Shared. Express modular monolith, 19 domains under <code>src/modules/</code> , mounted at <code>/api/v1</code> . Role middleware enforces <code>super_admin</code> / <code>secretariat</code> / <code>chapter_admin</code> / <code>business_owner</code> / <code>customer</code> .	

Design consequence

The two clients share an API contract almost exactly — the app's `services.ts` is a faithful TypeScript port of the website's `api-services.js` . That means almost every gap in this report is a *UI/workflow* gap rather than an integration gap, and can be closed screen by screen without backend change. The three exceptions are listed in section 11.

03 Role Inventory

Roles are defined canonically in `rifah-backend/src/shared/constants/roles.js` with a numeric hierarchy. Both clients collapse the three admin roles onto a single `/admin` workspace and differentiate by data scoping rather than by separate navigation.

ROLE	IDENTIFIED BY	HOME	WEBSITE	APP	STATUS
super_admin (100)	<code>user.role</code> from <code>/auth/me</code>	<code>/admin</code>	✓ Full admin workspace	✓ Full admin workspace	Partial
secretariat (80)	<code>user.role</code>	<code>/admin</code>	✓ Same surface as <code>super_admin</code>	✓ Same surface	Partial
chapter_admin (60)	<code>user.role</code> + <code>user.chapter</code>	<code>/chapter/admin</code> → <code>/admin</code>	✓ Chapter-scoped data, branded URL + title	✓ Chapter-scoped data + title; no branded URL	Partial
business_owner (40)	<code>user.role</code> or presence of <code>businessId</code>	<code>/biz</code>	✓ Workspace + verification gate	✓ Workspace, no verification gate	Partial
customer (20)	Default when not admin/business	<code>/me</code>	✓ Buyer workspace	✓ Buyer workspace	Partial
public (0)	No token	<code>/</code>	✓ Public site	✓ Public screens	Full
Multi-role user	<code>requiresRoleSelection</code> + <code>availableRoles</code> on login	<code>/login</code> modal	✓ Role-picker modal → <code>switchRole</code>	⚠ Modal coded but unreachable	Partial
Role switch-back	<code>user.previousRole</code>	Sidebar	✓ "Switch to Admin/User View"	✗ Not present	Partial

No role is a clean match

Every authenticated role is marked Partial for the same shared reason: the app never verifies that the signed-in user is entitled to the screen being rendered. A customer who reaches `/admin` gets the admin UI with failing API calls rather than a redirect. On the website, `AppShell` and the API client both handle this.

04 Role-Wise Comparison

CAPABILITY	SUPER_ADMIN / SECRETARIAT	CHAPTER_ADMIN	BUSINESS_OWNER	CUSTOMER
View own workspace	✓ both	✓ both	✓ both	✓ both
Create / edit / delete records	✓ both, except chapter edit & event cover	✓ both	✓ both (catalogue, profile)	✓ both (enquiries, reviews)
Approve / reject verification	✓ both	✓ both	—	—
Route leads to businesses	✓ both	✓ both	—	—
Submit quotations	—	—	✓ from Leads; X from Enquiries	—
Payments — take	✓ verify, refund	X backend-restricted (both)	✓ pay & verify	✓ membership checkout
Assign membership tier	X app missing	—	—	—
Broadcast notifications	✓ both	X backend-restricted (both)	—	—
Upload documents / media	X event cover broken	X event cover broken	✓ logo, cover, gallery, certs, verification docs	X no avatar upload
Delete uploaded media	—	—	X app missing	X app missing
Export CSV	✓ both (app generates client-side)	✓ both	✓ payments; X enquiries	—
Manage own profile	✓ settings; X no password change	✓ same	✓ both	✓ partial (fewer fields)
Post sourcing requirement	—	—	X whole module missing	✓ direct only; X broadcast

Access gated by verification

—

—

X app grants full access

—

Parity by role	
Public / guest	89%
Business owner	87%
Admin (all three)	87%
Customer / buyer	79%
Auth & onboarding	61%
Platform / cross-cutting	34%

05 Module Inventory

The website exposes **61 routes** across 7 module groups. The app implements **54** of them. Route presence alone overstates parity — sections 6 to 8 grade behaviour behind each route.

GROUP	WEBSITE ROUTES	APP SCREENS	ROUTES WITH NO MOBILE SCREEN
Public	10	10	—
Auth & onboarding	6	6	— (/onboarding maps to /onboarding-wizard)
Customer	8	7	/me/enquiries/new
Business workspace	13	11	/biz/my-enquiries , /biz/my-enquiries/new
Admin	23	20	/admin/chapters/[id] , /admin/events/[id] , /admin/events/[id]/edit EDIT COVERED BY MODAL
Internal	1	0	/flow — product flow-map reference page
Total	61	54	88.5% route presence

On /flow

This is not a product surface. modules/flow/components/flow-map-page.jsx renders a 781-line internal reference of role journeys. module lists. a build checklist and open questions.

fed by `shared/lib/flow-map.js` . It is a design artefact for the team, not a user feature. Its absence from the app is reasonable and is graded P3.

06 Module-Wise Comparison

COMPLETE

 matches website behaviour end to end

PARTIAL

 present, some behaviour missing

MISSING

 website has it, app does not

BROKEN

 present but does not work

UNVERIFIED

 insufficient static evidence

APP-ONLY

 no website counterpart

Change password	1	1	0	0	0	0	100%	—
PLATFORM / CROSS-CUTTING								
API client & sessions	4	2	1	1	0	0	63%	No redirect on unrecoverable 401; weaker media-URL resolution
Access control	4	0	0	4	0	0	0%	No auth guard, no role guard, no verification gate, no lock affordances
Navigation & badges	5	2	0	3	0	0	40%	No unread badges, no role switch-back, no public-site link
Realtime & i18n	3	1	0	2	0	0	33%	Socket.IO ✓; no i18n / language selector
CUSTOMER								
Buyer dashboard	7	6	1	0	0	0	93%	Notifications shown as a KPI tile, not a recent-items panel
My enquiries	4	4	0	0	0	0	100%	—
Post requirement (buyer)	1	0	0	1	0	0	0%	No chamber-wide / chapter-targeted broadcast
Saved businesses	2	2	0	0	0	0	100%	—
My events	1	1	0	0	0	0	100%	—
Messages	6	5	0	1	0	0	83%	Cannot send attachments
Notifications	3	3	0	0	0	0	100%	—
Account profile	5	1	1	3	0	0	30%	No avatar upload or removal, no notification preferences, no tax ID
BUSINESS WORKSPACE								
Dashboard	8	8	0	0	0	0	100%	—
Leads	8	8	0	0	0	0	100%	—
Enquiries	5	2	0	3	0	0	40%	View-only: no accept, no quotation, no export
Catalogue	5	5	0	0	0	0	100%	—
Business profile	6	5	0	1	0	0	83%	Cannot delete logo, cover, gallery images or certificates
Analytics	5	5	0	0	0	0	100%	—
Membership	6	6	0	0	0	0	100%	—

Payments	4	4	0	0	0	0	100%	—
Messages	3	2	0	1	0	0	67%	Cannot send attachments
Notifications	2	2	0	0	0	0	100%	—
Verification	6	5	0	0	0	1	83%	Explicit "Resubmit for review" CTA not confirmed
My sourcing enquiries	2	0	0	2	0	0	0%	Entire B2B sourcing module absent
ADMIN								
Overview dashboard	8	8	0	0	0	0	100%	—
Businesses + detail	7	7	0	0	0	0	100%	—
Verification queue	5	2	0	2	0	1	40%	No search, no chapter filter; document opening unverified
Users & roles	5	5	0	0	0	0	100%	—
Lead routing	5	5	0	0	0	0	100%	—
Enquiries	4	4	0	0	0	0	100%	—
Memberships	5	4	0	1	0	0	80%	Cannot set a member's tier
Payments & revenue	5	5	0	0	0	0	100%	—
Categories	1	1	0	0	0	0	100%	—
Chapters	6	4	0	2	0	0	67%	No chapter edit, no chapter detail page
Units	3	3	0	0	0	0	100%	—
Events	9	6	0	2	1	0	67%	Cover upload broken; no detail page; no registrations list
Announcements	2	2	0	0	0	0	100%	—
Broadcasts	6	5	0	1	0	0	83%	No "clear all"
Review moderation	2	2	0	0	0	0	100%	—
Reports & exports	5	4	1	0	0	0	90%	CSV built client-side rather than from server export endpoints
Audit logs	2	2	0	0	0	0	100%	—

Settings	6	5	0	1	0	0	83%	No Security / change-password panel
INTERNAL								
Flow map	1	0	0	1	0	0	0%	Internal reference page, intentionally out of scope

07 Page-by-Page Comparison

Pages where the app diverges from the website. Pages not listed were verified as functionally equivalent across information, actions, data source and state handling; mobile-appropriate substitutions (table → card list, dialog → bottom sheet) are treated as equivalent.

WEBSITE PAGE	APP SCREEN	DIVERGENCE
/about	about.tsx	Website renders live KPIs from <code>reports/public/stats</code> plus real chapter and u counts from <code>useChapters</code> . The app screen mal no API call and shows a static stats grid.
/discover	discover.tsx	Website offers a sort control alongside search a filters; the app has search + filter modal + "Clear all" but no sort.
/membership	membership/index.tsx	Website plans page carries an INR/USD currenc state. The app plans page is INR-only (checkout does support both).
/business/[businessId]	business/[id].tsx	Website has a "Share business profile" dialog. T app substitutes Call / WhatsApp / Email / Maps deep links — arguably better on mobile, but the share action itself is gone.
/login	login.tsx	Google button calls <code>googleAuth('demo_google_token', 'customer</code> Role-selection modal exists but <code>AuthContext.login</code> returns only <code>{user, requirePasswordReset}</code> and drops <code>requiresRoleSelection / availableRoles</code> fr the response, so the modal never opens. Websi also honours <code>user.forcePasswordChange</code> ; the app does not.
/register	register.tsx	Website collects name, email, password, phone organisation, city and primary sourcing interest. The app collects name, email, phone, password confirm — the last three profile fields are absent
/register-business	register-business.tsx	Both are 4-step wizards (Business → Contact —

		Account+OTP → Membership) with GST verification. On submit the website additionally uploads the certificate, calls <code>verification/submit</code> , creates a Razorpay order and verifies payment. The app calls <code>registerBusiness</code> only.
<code>/onboarding</code>	<code>onboarding-wizard.tsx</code>	Website runs a 5-step business wizard (Business Contact, Account, Tax & Verification, Membership). The app declares <code>step</code> but never advances it — a single-page form with a role toggle and a GSTIN field. <code>onboarding.tsx</code> in the app is an unrelated intro carousel.
<code>/enquiry/new</code>	<code>enquiry/new.tsx</code>	Both are 4-step forms with a success state. The app posts <code>targetBusiness</code> only. The website's buyer and business variants add a target-audience step: all-India broadcast or a specific chapter, set as <code>targetType + chapter</code> .
<code>/me</code>	<code>me/index.tsx</code>	Same four KPI cards and panels; the website's recent-notifications panel is reduced to a KPI tile plus a quick-links block.
<code>/me/enquiries/new</code>	—	No mobile screen. Chamber/chapter broadcast targeting is unreachable.
<code>/me/messages</code>	<code>me/messages.tsx</code>	Conversations, threads, Socket.IO, PDF quotation cards and attachment opening all present. No file picker and no <code>messageApi.uploadAttachment</code> — outbound attachments impossible.
<code>/me/profile</code>	<code>me/profile.tsx</code>	Website: view/edit toggle, avatar upload and removal, tax ID, notification preference switches in-page password dialog. App: flat form, no avatar, no tax ID, no preferences; adds chapter and sourcing-interest fields the website form does not have; password change is a separate screen.
<code>/biz/enquiries</code>	<code>biz/enquiries.tsx</code>	Website lets the owner accept a requirement (<code>leadApi.updateStatus</code> → In Progress), submit quotation (<code>leadApi.submitQuotation</code>) and export the list to CSV. The app screen calls only <code>enquiryApi.getMyBusinessEnquiries</code> — read only.
<code>/biz/profile</code>	<code>biz/profile.tsx</code>	All four upload paths present. The website's delete handlers for logo, cover, individual gallery image and certificates have no mobile equivalent.
<code>/biz/messages</code>	<code>biz/messages.tsx</code>	Same attachment-upload gap as the buyer inbox.
<code>/biz/my-enquiries</code>	—	No mobile screen. Business owners cannot see requirements they posted to other members.

/biz/my-enquiries/new	—	No mobile screen. Business owners cannot post B2B sourcing requirement.
/admin/verification	admin/verification.tsx	Approve, reject and request-correction all present. The website's text search and chapter filter are absent; the app auto-scopes to the chapter admin's own chapter instead.
/admin/memberships	admin/memberships.tsx	Plan CRUD at parity. The website's per-member "Set Free / Set Basic / Set Premium" actions (<code>businessApi.updateStatus</code>) are not implemented.
/admin/chapters	admin/chapters.tsx	Create, assign admin and status toggle present. <code>chapterApi.update</code> is never called — a chapter name, city or state cannot be edited.
/admin/chapters/[id]	—	No mobile screen. The website's chapter detail view (units roster, admin assignment, status) has no drill-down.
/admin/events/create	admin/events/create.tsx	"Choose File" for the cover image is a <code>TouchableOpacity</code> with no <code>onPress</code> , and the app's <code>eventApi</code> has no <code>uploadCover</code> method. The control is inert.
/admin/events/[id]	—	No mobile screen. The registrations list (<code>eventApi.getRegistrations</code>) is unreachable. Admins cannot see who registered.
/admin/notifications	admin/notifications.tsx	Compose, audience select, delete broadcast and delete local all present. <code>clearAll</code> is not wired.
/admin/reports	admin/reports.tsx	Same three reports with preview and date filtering. The app builds the CSV in JavaScript from the JSON endpoints and saves via Android SAF, rather than downloading the server-rendered CSV — column sets may drift apart.
/admin/settings	admin/settings.tsx	Chamber details, fees, limits, moderation rules and the module index all present. The website's Security & Authentication panel (<code>authApi.changePassword</code>) is absent.
/flow	—	Internal reference page, not ported.

08 Functionality & Workflow Comparison

Screens can exist while the journey behind them does not. These are the end-to-end workflows traced through both codebases.

WORKFLOW	WEBSITE CHAIN	APP	BREAKS AT	STATUS
Business signs up and pays	Form → GST verify → email OTP → plan select → register → certificate upload → verification submit → Razorpay order → verify → workspace	Form → GST verify → email OTP → plan select → register → workspace	After registerBusiness : no upload, no verification record, no payment	PARTIAL
Business gets verified	Upload PDF → submit → admin queue → approve/reject/correction → workspace unlocks	Upload → submit → admin queue → approve/reject/correction → nothing changes (workspace was never locked)	The unlock step is meaningless without the gate	PARTIAL
Buyer posts a requirement and gets quotes	Target audience → details → contact → review → submit → admin routes → business quotes → buyer views quotes → message supplier	Details → contact → review → submit (direct business only) → business quotes → buyer views quotes → message supplier	Targeting step missing; broadcast RFQs cannot originate on mobile	PARTIAL
Business sources from other members	Post B2B requirement → target all/chapter → track in My Sourcing Enquiries → view responses	—	Entire workflow absent	MISSING
Business responds to a lead	Lead list → filter/sort/search → open → accept → quote (amount, delivery, notes) → status → message buyer → PDF	Identical	—	COMPLETE
Business responds to a direct enquiry	Enquiry list → open → accept requirement → submit quotation → export	Enquiry list → open → (nothing)	Accept and quote are unimplemented on this screen	PARTIAL
Admin routes a lead	Worklist → filters → open → select verified members → route → status update → CSV export	Identical	—	COMPLETE
Admin publishes an event	Create → details → cover upload → target audience/chapters → publish → view detail → view registrations → edit → delete	Create → details → cover control inert → target audience → publish → edit via modal → delete	Cover upload; registrations view	PARTIAL

Member upgrades membership	Plan page → checkout → currency → GST autofill → Razorpay → verify → invoice → PDF	Identical	—	COMPLETE
Catalogue publish	Add → fields → images → save → edit → delete	Identical (plus image-by-URL)	—	COMPLETE
Direct messaging	Inbox → thread → send → attach file → realtime receive → open/download attachment	Inbox → thread → send → realtime receive → open/download attachment	Outbound attachments	PARTIAL
Multi-role sign-in	Login → role modal → switchRole → correct workspace → later switch back from sidebar	Login → straight to first role's workspace	Modal never opens; no switch-back control	BROKEN

09 Navigation Comparison

Website

Customer – primary bar + more sheet

- Home /me
- Discover /discover
- Enquiries /me/enquiries
- Saved /me/saved
- Account /me/profile
- more
 - Messages /me/messages
 - My events /me/events
 - Notifications
 - Membership plans

Business

- Dashboard /biz
- Leads /biz/leads
- Enquiries /biz/enquiries
- My Enquiries /biz/my-enquiries
- more
 - Messages · Business · Catalogue
 - Analytics · Membership
 - Verification · Payments
 - Notificationslocked with  while unverified

Admin

- Overview · Businesses · Verify · Leads
- more

App

Customer – tab bar + drawer



- Home /me
- Discover /discover
- Enquiries /me/enquiries
- Saved /me/saved
- More → drawer
 - Product Catalogue (app-only)
 - My Events · Notifications
 - My Profile · Membership Plans
 - Messages – not in the drawer

Business

- Dashboard /biz
- Leads /biz/leads
- Messages → /me/messages (wrong 1)
- Business /biz/profile
- More → drawer
 - Messages · Catalogue · Enquiries
 - Analytics · Membership
 - Verification · Payments
 - Notifications
 - My Enquiries – absentno lock affordance

Admin

- Overview · Verify · Directory · Alerts
- More → AdminSidebar



Navigation defects

- **Business "Messages" tab points at the buyer inbox.** `BottomTabBar.tsx` routes the business Messages tab to `/me/messages` instead of `/biz/messages`.
- **Customer drawer omits Messages.** `me/messages.tsx` exists but is unreachable from the buyer drawer; only the enquiry-quote "Chat with Supplier" button leads there.
- **Admin drawer has duplicate entries.** The `adminItems` array lists Overview, Verification/Verify and Announcements twice, producing repeated rows.
- **No lock state.** The website marks gated business destinations with a lock icon and reduced opacity; the app renders them as ordinary items.
- **No unread badges.** The website shows counts on the bell, the mail icon and the Messages/Notifications nav items. `AppHeader.tsx` has no badge logic at all.

10 Role & Permission Comparison

Server-side authorization is shared and therefore identical: `requireRole()` in `rifah-backend/src/middleware/role.middleware.js` guards every privileged route for both clients. The divergence is entirely client-side — what each client *allows the user to attempt*.

PERMISSION	ENFORCED SERVER-SIDE	WEBSITE CLIENT	APP CLIENT	STATUS
Reach a protected route unauthenticated	401 on data calls	Redirects to <code>/login?redirect=...</code> from both AppShell and api-client	Renders the screen; API calls fail silently	MISSING
Reach another role's workspace	403 on privileged calls	Role determines which AppShell nav is served; no cross-links	Any signed-in user can navigate to <code>/admin</code> or <code>/biz</code>	MISSING
Unverified business uses workspace	Not enforced server-side	<code>UnderApprovalAccessGate</code> blocks all but verification, profile, membership, payments, notifications	Full access	MISSING

View — all modules	Yes	✓	✓	MATCH
Create — chapters, units, categories, events, announcements, plans, catalogue, enquiries, reviews	Yes	✓	✓	MATCH
Edit — chapter record	PATCH /chapters/:id	✓	X never called	MISSING
Delete — categories, events, announcements, plans, catalogue, broadcasts	Yes	✓	✓	MATCH
Delete — own uploaded media	via businessApi.update	✓ logo, cover, gallery, certificates	X	MISSING
Approve / reject / request correction	PATCH /verification/:id/review	✓ queue + dashboard	✓ queue + dashboard	MATCH
Moderate reviews	super_admin, secretariat	✓ approve / reject / pending	✓ all three	MATCH
Submit quotation	POST /leads/:id/quote	✓ from Leads <i>and</i> Enquiries	✓ from Leads only	PARTIAL
Publish / unpublish event	admin roles	✓	✓ visibility toggle	MATCH
Payment — verify by admin, refund	super_admin, secretariat	✓	✓	MATCH
Payment — create order, verify	any authenticated	✓ checkout, registration	✓ checkout, biz payments; X registration	PARTIAL
Assign membership tier to a member	PATCH /businesses/:id/status	✓	X	MISSING
Manage users — status, role, invite	admin roles	✓	✓	MATCH

Broadcast notifications	super_admin, secretariat	✓ + clear all	✓ – clear all	PARTIAL
Upload — verification documents	owner	✓	✓	MATCH
Upload — avatar	POST /users/me/avatar	✓	✗ not in userApi	MISSING
Upload — event cover	POST /events/:id/cover	✓	✗ not in eventApi ; control inert	BROKEN
Download — CSV exports	admin roles	✓ authenticated server CSV	✓ client-generated CSV	PARTIAL
Download — invoice PDF	owner / admin	✓	✓	MATCH
Change own password	any authenticated	✓ from customer profile <i>and</i> admin settings	✓ dedicated screen; ✗ from admin settings	PARTIAL
Switch role / switch back	POST /auth/switch-role	✓ login modal + sidebar	⚠ modal unreachable; no sidebar control	BROKEN

11 API / Backend Integration Comparison

Both clients target the same 19-domain API at /api/v1 with bearer tokens and a refresh-token retry on 401. The app's services.ts mirrors the website's api-services.js endpoint for endpoint — same paths, same methods, same payload shapes. The differences below are the complete set.

ENDPOINT	METHOD	WEBSITE	APP
IN THE WEBSITE'S SERVICE LAYER, ABSENT FROM THE APP'S			
/users/me/avatar	POST	userApi.uploadAvatar	—
/events/:id/cover	POST	eventApi.uploadCover	—

/events/:id/registrations	GET	eventApi.getRegistrations	-
/reports/public/stats	GET	reportApi.getPublicStats	-
/reports/admin/export/csv	GET	downloadAdminCsv	-
/reports/admin/export/{revenue,memberships,leads}	GET	CSV download helpers	J
IN THE APP'S SERVICE LAYER, ABSENT FROM THE WEBSITE'S			
/auth/logout	POST	—	
/leads/:id	GET	—	
/auth/send-otp , /auth/verify-otp	POST	—	
DECLARED IN BOTH, BUT NEVER CALLED BY THE APP			
/chapters/:id	PATCH	Admin chapters edit	c
/messages/upload	POST	Both inboxes	c
/notifications/clear-all	DELETE	Admin broadcasts	c
/businesses/:id/status	PATCH	Admin memberships tier set	u
/auth/changePassword from admin settings	PATCH	Admin settings panel	r
/auth/complete-onboarding	POST	5-step wizard payload	s
/verification/submit , /verification/upload	POST	Also during registration	c
/navments/order . /navments/verifv	POST	Also during registration	c



CLIENT BEHAVIOUR — WEBSITE ONLY

- Redirects to `/login?redirect=...` when a 401 cannot be refreshed and the path is not public
- `resolveMediaUrl` normalises Windows backslashes, remaps any `/uploads/` path onto the active backend host, and rewrites stale `localhost:5000` URLs

CLIENT BEHAVIOUR — APP ONLY

- 12-second `AbortController` timeout with a dedicated 408 error
- Network failures mapped to a readable 503 message
- Emulator host auto-detection (`10.0.2.2`, `Expo hostUri`)
- **DEFECT** Auto re-login with literal admin credentials on 401

Media URLs are a likely runtime problem on device

The app's `resolveMediaUrl` returns any absolute URL unchanged. If the backend stores or returns absolute `http://localhost:5000/uploads/...` paths — which the website explicitly defends against — every logo, cover, gallery image and document link will fail on a physical device, where `localhost` is the phone. Verify against real data before closing other media work.

12 UI/UX Parity Analysis

Functional parity was the test, not visual parity. The app's mobile translations are sound and in several places better suited to the device than a literal port would be.

ACCEPTED AS EQUIVALENT

- Desktop tables → card lists with the same fields and the same row actions
- Radix dialogs → React Native modals and bottom sheets
- Sidebar → drawer; bottom nav preserved on both
- Chip filter rows, status pills and stat cards carried across with matching labels
- Loading, empty and error states componentised in both (`LoadingState` .

GENUINE UX REGRESSIONS

- No unread badges anywhere — the user cannot tell there is new mail or a new notification without opening the screen
- No lock affordance on gated business destinations
- No permission state: a screen the user may not use looks the same as one they may
- Duplicate rows in the admin drawer
- Business Messages tab lands on the buver inbox

EmptyState , ErrorState mirror
EmptyState / skeletons)

- Pull-to-refresh substituting for the website's refetch-on-focus

- Buyer Messages is absent from the drawer
- No language selector — the website ships next-intl and a locale switcher

Mobile-appropriate improvements worth keeping

Call, WhatsApp, email and maps deep links on the business profile; catalogue images by URL as well as by picker; Android Storage Access Framework for CSV saves; request timeouts with human-readable network errors. None of these have website counterparts and none should be removed for the sake of symmetry.

13 Completely Done

Verified across UI, navigation, API, data shape, actions, validation, states and the end-to-end workflow. **194 of 248 features** qualify. Grouped by module below; every module listed at 100% had each of its features checked individually, not merely its screen.

ADMIN — FULLY AT PARITY

- Overview dashboard including inline verification approve/reject and chapter-admin data scoping
- Businesses list, search, category filter, status change, CSV export, detail page with documents and governance
- Users — list, search, status change, role change, invite, detail
- Lead routing — worklist, three filters, search, member selection, route, status update, export
- Enquiries — list, search, filters, status & assignment, detail, export
- Payments — ledger, search, detail, verify-by-admin, refund, receipt
- Categories — full CRUD with parent selection
- Units — list, search, chapter filter, add, remove
- Announcements — full CRUD with

BUSINESS & CUSTOMER — FULLY AT PARITY

- Business dashboard — all eight panels
- Leads — stages, search, filter, sort, quotation, status, message buyer, PDF
- Catalogue — create, edit, delete, image upload
- Analytics — KPIs, both charts, recent reviews, top items
- Membership — plan, upgrade, auto-renew, invoices, PDF, billing address
- Payments — history, CSV, invoice PDF, pay and verify
- Business notifications — list, mark read, mark all, detail
- Buyer enquiries — list, tabs, detail, quotations, message supplier
- Saved businesses, My events, Buyer notifications

draft/publish

- Review moderation — approve, reject, return to pending
- Audit logs — list and search

PUBLIC & SHARED — FULLY AT PARITY

- Home — hero search, featured businesses, categories, catalogue, events, plans
- Product catalogue — search, filters, cards
- Contact — form with chapter and desk selection
- Events — tabs, search, detail, agenda, RSVP, related events
- Membership checkout — plan, currency, GST autofill, Razorpay, verify, invoice
- Business profile — about, products, services, gallery, certifications, reviews, write review, save, enquire
- Change password
- Realtime messaging over Socket.IO on both inboxes

14 Needs Modification

ROLE	MODULE	CURRENT APP BEHAVIOUR	WEBSITE BEHAVIOUR	REQUIREMENT
Business	Enquiries	biz/enquiries.tsx lists enquiries with search and a detail modal; the modal has no action controls.	Detail dialog offers "Accept requirement" (leadApi.updateStatus → In Progress) and a quotation form posting amount, delivery time and notes to leadApi.submitQuotation ; header offers CSV export.	Add accept actions to leadId and plus a CSV handleEx
Business	Profile media	Uploads logo, cover, gallery and certificates. No removal path.	Delete handlers for logo, cover, each gallery image and each certificate, each writing the trimmed array back through businessApi.update .	Add per-item and the calls; confirm removal.

Business + Customer	Messages	Send text only. Inbound attachments render and open correctly.	File input → <code>messageApi.uploadAttachment</code> → returned <code>fileUrl</code> attached to the outgoing message.	Add a doc call the alr uploadAt include the payload.
Customer	Account profile	Flat always-editable form: name, email (locked), phone, organisation, city, chapter, sourcing interest.	View/edit toggle, avatar upload and removal, tax ID field, editable email, four notification preference switches, in-page password dialog.	Add user and avatar updatePr a tax ID fie notification Keep the a sourcing-i
Customer	Buyer dashboard	Notifications appear as a KPI tile plus quick links.	A recent-notifications panel listing the latest four with read state and timestamps.	Add the pa messages notification me/notif
Admin	Verification queue	Approve, reject and request-correction work. Filtering is automatic by the chapter admin's own chapter.	Free-text search across business name, GSTIN and email, plus an explicit chapter filter select for secretariat users.	Add the se select; kee chapter se value for c
Admin	Memberships	Plan CRUD plus a member roster grouped by tier.	Same, plus per-member "Set Free / Set Basic / Set Premium" writing through <code>businessApi.updateStatus</code> .	Add the th each mem
Admin	Chapters	Create, assign admin, activate/deactivate.	Also edits a chapter's name, city and state via <code>chapterApi.update</code> , and offers a detail page.	Add an ed already-de chapterA
Admin	Broadcasts	Compose, audience select, delete broadcast, delete local notification.	Also a "Clear All" action calling <code>notificationApi.clearAll</code> .	Wire the e method to action.
Admin	Reports	Fetches JSON, builds the CSV in JavaScript, saves via Android SAF or a web blob.	Downloads the server-rendered CSV from <code>/reports/admin/export/*</code> with the bearer token, honouring <code>Content-Disposition</code> .	Either fetc blob and h SAF writen column se exports st
Admin	Settings	Chamber details, fees, limits, moderation rules, module index.	Also a Security & Authentication panel with current/new password validation.	Add the pa existing / screen.
All	Auth & sessions	Clears tokens on an unrecoverable 401 and leaves the user on the screen.	Redirects to <code>/login?redirect=...</code> unless the current path is public.	Add the se and a rout api/clie
All	Registration	Buyer form collects name,	Also organisation, city and	Add the th

		email, phone, password.	primary sourcing interest.	register register
Business	Business registration	Four steps ending at registerBusiness .	Same four steps, then certificate upload, verification/submit , Razorpay order and verification.	Extend the handler to Razorpay the verification implement biz/veri
All	Onboarding	Single-page form with role toggle and GSTIN.	Five-step business wizard adding a Tax & Verification step and a Membership step.	Restore the step state advanced complete
Public	About	Static stats grid, no API call.	Live KPIs from reports/public/stats and real chapter and unit counts.	Add reportAp the app se both figure
Public	Discover	Search plus filter modal.	Search, filters and a sort control.	Add sort to
Public	Membership plans	INR only.	INR/USD toggle carried into checkout.	Add the to currency /members

15 Not Yet Developed

ROLE	MODULE	WEBSITE PAGE	MISSING APP FEATURE	
All	Access control	app-shell.jsx	Authentication guard — redirect unauthenticated users away from /me , /biz , /admin	
All	Access control	app-shell.jsx	Role guard — prevent a customer or business owner reaching admin surfaces	
Business	Access control	UnderApprovalAccessGate	Verification gate — block Leads, Enquiries, Catalogue, Analytics and Messages while unverified, and show the approval-stage screen with the four accessible modules	
Business	Navigation	SidebarLink , BottomNav	Lock icons and dimmed state on gated destinations	
Business	My sourcing enquiries	/biz/my-enquiries	Whole screen — list of requirements the business posted to other members, with All/Submitted/Routed/Responded/Closed tabs and a detail dialog	
Business	Post B2B	/biz/post-b2b	Whole screen — target audience /all	

Business	Post B2B requirement	/biz/my-enquiries/new	Whole screen — target audience (all members / specific chapter / specific business), sourcing details, specifications, submit
Customer	Post requirement	/me/enquiries/new	Target-audience step — all-India broadcast or a chosen chapter, sent as targetType and chapter
Business	Registration	/register-business	Certificate upload, verification submission and Razorpay payment at the end of signup
All	Onboarding	/onboarding	Tax & Verification step; Membership step
Business + Customer	Messages	biz-messages , customer-messages	Outbound attachment upload
All	Header	app-shell.jsx	Unread badges on notifications and messages, in the header and on nav items
Customer	Profile	customer-profile.jsx	Avatar upload
Customer	Profile	customer-profile.jsx	Avatar removal
Customer	Profile	customer-profile.jsx	Notification preference switches
Business	Profile media	biz-profile.jsx	Delete logo, cover, gallery image, certificate
Business	Enquiries	biz-enquiries.jsx	Accept requirement; submit quotation; CSV export
Admin	Events	/admin/events/[id]	Event detail page and registrations list
Admin	Events	admin-event-form.jsx	Cover image upload
Admin	Verification	admin-verification.jsx	Text search; chapter filter
Admin	Memberships	admin-memberships.jsx	Per-member tier assignment
Admin	Chapters	admin-chapters.jsx	Edit chapter record
Admin	Chapters	/admin/chapters/[id]	Chapter detail page — units roster, admin assignment, status
Admin	Broadcasts	admin-notifications.jsx	Clear all notifications

Admin	Settings	admin-settings.jsx	Security & Authentication panel
Public	About	about-page.jsx	Live chamber KPIs and real chapter/unit counts
Public	Discover	discover-page.jsx	Sort control
Public	Membership	membership-page.jsx	Currency toggle on the plans page
All	Auth	register-page.jsx	Organisation, city and sourcing-interest fields at signup
All	Sessions	api-client.js	Redirect to login when a 401 cannot be refreshed
All	Navigation	app-shell.jsx	"Switch to Admin/User View" control for users with a previousRole
All	Navigation	MoreSheet	Link back to the public website from a workspace drawer
All	i18n	language-selector.jsx	Localisation and a language switcher
Internal	Flow map	/flow	Product flow-map reference page

16 Broken Features

B1 · Hardcoded super-admin credentials P0 APP-ONLY

- **Where** `src/context/AuthContext.tsx` (login catch block, and the 401 branch of `fetchCurrentUser`) and `src/api/client.ts` (401 handler).
- **Expected** A failed login shows an error. A 401 that cannot be refreshed ends the session.
- **Actual** When the API rejects `admin@gmail.com / 12345678` , the app fabricates a `super_admin` user with a mock token and renders the admin workspace. Separately, on any 401 the API client reads the stored user and, if the email is `admin@gmail.com` , re-authenticates with those literal credentials. `fetchCurrentUser` also refuses to clear that session on 401.
- **Cause** Development shortcut left in the shipping path.
- **Fix** Delete all three branches. No website equivalent exists.

B2 · Multi-role selection modal never opens P1

- **Where** `src/context/AuthContext.tsx` `login()` ; consumed in `src/app/login.tsx` .

- **Expected** A user with several roles picks a workspace, then `switchRole` issues a token for it — as on the website.
- **Actual** `login()` returns `{ user, requirePasswordReset }`. `login.tsx` then tests `loggedUser.requiresRoleSelection` and `loggedUser.availableRoles`, which are on the response envelope, not on `user`, and are never copied across. The modal and its handler are unreachable code; the user silently lands in whichever role the backend returned.
- **Cause** The website's provider spreads `requiresRoleSelection` and `availableRoles` onto the returned user; the app's port dropped that.
- **Fix** Return those two fields from `login()`. Also propagate `user.forcePasswordChange` into `requirePasswordReset`, which the website honours and the app does not.

B3 · Google sign-in uses a placeholder token P1

- **Where** `src/app/login.tsx`, `handleGoogleLogin`.
- **Expected** A real Google credential is obtained and posted to `/auth/google`, as the website's `GoogleAuthButton` does.
- **Actual** Calls `googleAuth('demo_google_token', 'customer')` — a literal string. The backend rejects it, so the button always errors.
- **Fix** Integrate a native Google sign-in provider and pass the real ID token.

B4 · Event cover picker is inert P2

- **Where** `src/app/admin/events/create.tsx`, the "Choose File" control.
- **Expected** Pick an image, then `POST /events/:id/cover` after the event is created, as `admin-event-form.jsx` does.
- **Actual** The `TouchableOpacity` has no `onPress`, and `eventApi` has no `uploadCover` method. The hint permanently reads "No file chosen". Events are created without covers.
- **Fix** Add the picker, add `uploadCover` to `eventApi`, call it after create.

B5 · Phone-OTP screen targets endpoints that do not exist P2

APP-ONLY

- **Where** `src/app/verify-otp.tsx` via `authApi.sendOtp` / `authApi.verifyOtp` → `/auth/send-otp`, `/auth/verify-otp`.
- **Actual** `rifah-backend/src/modules/auth/auth.routes.js` defines no such routes. Only `/auth/register-otp/send` and `/auth/register-otp/verify` (email) exist, and those are used correctly elsewhere. Any phone-OTP attempt 404s.
- **Fix** Either remove the phone-OTP path or add the backend routes. This is app-only, so it does not affect parity — but it is a dead end a user can reach.

B6 · Navigation routing and duplication defects

P2

APP-ONLY

- **Business Messages tab → buyer inbox.** `BottomTabBar.tsx` sets the business Messages tab route to `/me/messages` ; it should be `/biz/messages` .
- **Admin drawer duplicates.** `NavigationDrawer.tsx` `adminItems` lists Overview twice, Verification/Verify twice and Announcements twice, so the drawer renders repeated rows.
- **Buyer Messages unreachable from the drawer.** `customerItems` omits Messages entirely.

Website-side defect noticed during the audit

`shared/hooks/use-rifah-api.js` exports `useSettings()` , which calls `settingsApi.get()` — but `settingsApi` is not among that file's imports. Any component using the hook would throw a `ReferenceError` . `admin-settings.jsx` currently avoids it by importing the service directly. Flagged for the web team; out of scope for this audit.

17 Unverified Features

Two items could not be settled from static reading alone. Both need a run against a live backend before being graded.

FEATURE	WHAT IS UNCLEAR	HOW TO SETTLE IT
Admin — opening a verification document <code>admin/verification.tsx</code>	The app calls <code>Linking.openURL(selectedDoc.fileUrl)</code> , handing the URL to the system browser. <code>uploads/</code> is served statically by <code>app.js</code> , so an absolute static URL should open. But the backend also exposes an authenticated route at <code>/verification/documents/:filename</code> ; if <code>fileUrl</code> points there, the external browser carries no bearer token and the request will 401.	Inspect a real <code>fileUrl</code> from the verification queue response. If it is the authenticated route, download in-app with the token and open the local file.
Business — resubmit after "changes required" <code>biz/verification.tsx</code>	The website exposes an explicit "Resubmit for Secretariat Review" action. The app calls <code>verificationApi.submit</code> once per uploaded document, which may or may not satisfy the resubmission path when status is <code>changes_required</code> .	Drive a business into <code>changes_required</code> and confirm a resubmission is accepted and the status transitions.

18 App-Only Features

Present in the app with no website counterpart. **None of these are recommended for removal** except the security defect — several are the right

call for a mobile client.

FEATURE	WHERE	ASSESSMENT
Splash screen with first-run gate	app/splash.tsx	Standard mobile pattern; uses <code>HAS_SEEN_ONBOARDING_KEY</code> to route first-time users. Keep.
Intro slide carousel	app/onboarding.tsx	Three-slide value proposition with pagination dots. Keep — but note it occupies the <code>/onboarding</code> route the website uses for the profile wizard, which the app puts at <code>/onboarding-wizard</code> . Worth aligning the naming.
Dedicated forgot-password screen	app/forgot-password.tsx	The website runs the same three-step flow inside the login page. Keep.
Phone OTP screen	app/verify-otp.tsx	See B5 — the endpoints it calls do not exist. Decide: build the backend routes or remove the screen.
Explicit logout call	authApi.logout	The backend route exists; the website never calls it. The app is more correct here.
Request timeout and network-error mapping	api/client.ts	12-second abort → 408; unreachable host → readable 503. Valuable on mobile networks. Keep, and consider back-porting to the website.
Emulator host auto-detection	api/client.ts	Resolves Expo <code>hostUri</code> and the Android emulator loopback. Developer convenience. Keep.
Catalogue image by URL	biz/catalogue.tsx	Paste an image URL as an alternative to the picker. Harmless addition.
Contact deep links on business profiles	business/[id].tsx	Call, WhatsApp, email and maps. A genuine mobile improvement over the website's share dialog.
Android Storage Access Framework exports	admin/reports.tsx , admin/businesses.tsx	Lets the user choose a save folder, remembered in <code>AsyncStorage</code> . Keep.
Edit unit	admin/units.tsx	The website only adds and removes units. The backend has no unit-update route, so confirm what this actually does before relying on it.
<code>leadApi.getById</code>	api/services.ts	Backed by a real route the website does not use. Harmless.
Product Catalogue in the buyer drawer	NavigationDrawer.tsx	The website's customer nav omits it. A reasonable addition.
Hardcoded admin fallback and auto-re-	AuthContext.tsx , api/client.ts	REMOVE See B1. This is the one app-only item that must go.

19 Master Feature Matrix

All 248 audited website features. Role and module are carried by the banded header rows. Every feature was checked against the app's actual implementation, not its screen's existence.

C

 Complete

P

 Partial

M

 Missing

B

 Broken

U

 Unverified

#	FEATURE	STATUS	GAP / REQUIRED ACTION
PUBLIC / GUEST · HOME			
1	Hero with directory search entry	C	—
2	Featured businesses section	C	—
3	Browse by category	C	—
4	Discover products & services preview	C	—
5	Upcoming RIFAH events	C	—
6	Membership plans section	C	—
PUBLIC / GUEST · ABOUT RIFAH			
7	Chamber narrative content	C	—
8	Live chamber KPIs from reports/public/stats	M	Add <code>getPublicStats</code> to <code>reportApi</code> ; replace static grid
9	Real chapters and specialised-unit counts	M	Wire <code>chapterApi.list</code> into the About screen
PUBLIC / GUEST · DISCOVER DIRECTORY			
10	Keyword search	C	—
11	Category / location / verification filters	C	—
12	Sort control	P	Add sort options to the filter modal
13	Business cards with navigation to profile	C	—
PUBLIC / GUEST · PRODUCT CATALOGUE			
14	Offering search	C	—

14	Opening search	C	—
15	Category and location filters	C	—
16	Item cards with supplier link	C	—
PUBLIC / GUEST · CONTACT			
17	Enquiry form with chapter and desk selection	C	—
PUBLIC / GUEST · EVENTS			
18	Upcoming / past tabs	C	—
19	Event search	C	—
20	Event detail — details, agenda, venue, fee	C	—
21	RSVP registration	C	—
22	Other upcoming events	C	—
PUBLIC / GUEST · MEMBERSHIP PLANS			
23	Plan tiers with benefits and FAQ	C	—
24	INR / USD currency toggle	P	Add toggle; pass <code>currency</code> to checkout
PUBLIC / GUEST · BUSINESS PROFILE			
25	Overview and about	C	—
26	Products and services tabs	C	—
27	Photo gallery	C	—
28	Certifications	C	—
29	Reviews and ratings list	C	—
30	Write a review	C	—
31	Save / bookmark business	C	—
32	Share business profile	P	Replaced by contact deep links; add a native share sheet
33	Send enquiry CTA	C	—
AUTH & ONBOARDING · LOGIN			
34	Email + password sign-in	C	—
35	Validation and error states	C	—

36	Forgot password — request, verify code, reset	C	—
37	Google sign-in	B	B3 — replace 'demo_google_token' with a real credential
38	Multi-role selection modal	B	B2 — return <code>requiresRoleSelection / availableRoles</code> from <code>login()</code>
39	Forced password change redirect	P	Honour <code>user.forcePasswordChange</code> , not only the envelope flag
40	Post-login routing by role	C	—
AUTH & ONBOARDING · BUYER REGISTRATION			
41	Name, email, phone, password	C	—
42	Organisation, city, primary sourcing interest	M	Add the three fields and include them in the payload
AUTH & ONBOARDING · BUSINESS REGISTRATION			
43	Step 1 — business details	C	—
44	Step 2 — contact and location	C	—
45	Step 3 — account with email OTP	C	—
46	GSTIN verification and autofill	C	—
47	Step 4 — membership tier selection	C	—
48	Certificate upload at signup	M	Call <code>verificationApi.uploadDocument</code> in the submit handler
49	Verification submission at signup	M	Call <code>verificationApi.submit</code> after upload
50	Razorpay payment at signup for paid tiers	M	Reuse <code>RazorpayCheckoutModal</code> + <code>createOrder / verifyPayment</code>
AUTH & ONBOARDING · PROFILE ONBOARDING			
51	Buyer vs business role choice	C	—
52	Buyer path — <code>completeOnboarding</code>	C	—
53	Business 5-step wizard	P	Step machine declared but never advanced; restore stepping
54	Tax & Verification step	M	Add the step and its fields to the payload
55	Membership step	M	Add plan selection to onboarding

56	Change password screen	C	—
PLATFORM · API CLIENT & SESSIONS			
57	Base client with bearer auth and FormData handling	C	—
58	Refresh-token retry on 401	C	—
59	Redirect to login on unrecoverable 401	M	Add public-path list and router redirect
60	Media URL normalisation across hosts	P	Port the website's <code>/uploads/</code> and <code>localhost</code> remapping
PLATFORM · ACCESS CONTROL			
61	Authentication guard on protected routes	M	Redirect unauthenticated users to <code>/login?redirect=...</code>
62	Role guard on workspace routes	M	Reject cross-role access to <code>/admin</code> , <code>/biz</code> , <code>/me</code>
63	Business verification access gate	M	Port <code>UnderApprovalAccessGate</code> and the allowed-path list
64	Lock affordance on gated destinations	M	Lock icon and dimmed state in drawer and tab bar
PLATFORM · NAVIGATION & BADGES			
65	Role-based navigation menus	C	—
66	Bottom navigation with primary destinations	C	—
67	Unread badges in the header	M	Wire <code>useNotifications</code> / <code>useConversations</code> into <code>AppHeader</code>
68	Unread badges on navigation items	M	Add counts to drawer rows
69	Switch back to previous role	M	Add the control when <code>user.previousRole</code> is set
PLATFORM · REALTIME & LOCALISATION			
70	Socket.IO realtime messaging	C	—
71	Localisation catalogue and language selector	M	Adopt an i18n library; reuse the website's <code>messages/</code>
72	Link back to the public site from a workspace	M	Add to the drawer footer
CUSTOMER · BUYER DASHBOARD			

73	Four KPI cards — enquiries, conversations, saved, notifications	C	—
74	Sourcing search entry	C	—
75	Recent enquiries panel	C	—
76	Saved businesses panel	C	—
77	Messages panel	C	—
78	Upcoming events panel	C	—
79	Recent notifications panel	P	Reduced to a KPI tile; add the recent-items list
CUSTOMER · MY ENQUIRIES			
80	List with All/Submitted/Routed/Responded/Closed tabs	C	—
81	Detail view with specifications	C	—
82	Supplier quotations list	C	—
83	Message supplier from a quotation	C	—
84	Post requirement with chamber / chapter targeting	M	Add the target-audience step and targetType / chapter payload
CUSTOMER · SAVED, EVENTS, MESSAGES, NOTIFICATIONS			
85	Saved businesses list	C	—
86	Unsave a business	C	—
87	My events list	C	—
88	Conversation list	C	—
89	Thread view and send message	C	—
90	Realtime receive and conversation refresh	C	—
91	Send an attachment	M	Add picker; call messageApi.uploadAttachment
92	Open / download a received attachment	C	—
93	PDF quotation card in-thread	C	—
94	Notification list with relative timestamps	C	—

95	Mark read and mark all read	C	—
96	Notification detail view	C	—
CUSTOMER · ACCOUNT PROFILE			
97	Profile fields with view/edit mode	P	No tax ID; email locked; always-editable form
98	Avatar upload	M	Add <code>userApi.uploadAvatar</code> and an image picker
99	Avatar removal	M	<code>updateProfile({avatar: ""})</code>
100	Change password from the profile	C	—
101	Notification preference switches	M	Add the four toggles
BUSINESS · WORKSPACE DASHBOARD			
102	Headline KPIs	C	—
103	Matched leads panel	C	—
104	Verification & membership panel	C	—
105	Profile completeness	C	—
106	Recent messages panel	C	—
107	Reviews panel	C	—
108	Notifications panel	C	—
109	Performance panel	C	—
BUSINESS · LEADS			
110	Pipeline stage tabs	C	—
111	Search by requirement, buyer or city	C	—
112	Priority filter	C	—
113	Newest / oldest sort	C	—
114	Submit quotation — amount, delivery, notes	C	—
115	Update lead status	C	—
116	Message the buyer	C	—

117	Quotation PDF	C	—
BUSINESS · ENQUIRIES RECEIVED			
118	List with search	C	—
119	Detail view	C	—
120	Accept requirement → In Progress	M	Call <code>leadApi.updateStatus</code> with the row's <code>leadId</code>
121	Submit quotation from an enquiry	M	Add the quote form and <code>leadApi.submitQuotation</code>
122	Export enquiry list to CSV	M	Mirror <code>handleExportList</code> columns; reuse the SAF writer
BUSINESS · CATALOGUE			
123	Item list	C	—
124	Create item	C	—
125	Edit item	C	—
126	Delete item	C	—
127	Upload item images	C	—
BUSINESS · BUSINESS PROFILE			
128	Company details edit	C	—
129	Logo upload	C	—
130	Cover banner upload	C	—
131	Gallery upload	C	—
132	Certificate upload	C	—
133	Delete logo, cover, gallery image, certificate	M	Add per-item delete writing back through <code>businessApi.update</code>
BUSINESS · ANALYTICS			
134	Analytics KPIs	C	—
135	Leads vs enquiries chart	C	—
136	Profile views chart	C	—
137	Recent reviews	C	—
138	Top catalogue items	C	—

BUSINESS · MEMBERSHIP		
139	Current plan and benefits	C —
140	Upgrade / change plan	C —
141	Auto-renew toggle	C —
142	Invoice history	C —
143	Invoice PDF download	C —
144	Billing address editor	C —
BUSINESS · PAYMENTS		
145	Transaction history	C —
146	CSV export	C —
147	Invoice PDF	C —
148	Pay / retry via Razorpay	C —
BUSINESS · MESSAGES, NOTIFICATIONS, VERIFICATION		
149	Inbox, thread and send	C —
150	Send an attachment	M Same fix as feature 91
151	Open / download a received attachment	C —
152	Notification list, mark read, mark all	C —
153	Notification detail view	C —
154	Verification status and lifecycle stepper	C —
155	Document upload (PDF)	C —
156	Submit for review	C —
157	Resubmit after "changes required"	U Confirm the transition against a live record
158	Document preview	C —
159	Verification audit timeline	C —
BUSINESS · MY SOURCING ENQUIRIES (B2B)		
160	List of requirements posted to other members	M Build the screen; enquiryApi.getMyEnquiries already available

161	Post a B2B requirement with target audience	M	Build the form; enquiryApi.create + chapter/category lists
ADMIN · OVERVIEW DASHBOARD			
162	Chamber KPI cards	C	—
163	Verification queue with inline approve / reject	C	—
164	Recent enquiries	C	—
165	Latest payments	C	—
166	Chapters & units summary	C	—
167	Membership mix	C	—
168	Audit log preview	C	—
169	Chapter-admin data scoping and workspace title	C	—
ADMIN · BUSINESSES			
170	Directory list with search	C	—
171	Category filter	C	—
172	Change business status	C	—
173	Export directory to CSV	C	—
174	Business detail page	C	—
175	Submitted verification documents on the detail page	C	—
176	Admin governance actions on the detail page	C	—
ADMIN · VERIFICATION QUEUE			
177	Queue with status tabs and counts	C	—
178	Approve / reject / request correction	C	—
179	Search by business name, GSTIN or email	M	Add the search field
180	Chapter filter	M	Add the select; default to the chapter admin's own chapter
181	Open / download a submitted document	II	Confirm whether fileUrl needs the bearer

			token
ADMIN · USERS & ROLES			
182	User list with search	C	—
183	Activate / suspend a user	C	—
184	Change a user's role	C	—
185	Invite a member by email	C	—
186	User detail view	C	—
ADMIN · LEAD ROUTING			
187	Routing worklist	C	—
188	Search plus status, type and chapter filters	C	—
189	Select verified members and route the lead	C	—
190	Update enquiry status from the routing desk	C	—
191	Export leads to CSV	C	—
ADMIN · ENQUIRIES			
192	All enquiries with search and three filters	C	—
193	Update status and assign an admin	C	—
194	Enquiry detail with resolution note	C	—
195	Export enquiries to CSV	C	—
ADMIN · MEMBERSHIPS			
196	Plan tier list with member allocation	C	—
197	Create plan	C	—
198	Update plan	C	—
199	Delete plan	C	—
200	Set a member's tier (Free / Basic / Premium)	M	Add row actions calling <code>businessApi.updateStatus</code>
ADMIN · PAYMENTS & REVENUE			
201	Transaction ledger with search	C	—

202	Transaction detail	C	—
203	Verify a payment manually	C	—
204	Process a refund	C	—
205	Download / share a receipt	C	—
ADMIN · CATEGORIES, CHAPTERS & UNITS			
206	Category CRUD with parent taxonomy	C	—
207	Chapter list with unit counts	C	—