

1VEVODGS <GRQSU

Sep 18, 2023, 5:28:50 PM

Start : Sep 18, 5:23:35.300 PM

End : Sep 18, 5:28:49.617 PM

Duration : 5 m 14.317 s

Features






PASSED - 0
FAILED - 42
SKIPPED - 0

Scenarios

PASSED - 3
FAILED - 284
SKIPPED - 0

Steps

PASSED - 173
FAILED - 284
SKIPPED - 685



| Feature | | Duration | Scenario | | | | Step | | | |
|---|--|-----------------|-----------------|----------|----------|----------|-------------|----------|----------|----------|
| | | | T | P | F | S | T | P | F | S |
| Name | | | | | | | | | | |
| <u>Home Page Verification of LMS portal</u> | | 4.386 s | 8 | 2 | 6 | 0 | 9 | 3 | 6 | 0 |
| <u>Login page Validation</u> | | 0.357 s | 16 | 0 | 16 | 0 | 48 | 0 | 16 | 32 |
| <u>Login Page Validation</u> | | 0.219 s | 9 | 0 | 9 | 0 | 27 | 0 | 9 | 18 |
| <u>Forgot username /password</u> | | 0.195 s | 8 | 0 | 8 | 0 | 24 | 0 | 8 | 16 |
| <u>Forgot username /password</u> | | 0.042 s | 2 | 0 | 2 | 0 | 6 | 0 | 2 | 4 |
| <u>Reset Password in home page</u> | | 0.163 s | 8 | 0 | 8 | 0 | 24 | 0 | 8 | 16 |
| <u>Reset Password in Login Page</u> | | 0.108 s | 6 | 0 | 6 | 0 | 18 | 0 | 6 | 12 |
| <u>Dashboard Page</u> | | 0.280 s | 16 | 0 | 16 | 0 | 48 | 0 | 16 | 32 |
| <u>Student</u> | | 2.560 s | 17 | 0 | 17 | 0 | 68 | 17 | 17 | 34 |
| <u>Student</u> | | 35.378 s | 7 | 0 | 7 | 0 | 28 | 16 | 7 | 5 |
| <u>Student</u> | | 35.352 s | 7 | 0 | 7 | 0 | 28 | 14 | 7 | 7 |
| <u>Manage program validation</u> | | 1.701 s | 12 | 0 | 12 | 0 | 48 | 12 | 12 | 24 |
| <u>Manage program validation</u> | | 0.042 s | 4 | 0 | 4 | 0 | 24 | 4 | 4 | 16 |
| <u>Add New Program</u> | | 0.033 s | 3 | 0 | 3 | 0 | 18 | 3 | 3 | 12 |
| <u>Add New Program</u> | | 1.506 s | 8 | 0 | 8 | 0 | 48 | 8 | 8 | 32 |
| <u>Edit Program Details</u> | | 0.005 s | 1 | 0 | 1 | 0 | 6 | 1 | 1 | 4 |
| <u>Edit Program Details</u> | | 1.384 s | 6 | 0 | 6 | 0 | 36 | 6 | 6 | 24 |

| Feature | | Duration | Scenario | | | | Step | | | |
|---|--|-----------------|-----------------|----------|----------|----------|-------------|----------|----------|----------|
| | | | T | P | F | S | T | P | F | S |
| <u>Delete Program</u> | | 0.015 s | 2 | 0 | 2 | 0 | 12 | 2 | 2 | 8 |
| <u>Delete Program</u> | | 0.693 s | 3 | 0 | 3 | 0 | 18 | 3 | 3 | 12 |
| <u>Multiple Delete Program</u> | | 0.238 s | 1 | 0 | 1 | 0 | 6 | 1 | 1 | 4 |
| <u>Multiple Delete Program</u> | | 0.449 s | 2 | 0 | 2 | 0 | 12 | 0 | 2 | 10 |
| <u>Multiple Delete Program</u> | | 0.474 s | 2 | 0 | 2 | 0 | 12 | 0 | 2 | 10 |
| <u>Sorting(Data Ordering) Validation</u> | | 1.364 s | 6 | 0 | 6 | 0 | 36 | 6 | 6 | 24 |
| <u>Pagination Program</u> | | 0.926 s | 4 | 0 | 4 | 0 | 20 | 4 | 4 | 12 |
| <u>Navigation Validation from Manage Program to other Pages</u> | | 1.640 s | 7 | 0 | 7 | 0 | 42 | 7 | 7 | 28 |
| <u>Batch Page Validation</u> | | 0.110 s | 8 | 0 | 8 | 0 | 32 | 8 | 8 | 16 |
| <u>Add new Batch</u> | | 0.059 s | 5 | 0 | 5 | 0 | 37 | 5 | 5 | 27 |
| <u>Delete Batch</u> | | 0.029 s | 3 | 0 | 3 | 0 | 18 | 3 | 3 | 12 |
| <u>Delete multiple batches</u> | | 0.024 s | 3 | 0 | 3 | 0 | 17 | 3 | 3 | 11 |
| <u>Edit Batch</u> | | 0.060 s | 5 | 0 | 5 | 0 | 34 | 5 | 5 | 24 |
| <u>To verify manage class page</u> | | 1 m 20.989 s | 17 | 0 | 17 | 0 | 51 | 17 | 17 | 17 |
| <u>To verify manage class page</u> | | 50.456 s | 10 | 0 | 10 | 0 | 30 | 0 | 10 | 20 |
| <u>To verify Add New Class</u> | | 0.355 s | 18 | 0 | 18 | 0 | 54 | 0 | 18 | 36 |
| <u>To verify class detail popup window</u> | | 55.560 s | 11 | 0 | 11 | 0 | 33 | 2 | 11 | 20 |

| Feature | | Scenario | | | | | Step | | | |
|---|-----------------|-----------------|----------|----------|----------|----------|-------------|----------|----------|--|
| Name | Duration | T | P | F | S | T | P | F | S | |
| <u>To verify edit Class</u> | 0.192 s | 11 | 0 | 11 | 0 | 33 | 0 | 11 | 22 | |
| <u>To verify delete class and delete multiple class</u> | 25.190 s | 3 | 1 | 2 | 0 | 9 | 7 | 2 | 0 | |
| <u>User</u> | 2.941 s | 12 | 0 | 12 | 0 | 37 | 0 | 12 | 25 | |
| <u>User</u> | 1.154 s | 5 | 0 | 5 | 0 | 29 | 5 | 5 | 19 | |
| <u>User</u> | 0.940 s | 4 | 0 | 4 | 0 | 24 | 4 | 4 | 16 | |
| <u>User</u> | 0.683 s | 3 | 0 | 3 | 0 | 18 | 3 | 3 | 12 | |
| <u>User</u> | 0.665 s | 3 | 0 | 3 | 0 | 17 | 3 | 3 | 11 | |
| <u>Logout function</u> | 5.009 s | 1 | 0 | 1 | 0 | 3 | 1 | 1 | 1 | |

| # | Feature Name | Scenario Name |
|----|---|---|
| 1 | <u>Home Page Verification of LMS portal</u> | <u>Verify admin is able to land on home page with invalid URL</u> |
| 2 | | <u>Verify the text spelling in the page</u> |
| 3 | | <u>Verify the logo of the LMS</u> |
| 4 | | <u>Verify the logo properly aligned</u> |
| 5 | | <u>Verify login button is present</u> |
| 6 | | <u>Verify login button is present</u> |
| 7 | <u>Login page Validation</u> | <u>Verify the login page</u> |
| 8 | | <u>Verify for broken link</u> |
| 9 | | <u>Verify the header of the login page</u> |
| 10 | | <u>Verify the text spelling in login page</u> |

| # | Feature Name | Scenario Name |
|----|------------------------------|---|
| 11 | <u>Login page Validation</u> | <u>Verify text on the first text field</u> |
| 12 | | <u>Verify text field is present</u> |
| 13 | | <u>Verify asterik next to user text</u> |
| 14 | | <u>Verify text on the second text field</u> |
| 15 | | <u>Verify asterik next to password text</u> |
| 16 | | <u>Verify the alignment input field for the login</u> |
| 17 | | <u>verify Login is present</u> |
| 18 | | <u>Verify the alignment of the login button</u> |
| 19 | | <u>Verify forgot username or password link</u> |
| 20 | | <u>Verify the alignment of the login button</u> |

| # | Feature Name | Scenario Name |
|----|------------------------------|--|
| 21 | <u>Login page Validation</u> | <u>Verify the alignment of the login button</u> |
| 22 | | <u>Verify the alignment of the login button</u> |
| 23 | <u>Login Page Validation</u> | <u>Validate login with valid credentials</u> |
| 24 | | <u>Validate login with invalid credentials</u> |
| 25 | | <u>Validate login with valid credentials in username</u> |
| 26 | | <u>Validate login with valid credentials in password</u> |
| 27 | | <u>Validate login with blank username credentials</u> |
| 28 | | <u>Validate login with blank password credentials</u> |
| 29 | | <u>validate login with empty values in both field</u> |
| 30 | | <u>verify login button action through keyboard</u> |

| # | Feature Name | Scenario Name |
|----|----------------------------------|--|
| 31 | <u>Login Page Validation</u> | <u>verify login button action through mouse</u> |
| 32 | <u>Forgot username /password</u> | <u>Verify forgot username or password link</u> |
| 33 | | <u>verify broken link</u> |
| 34 | | <u>verify input descriptive text for Email</u> |
| 35 | | <u>Verify email text in text field</u> |
| 36 | | <u>Verify send link button is present</u> |
| 37 | | <u>Verify asterik near Email text</u> |
| 38 | | <u>Verify text spelling</u> |
| 39 | | <u>Verify the alignment of the send link button</u> |
| 40 | | <u>Validate email sent for forgot password in login page</u> |

| # | Feature Name | Scenario Name |
|----|-------------------------------------|--|
| 41 | <u>Forgot username /password</u> | <u>Validate email sent for forgot password with invalid email id</u> |
| 42 | <u>Reset Password in home page</u> | <u>Verify reset password link</u> |
| 43 | | <u>Verify text in the page</u> |
| 44 | | <u>Verify submit button is present</u> |
| 45 | | <u>Verify the alignment of the submit button</u> |
| 46 | | <u>Verify text box is present is the page</u> |
| 47 | | <u>Verify first label text</u> |
| 48 | | <u>Verify second label text</u> |
| 49 | | <u>verify text box is in disabled</u> |
| 50 | <u>Reset Password in Login Page</u> | <u>verify text box is in enabled in new password field</u> |

| # | Feature Name | Scenario Name |
|----|-------------------------------------|---|
| 51 | <u>Reset Password in Login Page</u> | <u>verify text box is in enabled in retype password field</u> |
| 52 | | <u>Validate reset password with valid details</u> |
| 53 | | <u>Validate reset password with invalid details</u> |
| 54 | | <u>Validate reset password with empty details</u> |
| 55 | | <u>Validate reset password mismatch values</u> |
| 56 | <u>Dashboard Page</u> | <u>Verify after login admin lands on manage program as dashboard page</u> |
| 57 | | <u>Verify the response time</u> |
| 58 | | <u>Verify broken link</u> |
| 59 | | <u>Verify LMS title</u> |
| 60 | | <u>Verify LMS title alignment</u> |

| # | Feature Name | Scenario Name |
|----|-----------------------|--|
| 61 | <u>Dashboard Page</u> | <u>Validate navigation bar text</u> |
| 62 | | <u>Validate LMS title has correct spelling and space</u> |
| 63 | | <u>Validate alignment for navigation bar</u> |
| 64 | | <u>Validate navigation bar order 1st Student</u> |
| 65 | | <u>Validate navigation bar order 2nd Program</u> |
| 66 | | <u>Validate navigation bar order 3rd Batch</u> |
| 67 | | <u>Validate navigation bar order 4th Class</u> |
| 68 | | <u>Validate navigation bar order 5th User</u> |
| 69 | | <u>Validate navigation bar order 6th Assignment</u> |
| 70 | | <u>Validate navigation bar order 7th Attendance</u> |

| # | Feature Name | Scenario Name |
|----|-----------------------|---|
| 71 | <u>Dashboard Page</u> | <u>Validate navigation bar order 8th Logout</u> |
| 72 | <u>Student</u> | <u>Validate the title of the page</u> |
| 73 | | <u>Validate response time from dashboard page to student page</u> |
| 74 | | <u>Validate the broken link</u> |
| 75 | | <u>Verify LMS title</u> |
| 76 | | <u>Verify the alignment of the Student detail title</u> |
| 77 | | <u>Validate drop down is present in the page</u> |
| 78 | | <u>Validate search bar in select student name drop down</u> |
| 79 | | <u>Validate search bar in select batch id drop down</u> |
| 80 | | <u>Validate text spelling student name</u> |

| # | Feature Name | Scenario Name |
|----|----------------|--|
| 81 | <u>Student</u> | <u>Validate text spelling select batch id</u> |
| 82 | | <u>Validate only numbers inside select batch id</u> |
| 83 | | <u>Validate gray color in student name drop down</u> |
| 84 | | <u>Validate gray color in student name drop down</u> |
| 85 | | <u>Validate first drop down label is select student name</u> |
| 86 | | <u>Validate second drop down label is select batch id</u> |
| 87 | | <u>Validate scroll down inside student name dropdown</u> |
| 88 | | <u>Validate scroll down inside batch id dropdown</u> |
| 89 | | <u>Validate select student name is fading</u> |
| 90 | | <u>Validate select batch id is fading</u> |

| # | Feature Name | Scenario Name |
|------|----------------|--|
| 91 | <u>Student</u> | <u>Validate select student name using search box</u> |
| 92 | | <u>Validate select batch id using search box</u> |
| 93 | | <u>Validate selecting only student name will not display any details</u> |
| 94 | | <u>Validate selecting only batch id will not display any details</u> |
| 95 | | <u>Validate selecting student name and batch id</u> |
| 96 | | <u>Program link on navigation bar</u> |
| 97 | | <u>Batch link on navigation bar</u> |
| 98 | | <u>Class link on navigation bar</u> |
| 99 | | <u>User link on navigation bar</u> |
| 10-0 | | <u>Assignment link on navigation bar</u> |

| # | Feature Name | Scenario Name |
|------|----------------------------------|--|
| 10-1 | <u>Student</u> | <u>Attendance link on navigation bar</u> |
| 10-2 | | <u>Logout link on navigation bar</u> |
| 10-3 | <u>Manage program validation</u> | <u>Validate landing in Program page</u> |
| 10-4 | | <u>Validate the heading</u> |
| 10-5 | | <u>Validate the text and pagination icon below the data table</u> |
| 10-6 | | <u>Validate the footer</u> |
| 10-7 | | <u>Validating the default state of Delete button</u> |
| 10-8 | | <u>Validate Add New Program</u> |
| 10-9 | | <u>Validate that number of records (rows of data in the table) displayed</u> |
| 11-0 | | <u>Verify data table on the Program page</u> |

| # | Feature Name | Scenario Name |
|------|----------------------------------|---|
| 11-1 | <u>Manage program validation</u> | <u>Verify Sort arrow icon on the data table</u> |
| 11-2 | | <u>Verify Check box on the data table</u> |
| 11-3 | | <u>Verify Edit and Delete buttons</u> |
| 11-4 | | <u>Verify Search bar on the Program page</u> |
| 11-5 | | <u>Search Program By Name</u> |
| 11-6 | | <u>Search Program By Description</u> |
| 11-7 | | <u>Search Program By Status</u> |
| 11-8 | | <u>Validating the Search with unrelated keyword</u> |
| 11-9 | <u>Add New Program</u> | <u>Validate Program Details Popup window</u> |
| 12-0 | | <u>Validate input fields and their text boxes in Program details form</u> |

| # | Feature Name | Scenario Name |
|------|-----------------------------|--|
| 12-1 | <u>Add New Program</u> | <u>Validate radio button for Program Status</u> |
| 12-2 | | <u>Empty form submission</u> |
| 12-3 | | <u>Enter only Program Name</u> |
| 12-4 | | <u>Enter only Program Description</u> |
| 12-5 | | <u>Select Status only</u> |
| 12-6 | | <u>Validate invalid values on the text column</u> |
| 12-7 | | <u>Validate Cancel/Close(X) icon on Program Details form</u> |
| 12-8 | | <u>Validate Save button on Program Details form</u> |
| 12-9 | | <u>Validate Cancel button on Program Details form</u> |
| 13-0 | <u>Edit Program Details</u> | <u>Validate Edit Feature</u> |

| # | Feature Name | Scenario Name |
|------|-----------------------------|---|
| 13-1 | <u>Edit Program Details</u> | <u>Edit Program Name</u> |
| 13-2 | | <u>Edit Program description</u> |
| 13-3 | | <u>Change Program Status</u> |
| 13-4 | | <u>Validate invalid values on the text column</u> |
| 13-5 | | <u>Validate Cancel button on Edit popup</u> |
| 13-6 | | <u>Validate Save button on Edit popup</u> |
| 13-7 | <u>Delete Program</u> | <u>Delete Feature</u> |
| 13-8 | | <u>Validate details for Confirm Deletion form</u> |
| 13-9 | | <u>Click Yes on deletion window</u> |
| 14-0 | | <u>Click No on deletion window</u> |

| # | Feature Name | Scenario Name |
|------|--|---|
| 14-1 | <u>Delete Program</u> | <u>Validate Cancel/Close(X) icon on Confirm Deletion alert</u> |
| 14-2 | <u>Multiple Delete Program</u> | <u>Validate Common Delete button enabled after clicking on any checkbox</u> |
| 14-3 | | <u>Validate multiple program deletion by selecting Single checkbox</u> |
| 14-4 | | <u>Validate multiple program deletion by selecting Single checkbox</u> |
| 14-5 | | <u>Validate multiple program deletion by selecting multiple check boxes</u> |
| 14-6 | | <u>Validate multiple program deletion by selecting multiple check boxes</u> |
| 14-7 | <u>Sorting(Data Ordering) Validation</u> | <u>Validates Sorting(data ordering) on the Program Data table</u> |
| 14-8 | | <u>Validates Sorting(data ordering) on the Program Data table</u> |
| 14-9 | | <u>Validates Sorting(data ordering) on the Program Data table</u> |
| 15-0 | | <u>Validates Sorting(data ordering) on the Program Data table</u> |

| # | Feature Name | Scenario Name |
|------|---|---|
| 15-1 | <u>Sorting(Data Ordering) Validation</u> | <u>Validates Sorting(data ordering) on the Program Data table</u> |
| 15-2 | | <u>Validates Sorting(data ordering) on the Program Data table</u> |
| 15-3 | <u>Pagination Program</u> | <u>Verify Next page link</u> |
| 15-4 | | <u>Verify Last page link</u> |
| 15-5 | | <u>Verify First page link</u> |
| 15-6 | | <u>Verify Start page link</u> |
| 15-7 | <u>Navigation Validation from Manage Program to other Pages</u> | <u>Student link on navigation bar</u> |
| 15-8 | | <u>Batch link on navigation bar</u> |
| 15-9 | | <u>Class link on navigation bar</u> |
| 16-0 | | <u>User link on navigation bar</u> |

| # | Feature Name | Scenario Name |
|------|---|--|
| 16-1 | <u>Navigation Validation from Manage Program to other Pages</u> | <u>Assignment link on navigation bar</u> |
| 16-2 | | <u>Attendance link on navigation bar</u> |
| 16-3 | | <u>Logout link on navigation bar</u> |
| 16-4 | <u>Batch Page Validation</u> | <u>Validate landing in Batch page</u> |
| 16-5 | | <u>Validate header in the Batch Page</u> |
| 16-6 | | <u>Validate pagination in the Batch Page</u> |
| 16-7 | | <u>Validate data table headers in the Batch Page</u> |
| 16-8 | | <u>Validate Delete button in Batch Page</u> |
| 16-9 | | <u>Validate "+ A New batch" in Batch Page</u> |
| 17-0 | | <u>Validate data rows</u> |

| # | Feature Name | Scenario Name |
|------|--------------------------------|---|
| 17-1 | <u>Batch Page Validation</u> | <u>Validate pop up for adding batch</u> |
| 17-2 | <u>Add new Batch</u> | <u>Check if the fields exist in pop</u> |
| 17-3 | | <u>Check if description is optional field</u> |
| 17-4 | | <u>Check if the program details are added in data table</u> |
| 17-5 | | <u>Check for error messages for invalid fields</u> |
| 17-6 | | <u>Check for error messages for mandatory fields</u> |
| 17-7 | <u>Delete Batch</u> | <u>Validate row level delete icon</u> |
| 17-8 | | <u>Validate accept alert</u> |
| 17-9 | | <u>Validate reject alert</u> |
| 18-0 | <u>Delete multiple batches</u> | <u>Validate the delete icon below the header</u> |

| # | Feature Name | Scenario Name |
|------|------------------------------------|--|
| 18-1 | <u>Delete multiple batches</u> | <u>Check for single row delete</u> |
| 18-2 | | <u>Check for multi row delete</u> |
| 18-3 | <u>Edit Batch</u> | <u>Validate row level edit icon</u> |
| 18-4 | | <u>Check if the fields are updated</u> |
| 18-5 | | <u>Check if the update throws error with invalid valued</u> |
| 18-6 | | <u>Check if you get error message when mandatory fields are erased</u> |
| 18-7 | | <u>Check if description field is optional in update</u> |
| 18-8 | <u>To verify manage class page</u> | <u>Verify landing in class page</u> |
| 18-9 | | <u>Capture the response time to navigate to manage class page</u> |
| 19-0 | | <u>Verify Manage Class Page Header</u> |

| # | Feature Name | Scenario Name |
|------|------------------------------------|---|
| 19-1 | <u>To verify manage class page</u> | <u>Validate text in manage class page</u> |
| 19-2 | | <u>Verify delete icon below the header</u> |
| 19-3 | | <u>Verify search bar on the class page</u> |
| 19-4 | | <u>Verify add new class button on class page</u> |
| 19-5 | | <u>Verify data table on the class page</u> |
| 19-6 | | <u>Verify Edit icon in the data table</u> |
| 19-7 | | <u>Verify Edit icon when no data in the table</u> |
| 19-8 | | <u>Verify delete icon in the data table</u> |
| 19-9 | | <u>Verify delete icon when no data in the table</u> |
| 20-0 | | <u>Verify sort icon in the data table</u> |

| # | Feature Name | Scenario Name |
|------|------------------------------------|---|
| 20-1 | <u>To verify manage class page</u> | <u>Verify check box in the data table</u> |
| 20-2 | | <u>Validate the number entries displaying</u> |
| 20-3 | | <u>Verify Pagination control below the data table</u> |
| 20-4 | | <u>Validate footer text</u> |
| 20-5 | | <u>Validate search box function</u> |
| 20-6 | | <u>Validate search box function</u> |
| 20-7 | | <u>Validate search box function</u> |
| 20-8 | | <u>Validate search box function</u> |
| 20-9 | | <u>Validate search box function</u> |
| 21-0 | | <u>Validate search box function</u> |

| # | Feature Name | Scenario Name |
|------|------------------------------------|---|
| 21-1 | <u>To verify manage class page</u> | <u>Validate search box function</u> |
| 21-2 | | <u>Validate search box function</u> |
| 21-3 | | <u>Validate search box function</u> |
| 21-4 | | <u>Validate search box function</u> |
| 21-5 | <u>To verify Add New Class</u> | <u>Validate all batch id is reflecting in the dropdown</u> |
| 21-6 | | <u>Validate admin able to add new class with valid data in mandatory fields</u> |
| 21-7 | | <u>Validate admin able to add new class with invalid data in mandatory fields</u> |
| 21-8 | | <u>Validate admin able to add new class with valid data in all fields</u> |
| 21-9 | | <u>Validate admin able to add new class with invalid data in optional fields</u> |
| 22-0 | | <u>Validate admin able to add new class missing Batch Id</u> |

| # | Feature Name | Scenario Name |
|------|--------------------------------|---|
| 22-1 | <u>To verify Add New Class</u> | <u>Validate admin able to add new class missing No of Class</u> |
| 22-2 | | <u>Validate admin able to add new class missing Class Date</u> |
| 22-3 | | <u>Validate admin able to add new class missing staff id</u> |
| 22-4 | | <u>Validate admin able to add new class passing past date</u> |
| 22-5 | | <u>Validate date picker</u> |
| 22-6 | | <u>validate date picker should be correct format</u> |
| 22-7 | | <u>Validate right arrow in data picker to navigate to next month</u> |
| 22-8 | | <u>Validate left arrow in data picker to navigate to previous month</u> |
| 22-9 | | <u>Validate current date is highlighted in the date picker</u> |
| 23-0 | | <u>Validate selected date is highlighted in the date picker</u> |

| # | Feature Name | Scenario Name |
|------|--|---|
| 23-1 | <u>To verify Add New Class</u> | <u>Validate cancel button function in class details popup window</u> |
| 23-2 | | <u>Validate cancel button function in class details popup window with values in field</u> |
| 23-3 | <u>To verify class detail popup window</u> | <u>Verify class details popup window</u> |
| 23-4 | | <u>Verify input fields in class details popup window</u> |
| 23-5 | | <u>Verify text box present in class details popup window</u> |
| 23-6 | | <u>Verify drop down in Batch Id in class details popup window</u> |
| 23-7 | | <u>Verify drop down in Staff Id in class details popup window</u> |
| 23-8 | | <u>Verify calendar icon in class date in class details popup window</u> |
| 23-9 | | <u>Verify save button is present</u> |
| 24-0 | | <u>Verify cancel button is present</u> |

| # | Feature Name | Scenario Name |
|------|--|--|
| 24-1 | <u>To verify class detail popup window</u> | <u>Verify close button in class details popup window</u> |
| 24-2 | | <u>Verify edit class popup window</u> |
| 24-3 | | <u>Verify values in popup window</u> |
| 24-4 | <u>To verify edit Class</u> | <u>Validate admin able to update class with valid data in mandatory fields</u> |
| 24-5 | | <u>Validate admin able to update class with invalid data in mandatory fields</u> |
| 24-6 | | <u>Validate admin able to update class with valid data in all fields</u> |
| 24-7 | | <u>Validate admin able to update class with invalid data in all fields</u> |
| 24-8 | | <u>Validate admin able to update class missing Batch Id</u> |
| 24-9 | | <u>Validate admin able to update class missing No of Class</u> |
| 25-0 | | <u>Validate admin able to update class missing Class Date</u> |

| # | Feature Name | Scenario Name |
|------|---|--|
| 25-1 | <u>To verify edit Class</u> | <u>Validate admin able to update class missing staff id</u> |
| 25-2 | | <u>Validate admin able to update class passing past date</u> |
| 25-3 | | <u>Validate cancel button function in Edit class details popup window</u> |
| 25-4 | | <u>Validate cancel button function in Edit class details popup window with values in field</u> |
| 25-5 | <u>To verify delete class and delete multiple class</u> | <u>Verify accept enabled in alert</u> |
| 25-6 | | <u>Verify reject enabled in alert</u> |
| 25-7 | <u>User</u> | <u>Validate landing in User page</u> |
| 25-8 | | <u>Validate header in the User Page</u> |
| 25-9 | | <u>Validate pagination in the User Page</u> |
| 26-0 | | <u>Validate data table headers in the User Page</u> |

| # | Feature Name | Scenario Name |
|------|--------------|--|
| 26-1 | <u>User</u> | <u>Validate Delete button in User Page</u> |
| 26-2 | | <u>Validate "+ A New user" button in User Page</u> |
| 26-3 | | <u>Validate "+ Assign staff" button in User page</u> |
| 26-4 | | <u>Validate search box in User page</u> |
| 26-5 | | <u>Validate data rows</u> |
| 26-6 | | <u>Validate data rows</u> |
| 26-7 | | <u>Validate data rows</u> |
| 26-8 | | <u>Validate pop up for adding user</u> |
| 26-9 | | <u>Check if the fields exist in pop</u> |
| 27-0 | | <u>Check if Middle name, linkedIn url, email, user comments.under graduate, post graduate,time zone are optional</u> |

| # | Feature Name | Scenario Name |
|------|--------------|--|
| 27-1 | <u>User</u> | <u>Check if the program details are added in data table</u> |
| 27-2 | | <u>Check for error messages for invalid fields</u> |
| 27-3 | | <u>Check for error messages for mandatory fields</u> |
| 27-4 | | <u>Validate row level edit icon</u> |
| 27-5 | | <u>Check if the fields are updated</u> |
| 27-6 | | <u>Check if the update throws error with invalid values</u> |
| 27-7 | | <u>Check if you get error message when mandatory fields are erased</u> |
| 27-8 | | <u>Validate row level delete icon</u> |
| 27-9 | | <u>Validate accept alert</u> |
| 28-0 | | <u>Validate reject alert</u> |

| # | Feature Name | Scenario Name |
|------|------------------------|--|
| 28-1 | <u>User</u> | <u>Validate the delete icon below the header</u> |
| 28-2 | | <u>Check for single row delete</u> |
| 28-3 | | <u>Check for multi row delete</u> |
| 28-4 | <u>Logout function</u> | <u>Verify Logout button function</u> |

| TAG | Name | Scenario | | | | Feature | | | |
|-----------------------|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| | | T | P | F | S | T | P | F | S |
| @HomePage | | 24 | 2 | 22 | 0 | 2 | 0 | 2 | 0 |
| @HomePageNavigation | | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @HomPageInvalidUrl | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @HomePageBrocken | | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @TextSpelling | | 3 | 0 | 3 | 0 | 3 | 0 | 3 | 0 |
| @Logo | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @LogoAligned | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @LoginButtonPresent | | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 |
| @LoginButtonClickable | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @LoginPage | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @BrockenLink | | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 |
| @LoginHeader | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @LoginUserNameText | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @LoginTextfield | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @AsterikToUser | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @LoginPasswordText | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @AsterikToPassword | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

| TAG | Name | Scenario | | | | Feature | | | |
|--------------------------------|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| | | T | P | F | S | T | P | F | S |
| @LoginTextFieldsAlignment | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @LoginButtonAlignment | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @LoginForgotUsernameOrPassword | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @LoginResetPassword | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @LoginDescriptivetestUser | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @LoginDescriptivetestPassword | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @LoginValid | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @LoginInvalid | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @LoginValidUser | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @LoginValidPassword | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @LoginBlankUname | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @LoginBlankPwd | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @LoginEmptyField | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @LoginKeyboard | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @LoginMouse | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @forgotUnamePwd | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @DescriptiveEmail | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

| TAG | Name | Scenario | | | | Feature | | | |
|----------------------|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| | | T | P | F | S | T | P | F | S |
| @EmailTextField | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @SendButton | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @AsterikEmail | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @AlignmentSendButton | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @ResetPwdLink | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @pageText | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @SubmitButtonPresent | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @AlignmentSubmitBtn | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TextBoxPresent | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @FirstLabelText | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @SecondLabelText | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TextBoxDisabled | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @EnabledNewPWD | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @EnabledRetypePWD | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @ResetwithValid | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @ResetwithInvalid | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @ResetwithEmpty | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

| TAG | Name | Scenario | | | | Feature | | | |
|-------------------------|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| | | T | P | F | S | T | P | F | S |
| @ResetwithMismatch | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @DashBoard | | 16 | 0 | 16 | 0 | 1 | 0 | 1 | 0 |
| @ManagePgmHeader | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @ResponseTime | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @VerifyBrockenLink | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @LMS-Title | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @LMSAlignment | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @NavigationBarText | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @SpellingLMSTitle | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @NavigationAlignmentBar | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @StudentNavigation | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @ProgramNavigation | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @BatchNavigation | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @ClassNavigation | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @UserNavigation | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @AssignmentNavigation | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @AttendenceNavigation | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

| | TAG | Scenario | | | | Feature | | | |
|--|-------------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| | | T | P | F | S | T | P | F | S |
| | Name | | | | | | | | |
| | @LogoutNavigation | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent1 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @Student | 31 | 0 | 31 | 0 | 3 | 0 | 3 | 0 |
| | @TestStudent2 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent3 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent4 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent5 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent6 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent7 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent8 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent9 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent10 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent11 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent12 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent13 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent14 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent15 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

| | TAG | Scenario | | | | Feature | | | |
|--|----------------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| | | T | P | F | S | T | P | F | S |
| | Name | | | | | | | | |
| | @TestStudent16 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent17 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent18 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent19 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent20 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent21 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent22 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent23 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent24 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent25 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent26 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent27 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent28 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent29 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent30 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestStudent31 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @Test_suit_program01 | 11 | 0 | 11 | 0 | 11 | 0 | 11 | 0 |

| TAG | Name | Scenario | | | | Feature | | | |
|-------------------------|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| | | T | P | F | S | T | P | F | S |
| @programvalidationpart1 | | 12 | 0 | 12 | 0 | 1 | 0 | 1 | 0 |
| @Test_suit_program02 | | 9 | 0 | 9 | 0 | 9 | 0 | 9 | 0 |
| @Test_suit_program03 | | 8 | 0 | 8 | 0 | 8 | 0 | 8 | 0 |
| @Test_suit_program04 | | 8 | 0 | 8 | 0 | 8 | 0 | 8 | 0 |
| @Test_suit_program05 | | 7 | 0 | 7 | 0 | 7 | 0 | 7 | 0 |
| @Test_suit_program06 | | 5 | 0 | 5 | 0 | 5 | 0 | 5 | 0 |
| @Test_suit_program07 | | 3 | 0 | 3 | 0 | 3 | 0 | 3 | 0 |
| @Test_suit_program08 | | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 |
| @Test_suit_program09 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Test_suit_program10 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Test_suit_program11 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Test_suit_program12 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @programvalidationpart2 | | 4 | 0 | 4 | 0 | 1 | 0 | 1 | 0 |
| @Test_suit_program13 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Test_suit_program14 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Test_suit_program15 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Test_suit_program16 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |


| TAG | Name | Scenario | | | | Feature | | | |
|------------------------------|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| | | T | P | F | S | T | P | F | S |
| @Addprogram1 | | 3 | 0 | 3 | 0 | 1 | 0 | 1 | 0 |
| @Addprogram | | 8 | 0 | 8 | 0 | 1 | 0 | 1 | 0 |
| @Editprogram | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Editprogramdeatil | | 6 | 0 | 6 | 0 | 1 | 0 | 1 | 0 |
| @Deleteprogramdeatil | | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |
| @Deleteprogramdeatil1 | | 3 | 0 | 3 | 0 | 1 | 0 | 1 | 0 |
| @Multipledeleteprogram | | 5 | 0 | 5 | 0 | 3 | 0 | 3 | 0 |
| @sortingvalidation | | 6 | 0 | 6 | 0 | 1 | 0 | 1 | 0 |
| @Paginationprogram | | 4 | 0 | 4 | 0 | 1 | 0 | 1 | 0 |
| @Navigationvalidtaionprogram | | 7 | 0 | 7 | 0 | 1 | 0 | 1 | 0 |
| @Batchvalidation | | 8 | 0 | 8 | 0 | 1 | 0 | 1 | 0 |
| @Test_suit_batch01 | | 5 | 0 | 5 | 0 | 5 | 0 | 5 | 0 |
| @Test_suit_batch02 | | 5 | 0 | 5 | 0 | 5 | 0 | 5 | 0 |
| @Test_suit_batch03 | | 5 | 0 | 5 | 0 | 5 | 0 | 5 | 0 |
| @Test_suit_batch04 | | 3 | 0 | 3 | 0 | 3 | 0 | 3 | 0 |
| @Test_suit_batch05 | | 3 | 0 | 3 | 0 | 3 | 0 | 3 | 0 |
| @Test_suit_batch06 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

| TAG | Name | Scenario | | | | Feature | | | |
|------------------------|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| | | T | P | F | S | T | P | F | S |
| @Test_suit_batch07 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Test_suit_batch08 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Addbatch | | 5 | 0 | 5 | 0 | 1 | 0 | 1 | 0 |
| @Deleteprogramdeati | | 3 | 0 | 3 | 0 | 1 | 0 | 1 | 0 |
| @Deletemultiplebatches | | 3 | 0 | 3 | 0 | 1 | 0 | 1 | 0 |
| @Editbatches | | 5 | 0 | 5 | 0 | 1 | 0 | 1 | 0 |
| @01class_module_page | | 17 | 0 | 17 | 0 | 1 | 0 | 1 | 0 |
| @class_test_01 | | 14 | 0 | 14 | 0 | 5 | 0 | 5 | 0 |
| @class_test_02 | | 4 | 0 | 4 | 0 | 4 | 0 | 4 | 0 |
| @class_test_03 | | 4 | 0 | 4 | 0 | 4 | 0 | 4 | 0 |
| @class_test_04 | | 4 | 0 | 4 | 0 | 4 | 0 | 4 | 0 |
| @class_test_05 | | 4 | 0 | 4 | 0 | 4 | 0 | 4 | 0 |
| @class_test_06 | | 4 | 0 | 4 | 0 | 4 | 0 | 4 | 0 |
| @class_test_07 | | 4 | 0 | 4 | 0 | 4 | 0 | 4 | 0 |
| @class_test_08 | | 4 | 0 | 4 | 0 | 4 | 0 | 4 | 0 |
| @class_test_09 | | 4 | 0 | 4 | 0 | 4 | 0 | 4 | 0 |
| @class_test_10 | | 5 | 0 | 5 | 0 | 4 | 0 | 4 | 0 |


| TAG | Name | Scenario | | | | Feature | | | |
|----------------------|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| | | T | P | F | S | T | P | F | S |
| @class_test_11 | | 3 | 0 | 3 | 0 | 3 | 0 | 3 | 0 |
| @class_test_12 | | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 |
| @class_test_13 | | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 |
| @class_test_14 | | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 |
| @class_test_15 | | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 |
| @class_test_16 | | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 |
| @class_test_17 | | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 |
| @04class_module_page | | 18 | 0 | 18 | 0 | 1 | 0 | 1 | 0 |
| @class_test_18 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @5class_module_page | | 11 | 0 | 11 | 0 | 1 | 0 | 1 | 0 |
| @06Class_module_page | | 3 | 1 | 2 | 0 | 1 | 0 | 1 | 0 |
| @TestUser1 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @User | | 27 | 0 | 27 | 0 | 5 | 0 | 5 | 0 |
| @TestUser2 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestUser3 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestUser4 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestUser5 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

| | TAG | Scenario | | | | Feature | | | |
|--|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| | | T | P | F | S | T | P | F | S |
| | Name | | | | | | | | |
| | @TestUser6 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestUser7 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestUser8 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestUser9 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestUser10 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestUser11 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestUser12 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestUser13 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestUser14 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestUser15 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestUser16 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestUser17 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestUser18 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestUser19 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestUser20 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestUser21 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @TestUser23 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |


| TAG | Scenario | | | | Feature | | | | |
|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|----------|
| | Name | T | P | F | S | T | P | F | S |
| @TestUser24 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestUser25 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestUser26 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestUser27 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TestUser28 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |




| # | Feature Name | T | P | F | S | Duration |
|----|---|----|---|----|---|----------|
| 1 | <u>Home Page Verification of LMS portal</u> | 8 | 2 | 6 | 0 | 4.386 s |
| 2 | <u>Login page Validation</u> | 16 | 0 | 16 | 0 | 0.357 s |
| 3 | <u>Login Page Validation</u> | 9 | 0 | 9 | 0 | 0.219 s |
| 4 | <u>Forgot username /password</u> | 8 | 0 | 8 | 0 | 0.195 s |
| 5 | <u>Forgot username /password</u> | 2 | 0 | 2 | 0 | 0.042 s |
| 6 | <u>Reset Password in home page</u> | 8 | 0 | 8 | 0 | 0.163 s |
| 7 | <u>Reset Password in Login Page</u> | 6 | 0 | 6 | 0 | 0.108 s |
| 8 | <u>Dashboard Page</u> | 16 | 0 | 16 | 0 | 0.280 s |
| 9 | <u>Student</u> | 17 | 0 | 17 | 0 | 2.560 s |
| 10 | <u>Student</u> | 7 | 0 | 7 | 0 | 35.378 s |




| # | Feature Name | T | P | F | S | Duration |
|----|----------------------------------|----|---|----|---|----------|
| 11 | <u>Student</u> | 7 | 0 | 7 | 0 | 35.352 s |
| 12 | <u>Manage program validation</u> | 12 | 0 | 12 | 0 | 1.701 s |
| 13 | <u>Manage program validation</u> | 4 | 0 | 4 | 0 | 0.042 s |
| 14 | <u>Add New Program</u> | 3 | 0 | 3 | 0 | 0.033 s |
| 15 | <u>Add New Program</u> | 8 | 0 | 8 | 0 | 1.506 s |
| 16 | <u>Edit Program Details</u> | 1 | 0 | 1 | 0 | 0.005 s |
| 17 | <u>Edit Program Details</u> | 6 | 0 | 6 | 0 | 1.384 s |
| 18 | <u>Delete Program</u> | 2 | 0 | 2 | 0 | 0.015 s |
| 19 | <u>Delete Program</u> | 3 | 0 | 3 | 0 | 0.693 s |
| 20 | <u>Multiple Delete Program</u> | 1 | 0 | 1 | 0 | 0.238 s |




| # | Feature Name | T | P | F | S | Duration |
|----|---|---|---|---|---|----------|
| 21 | <u>Multiple Delete Program</u> | 2 | 0 | 2 | 0 | 0.449 s |
| 22 | <u>Multiple Delete Program</u> | 2 | 0 | 2 | 0 | 0.474 s |
| 23 | <u>Sorting(Data Ordering) Validation</u> | 6 | 0 | 6 | 0 | 1.364 s |
| 24 | <u>Pagination Program</u> | 4 | 0 | 4 | 0 | 0.926 s |
| 25 | <u>Navigation Validation from Manage Program to other Pages</u> | 7 | 0 | 7 | 0 | 1.640 s |
| 26 | <u>Batch Page Validation</u> | 8 | 0 | 8 | 0 | 0.110 s |
| 27 | <u>Add new Batch</u> | 5 | 0 | 5 | 0 | 0.059 s |
| 28 | <u>Delete Batch</u> | 3 | 0 | 3 | 0 | 0.029 s |
| 29 | <u>Delete multiple batches</u> | 3 | 0 | 3 | 0 | 0.024 s |
| 30 | <u>Edit Batch</u> | 5 | 0 | 5 | 0 | 0.060 s |




| # | Feature Name | T | P | F | S | Duration |
|----|---|----|---|----|---|--------------|
| 31 | <u>To verify manage class page</u> | 17 | 0 | 17 | 0 | 1 m 20.989 s |
| 32 | <u>To verify manage class page</u> | 10 | 0 | 10 | 0 | 50.456 s |
| 33 | <u>To verify Add New Class</u> | 18 | 0 | 18 | 0 | 0.355 s |
| 34 | <u>To verify class detail popup window</u> | 11 | 0 | 11 | 0 | 55.560 s |
| 35 | <u>To verify edit Class</u> | 11 | 0 | 11 | 0 | 0.192 s |
| 36 | <u>To verify delete class and delete multiple class</u> | 3 | 1 | 2 | 0 | 25.190 s |
| 37 | <u>User</u> | 12 | 0 | 12 | 0 | 2.941 s |
| 38 | <u>User</u> | 5 | 0 | 5 | 0 | 1.154 s |
| 39 | <u>User</u> | 4 | 0 | 4 | 0 | 0.940 s |
| 40 | <u>User</u> | 3 | 0 | 3 | 0 | 0.683 s |




| # | Feature Name | T | P | F | S | Duration |
|----|------------------------|---|---|---|---|----------|
| 41 | <u>User</u> | 3 | 0 | 3 | 0 | 0.665 s |
| 42 | <u>Logout function</u> | 1 | 0 | 1 | 0 | 5.009 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|---|---|---|---|---|----------|
| 1 | <u>Home Page Verification of LMS portal</u> | <u>Verify admin is able to land on home page</u> | 1 | 1 | 0 | 0 | 1.761 s |
| 2 | | <u>Verify admin is able to land on home page with invalid URL</u> | 2 | 1 | 1 | 0 | 2.344 s |
| 3 | | <u>Verify for broken link</u> | 1 | 1 | 0 | 0 | 0.036 s |
| 4 | | <u>Verify the text spelling in the page</u> | 1 | 0 | 1 | 0 | 0.021 s |
| 5 | | <u>Verify the logo of the LMS</u> | 1 | 0 | 1 | 0 | 0.018 s |
| 6 | | <u>Verify the logo properly aligned</u> | 1 | 0 | 1 | 0 | 0.013 s |
| 7 | | <u>Verify login button is present</u> | 1 | 0 | 1 | 0 | 0.014 s |
| 8 | | <u>Verify login button is present</u> | 1 | 0 | 1 | 0 | 0.013 s |
| 9 | | <u>Verify the login page</u> | 3 | 0 | 1 | 2 | 0.014 s |
| 10 | | <u>Verify for broken link</u> | 3 | 0 | 1 | 2 | 0.011 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|------------------------------|---|---|---|---|---|----------|
| 11 | <u>Login page Validation</u> | <u>Verify the header of the login page</u> | 3 | 0 | 1 | 2 | 0.011 s |
| 12 | | <u>Verify the text spelling in login page</u> | 3 | 0 | 1 | 2 | 0.011 s |
| 13 | | <u>Verify text on the first text field</u> | 3 | 0 | 1 | 2 | 0.012 s |
| 14 | | <u>Verify text field is present</u> | 3 | 0 | 1 | 2 | 0.011 s |
| 15 | | <u>Verify asterik next to user text</u> | 3 | 0 | 1 | 2 | 0.008 s |
| 16 | | <u>Verify text on the second text field</u> | 3 | 0 | 1 | 2 | 0.008 s |
| 17 | | <u>Verify asterik next to password text</u> | 3 | 0 | 1 | 2 | 0.009 s |
| 18 | | <u>Verify the alignment input field for the login</u> | 3 | 0 | 1 | 2 | 0.011 s |
| 19 | | <u>verify Login is present</u> | 3 | 0 | 1 | 2 | 0.008 s |
| 20 | | <u>Verify the alignment of the login button</u> | 3 | 0 | 1 | 2 | 0.009 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|------------------------------|--|---|---|---|---|----------|
| 21 | <u>Login page Validation</u> | <u>Verify forgot username or password link</u> | 3 | 0 | 1 | 2 | 0.010 s |
| 22 | | <u>Verify the alignment of the login button</u> | 3 | 0 | 1 | 2 | 0.009 s |
| 23 | | <u>Verify the alignment of the login button</u> | 3 | 0 | 1 | 2 | 0.011 s |
| 24 | | <u>Verify the alignment of the login button</u> | 3 | 0 | 1 | 2 | 0.010 s |
| 25 | <u>Login Page Validation</u> | <u>Validate login with valid credentials</u> | 3 | 0 | 1 | 2 | 0.017 s |
| 26 | | <u>Validate login with invalid credentials</u> | 3 | 0 | 1 | 2 | 0.017 s |
| 27 | | <u>Validate login with valid credentials in username</u> | 3 | 0 | 1 | 2 | 0.014 s |
| 28 | | <u>Validate login with valid credentials in password</u> | 3 | 0 | 1 | 2 | 0.012 s |
| 29 | | <u>Validate login with blank username credentials</u> | 3 | 0 | 1 | 2 | 0.019 s |
| 30 | | <u>Validate login with blank password credentials</u> | 3 | 0 | 1 | 2 | 0.014 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|----------------------------------|---|---|---|---|---|----------|
| 31 | <u>Login Page Validation</u> | <u>validate login with empty values in both field</u> | 3 | 0 | 1 | 2 | 0.013 s |
| 32 | | <u>verify login button action through keyboard</u> | 3 | 0 | 1 | 2 | 0.016 s |
| 33 | | <u>verify login button action through mouse</u> | 3 | 0 | 1 | 2 | 0.015 s |
| 34 | <u>Forgot username /password</u> | <u>Verify forgot username or password link</u> | 3 | 0 | 1 | 2 | 0.012 s |
| 35 | | <u>verify broken link</u> | 3 | 0 | 1 | 2 | 0.014 s |
| 36 | | <u>verify input descriptive text for Email</u> | 3 | 0 | 1 | 2 | 0.014 s |
| 37 | | <u>Verify email text in text field</u> | 3 | 0 | 1 | 2 | 0.012 s |
| 38 | | <u>Verify send link button is present</u> | 3 | 0 | 1 | 2 | 0.010 s |
| 39 | | <u>Verify asterik near Email text</u> | 3 | 0 | 1 | 2 | 0.015 s |
| 40 | | <u>Verify text spelling</u> | 3 | 0 | 1 | 2 | 0.009 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|------------------------------------|--|---|---|---|---|----------|
| 41 | <u>Forgot username /password</u> | <u>Verify the alignment of the send link button</u> | 3 | 0 | 1 | 2 | 0.013 s |
| 42 | | <u>Validate email sent for forgot password in login page</u> | 3 | 0 | 1 | 2 | 0.017 s |
| 43 | | <u>Validate email sent for forgot password with invalid email id</u> | 3 | 0 | 1 | 2 | 0.015 s |
| 44 | <u>Reset Password in home page</u> | <u>Verify reset password link</u> | 3 | 0 | 1 | 2 | 0.014 s |
| 45 | | <u>Verify text in the page</u> | 3 | 0 | 1 | 2 | 0.015 s |
| 46 | | <u>Verify submit button is present</u> | 3 | 0 | 1 | 2 | 0.016 s |
| 47 | | <u>Verify the alignment of the submit button</u> | 3 | 0 | 1 | 2 | 0.011 s |
| 48 | | <u>Verify text box is present is the page</u> | 3 | 0 | 1 | 2 | 0.013 s |
| 49 | | <u>Verify first label text</u> | 3 | 0 | 1 | 2 | 0.010 s |
| 50 | | <u>Verify second label text</u> | 3 | 0 | 1 | 2 | 0.011 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-------------------------------------|---|---|---|---|---|----------|
| 51 | <u>Reset Password in home page</u> | <u>verify text box is in disabled</u> | 3 | 0 | 1 | 2 | 0.014 s |
| 52 | <u>Reset Password in Login Page</u> | <u>verify text box is in enabled in new password field</u> | 3 | 0 | 1 | 2 | 0.019 s |
| 53 | | <u>verify text box is in enabled in retype password field</u> | 3 | 0 | 1 | 2 | 0.011 s |
| 54 | | <u>Validate reset password with valid details</u> | 3 | 0 | 1 | 2 | 0.011 s |
| 55 | | <u>Validate reset password with invalid details</u> | 3 | 0 | 1 | 2 | 0.011 s |
| 56 | | <u>Validate reset password with empty details</u> | 3 | 0 | 1 | 2 | 0.009 s |
| 57 | | <u>Validate reset password mismatch values</u> | 3 | 0 | 1 | 2 | 0.011 s |
| 58 | <u>Dashboard Page</u> | <u>Verify after login admin lands on manage program as dashboard page</u> | 3 | 0 | 1 | 2 | 0.011 s |
| 59 | | <u>Verify the response time</u> | 3 | 0 | 1 | 2 | 0.010 s |
| 60 | | <u>Verify broken link</u> | 3 | 0 | 1 | 2 | 0.010 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-----------------------|--|---|---|---|---|----------|
| 61 | <u>Dashboard Page</u> | <u>Verify LMS title</u> | 3 | 0 | 1 | 2 | 0.012 s |
| 62 | | <u>Verify LMS title alignment</u> | 3 | 0 | 1 | 2 | 0.010 s |
| 63 | | <u>Validate navigation bar text</u> | 3 | 0 | 1 | 2 | 0.009 s |
| 64 | | <u>Validate LMS title has correct spelling and space</u> | 3 | 0 | 1 | 2 | 0.009 s |
| 65 | | <u>Validate alignment for navigation bar</u> | 3 | 0 | 1 | 2 | 0.009 s |
| 66 | | <u>Validate navigation bar order 1st Student</u> | 3 | 0 | 1 | 2 | 0.011 s |
| 67 | | <u>Validate navigation bar order 2nd Program</u> | 3 | 0 | 1 | 2 | 0.011 s |
| 68 | | <u>Validate navigation bar order 3rd Batch</u> | 3 | 0 | 1 | 2 | 0.010 s |
| 69 | | <u>Validate navigation bar order 4th Class</u> | 3 | 0 | 1 | 2 | 0.008 s |
| 70 | | <u>Validate navigation bar order 5th User</u> | 3 | 0 | 1 | 2 | 0.009 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-----------------------|---|---|---|---|---|----------|
| 71 | <u>Dashboard Page</u> | <u>Validate navigation bar order 6th Assignment</u> | 3 | 0 | 1 | 2 | 0.009 s |
| 72 | | <u>Validate navigation bar order 7th Attendance</u> | 3 | 0 | 1 | 2 | 0.011 s |
| 73 | | <u>Validate navigation bar order 8th Logout</u> | 3 | 0 | 1 | 2 | 0.010 s |
| 74 | <u>Student</u> | <u>Validate the title of the page</u> | 4 | 1 | 1 | 2 | 0.363 s |
| 75 | | <u>Validate response time from dashboard page to student page</u> | 4 | 1 | 1 | 2 | 0.208 s |
| 76 | | <u>Validate the broken link</u> | 4 | 1 | 1 | 2 | 0.137 s |
| 77 | | <u>Verify LMS title</u> | 4 | 1 | 1 | 2 | 0.127 s |
| 78 | | <u>Verify the alignment of the Student detail title</u> | 4 | 1 | 1 | 2 | 0.148 s |
| 79 | | <u>Validate drop down is present in the page</u> | 4 | 1 | 1 | 2 | 0.121 s |
| 80 | | <u>Validate search bar in select student name drop down</u> | 4 | 1 | 1 | 2 | 0.121 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|----------------|--|---|---|---|---|----------|
| 81 | <u>Student</u> | <u>Validate search bar in select batch id drop down</u> | 4 | 1 | 1 | 2 | 0.123 s |
| 82 | | <u>Validate text spelling student name</u> | 4 | 1 | 1 | 2 | 0.120 s |
| 83 | | <u>Validate text spelling select batch id</u> | 4 | 1 | 1 | 2 | 0.118 s |
| 84 | | <u>Validate only numbers inside select batch id</u> | 4 | 1 | 1 | 2 | 0.125 s |
| 85 | | <u>Validate gray color in student name drop down</u> | 4 | 1 | 1 | 2 | 0.114 s |
| 86 | | <u>Validate gray color in student name drop down</u> | 4 | 1 | 1 | 2 | 0.120 s |
| 87 | | <u>Validate first drop down label is select student name</u> | 4 | 1 | 1 | 2 | 0.122 s |
| 88 | | <u>Validate second drop down label is select batch id</u> | 4 | 1 | 1 | 2 | 0.115 s |
| 89 | | <u>Validate scroll down inside student name dropdown</u> | 4 | 1 | 1 | 2 | 0.116 s |
| 90 | | <u>Validate scroll down inside batch id dropdown</u> | 4 | 1 | 1 | 2 | 0.119 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|----------------|--|---|---|---|---|----------|
| 91 | <u>Student</u> | <u>Validate select student name is fading</u> | 4 | 3 | 1 | 0 | 5.076 s |
| 92 | | <u>Validate select batch id is fading</u> | 4 | 3 | 1 | 0 | 5.032 s |
| 93 | | <u>Validate select student name using search box</u> | 4 | 2 | 1 | 1 | 5.020 s |
| 94 | | <u>Validate select batch id using search box</u> | 4 | 2 | 1 | 1 | 5.032 s |
| 95 | | <u>Validate selecting only student name will not display any details</u> | 4 | 2 | 1 | 1 | 5.069 s |
| 96 | | <u>Validate selecting only batch id will not display any details</u> | 4 | 2 | 1 | 1 | 5.042 s |
| 97 | | <u>Validate selecting student name and batch id</u> | 4 | 2 | 1 | 1 | 5.046 s |
| 98 | | <u>Program link on navigation bar</u> | 4 | 2 | 1 | 1 | 5.037 s |
| 99 | | <u>Batch link on navigation bar</u> | 4 | 2 | 1 | 1 | 5.021 s |
| 10-0 | | <u>Class link on navigation bar</u> | 4 | 2 | 1 | 1 | 5.069 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|----------------------------------|---|---|---|---|---|----------|
| 10-1 | <u>Student</u> | <u>User link on navigation bar</u> | 4 | 2 | 1 | 1 | 5.048 s |
| 10-2 | | <u>Assignment link on navigation bar</u> | 4 | 2 | 1 | 1 | 5.027 s |
| 10-3 | | <u>Attendance link on navigation bar</u> | 4 | 2 | 1 | 1 | 5.060 s |
| 10-4 | | <u>Logout link on navigation bar</u> | 4 | 2 | 1 | 1 | 5.044 s |
| 10-5 | <u>Manage program validation</u> | <u>Validate landing in Program page</u> | 4 | 1 | 1 | 2 | 0.196 s |
| 10-6 | | <u>Validate the heading</u> | 4 | 1 | 1 | 2 | 0.155 s |
| 10-7 | | <u>Validate the text and pagination icon below the data table</u> | 4 | 1 | 1 | 2 | 0.121 s |
| 10-8 | | <u>Validate the footer</u> | 4 | 1 | 1 | 2 | 0.121 s |
| 10-9 | | <u>Validating the default state of Delete button</u> | 4 | 1 | 1 | 2 | 0.125 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--------------|---------------------------------|---|---|---|---|----------|
| 11-0 | | <u>Validate Add New Program</u> | 4 | 1 | 1 | 2 | 0.120 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|----------------------------------|--|---|---|---|---|----------|
| 11-1 | <u>Manage program validation</u> | <u>Validate that number of records (rows of data in the table) displayed</u> | 4 | 1 | 1 | 2 | 0.125 s |
| 11-2 | | <u>Verify data table on the Program page</u> | 4 | 1 | 1 | 2 | 0.117 s |
| 11-3 | | <u>Verify Sort arrow icon on the data table</u> | 4 | 1 | 1 | 2 | 0.119 s |
| 11-4 | | <u>Verify Check box on the data table</u> | 4 | 1 | 1 | 2 | 0.152 s |
| 11-5 | | <u>Verify Edit and Delete buttons</u> | 4 | 1 | 1 | 2 | 0.121 s |
| 11-6 | | <u>Verify Search bar on the Program page</u> | 4 | 1 | 1 | 2 | 0.124 s |
| 11-7 | | <u>Search Program By Name</u> | 6 | 1 | 1 | 4 | 0.004 s |
| 11-8 | | <u>Search Program By Description</u> | 6 | 1 | 1 | 4 | 0.005 s |
| 11-9 | | <u>Search Program By Status</u> | 6 | 1 | 1 | 4 | 0.006 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--------------|---|---|---|---|---|----------|
| 12-0 | | <u>Validating the Search with unrelated keyword</u> | 6 | 1 | 1 | 4 | 0.003 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|------------------------|---|---|---|---|---|----------|
| 12-1 | <u>Add New Program</u> | <u>Validate Program Details Popup window</u> | 6 | 1 | 1 | 4 | 0.005 s |
| 12-2 | | <u>Validate input fields and their text boxes in Program details form</u> | 6 | 1 | 1 | 4 | 0.005 s |
| 12-3 | | <u>Validate radio button for Program Status</u> | 6 | 1 | 1 | 4 | 0.003 s |
| 12-4 | | <u>Empty form submission</u> | 6 | 1 | 1 | 4 | 0.195 s |
| 12-5 | | <u>Enter only Program Name</u> | 6 | 1 | 1 | 4 | 0.149 s |
| 12-6 | | <u>Enter only Program Description</u> | 6 | 1 | 1 | 4 | 0.139 s |
| 12-7 | | <u>Select Status only</u> | 6 | 1 | 1 | 4 | 0.139 s |
| 12-8 | | <u>Validate invalid values on the text column</u> | 6 | 1 | 1 | 4 | 0.133 s |
| 12-9 | | <u>Validate Cancel/Close(X) icon on Program Details form</u> | 6 | 1 | 1 | 4 | 0.231 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--------------|---|---|---|---|---|----------|
| 13-0 | | <u>Validate Save button on Program Details form</u> | 6 | 1 | 1 | 4 | 0.216 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---|---|---|---|---|---|----------|
| 13-1 | <u>Add New Program</u> | <u>Validate Cancel button on Program Details form</u> | 6 | 1 | 1 | 4 | 0.218 s |
| 13-2 | <u>Edit Program Details</u> | <u>Validate Edit Feature</u> | 6 | 1 | 1 | 4 | 0.005 s |
| 13-3 | | <u>Edit Program Name</u> | 6 | 1 | 1 | 4 | 0.223 s |
| 13-4 | | <u>Edit Program description</u> | 6 | 1 | 1 | 4 | 0.217 s |
| 13-5 | | <u>Change Program Status</u> | 6 | 1 | 1 | 4 | 0.220 s |
| 13-6 | | <u>Validate invalid values on the text column</u> | 6 | 1 | 1 | 4 | 0.215 s |
| 13-7 | | <u>Validate Cancel button on Edit popup</u> | 6 | 1 | 1 | 4 | 0.229 s |
| 13-8 | | <u>Validate Save button on Edit popup</u> | 6 | 1 | 1 | 4 | 0.227 s |
| 13-9 | <u>Delete Program</u> | <u>Delete Feature</u> | 6 | 1 | 1 | 4 | 0.004 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--------------|---|---|---|---|---|----------|
| 14-0 | | <u>Validate details for Confirm Deletion form</u> | 6 | 1 | 1 | 4 | 0.004 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--------------------------------|---|---|---|---|---|----------|
| 14-1 | <u>Delete Program</u> | <u>Click Yes on deletion window</u> | 6 | 1 | 1 | 4 | 0.223 s |
| 14-2 | | <u>Click No on deletion window</u> | 6 | 1 | 1 | 4 | 0.243 s |
| 14-3 | | <u>Validate Cancel/Close(X) icon on Confirm Deletion alert</u> | 6 | 1 | 1 | 4 | 0.208 s |
| 14-4 | <u>Multiple Delete Program</u> | <u>Validate Common Delete button enabled after clicking on any checkbox</u> | 6 | 1 | 1 | 4 | 0.238 s |
| 14-5 | | <u>Validate multiple program deletion by selecting Single checkbox</u> | 6 | 0 | 1 | 5 | 0.226 s |
| 14-6 | | <u>Validate multiple program deletion by selecting Single checkbox</u> | 6 | 0 | 1 | 5 | 0.216 s |
| 14-7 | | <u>Validate multiple program deletion by selecting multiple check boxes</u> | 6 | 0 | 1 | 5 | 0.247 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--|---|----------|----------|----------|----------|-----------------|
| 14-8 | | <u>Validate multiple program deletion by selecting multiple check boxes</u> | 6 | 0 | 1 | 5 | 0.220 s |
| 14-9 | <u>Sorting(Data Ordering) Validation</u> | <u>Validates Sorting(data ordering) on the Program Data table</u> | 6 | 1 | 1 | 4 | 0.228 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--|---|---|---|---|---|----------|
| 15-0 | <u>Sorting(Data Ordering) Validation</u> | <u>Validates Sorting(data ordering) on the Program Data table</u> | 6 | 1 | 1 | 4 | 0.218 s |
| 15-1 | | <u>Validates Sorting(data ordering) on the Program Data table</u> | 6 | 1 | 1 | 4 | 0.228 s |
| 15-2 | | <u>Validates Sorting(data ordering) on the Program Data table</u> | 6 | 1 | 1 | 4 | 0.213 s |
| 15-3 | | <u>Validates Sorting(data ordering) on the Program Data table</u> | 6 | 1 | 1 | 4 | 0.216 s |
| 15-4 | | <u>Validates Sorting(data ordering) on the Program Data table</u> | 6 | 1 | 1 | 4 | 0.219 s |
| 15-5 | <u>Pagination Program</u> | <u>Verify Next page link</u> | 5 | 1 | 1 | 3 | 0.224 s |
| 15-6 | | <u>Verify Last page link</u> | 5 | 1 | 1 | 3 | 0.227 s |
| 15-7 | | <u>Verify First page link</u> | 5 | 1 | 1 | 3 | 0.219 s |
| 15-8 | | <u>Verify Start page link</u> | 5 | 1 | 1 | 3 | 0.230 s |

| # | Feature Name | Scenario Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | Duration |
|------|---|---|----------|----------|----------|----------|-----------------|
| 15-9 | <u>Navigation Validation from Manage Program to other Pages</u> | <u>Student link on navigation bar</u> | 6 | 1 | 1 | 4 | 0.247 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---|--|---|---|---|---|----------|
| 16-0 | <u>Navigation Validation from Manage Program to other Pages</u> | <u>Batch link on navigation bar</u> | 6 | 1 | 1 | 4 | 0.217 s |
| 16-1 | | <u>Class link on navigation bar</u> | 6 | 1 | 1 | 4 | 0.220 s |
| 16-2 | | <u>User link on navigation bar</u> | 6 | 1 | 1 | 4 | 0.218 s |
| 16-3 | | <u>Assignment link on navigation bar</u> | 6 | 1 | 1 | 4 | 0.220 s |
| 16-4 | | <u>Attendance link on navigation bar</u> | 6 | 1 | 1 | 4 | 0.236 s |
| 16-5 | | <u>Logout link on navigation bar</u> | 6 | 1 | 1 | 4 | 0.229 s |
| 16-6 | <u>Batch Page Validation</u> | <u>Validate landing in Batch page</u> | 4 | 1 | 1 | 2 | 0.004 s |
| 16-7 | | <u>Validate header in the Batch Page</u> | 4 | 1 | 1 | 2 | 0.005 s |
| 16-8 | | <u>Validate pagination in the Batch Page</u> | 4 | 1 | 1 | 2 | 0.004 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--------------|--|---|---|---|---|----------|
| 16-9 | | <u>Validate data table headers in the Batch Page</u> | 4 | 1 | 1 | 2 | 0.005 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|------------------------------|---|---|---|---|---|----------|
| 17-0 | <u>Batch Page Validation</u> | <u>Validate Delete button in Batch Page</u> | 4 | 1 | 1 | 2 | 0.006 s |
| 17-1 | | <u>Validate "+ A New batch" in Batch Page</u> | 4 | 1 | 1 | 2 | 0.005 s |
| 17-2 | | <u>Validate data rows</u> | 4 | 1 | 1 | 2 | 0.005 s |
| 17-3 | | <u>Validate pop up for adding batch</u> | 4 | 1 | 1 | 2 | 0.005 s |
| 17-4 | <u>Add new Batch</u> | <u>Check if the fields exist in pop</u> | 7 | 1 | 1 | 5 | 0.005 s |
| 17-5 | | <u>Check if description is optional field</u> | 8 | 1 | 1 | 6 | 0.004 s |
| 17-6 | | <u>Check if the program details are added in data table</u> | 8 | 1 | 1 | 6 | 0.006 s |
| 17-7 | | <u>Check for error messages for invalid fields</u> | 7 | 1 | 1 | 5 | 0.004 s |
| 17-8 | | <u>Check for error messages for mandatory fields</u> | 7 | 1 | 1 | 5 | 0.004 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---------------------|---------------------------------------|---|---|---|---|----------|
| 17-9 | <u>Delete Batch</u> | <u>Validate row level delete icon</u> | 6 | 1 | 1 | 4 | 0.006 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--------------------------------|--|---|---|---|---|----------|
| 18-0 | <u>Delete Batch</u> | <u>Validate accept alert</u> | 6 | 1 | 1 | 4 | 0.003 s |
| 18-1 | | <u>Validate reject alert</u> | 6 | 1 | 1 | 4 | 0.005 s |
| 18-2 | <u>Delete multiple batches</u> | <u>Validate the delete icon below the header</u> | 5 | 1 | 1 | 3 | 0.003 s |
| 18-3 | | <u>Check for single row delete</u> | 6 | 1 | 1 | 4 | 0.004 s |
| 18-4 | | <u>Check for multi row delete</u> | 6 | 1 | 1 | 4 | 0.003 s |
| 18-5 | <u>Edit Batch</u> | <u>Validate row level edit icon</u> | 6 | 1 | 1 | 4 | 0.004 s |
| 18-6 | | <u>Check if the fields are updated</u> | 7 | 1 | 1 | 5 | 0.006 s |
| 18-7 | | <u>Check if the update throws error with invalid valued</u> | 7 | 1 | 1 | 5 | 0.004 s |
| 18-8 | | <u>Check if you get error message when mandatory fields are erased</u> | 7 | 1 | 1 | 5 | 0.005 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--------------|---|---|---|---|---|----------|
| 18-9 | | <u>Check if description field is optional in update</u> | 7 | 1 | 1 | 5 | 0.005 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--|---|---|---|---|---|----------|
| 19-0 | <u>To verify manage class page</u> | <u>Verify landing in class page</u> | 3 | 1 | 1 | 1 | 5.060 s |
| 19-1 | | <u>Capture the response time to navigate to manage class page</u> | 3 | 1 | 1 | 1 | 5.049 s |
| 19-2 | | <u>Verify Manage Class Page Header</u> | 3 | 1 | 1 | 1 | 5.048 s |
| 19-3 | | <u>Validate text in manage class page</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 19-4 | | <u>Verify delete icon below the header</u> | 3 | 1 | 1 | 1 | 5.064 s |
| 19-5 | | <u>Verify search bar on the class page</u> | 3 | 1 | 1 | 1 | 5.047 s |
| 19-6 | | <u>Verify add new class button on class page</u> | 3 | 1 | 1 | 1 | 5.037 s |
| 19-7 | | <u>Verify data table on the class page</u> | 3 | 1 | 1 | 1 | 5.052 s |
| 19-8 | | <u>Verify Edit icon in the data table</u> | 3 | 1 | 1 | 1 | 5.064 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--------------|---|---|---|---|---|----------|
| 19-9 | | <u>Verify Edit icon when no data in the table</u> | 3 | 1 | 1 | 1 | 5.068 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--|---|---|---|---|---|----------|
| 20-0 | <u>To verify manage class page</u> | <u>Verify delete icon in the data table</u> | 3 | 1 | 1 | 1 | 5.053 s |
| 20-1 | | <u>Verify delete icon when no data in the table</u> | 3 | 1 | 1 | 1 | 5.059 s |
| 20-2 | | <u>Verify sort icon in the data table</u> | 3 | 1 | 1 | 1 | 5.059 s |
| 20-3 | | <u>Verify check box in the data table</u> | 3 | 1 | 1 | 1 | 5.065 s |
| 20-4 | | <u>Validate the number entries displaying</u> | 3 | 1 | 1 | 1 | 5.051 s |
| 20-5 | | <u>Verify Pagination control below the data table</u> | 3 | 1 | 1 | 1 | 5.022 s |
| 20-6 | | <u>Validate footer text</u> | 3 | 1 | 1 | 1 | 5.061 s |
| 20-7 | | <u>Validate search box function</u> | 3 | 0 | 1 | 2 | 5.019 s |
| 20-8 | | <u>Validate search box function</u> | 3 | 0 | 1 | 2 | 5.046 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--------------|-------------------------------------|---|---|---|---|----------|
| 20-9 | | <u>Validate search box function</u> | 3 | 0 | 1 | 2 | 5.060 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|------------------------------------|---|---|---|---|---|----------|
| 21-0 | <u>To verify manage class page</u> | <u>Validate search box function</u> | 3 | 0 | 1 | 2 | 5.057 s |
| 21-1 | | <u>Validate search box function</u> | 3 | 0 | 1 | 2 | 5.025 s |
| 21-2 | | <u>Validate search box function</u> | 3 | 0 | 1 | 2 | 5.010 s |
| 21-3 | | <u>Validate search box function</u> | 3 | 0 | 1 | 2 | 5.052 s |
| 21-4 | | <u>Validate search box function</u> | 3 | 0 | 1 | 2 | 5.014 s |
| 21-5 | | <u>Validate search box function</u> | 3 | 0 | 1 | 2 | 5.050 s |
| 21-6 | | <u>Validate search box function</u> | 3 | 0 | 1 | 2 | 5.050 s |
| 21-7 | <u>To verify Add New Class</u> | <u>Validate all batch id is reflecting in the dropdown</u> | 3 | 0 | 1 | 2 | 0.022 s |
| 21-8 | | <u>Validate admin able to add new class with valid data in mandatory fields</u> | 3 | 0 | 1 | 2 | 0.009 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---------------------|---|----------|----------|----------|----------|-----------------|
| 21-9 | | <u>Validate admin able to add new class with invalid data in mandatory fields</u> | 3 | 0 | 1 | 2 | 0.010 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--------------------------------|--|---|---|---|---|----------|
| 22-0 | <u>To verify Add New Class</u> | <u>Validate admin able to add new class with valid data in all fields</u> | 3 | 0 | 1 | 2 | 0.014 s |
| 22-1 | | <u>Validate admin able to add new class with invalid data in optional fields</u> | 3 | 0 | 1 | 2 | 0.014 s |
| 22-2 | | <u>Validate admin able to add new class missing Batch Id</u> | 3 | 0 | 1 | 2 | 0.015 s |
| 22-3 | | <u>Validate admin able to add new class missing No of Class</u> | 3 | 0 | 1 | 2 | 0.018 s |
| 22-4 | | <u>Validate admin able to add new class missing Class Date</u> | 3 | 0 | 1 | 2 | 0.019 s |
| 22-5 | | <u>Validate admin able to add new class missing staff id</u> | 3 | 0 | 1 | 2 | 0.010 s |
| 22-6 | | <u>Validate admin able to add new class passing past date</u> | 3 | 0 | 1 | 2 | 0.010 s |
| 22-7 | | <u>Validate date picker</u> | 3 | 0 | 1 | 2 | 0.011 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---------------------|--|----------|----------|----------|----------|-----------------|
| 22-8 | | <u>validate date picker should be correct format</u> | 3 | 0 | 1 | 2 | 0.010 s |
| 22-9 | | <u>Validate right arrow in data picker to navigate to next month</u> | 3 | 0 | 1 | 2 | 0.013 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--|---|---|---|---|---|----------|
| 23-0 | <u>To verify Add New Class</u> | <u>Validate left arrow in data picker to navigate to previous month</u> | 3 | 0 | 1 | 2 | 0.012 s |
| 23-1 | | <u>Validate current date is highlighted in the date picker</u> | 3 | 0 | 1 | 2 | 0.012 s |
| 23-2 | | <u>Validate selected date is highlighted in the date picker</u> | 3 | 0 | 1 | 2 | 0.011 s |
| 23-3 | | <u>Validate cancel button function in class details popup window</u> | 3 | 0 | 1 | 2 | 0.017 s |
| 23-4 | | <u>Validate cancel button function in class details popup window with values in field</u> | 3 | 0 | 1 | 2 | 0.016 s |
| 23-5 | <u>To verify class detail popup window</u> | <u>Verify class details popup window</u> | 3 | 0 | 1 | 2 | 5.044 s |
| 23-6 | | <u>Verify input fields in class details popup window</u> | 3 | 0 | 1 | 2 | 5.021 s |
| 23-7 | | <u>Verify text box present in class details popup window</u> | 3 | 0 | 1 | 2 | 5.051 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---------------------|---|----------|----------|----------|----------|-----------------|
| 23-8 | | <u>Verify drop down in Batch Id in class details popup window</u> | 3 | 0 | 1 | 2 | 5.043 s |
| 23-9 | | <u>Verify drop down in Staff Id in class details popup window</u> | 3 | 0 | 1 | 2 | 5.044 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--|--|---|---|---|---|----------|
| 24-0 | <u>To verify class detail popup window</u> | <u>Verify calendar icon in class date in class details popup window</u> | 3 | 0 | 1 | 2 | 5.037 s |
| 24-1 | | <u>Verify save button is present</u> | 3 | 0 | 1 | 2 | 5.036 s |
| 24-2 | | <u>Verify cancel button is present</u> | 3 | 0 | 1 | 2 | 5.062 s |
| 24-3 | | <u>Verify close button in class details popup window</u> | 3 | 0 | 1 | 2 | 5.065 s |
| 24-4 | | <u>Verify edit class popup window</u> | 3 | 1 | 1 | 1 | 5.051 s |
| 24-5 | | <u>Verify values in popup window</u> | 3 | 1 | 1 | 1 | 5.031 s |
| 24-6 | <u>To verify edit Class</u> | <u>Validate admin able to update class with valid data in mandatory fields</u> | 3 | 0 | 1 | 2 | 0.010 s |
| 24-7 | | <u>Validate admin able to update class with invalid data in mandatory fields</u> | 3 | 0 | 1 | 2 | 0.008 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---------------------|--|----------|----------|----------|----------|-----------------|
| 24-8 | | <u>Validate admin able to update class with valid data in all fields</u> | 3 | 0 | 1 | 2 | 0.008 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|-----------------------------|--|---|---|---|---|----------|
| 24-9 | <u>To verify edit Class</u> | <u>Validate admin able to update class with invalid data in all fields</u> | 3 | 0 | 1 | 2 | 0.011 s |
| 25-0 | | <u>Validate admin able to update class missing Batch Id</u> | 3 | 0 | 1 | 2 | 0.016 s |
| 25-1 | | <u>Validate admin able to update class missing No of Class</u> | 3 | 0 | 1 | 2 | 0.012 s |
| 25-2 | | <u>Validate admin able to update class missing Class Date</u> | 3 | 0 | 1 | 2 | 0.015 s |
| 25-3 | | <u>Validate admin able to update class missing staff id</u> | 3 | 0 | 1 | 2 | 0.013 s |
| 25-4 | | <u>Validate admin able to update class passing past date</u> | 3 | 0 | 1 | 2 | 0.009 s |
| 25-5 | | <u>Validate cancel button function in Edit class details popup window</u> | 3 | 0 | 1 | 2 | 0.011 s |
| 25-6 | | <u>Validate cancel button function in Edit class details popup window with values in field</u> | 3 | 0 | 1 | 2 | 0.009 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---|---------------------------------------|----------|----------|----------|----------|-----------------|
| 25-7 | <u>To verify delete class and delete multiple class</u> | <u>Verify Delete class alert</u> | 3 | 3 | 0 | 0 | 5.045 s |
| 25-8 | | <u>Verify accept enabled in alert</u> | 3 | 2 | 1 | 0 | 10.099 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---|--|---|---|---|---|----------|
| 25-9 | <u>To verify delete class and delete multiple class</u> | <u>Verify reject enabled in alert</u> | 3 | 2 | 1 | 0 | 10.029 s |
| 26-0 | <u>User</u> | <u>Validate landing in User page</u> | 3 | 0 | 1 | 2 | 0.280 s |
| 26-1 | | <u>Validate header in the User Page</u> | 3 | 0 | 1 | 2 | 0.246 s |
| 26-2 | | <u>Validate pagination in the User Page</u> | 3 | 0 | 1 | 2 | 0.237 s |
| 26-3 | | <u>Validate data table headers in the User Page</u> | 3 | 0 | 1 | 2 | 0.254 s |
| 26-4 | | <u>Validate Delete button in User Page</u> | 3 | 0 | 1 | 2 | 0.246 s |
| 26-5 | | <u>Validate "+ A New user" button in User Page</u> | 3 | 0 | 1 | 2 | 0.223 s |
| 26-6 | | <u>Validate "+ Assign staff" button in User page</u> | 3 | 0 | 1 | 2 | 0.224 s |
| 26-7 | | <u>Validate search box in User page</u> | 3 | 0 | 1 | 2 | 0.241 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--------------|---------------------------|---|---|---|---|----------|
| 26-8 | | <u>Validate data rows</u> | 3 | 0 | 1 | 2 | 0.226 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--------------|---|---|---|---|---|----------|
| 26-9 | <u>User</u> | <u>Validate data rows</u> | 3 | 0 | 1 | 2 | 0.229 s |
| 27-0 | | <u>Validate data rows</u> | 3 | 0 | 1 | 2 | 0.217 s |
| 27-1 | | <u>Validate pop up for adding user</u> | 4 | 0 | 1 | 3 | 0.248 s |
| 27-2 | | <u>Check if the fields exist in pop</u> | 5 | 1 | 1 | 3 | 0.226 s |
| 27-3 | | <u>Check if Middle name, linkedIn url, email, user comments under graduate,post graduate,time zone are optional</u> | 6 | 1 | 1 | 4 | 0.223 s |
| 27-4 | | <u>Check if the program details are added in data table</u> | 6 | 1 | 1 | 4 | 0.221 s |
| 27-5 | | <u>Check for error messages for invalid fields</u> | 6 | 1 | 1 | 4 | 0.231 s |
| 27-6 | | <u>Check for error messages for mandatory fields</u> | 6 | 1 | 1 | 4 | 0.227 s |
| 27-7 | | <u>Validate row level edit icon</u> | 6 | 1 | 1 | 4 | 0.226 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--------------|--|---|---|---|---|----------|
| 27-8 | | <u>Check if the fields are updated</u> | 6 | 1 | 1 | 4 | 0.238 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--------------|--|---|---|---|---|----------|
| 27-9 | <u>User</u> | <u>Check if the update throws error with invalid values</u> | 6 | 1 | 1 | 4 | 0.229 s |
| 28-0 | | <u>Check if you get error message when mandatory fields are erased</u> | 6 | 1 | 1 | 4 | 0.230 s |
| 28-1 | | <u>Validate row level delete icon</u> | 6 | 1 | 1 | 4 | 0.231 s |
| 28-2 | | <u>Validate accept alert</u> | 6 | 1 | 1 | 4 | 0.214 s |
| 28-3 | | <u>Validate reject alert</u> | 6 | 1 | 1 | 4 | 0.225 s |
| 28-4 | | <u>Validate the delete icon below the header</u> | 5 | 1 | 1 | 3 | 0.222 s |
| 28-5 | | <u>Check for single row delete</u> | 6 | 1 | 1 | 4 | 0.210 s |
| 28-6 | | <u>Check for multi row delete</u> | 6 | 1 | 1 | 4 | 0.218 s |
| 28-7 | | <u>Verify Logout button function</u> | 3 | 1 | 1 | 1 | 5.009 s |

5QOG ;CIG @GSKHKECUKQP QH 7 8 = RQSUCN


| | | | | | |
|--------------------------------------|---------------------------|---|---|---|---|
| FAILED | DURATION - 4.386 s | Scenarios Total - 8 Pass - 2 Fail - 6 Skip - 0 |  | Steps Total - 9 Pass - 3 Fail - 6 Skip - 0 |  |
| / 5:23:35.300 PM // 5:23:39.686 PM / | | | | | |

@GSKHZ CFOKP KT CDNG UQ NCPF QP JQOG RCIG

| | | | | |
|---|---------------------------|--|---|---|
| PASSED | DURATION - 1.761 s |  | Steps Total - 1 Pass - 1 Fail - 0 Skip - 0 |  |
| / 5:23:35.302 PM // 5:23:37.063 PM / | | | | |
| <i>Home Page Verification of LMS portal</i> | | | | |
| @HomePage @HomePageNavigation | | | | |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Then Admin should land on the home page | PASSED | 0.010 s |


@GSKHZ CFOKP KT CDNG UQ NCPF QP JQOG RCIG XKUJ KPWCNKF ?<7

| | | | | |
|---|---------------------------|---|---|--|
| FAILED | DURATION - 2.344 s |  | Steps Total - 2 Pass - 1 Fail - 1 Skip - 0 |  |
| / 5:23:37.149 PM // 5:23:39.493 PM / | | | | |
| <i>Home Page Verification of LMS portal</i> | | | | |
| @HomePage @HomePageInvalidUrl | | | | |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | When Admin gives the invalid LMS portal URL | PASSED | 2.287 s |
| 2 | Then Admin should receive 404 page not found error | FAILED | 0.050 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|--|---|--------|----------|
| | <pre>java.lang.AssertionError: Response code do not match expected [404] but found [0] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at step_definitions.HomePage_SD.admin_should_recieve_page_not_found_error(HomePage_SD.java:66) at ?.Admin should recieve 404 page not found error(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/001_HomePage.feature:13) * Not displayable characters are replaced by '?'.</pre> | | |

@GSKHZ HQS DSQMGP NKPM




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Then HTTP response code should be greater than or equal to 400 indicating broken links | PASSED | 0.032 s |

@GSKHZ UJG UGYU TRGNNKPI KP UJG RC1G



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Then Admin should see correct spellings in all fields</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#login\button"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=id, value=login-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at page_objects.HomePage.logintext(HomePage.java:105) at page_objects.HomePage.verifyCorrectSpellings(HomePage.java:109) at step_definitions.HomePage_SD.admin_should_see_correct_spellings_in_all_fields(HomePage_SD.java:77) at ?.Admin should see correct spellings in all fields(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/001_HomePage.feature:22) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.018 s |


@GSKHZ UJG NQ I Q QH UJG 7 8 =



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Then Admin should see correct logo of the LMS</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//img[@title='LMS logo']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/img[@title='LMS logo']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.isDisplayed(Unknown Source) at page_objects.HomePage.isLogoPresent(HomePage.java:123)</pre> | FAILED | 0.013 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|--|---|--------|----------|
| | <p>at step_definitions.HomePage_SD.admin_should_see_correct_logo_of_the_lms(HomePage_SD.java:86) at ?.Admin should see correct logo of the LMS(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/001_HomePage.feature:26) * Not displayable characters are replaced by '?'.</p> | | |


@GSKHZ UJG NQ I Q RSQRGSNZ CNK I PGF



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Then Admin should see logo is properly aligned</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//img[@title='LMS logo']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//img[@title='LMS logo']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</pre> | FAILED | 0.011 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|--|---|--------|----------|
| | <pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getLocation(Unknown Source) at page_objects.HomePage.verifyLogoAlignment(HomePage.java:127) at step_definitions.HomePage_SD.admin_should_see_logo_is_properly_aligned(HomePage_SD.java:94) at ?.Admin should see logo is properly aligned(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/001_HomePage.feature:30) * Not displayable characters are replaced by '?'. </pre> | | |


@GSKHZ NQ I KP DVUUQP KT RSGTGPU



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Then Admin should see login button</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#login\button"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=id, value=login-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre> | FAILED | 0.011 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|--|---|--------|----------|
| | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.isDisplayed(Unknown Source) at page_objects.HomePage.isLoginButtonPresent(HomePage.java:137) at step_definitions.HomePage_SD.admin_should_see_login_button(HomePage_SD.java:102) at ?.Admin should see login button(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/001_HomePage.feature:35) * Not displayable characters are replaced by '?'. </pre> | | |

@GSKHZ NQ I KP DVUUQP KT RSGTGPU




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Then Admin should able to click the Login button <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#login-button"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=id, value=login-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96} </pre> | FAILED | 0.010 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|--|--|--------|----------|
| | <pre>(1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.HomePage.ClickOnLoginBtn(HomePage.java:144) at step_definitions.HomePage_SD.admin_should_be_able_to_click_the_login_button(HomePage_SD.java:108) at ?.Admin should be able to click the Login button(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/001_HomePage.feature:39) * Not displayable characters are replaced by '?'.</pre> | | |

7QIKP RCIG @CNKFCUKQP




@GSKHZ UJG NQIKP RCIG




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | <p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7)</pre> <p>* Not displayable characters are replaced by '?'.</p> | FAILED | 0.008 s |
| 2 | When Admin clicks Login button | SKIPPED | 0.000 s |
| 3 | Then Admin should land on the login page | SKIPPED | 0.001 s |

@GSKHZ HQS DSQMGP NKPM




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.007 s |
| 2 | When Admin clicks Login button | SKIPPED | 0.001 s |
| 3 | Then Login_HTTP response >= 400. Then the link is broken | SKIPPED | 0.000 s |

@GSKHZ UJG JGCFGs QH UJG NQ I KP RC I G




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.006 s |
| 2 | When Admin clicks Login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see "Please login to LMS application" in the header | SKIPPED | 0.000 s |

@GSKHZ UJG UGYU TRGNNKP I KP NQIKP RCIG




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.006 s |
| 2 | When Admin clicks Login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see correct spellings in all fields | SKIPPED | 0.000 s |

@GSKHZ UGYU QP UJG HKSTU UGYU HKGNF




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.007 s |
| 2 | When Admin clicks Login button | SKIPPED | 0.001 s |
| 3 | Then Admin should see "user" in the first text field | SKIPPED | 0.000 s |

@GSKHZ UGYU HKGNF KT RSGTGPU




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.007 s |
| 2 | When Admin clicks Login button | SKIPPED | 0.001 s |
| 3 | Then Admin should see two text field | SKIPPED | 0.000 s |

@GSKHZ CTUGSKM PGYU UQ VTGS UGYU




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.005 s |
| 2 | When Admin clicks Login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see * symbol next to user text | SKIPPED | 0.000 s |

@GSKHZ UGYU QP UJG TGEQPF UGYU HKGNF




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.005 s |
| 2 | When Admin clicks Login button | SKIPPED | 0.001 s |
| 3 | Then Admin should "password" in the second text field | SKIPPED | 0.000 s |

@GSKHZ CTUGSKM PGYU UQ RCTTXQSF UGYU




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.006 s |
| 2 | When Admin clicks Login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see * symbol next to password text | SKIPPED | 0.000 s |

@GSKHZ UJG CNK I POGPU KPRVU HKGNF HQS UJG NQ I KP




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.007 s |
| 2 | When Admin clicks Login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see input field on the centre of the page | SKIPPED | 0.000 s |

WGSKHZ 7QIKP KT RSGTGPU




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.005 s |
| 2 | When Admin clicks Login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see login button | SKIPPED | 0.000 s |

@GSKHZ UJG CNK I POGPU QH UJG NQ I KP DVUUQP




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.006 s |
| 2 | When Admin clicks Login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see login button on the centre of the page | SKIPPED | 0.000 s |

@GSKHZ HQS I QU VTGSPCOG QS RCTTXQSF NKPm




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.007 s |
| 2 | When Admin clicks Login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see forgot username or password link | SKIPPED | 0.000 s |

@GSKHZ UJG CNK I POGPU QH UJG NQ I KP DVUUQP




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.006 s |
| 2 | When Admin clicks Login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see reset password link | SKIPPED | 0.001 s |

@GSKHZ UJG CNK I POGPU QH UJG NQ I KP DVUUQP



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.007 s |
| 2 | When Admin clicks Login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see user in gray color | SKIPPED | 0.000 s |

@GSKHZ UJG CNK I POGPU QH UJG NQ I KP DVUUQP




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.007 s |
| 2 | When Admin clicks Login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see password in gray color | SKIPPED | 0.001 s |

7QIKP ; C1G @CNKFCUKQP




@CNKFCUG NQIKP XUJ WCNKF ESGFGPUKNT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using>xpath, value=/input[@type='submit'] }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre> | FAILED | 0.015 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/003_LoginPage.feature:4) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enter valid credentials and clicks login button | SKIPPED | 0.000 s |
| 3 | Then Admin should land on dashboard page | SKIPPED | 0.000 s |


@CNIKFCUG NQ I KP XUJ KPWCNKF ESGFGPUKCNT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is in login page <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: </pre> | FAILED | 0.012 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>{debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/003_LoginPage.feature:4) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin enter invalid credentials and clicks login button | SKIPPED | 0.000 s |
| 3 | Then Error message please check username/password | SKIPPED | 0.000 s |

@CNKFCUG NQ I KP XUJ WCNKF ESGFGPUKNT KP VTGSPCOG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 003_LoginPage.feature:4) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.012 s |
| 2 | When Admin enter valid username and clicks login button | SKIPPED | 0.000 s |
| 3 | Then Error message please check password | SKIPPED | 0.000 s |


@CNKFCUG NQ I KP XNKJ WCNKF ESGFGPUKCNT KP RCTTXQSF



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131)</pre> | FAILED | 0.009 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/003_LoginPage.feature:4) * Not displayable characters are replaced by '?'. 2 When Admin enter valid password and clicks login button 3 Then Error message please check username | | |
| 2 | When Admin enter valid password and clicks login button | SKIPPED | 0.000 s |
| 3 | Then Error message please check username | SKIPPED | 0.000 s |


@CNKFCUG NQIKP XUJ DNCPM VTGSPCOG ESGFGPUKNT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is in login page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) | FAILED | 0.010 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/003_LoginPage.feature:4) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enter blank in username and clicks login button | SKIPPED | 0.001 s |
| 3 | Then Error message please check username/password | SKIPPED | 0.001 s |


@CNKFCUG NQIKP XUJ DNCPM RCTTXQSF ESGFGPUKNT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is in login page <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre> | FAILED | 0.011 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <p>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/003_LoginPage.feature:4) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enter blank in password and clicks login button | SKIPPED | 0.000 s |
| 3 | Then Error message please check username/password | SKIPPED | 0.000 s |

WCNKFCUG NQ I KP XKUJ GORUZ WCNVGT KP DQUJ HKGNF



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 003_LoginPage.feature:4) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.010 s |
| 2 | When Admin clicks Login button with empty values in both columns | SKIPPED | 0.000 s |
| 3 | Then Error message please check username/password | SKIPPED | 0.000 s |


WGSKHZ NQ I KP DVUUQP CEUKQP UJSQV I J MGZDQCSF



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131)</pre> | FAILED | 0.013 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/003_LoginPage.feature:4) * Not displayable characters are replaced by '?'. | | |
| 2 | When Admin enter valid credentials and clicks login button through keyboard | SKIPPED | 0.000 s |
| 3 | Then Admin should land on dashboard page | SKIPPED | 0.000 s |

WGSKHZ NQ I KP DVUUQP CEUKQP UJSQV I J OQVTG




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</pre> | FAILED | 0.011 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/003_LoginPage.feature:4) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enter valid credentials and clicks login button through mouse | SKIPPED | 0.000 s |
| 3 | Then Admin should land on dashboard page | SKIPPED | 0.000 s |


4QS|QU VTGSPCOG &RCTTXQSF



@GSKHZ HQS|QU VTGSPCOG QS RCTTXQSF ||KPM




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 004_ForgotUsernamePwd.feature:4) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.008 s |
| 2 | When Admin clicks forgot username or password link | SKIPPED | 0.000 s |
| 3 | Then Admin should land on forgot username or password page | SKIPPED | 0.000 s |



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131)</pre> | FAILED | 0.010 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/004_ForgotUsernamePwd.feature:4) * Not displayable characters are replaced by '?'. 2 When Admin clicks forgot username or password link 3 Then HTTP response >= 400. Then the link is broken | | |
| 2 | When Admin clicks forgot username or password link | SKIPPED | 0.000 s |
| 3 | Then HTTP response >= 400. Then the link is broken | SKIPPED | 0.000 s |


WGSKHZ KPRVU FGTESKRUKWG UGYU HQS 3OCKN



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</pre> | FAILED | 0.011 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/004_ForgotUsernamePwd.feature:4) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin clicks forgot username or password link | SKIPPED | 0.000 s |
| 3 | Then Admin should see "Email" text in gray color | SKIPPED | 0.000 s |


@GSKHZ GOCKN UGYU KP UGYU HKGNF



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in login page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre> | FAILED | 0.009 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <p>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/004_ForgotUsernamePwd.feature:4) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin clicks forgot username or password link | SKIPPED | 0.000 s |
| 3 | Then Admin should see "Email" in text field | SKIPPED | 0.001 s |

@GSKHZ TGPF NKPM DVUUQP KT RSGTGPU



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 004_ForgotUsernamePwd.feature:4) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.009 s |
| 2 | When Admin clicks forgot username or password link | SKIPPED | 0.000 s |
| 3 | Then Admin should see "send Link" button | SKIPPED | 0.000 s |


@GSKHZ CTUGSKM PGCS 3OCKN UGYU



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131)</pre> | FAILED | 0.012 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/004_ForgotUsernamePwd.feature:4) * Not displayable characters are replaced by '?'. | | |
| 2 | When Admin clicks forgot username or password link | SKIPPED | 0.001 s |
| 3 | Then Admin should see asterik symbol need Email | SKIPPED | 0.000 s |


@GSKHZ UGYU TRGNNKPI



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</pre> | FAILED | 0.008 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/004_ForgotUsernamePwd.feature:4) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin clicks forgot username or password link | SKIPPED | 0.000 s |
| 3 | Then Admin should see correct spellings in all fields | SKIPPED | 0.000 s |


@GSKHZ UJG CNK I POGPU QH UJG TGPF NKPM DVUUQP




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in login page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre> | FAILED | 0.010 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/004_ForgotUsernamePwd.feature:4) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin clicks forgot username or password link | SKIPPED | 0.000 s |
| 3 | Then Admin should see send link button in center of the page | SKIPPED | 0.000 s |

4QS|QU VTGSPCOG &RCTTXQSF




@CNIKFCUG GOCKN TGPU HQS HQS|QU RCTTXQSF KP NQ|KP RCIG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in forgot username and password page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[contains(text(),'forget username_Password')]"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceafd3d53, findElement {using=xpath, value='/*[contains(text(),'forget username_Password')]'}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\srreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickForgotUnamePwdLink(LoginPage.java:253)</pre> | FAILED | 0.014 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <p>at step_definitions.Login_SD.admin_is_in_forgot_username_and_password_page(Login_SD.java:276)</p> <p>at ?.Admin is in forgot username and password page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/005_ForgotUsernamePwd_Login.feature:4)</p> <p>* Not displayable characters are replaced by '?'.</p> | | |
| 2 | When Admin enters valid email id clicks send link button on forgot username or password page | SKIPPED | 0.000 s |
| 3 | Then Admin should receive link in mail for reset username or password | SKIPPED | 0.000 s |

@CNKFCUG GOCKN TGPU HQS HQS I QU RCTTXQSF XUJ KPWCNKF GOCKN KF




| =UGR & 5QQM 2GUCKNT | | =UCUVT | 2VSCUKQP |
|---------------------|---|--------|----------|
| 1 | <p>Given Admin is in forgot username and password page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[contains(text(),'forget username_Password')]"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using>xpath, value='/*[contains(text(),'forget username_Password')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</pre> | FAILED | 0.012 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickForgotUnamePwdLink(LoginPage.java:253) at step_definitions.Login_SD.admin_is_in_forgot_username_and_password_page(Login_SD.java:276) at ?.Admin is in forgot username and password page(file:///C:/Users/sreej/eclipse-phase2Automation/ Team17_SeleniumBrewers_Sept23/src/test/resources/features/005_ForgotUsernamePwd_Login.feature:4) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enters invalid email id clicks send link button on forgot username or password page | SKIPPED | 0.000 s |
| 3 | Then Admin should not receive link in mail for reset username or password | SKIPPED | 0.001 s |


<GTGU ; CTTXQSF KP JQOG RC1G



@GSKHZ SGTGU RCTTXQSF NKPMP




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 006_ResetPwdHome.feature:4) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.011 s |
| 2 | When Admin clicks reset password link | SKIPPED | 0.000 s |
| 3 | Then Admin should land on reset password page | SKIPPED | 0.000 s |



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131)</pre> | FAILED | 0.012 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/006_ResetPwdHome.feature:4) * Not displayable characters are replaced by '?'. 2 When Admin clicks reset password link 3 Then Admin should see correct spellings in all fields | | |
| 2 | When Admin clicks reset password link | SKIPPED | 0.000 s |
| 3 | Then Admin should see correct spellings in all fields | SKIPPED | 0.001 s |


@GSKHZ TVDOKU DVUUQP KT RSGTGPU



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is in login page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) | FAILED | 0.012 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/006_ResetPwdHome.feature:4) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin clicks reset password link | SKIPPED | 0.001 s |
| 3 | Then Admin should see "submit" button | SKIPPED | 0.000 s |


@GSKHZ UJG CNK I POGPU QH UJG TVDO KU DVUUQP




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in login page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre> | FAILED | 0.009 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <p>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/006_ResetPwdHome.feature:4) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin clicks reset password link | SKIPPED | 0.000 s |
| 3 | Then Admin should see submit button in center of the page | SKIPPED | 0.000 s |

@GSKHZ UGYU DQY KT RSGTGPU KT UJG RCIG




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 006_ResetPwdHome.feature:4) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.010 s |
| 2 | When Admin clicks reset password link | SKIPPED | 0.000 s |
| 3 | Then Admin should see two text box | SKIPPED | 0.001 s |



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131)</pre> | FAILED | 0.008 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/006_ResetPwdHome.feature:4) * Not displayable characters are replaced by '?'. | | |
| 2 | When Admin clicks reset password link | SKIPPED | 0.000 s |
| 3 | Then Admin should see "Type in new password" in the first label text | SKIPPED | 0.000 s |


@GSKHZ TGEQPF NCDGN UGYU



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</pre> | FAILED | 0.009 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/006_ResetPwdHome.feature:4) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin clicks reset password link | SKIPPED | 0.000 s |
| 3 | Then Admin should see "Retype password" in the second label text | SKIPPED | 0.000 s |


WGSKHZ UGYU DQY KT KP FKTCDFNGF




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in login page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre> | FAILED | 0.010 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/006_ResetPwdHome.feature:4) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin clicks reset password link | SKIPPED | 0.000 s |
| 3 | Then Admin should see text box in disabled state | SKIPPED | 0.000 s |

<GTGU ; CTTXQSF KP 7QIKP ; C1G




WGSKHZ UGYU DQY KT KP GPCDNGF KP PGX RCTTXQSF HKGNF



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Given Admin reset password page</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[contains(text(),'Reset Password)] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[contains(text(),'Reset Password)]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//*[contains(text(),'Reset Password)]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre> | FAILED | 0.016 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>at page_objects.LoginPage.clickResetPwdLink(LoginPage.java:247) at step_definitions.Login_SD.admin_reset_password_page(Login_SD.java:358) at ?.Admin reset password page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/007_ResetPasswordLogin.feature:4) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin clicks on type in new password field | SKIPPED | 0.000 s |
| 3 | Then Admin should see text box is enabled state | SKIPPED | 0.000 s |


WGSKHZ UGYU DQY KT KP GPCDNGF KP SGUZRG RCTTXQSF HKGNF



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Given Admin reset password page</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[contains(text(),'Reset Password)] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[contains(text(),'Reset Password)]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//*[contains(text(),'Reset Password)]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre> | FAILED | 0.009 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickResetPwdLink(LoginPage.java:247) at step_definitions.Login_SD.admin_reset_password_page(Login_SD.java:358) at ?.Admin reset password page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/007_ResetPasswordLogin.feature:4) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin clicks on retype password field | SKIPPED | 0.001 s |
| 3 | Then Admin should see text box is enabled state | SKIPPED | 0.000 s |


@C1KFCUG SGTGU RCTTXQSF XkjJ WC1KF FGUCKNT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin reset password page <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[contains(text(),'Reset Password)] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[contains(text(),'Reset Password)]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//*[contains(text(),'Reset Password)]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: </pre> | FAILED | 0.009 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickResetPwdLink(LoginPage.java:247) at step_definitions.Login_SD.admin_reset_password_page(Login_SD.java:358) at ?.Admin reset password page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/007_ResetPasswordLogin.feature:4) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin enters same password on both field and clicks submit button | SKIPPED | 0.000 s |
| 3 | Then Admin should receive : "Your password has been reset". Please click here to login | SKIPPED | 0.000 s |


@CNKFCUG SGTGU RCTTXQSF XKUJ KPWCNKF FGUCKNT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Given Admin reset password page</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[contains(text(),'Reset Password)] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[contains(text(),'Reset Password)]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//*[contains(text(),'Reset Password)]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre> | FAILED | 0.008 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | at page_objects.LoginPage.clickResetPwdLink(LoginPage.java:247) at step_definitions.Login_SD.admin_reset_password_page(Login_SD.java:358) at ?.Admin reset password page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/007_ResetPasswordLogin.feature:4) * Not displayable characters are replaced by '?'. | | |
| 2 | When Admin enters same password on both field with invalid details and clicks submit button | SKIPPED | 0.000 s |
| 3 | Then Error message " Please try agin" | SKIPPED | 0.000 s |


@CNKFCUG SGTGU RCTTXQSF XKUJ GORUZ FGUCKNT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin reset password page org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[contains(text(),'Reset Password)] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[contains(text(),'Reset Password)]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//*[contains(text(),'Reset Password)]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | FAILED | 0.007 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickResetPwdLink(LoginPage.java:247) at step_definitions.Login_SD.admin_reset_password_page(Login_SD.java:358) at ?.Admin reset password page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/007_ResetPasswordLogin.feature:4) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enters empty details on both fieldand clicks submit button | SKIPPED | 0.000 s |
| 3 | Then Error message " Please try agin" | SKIPPED | 0.000 s |

@CNIKFCUG SGTGU RCTTXQSF OKTOCUEJ WCINVGT




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin reset password page</p> <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[contains(text(),'Reset Password)] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[contains(text(),'Reset Password)]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//*[contains(text(),'Reset Password)]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: </pre> | FAILED | 0.009 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickResetPwdLink(LoginPage.java:247) at step_definitions.Login_SD.admin_reset_password_page(Login_SD.java:358) at ?.Admin reset password page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/007_ResetPasswordLogin.feature:4) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin enters mismatch values and clicks submit button | SKIPPED | 0.001 s |
| 3 | Then Error message " Please try agin" | SKIPPED | 0.000 s |

2CTJDQCSF ; CIG




@GSKHZ CHUGS NQ I KP CFOKP NCPFT QP OCPC1G RSQ1SCO CT FCTJDQCSF RC1G



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit'] "} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit'] }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre> | FAILED | 0.008 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/008_Dashboard.feature:6) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin enter valid credentials and clicks login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see manage program as header | SKIPPED | 0.000 s |


@GSKHZ UJG SGTRQPTG UKOG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre> | FAILED | 0.008 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/008_Dashboard.feature:6) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enter valid credentials and clicks login button | SKIPPED | 0.000 s |
| 3 | Then Maximum navigation time in milliseconds, defaults to 30 seconds | SKIPPED | 0.000 s |


@GSKHZ DSQMGPKPM




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in login page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: </pre> | FAILED | 0.007 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>{debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/008_Dashboard.feature:6) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin enter valid credentials and clicks login button | SKIPPED | 0.000 s |
| 3 | Then Dashboard_HTTP response should be >= 400 for broken link | SKIPPED | 0.000 s |

@GSKHZ 7 8 = UKUNG




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 008_Dashboard.feature:6) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.009 s |
| 2 | When Admin enter valid credentials and clicks login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see LMS -Learning management system as title | SKIPPED | 0.000 s |



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131)</pre> | FAILED | 0.007 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/008_Dashboard.feature:6) * Not displayable characters are replaced by '?'. 2 When Admin enter valid credentials and clicks login button 3 Then LMS title should be on the top left corner of page | | |
| 2 | When Admin enter valid credentials and clicks login button | SKIPPED | 0.000 s |
| 3 | Then LMS title should be on the top left corner of page | SKIPPED | 0.000 s |


@CNKFCUG PCWK I CUKQP DCS UGYU



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</pre> | FAILED | 0.006 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/008_Dashboard.feature:6) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enter valid credentials and clicks login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see correct spelling in navigation bar text | SKIPPED | 0.001 s |


@CNKFCUG 7 8 = UKUNG JCT EQSSGEU TRGNKKP I CPF TRCEG




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in login page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre> | FAILED | 0.007 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 008_Dashboard.feature:6) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enter valid credentials and clicks login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see correct spelling and space in LMS title | SKIPPED | 0.000 s |

@CNIKFCUG CNIK IPOGPU HQS PCWK I CUKQP DCS




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 008_Dashboard.feature:6) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.007 s |
| 2 | When Admin enter valid credentials and clicks login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see the navigation bar text on the top right side | SKIPPED | 0.000 s |



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131)</pre> | FAILED | 0.008 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/008_Dashboard.feature:6) * Not displayable characters are replaced by '?'. 2 When Admin enter valid credentials and clicks login button 3 Then Admin should see student in the 1st place | | |
| 2 | When Admin enter valid credentials and clicks login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see student in the 1st place | SKIPPED | 0.000 s |


@CNKFCUG PCWK I CUKQP DCS QSFGS (PF ; SQ I SCO



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is in login page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) | FAILED | 0.008 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/008_Dashboard.feature:6) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enter valid credentials and clicks login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see program in the 2nd place | SKIPPED | 0.001 s |


@CNIKFCUG PCWK I CUKQP DCS QSFGS)SF OCUEJ




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is in login page <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre> | FAILED | 0.007 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <p>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/008_Dashboard.feature:6) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enter valid credentials and clicks login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see batch in the 3rd place | SKIPPED | 0.000 s |

@CNIKFCUG PCWK I CUKQP DCS QSFGS *UJ 1NCTT




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 008_Dashboard.feature:6) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.006 s |
| 2 | When Admin enter valid credentials and clicks login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see class in the 4th place | SKIPPED | 0.000 s |



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131)</pre> | FAILED | 0.007 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/008_Dashboard.feature:6) * Not displayable characters are replaced by '?'. 2 When Admin enter valid credentials and clicks login button 3 Then Admin should see student in the 5th user | | |
| 2 | When Admin enter valid credentials and clicks login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see student in the 5th user | SKIPPED | 0.000 s |


@CNKFCUG PCWK I CUKQP DCS QSFGS ,UJ / TTKIPOGPU



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Admin is in login page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) | FAILED | 0.007 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/008_Dashboard.feature:6) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enter valid credentials and clicks login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see student in the 6th assignment | SKIPPED | 0.000 s |


@CNIKFCUG PCWK I CUKQP DCS QSFGS -UJ / UUGPFCPEG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is in login page <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre> | FAILED | 0.008 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 008_Dashboard.feature:6) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enter valid credentials and clicks login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see student in the 7th attendance | SKIPPED | 0.000 s |

@CNIKFCUG PCWK I CUKQP DCS QSFGS .IJ 7QI QVU




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 008_Dashboard.feature:6) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.007 s |
| 2 | When Admin enter valid credentials and clicks login button | SKIPPED | 0.000 s |
| 3 | Then Admin should see student in the 8th logout | SKIPPED | 0.000 s |

=UFGPU




@CNKFCUG UJG UKUNG QH UJG RC1G



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal as Admin | PASSED | 0.006 s |
| 2 | <p>Given Student_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre> | FAILED | 0.354 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | When Admin clicks Student on the navigation bar | SKIPPED | 0.001 s |
| 4 | Then Admin should see the Student details Page Title | SKIPPED | 0.000 s |


@C1KFCUG SGTRQPTG UKOG HSQO FCTJDQCSF RC1G UQ TUVFGPU RC1G



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal as Admin | PASSED | 0.003 s |
| 2 | <p>Given Student_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre> | FAILED | 0.200 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/ Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | When Admin clicks Student on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Student_Maximum navigation time in milliseconds, defaults to 30 seconds | SKIPPED | 0.000 s |


@CNIKFCUG UJG DSQMGPKP



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal as Admin | PASSED | 0.004 s |
| 2 | <p>Given Student_Admin is on dashboard page after Login</p> <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/ login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) </pre> | FAILED | 0.129 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | When Admin clicks Student on the navigation bar | SKIPPED | 0.001 s |
| 4 | Then Student_HTTP response >= 400. Then the link is broken | SKIPPED | 0.000 s |


@GSKHZ 78 = UKUNG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Logged on the LMS portal as Admin | PASSED | 0.004 s |
| 2 | <p>Given Student_Admin is on dashboard page after Login</p> <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/ login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 </pre> | FAILED | 0.120 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/ Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | When Admin clicks Student on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should see LMS -Learning management system as title | SKIPPED | 0.000 s |


@GSKHZ UJG CNIK I POGPU QH UJG =UVFGPU FGUCKN UKUNG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal as Admin | PASSED | 0.002 s |
| 2 | Given Student_Admin is on dashboard page after Login <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/ login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre> | FAILED | 0.142 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <p>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | When Admin clicks Student on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Student Detail title should be in centre of the page | SKIPPED | 0.001 s |


@CNIKFCUG FSQR FQXP KT RSGTGPU KP UJG RC1G



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal as Admin | PASSED | 0.003 s |
| 2 | <p>Given Student_Admin is on dashboard page after Login</p> <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceafd3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: </pre> | FAILED | 0.117 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | When Admin clicks Student on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then 2 dropdowns should be present in the page | SKIPPED | 0.000 s |


@CNIKFCUG TGCSEJ DCS KP TGNGEU TUVFGPU PCOG FSQR FQXP



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal as Admin | PASSED | 0.003 s |
| 2 | Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build | FAILED | 0.115 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | When Admin clicks Student on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should see search box inside the drop down | SKIPPED | 0.000 s |

@CNKFCUG TGCSEJ DCS KP TGNGEU DCUEJ KF FSQR FQXP




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal as Admin | PASSED | 0.004 s |
| 2 | Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. / 5:23:42.565 PM // 5:23:42.685 PM / Student @Student @TestStudent9 | FAILED | 0.115 s |
| 3 | When Admin clicks Student on the navigation bar | SKIPPED | 0.001 s |
| 4 | Then Admin should see search box inside batch id drop down | SKIPPED | 0.000 s |

@CNKFCUG UGYU TRGNKKPI TUVFGPU PCOG




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal as Admin | PASSED | 0.004 s |
| 2 | Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. / 5:23:42.694 PM // 5:23:42.812 PM / Student @TestStudent10 @Student | FAILED | 0.112 s |
| 3 | When Admin clicks Student on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should see correct spelling select student name | SKIPPED | 0.000 s |

@CNKFCUG UGYU TRGNKPKI TGNGEU DCUEJ KF




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal as Admin | PASSED | 0.002 s |
| 2 | Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. / 5:23:42.822 PM // 5:23:42.947 PM / Student @Student @TestStudent11 | FAILED | 0.114 s |
| 3 | When Admin clicks Student on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should see correct spelling select batch id text | SKIPPED | 0.000 s |

@CNKFCUG QPNZ PVODGST KPTKFG TGNGEU DCUEJ KF




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal as Admin | PASSED | 0.002 s |
| 2 | Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceafd3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. / 5:23:42.955 PM // 5:23:43.069 PM / Student @Student @TestStudent12 | FAILED | 0.120 s |
| 3 | When Admin clicks Student on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should see only numbers inside batch id drop down | SKIPPED | 0.000 s |

@CNKFCUG ISCZ EQNQS KP TUVFGPU PCOG FSQR FQXP




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal as Admin | PASSED | 0.002 s |
| 2 | Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. / 5:23:43.078 PM // 5:23:43.198 PM / Student @Student @TestStudent13 | FAILED | 0.109 s |
| 3 | When Admin clicks Student on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should see select student name in gray color | SKIPPED | 0.000 s |

@CNKFCUG ISCZ EQNQS KP TUVFGPU PCOG FSQR FQXP




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal as Admin | PASSED | 0.002 s |
| 2 | Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. / 5:23:43.207 PM // 5:23:43.329 PM / Student @Student @TestStudent14 | FAILED | 0.115 s |
| 3 | When Admin clicks Student on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should see select batch ID in gray color | SKIPPED | 0.000 s |

@CNKFCUG HKSTU FSQR FQXP NCDGN KT TGNGEU TUVFGPU PCOG




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal as Admin | PASSED | 0.003 s |
| 2 | Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. / 5:23:43.340 PM // 5:23:43.455 PM / Student @Student @TestStudent15 | FAILED | 0.117 s |
| 3 | When Admin clicks Student on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should see select student name in first | SKIPPED | 0.000 s |

@CNKFCUG TGEQPF FSQR FQXP NCDGN KT TGNGEU DCUEJ KF




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal as Admin | PASSED | 0.002 s |
| 2 | Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. / 5:23:43.462 PM // 5:23:43.578 PM / Student @Student @TestStudent16 | FAILED | 0.111 s |
| 3 | When Admin clicks Student on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should see select batch id in second | SKIPPED | 0.000 s |

@CNKFCUG TESQNN FQXP KPTKFG TUVFGPU PCOG FSQRFQXP



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal as Admin | PASSED | 0.002 s |
| 2 | Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceafd3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. / 5:23:43.588 PM // 5:23:43.707 PM / Student @Student @TestStudent17 | FAILED | 0.111 s |
| 3 | When Admin clicks Student on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should able to scroll down to select the name | SKIPPED | 0.000 s |

@CNKFCUG TESQNN FQXP KPTKFG DCUEJ KF FSQRFQXP




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal as Admin | PASSED | 0.002 s |
| 2 | Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. | FAILED | 0.115 s |
| 3 | When Admin clicks Student on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should able to scroll down to select the batch id | SKIPPED | 0.001 s |

=UFGPU




@CNIKFCUG TGNGEU TUVFGPU PCOG KT HCFKP I



| | =UGR & 5QQM 2GUCKNT | =UCJVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is logged in and on the student Details page | PASSED | 0.003 s |
| 2 | Given Admin is on student details page | PASSED | 0.001 s |
| 3 | When Admin select student name from the drop down | PASSED | 0.000 s |
| 4 | Then Admin should not see select student name text org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Select Student Name"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=Select Student Name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) | FAILED | 5.069 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|--|--|--------|----------|
| | <pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.Student.admin_should_not_see_select_student_name_text(Student.java:265) at ?.Admin should not see select student name text(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/010_student2_PageVerification.feature:10) * Not displayable characters are replaced by '?'. </pre> | | |


@CNIKFCUG TGNGEU DCUEJ KF KT HCFCKP I



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is logged in and on the student Details page | PASSED | 0.002 s |
| 2 | Given Admin is on student details page | PASSED | 0.000 s |
| 3 | When Admin select batch id from the drop down | PASSED | 0.000 s |
| 4 | <p>Then Admin should not see select batch id text</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Select batch id"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=Select batch id}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDatumDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre> | FAILED | 5.028 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|--|---|--------|----------|
| | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.Student.admin_should_not_see_select_batch_id_text(Student.java:279) at ?.Admin should not see select batch id text(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/010_student2_PageVerification.feature:16) * Not displayable characters are replaced by '?'. </pre> | | |


@CNKFCUG TGNGEU TUVFGPU PCOG VTKP I TGCSEJ DQY



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is logged in and on the student Details page | PASSED | 0.001 s |
| 2 | Given Admin is on student details page | PASSED | 0.000 s |
| 3 | When Admin clicks select student name and enters x alphabet in the search box | FAILED | 5.016 s |
| | <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"text inside a student name dropdown"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/ documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver </pre> | | |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <p>Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=text inside a student name dropdown}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at step_definitions.Student.admin_clicks_select_student_name_and_enters_x_alphabet_in_the_search_box(Student.java:287) at ?.Admin clicks select student name and enters x alphabet in the search box(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/010_student2_PageVerification.feature:21) * Not displayable characters are replaced by '?'.</pre> | | |
| 4 | Then Admin should see student name start with x is listed below | SKIPPED | 0.000 s |


@CNKFCUG TGNGEU DCUEJ KF VTKPI TGCSEJ DQY



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is logged in and on the student Details page | PASSED | 0.002 s |
| 2 | Given Admin is on student details page | PASSED | 0.000 s |
| 3 | <p>When Admin clicks select batch id and enter 1 number in the search box</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"text inside a batch id dropdown"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=text inside a batch id dropdown}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> | FAILED | 5.028 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at step_definitions.Student.admin_clicks_select_batch_id_and_enter_x_number_in_the_search_box(Student.java:319) at ?.Admin clicks select batch id and enter 1 number in the search box(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/010_student2_PageVerification.feature:27) * Not displayable characters are replaced by '?'.</pre> | | |
| 4 | Then Admin should see batch id start with 1 is listed below | SKIPPED | 0.000 s |


@CNIKFCUG TGNGEUKP I QPNZ TUVFGPU PCOG XKNN PQU FKTRNCZ CPZ FGUCKNT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Admin is logged in and on the student Details page | PASSED | 0.003 s |
| 2 | Given Admin is on student details page | PASSED | 0.000 s |
| 3 | <p>When Admin selects only student name</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Select Student Name"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceafd3d53, findElement {using=link text, value=Select Student Name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</pre> | FAILED | 5.064 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at step_definitions.Student.admin_selects_only_student_name(Student.java:351) at ?.Admin selects only student name(file:///C:/Users/sreeji/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/010_student2_PageVerification.feature:33) * Not displayable characters are replaced by '?'. </pre> | | |
| 4 | Then Student details should not be displayed | SKIPPED | 0.000 s |


@CNKFCUG TGNGEUKP I QPNZ DCUEJ KF XNN PQU FKTRNCZ CPZ FGUCKNT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Admin is logged in and on the student Details page | PASSED | 0.002 s |
| 2 | Given Admin is on student details page | PASSED | 0.000 s |
| 3 | When Admin selects only batch id org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text", "selector":"Select Student Name"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=Select Student Name}] Capabilities {acceptInsecureCerts: false, | FAILED | 5.038 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <p>browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at step_definitions.Student.admin_selects_only_batch_id(Student.java:371) at ?.Admin selects only batch id(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/010_student2_PageVerification.feature:39) * Not displayable characters are replaced by '?'. </pre> | | |
| 4 | Then Student details should not be displayed | SKIPPED | 0.000 s |

@CNKFCUG TGNGEUKP I TUVFGPU PCOG CPF DCUEJ KF



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is logged in and on the student Details page | PASSED | 0.002 s |
| 2 | Given Admin is on student details page | PASSED | 0.000 s |
| 3 | <p>When Admin selects student name and batch id</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Select Student Name"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=Select Student Name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> | FAILED | 5.042 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | at jdk.proxy2/jdk.proxy2.\$Proxy43.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at step_definitions.Student.admin_selects_student_name_and_batch_id(Student.java:383) at ?.Admin selects student name and batch id(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/010_student2_PageVerification.feature:45) * Not displayable characters are replaced by '?'. | | |
| 4 | Then Particular student information should be displayed | SKIPPED | 0.000 s |

=UVFGPU**; SQ IS CO NKPM QP PCWKI CUKQP DCS**

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Admin is logged in and on the student Details page | PASSED | 0.002 s |
| 2 | Given Admin is on student details page | PASSED | 0.000 s |
| 3 | When Admin clicks on program link on student page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Program"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=Program}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: | FAILED | 5.032 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at step_definitions.Student.admin_clicks_on_program_link_on_student_page(Student.java:408) at ?.Admin clicks on program link on student page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/011_student3_NavigationValidation.feature:9) * Not displayable characters are replaced by '?'.</pre> | | |
| 4 | Then Admin is redirected to Program page | SKIPPED | 0.000 s |

OCUEJ NKPM QP PCWK I CUKQP DCS



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Admin is logged in and on the student Details page | PASSED | 0.004 s |
| 2 | Given Admin is on student details page | PASSED | 0.000 s |
| 3 | When Admin clicks on Batch link on student page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Batch"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=Batch}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at step_definitions.Student.admin_clicks_on_batch_link_on_student_page(Student.java:421) at ?.Admin clicks on Batch link on student page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/011_student3_NavigationValidation.feature:15) * Not displayable characters are replaced by '?'. | FAILED | 5.016 s |
| 4 | Then Admin is redirected to Batch page | SKIPPED | 0.000 s |


1NCTT NKPQ PCWK I CUKQP DCS



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Admin is logged in and on the student Details page | PASSED | 0.002 s |
| 2 | Given Admin is on student details page | PASSED | 0.000 s |
| 3 | <p>When Admin clicks on Class link on student page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=Class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> | FAILED | 5.065 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at step_definitions.Student.admin_clicks_on_class_link_on_student_page(Student.java:434) at ?.Admin clicks on Class link on student page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/011_student3_NavigationValidation.feature:21) * Not displayable characters are replaced by '?'. | | |
| 4 | Then Admin is redirected to Class page | SKIPPED | 0.000 s |


?TGS NKPM QP PCWK I CUKQP DCS



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Admin is logged in and on the student Details page | PASSED | 0.002 s |
| 2 | Given Admin is on student details page | PASSED | 0.000 s |
| 3 | When Admin clicks on User link on student page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"User"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=User}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | FAILED | 5.044 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at step_definitions.Student.admin_clicks_on_user_link_on_student_page(Student.java:447) at ?.Admin clicks on User link on student page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/011_student3_NavigationValidation.feature:27) * Not displayable characters are replaced by '?'. </pre> | | |
| 4 | Then Admin is redirected to User page | SKIPPED | 0.000 s |


/ TTKIPOGPU NKPM QP PCWK I CUKQP DCS




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Admin is logged in and on the student Details page | PASSED | 0.002 s |
| 2 | Given Admin is on student details page | PASSED | 0.000 s |
| 3 | <p>When Admin clicks on Assignment link on student page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Assignment"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=Assignment}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: </pre> | FAILED | 5.023 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at step_definitions.Student.admin_clicks_on_assignment_link_on_student_page(Student.java:460) at ?.Admin clicks on Assignment link on student page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/011_student3_NavigationValidation.feature:33) * Not displayable characters are replaced by '?'.</pre> | | |
| 4 | Then Admin is redirected to Assignment page | SKIPPED | 0.000 s |

/ UUGPFCPEG NKPM QP PCWkI CUKQP DCS



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Admin is logged in and on the student Details page | PASSED | 0.003 s |
| 2 | Given Admin is on student details page | PASSED | 0.000 s |
| 3 | When Admin clicks on Attendance link on student page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Attendance"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=Attendance}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at step_definitions.Student.admin_clicks_on_attendance_link_on_student_page(Student.java:473) at ?.Admin clicks on Attendance link on student page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/011_student3_NavigationValidation.feature:39) * Not displayable characters are replaced by '?'. | FAILED | 5.055 s |
| 4 | Then Admin is redirected to Attendance page | SKIPPED | 0.000 s |




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is logged in and on the student Details page | PASSED | 0.003 s |
| 2 | Given Admin is on student details page | PASSED | 0.000 s |
| 3 | <p>When Admin clicks on Logout link on student page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Lgout"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=Lgout}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre> | FAILED | 5.039 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at step_definitions.Student.admin_clicks_on_logout_link_on_student_page(Student.java:486) at ?.Admin clicks on Logout link on student page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/011_student3_NavigationValidation.feature:45) * Not displayable characters are replaced by '?'. | | |
| 4 | Then Admin is redirected to Login page | SKIPPED | 0.000 s |

8 CPC1G RSQ1SCO WCNKFCUKQP




@CNKFCUG NCPFKP1 KP ; SQ1SCO RC1G



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | Given Program_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, | FAILED | 0.192 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | When Admin clicks "Program" on the navigation bar | SKIPPED | 0.001 s |
| 4 | Then Admin should see URL with "Manage Program" | SKIPPED | 0.000 s |


@CNIKFCUG UJG JGCFKP I



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.003 s |
| 2 | <p>Given Program_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceafd3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions:</pre> | FAILED | 0.150 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>{debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | When Admin clicks "Program" on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should see a heading with text "Manage Program" on the page | SKIPPED | 0.000 s |


@CNKFCUG UJG UGYU CPF RC I KPCUKQP KEQP DGNQX UJG FCUC VCDNG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | Given Program_Admin is on dashboard page after Login <code>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2'</code> | FAILED | 0.118 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <p>Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceafd3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | When Admin clicks "Program" on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon | SKIPPED | 0.000 s |


@CNIKFCUG UJG HQQUGS



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--------------------------------|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 2 | <p>Given Program_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy}, se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.117 s |
| 3 | When Admin clicks "Program" on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should see the footer as "In total there are z programs" | SKIPPED | 0.000 s |

@CNKFCUKP I UJG FGHCVNU TUCUG QH 2GNGUG DVUUQP




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.003 s |
| 2 | Given Program_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceafd3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'. / 5:24:55.232 PM // 5:24:55.352 PM / Manage program validation @Test_suit_program06 @programvalidationpart1 | FAILED | 0.119 s |
| 3 | When Admin clicks "Program" on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should see a Delete button on the top left hand side as Disabled | SKIPPED | 0.000 s |

@CNKFCUG / FF 9GX ; SQ ISCO




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | Given Program_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceafd3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'. / 5:24:55.361 PM // 5:24:55.486 PM / Manage program validation @Test_suit_program07 @programvalidationpart1 | FAILED | 0.115 s |
| 3 | When Admin clicks "Program" on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should see a "+A New Program" button on the program page above the data table | SKIPPED | 0.001 s |

@CNKFCUG UJCU PVODGS QH SGEQSFT !SQXT QH FCUC KP UJG UCDNG" FKTRNCZGF




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | Given Program_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceafd3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'. / 5:24:55.496 PM // 5:24:55.613 PM / Manage program validation @Test_suit_program08 @programvalidationpart1 | FAILED | 0.120 s |
| 3 | When Admin clicks "Program" on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should see the number of records (rows of data in the table) displayed on the page are 5 | SKIPPED | 0.000 s |

@GSKHZ FCUC UCDNG QP UJG ; SQISCO RCIG




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | <p>Given Program_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceafd3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.113 s |
| 3 | When Admin clicks "Program" on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should see data table on the Manage Program Page with column headers like Program Name, Program Description, Program Status, Edit,Delete | SKIPPED | 0.000 s |

@GSKHZ =QSU CSSQX KEQP QP UJG FCUC UCDNG




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.003 s |
| 2 | Given Program_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'. | FAILED | 0.114 s |
| 3 | When Admin clicks "Program" on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should see the sort arrow icon beside to each column header except Edit and Delete | SKIPPED | 0.000 s |

@GSKHZ 1 JGEM DQY QP UJG FCUC UCDNG




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.003 s |
| 2 | <p>Given Program_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.147 s |
| 3 | When Admin clicks "Program" on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should see check box on the left side in all rows of the data table | SKIPPED | 0.000 s |

@GSKHZ 3FKU CPF 2GNGUG DVUUQPT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | Given Program_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceafd3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'. | FAILED | 0.117 s |
| 3 | When Admin clicks "Program" on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should see the Edit and Delete buttons on each row of the data table | SKIPPED | 0.001 s |

@GSKHZ =GCSEJ DCS QP UJG ; SQ ISCO RCIG




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.003 s |
| 2 | <p>Given Program_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.117 s |
| 3 | When Admin clicks "Program" on the navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should see Search bar with text as "Search..." | SKIPPED | 0.000 s |

8 CPC1G RSQ1SCO WCNKFCU1QP





=GCSEJ ; SQ1SCO 0Z 9COG





| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCU1QP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on dashboard page after Login | FAILED | 0.001 s |
| | Step undefined | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on Manage Program Page | SKIPPED | 0.000 s |
| 5 | When Admin enters <Program name> into search box. | SKIPPED | 0.000 s |
| 6 | Then Admin should see the Programs displayed based on the Program Name | SKIPPED | 0.000 s |

=GCSEJ ; SQ1SCO 0Z 2GTESKRUKQP

| | | | | |
|--|---------------------------|--|---|---|
| FAILED | DURATION - 0.005 s |  | Steps Total - 6 Pass - 1 Fail - 1 Skip - 4 |  |
| / 5:24:56.187 PM // 5:24:56.192 PM / | | | | |
| <i>Manage program validation</i> | | | | |
| @programvalidationpart2 @Test_suit_program14 | | | | |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on dashboard page after Login <i>Step undefined</i> | FAILED | 0.001 s |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on Manage Program Page | SKIPPED | 0.000 s |
| 5 | When Admin enters <Program description phrase> into search box | SKIPPED | 0.000 s |
| 6 | Then Admin should see the Programs displayed based on the Program Description | SKIPPED | 0.000 s |


=GCSEJ ; SQ1SCO 0Z =UCUVT

| | | | | |
|--|---------------------------|---|---|--|
| FAILED | DURATION - 0.006 s |  | Steps Total - 6 Pass - 1 Fail - 1 Skip - 4 |  |
| / 5:24:56.200 PM // 5:24:56.206 PM / | | | | |
| <i>Manage program validation</i> | | | | |
| @programvalidationpart2 @Test_suit_program15 | | | | |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.003 s |
| 2 | When Admin is on dashboard page after Login <i>Step undefined</i> | FAILED | 0.001 s |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on Manage Program Page | SKIPPED | 0.000 s |
| 5 | When Admin enters <Program status phrase> into search box. | SKIPPED | 0.000 s |

| | | | |
|---|--|---------|----------|
| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
| 6 | Then Admin should see the Programs displayed based on the Program Status | SKIPPED | 0.000 s |

@CNKFCUKP I UJG =GCSEJ XUJ VPSGNCUGF MGZXQSF





| | | | |
|---|--|---------|----------|
| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on dashboard page after Login Step undefined | FAILED | 0.000 s |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on Manage Program Page | SKIPPED | 0.000 s |
| 5 | When Admin enters the "keywords" not present in the data table on the Search box | SKIPPED | 0.000 s |
| 6 | Then Admin should see zero entries on the data table | SKIPPED | 0.000 s |

/ FF 9GX ; SQISCO





@CNKFCUG ; SQISCO 2GUCKNT ; QRVR XKPFQX

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.005 s |  | Steps Total - 6 Pass - 1 Fail - 1 Skip - 4 |  |
| / 5:24:56.229 PM // 5:24:56.234 PM / | | | | |
| Add New Program | | | | |
| @Addprogram1 @Test_suit_program01 | | | | |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on dashboard page after Login Step undefined | FAILED | 0.000 s |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.002 s |
| 4 | Given Admin is on Manage Program Page | SKIPPED | 0.000 s |
| 5 | When Admin clicks <A New Program>button | SKIPPED | 0.000 s |
| 6 | Then Admin should see a popup open for Program details with empty form along with <SAVE> and <CANCEL> button and Close(X) Icon on the top right corner of the window | SKIPPED | 0.000 s |


@CNKFCUG KPRVU HKGNFT CPF UJGKS UGYU DQYGT KP ; SQ ISCO FGUCKNT HQSO

| | | | | |
|--------------------------------------|--------------------|---|--|--|
| FAILED | DURATION - 0.005 s |  | Steps Total - 6 Pass - 1 Fail - 1 Skip - 4 |  |
| / 5:24:56.245 PM // 5:24:56.250 PM / | | | | |
| Add New Program | | | | |
| @Addprogram1 @Test_suit_program02 | | | | |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on dashboard page after Login Step undefined | FAILED | 0.001 s |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on Manage Program Page | SKIPPED | 0.000 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 5 | When Admin clicks <A New Program>button | SKIPPED | 0.000 s |
| 6 | Then Admin should see two input fields and their respective text boxes in the program details window | SKIPPED | 0.000 s |

@CNKFCUG SCFKQ DVUUQP HQS ; SQ ISCO =UCUVT




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on dashboard page after Login Step undefined | FAILED | 0.001 s |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on Manage Program Page | SKIPPED | 0.000 s |
| 5 | When Admin clicks <A New Program>button | SKIPPED | 0.000 s |
| 6 | Then Admin should see two radio button for Program Status | SKIPPED | 0.000 s |

/ FF 9GX ; SQ ISCO




3ORUZ HQSO TVDO\TTKQP



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.001 s |
| 2 | When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/015_addprogram.feature:7) * Not displayable characters are replaced by '?'. | FAILED | 0.192 s |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.001 s |
| 4 | Given Admin is on "Program Details" Popup window | SKIPPED | 0.000 s |
| 5 | When Admin clicks <Save> button without entering any data | SKIPPED | 0.000 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---------------------------------------|---------|----------|
| 6 | Then Admin gets a Error message alert | SKIPPED | 0.000 s |


3PUGS QPNZ ;SQ I SCO 9COG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.003 s |
| 2 | When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.Ims.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/015_addprogram.feature:7) | FAILED | 0.139 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on "Program Details" Popup window | SKIPPED | 0.000 s |
| 5 | When Admin enters only "ProgramName" in text box and clicks Save button | SKIPPED | 0.000 s |
| 6 | Then Admin gets a message alert 'Description is required' ProgramName Jan23-Seleniumbrewer-SDET-201-1001 | SKIPPED | 0.003 s |


3PUGS QPNZ ; SQ I SCO 2GTESKRUKQP



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | FAILED | 0.133 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP | | |
|--------------------|--|--------------------|------------------|--|--|
| | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/015_addprogram.feature:7) * Not displayable characters are replaced by '?'. </pre> | | | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s | | |
| 4 | Given Admin is on "Program Details" Popup window | SKIPPED | 0.000 s | | |
| 5 | When Admin enters only the Program Description "ProgramDescription" in text box and clicks Save button | SKIPPED | 0.000 s | | |
| 6 | Then Admin gets a message alert for Description "Name is required" | SKIPPED | 0.000 s | | |
| | <table border="1" style="display: inline-table; vertical-align: middle;"> <tr><td>ProgramDescription</td></tr> <tr><td>Phase II testing</td></tr> </table> | ProgramDescription | Phase II testing | | |
| ProgramDescription | | | | | |
| Phase II testing | | | | | |


=GIGEU =UCUVT QPNZ



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.003 s |
| 2 | <p>When Admin is on Manage Program page after Login</p> <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram. lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, </pre> | FAILED | 0.134 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/015_addprogram.feature:7) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on "Program Details" Popup window | SKIPPED | 0.000 s |
| 5 | When Admin selects only Status and clicks Save button | SKIPPED | 0.000 s |
| 6 | Then Admin gets a message alert for Name and Description 'Name and Description required' | SKIPPED | 0.000 s |


@CNKFCUG KPWCNKF WCIVGT QP UJG UGYU EQIVOP



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.001 s |
| 2 | When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' | FAILED | 0.125 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <p>Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceafd3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/015_addprogram.feature:7) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on "Program Details" Popup window | SKIPPED | 0.000 s |
| 5 | When Admin enters only "NumbersORSpecial" char in name and desc column | SKIPPED | 0.000 s |
| 6 | Then Admin gets a Error message alert for special character | SKIPPED | 0.000 s |
| | specialCharacter (W*%)(%)^#)^ | | |


@CNIKFCUG 1CPEGN&1NQQTG!A" KEQP QP ; SQ I SCO 2GUCKNT HQSO



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/015_addprogram.feature:7) * Not displayable characters are replaced by '?'. | FAILED | 0.226 s |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on "Program Details" Popup window | SKIPPED | 0.000 s |
| 5 | When Admin clicks Cancel-Close(X) Icon on Program Details form | SKIPPED | 0.000 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 6 | Then Program Details popup window should be closed without saving | SKIPPED | 0.000 s |


@CNKFCUG =CWG DVUQF QP ;SQ IS CO 2GUCKNT HQSO



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.Ims.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/015_addprogram.feature:7) | FAILED | 0.213 s |



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on "Program Details" Popup window | SKIPPED | 0.000 s |
| 5 | When Enter all the required fields with valid values and click Save button | SKIPPED | 0.000 s |
| 6 | Then Admin gets a message "Successful Program Created" alert and able to see the new program added in the data table | SKIPPED | 0.000 s |

@CNKFCUG 1CPEGN DVUUQP QP ; SQ ISCO 2GUCKNT HQSO





| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.001 s |
| 2 | <p>When Admin is on Manage Program page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\lseej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy}, se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre> | FAILED | 0.214 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/015_addprogram.feature:7) * Not displayable characters are replaced by '?'. | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on "Program Details" Popup window | SKIPPED | 0.000 s |
| 5 | When Admin clicks <Cancel>button | SKIPPED | 0.000 s |
| 6 | Then Admin can see the Program details popup disappears without creating any program | SKIPPED | 0.000 s |

3FKU ;SQ I SCO 2GUCKNT**@CMKFCUG 3FKU 4GCUVSG**

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.003 s |
| 2 | When Admin is on dashboard page after Login Step undefined | FAILED | 0.000 s |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 4 | Given Admin is on Manage Program Page | SKIPPED | 0.000 s |
| 5 | When Admin clicks <Edit> button on the data table for any row | SKIPPED | 0.000 s |
| 6 | Then Admin should see a popup open for Program details to edit | SKIPPED | 0.000 s |

3FKU ; SQ1SCO 2GUCKNT**3FKU ; SQ1SCO 9COG**

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | FAILED | 0.219 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP | | |
|----------------------------|--|-----------------|----------------------------|--|--|
| | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/017_Editprogramdeatil.feature:6) * Not displayable characters are replaced by '?'. </pre> | | | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s | | |
| 4 | Given Admin is on Program Details Popup window to Edit | SKIPPED | 0.000 s | | |
| 5 | When Admin edits the Name column and clicks save button | SKIPPED | 0.000 s | | |
| 6 | Then Admin gets a message "Successful Program Updated" alert and able to see the updated name in the table for the particular program | SKIPPED | 0.000 s | | |
| | <table border="1"> <tr> <td>expectedMessage</td> </tr> <tr> <td>Successful Program Updated</td> </tr> </table> | expectedMessage | Successful Program Updated | | |
| expectedMessage | | | | | |
| Successful Program Updated | | | | | |


3FKU ; SQ ISCO FGTESKRUKQP



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.003 s |
| 2 | When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build | FAILED | 0.210 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP | | |
|----------------------------|--|-----------------|----------------------------|--|--|
| | <pre> info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/017_Editprogramdeatil.feature:6) * Not displayable characters are replaced by '?'. </pre> | | | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s | | |
| 4 | Given Admin is on Manage Program Page | SKIPPED | 0.000 s | | |
| 5 | When Admin edits the Description column and clicks save button | SKIPPED | 0.000 s | | |
| 6 | Then Admin gets a message "Successful Program Updated" alert and able to see the updated description in the table for the particular program | SKIPPED | 0.000 s | | |
| | <table border="1"> <tr> <td>expectedMessage</td> </tr> <tr> <td>Successful Program Updated</td> </tr> </table> | expectedMessage | Successful Program Updated | | |
| expectedMessage | | | | | |
| Successful Program Updated | | | | | |


1 JCP1G ; SQ1SCO =UCUVT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.003 s |
| 2 | When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/017_Editprogramdeatil.feature:6) * Not displayable characters are replaced by '?'. | FAILED | 0.213 s |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.001 s |
| 4 | Given Admin is on Program Details Popup window to Edit | SKIPPED | 0.000 s |
| 5 | When Admin changes the Status and clicks save button | SKIPPED | 0.000 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 6 | Then Admin gets a message "Successful Program Updated" alert and able to see the updated status in the table for the particular program expectedMessage Successful Program Updated | SKIPPED | 0.000 s |


@CNKFCUG KPWCNKF WCIVGT QP UJG UGYU EQIVOP



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on Manage Program page after Login <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</pre> | FAILED | 0.211 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/017_Editprogramdeatil.feature:6) * Not displayable characters are replaced by '?'. | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on Program Details Popup window to Edit | SKIPPED | 0.000 s |
| 5 | When Admin enters only numbers or special "NumbersORSpecial" char in name and desc column | SKIPPED | 0.000 s |
| 6 | Then Admin gets a Error message alert "Alert Message" specialCharacter (W*%)%)^#)^ | SKIPPED | 0.000 s |


@CNKFCUG 1CPEGN DVUUQP QP 3FKU RQRVR



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | FAILED | 0.225 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/017_Editprogramdeatil.feature:6) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on Program Details Popup window to Edit | SKIPPED | 0.000 s |
| 5 | When Admin clicks <Cancel>button on edit popup | SKIPPED | 0.000 s |
| 6 | Then Admin can see the Program details popup disappears and can see nothing changed for particular program | SKIPPED | 0.000 s |

@CNIKFCUG =CWG DVUUQP QP 3FNU RQRVR





| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.004 s |
| 2 | When Admin is on Manage Program page after Login <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram. lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), </pre> | FAILED | 0.218 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/017_Editprogramdeatil.feature:6) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on Program Details Popup window to Edit | SKIPPED | 0.000 s |
| 5 | When Admin clicks <Save>button on edit popup | SKIPPED | 0.000 s |
| 6 | Then Admin gets a message "Successful Program Updated" alert and able to see the updated details in the table for the particular program expectedMessage Successful Program Updated | SKIPPED | 0.000 s |

2GNGUG ; SQ ISCO





2GNGUG 4GCUVSG

| | | | | |
|---|--------------------|--|--|---|
| FAILED | DURATION - 0.004 s |  | Steps Total - 6 Pass - 1 Fail - 1 Skip - 4 |  |
| / 5:24:59.197 PM // 5:24:59.201 PM / | | | | |
| Delete Program | | | | |
| @Test_suit_program01 @Deleteprogramdeatil | | | | |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.001 s |
| 2 | When Admin is on dashboard page after Login Step undefined | FAILED | 0.001 s |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on Manage Program Page | SKIPPED | 0.000 s |
| 5 | When Admin clicks <Delete> button on the data table for any row 1 | SKIPPED | 0.000 s |
| 6 | Then Admin should see a alert open with heading "Confirm" along with <YES> and <NO> button for deletion expectedHeading "Confirm" and button for deletion | SKIPPED | 0.000 s |

@CNKFCUG FGUCKNT HQS 1QPHKSO 2GNGUKQP HQSO

| | | | | |
|---|--------------------|---|--|--|
| FAILED | DURATION - 0.004 s |  | Steps Total - 6 Pass - 1 Fail - 1 Skip - 4 |  |
| / 5:24:59.208 PM // 5:24:59.212 PM / | | | | |
| Delete Program | | | | |
| @Deleteprogramdeatil @Test_suit_program02 | | | | |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on dashboard page after Login Step undefined | FAILED | 0.000 s |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 4 | Given Admin is on Manage Program Page | SKIPPED | 0.000 s |
| 5 | When Admin clicks <Delete> button on the data table for any row 1 | SKIPPED | 0.000 s |
| 6 | Then Admin should see a message for Program Name "Are you sure you want to delete <Program name>?" expectedMessage "Are you sure you want to delete ?" | SKIPPED | 0.000 s |

2GNGUG ; SQ ISCO**1NKEM BGT QP FGNGUKQP XKPQFQX**

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on Manage Program page after Login <code>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,</code> | FAILED | 0.218 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/019_Deleteprogram1.feature:7) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on Confirm Deletion alert | SKIPPED | 0.000 s |
| 5 | When Admin clicks <YES> button on the alert | SKIPPED | 0.000 s |
| 6 | Then Admin gets a message "Successful Program Deleted" alert and able to see that program deleted in the data table | SKIPPED | 0.000 s |


1 NKE M 9Q QP FGNGUKQP XKPFQX



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.003 s |
| 2 | When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' | FAILED | 0.236 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <p>Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceafd3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/019_Deleteprogram1.feature:7) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on Confirm Deletion alert | SKIPPED | 0.000 s |
| 5 | When Admin clicks <NO> button on the alert | SKIPPED | 0.000 s |
| 6 | Then Admin can see the deletion alert disappears without deleting | SKIPPED | 0.001 s |

@CNGFCUG 1CPEGN&1NQTG!A" KEQP QP 1QPHKSO 2GNGUKQP CNGSU




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.003 s |
| 2 | When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/019_Deleteprogram1.feature:7) * Not displayable characters are replaced by '?'. at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/019_Deleteprogram1.feature:7) | FAILED | 0.202 s |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on Confirm Deletion alert | SKIPPED | 0.000 s |
| 5 | When Admin clicks Cancel or Close(X) icon on Deletion alert | SKIPPED | 0.000 s |
| 6 | Then Admin can see the deletion alert disappears without any changes | SKIPPED | 0.000 s |

8VNURNG 2GNGUG ; SQ I SCO



@CNKFCUG 1QOOQP 2GNGUG DVUUQP GPCDNGF CHUGS E~~N~~KEMKP I QP CPZ EJGEMDQY




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.003 s |
| 2 | <p>When Program_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre> | FAILED | 0.231 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/ Team17_SeleniumBrewers_Sept23/src/test/resources/features/020_Multipledeleteprogram1.feature:6) * Not displayable characters are replaced by '?'. | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on Manage Program Page | SKIPPED | 0.001 s |
| 5 | When Admin clicks any checkbox in the data table | SKIPPED | 0.000 s |
| 6 | Then Admin should see common delete option enabled under header Manage Program | SKIPPED | 0.000 s |

8VNURNG 2GNQUG ; SQ I SCO




@CMKFCUG OVNUKRNG RSQ I SCO FGNGUQQP DZ TGNGEUKPI =KPING EJGEMDQY



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Admin is on Manage Program page after Login org.openqa.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: | FAILED | 0.223 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/021_Multipledelteprogram2.feature:6) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin clicks any checkbox in the data table | SKIPPED | 0.000 s |
| 3 | Then Delete Button on the header Section | SKIPPED | 0.000 s |
| 4 | Given Admin is on Confirm Deletion alert | SKIPPED | 0.000 s |
| 5 | When Admin clicks <YES> button on the alert | SKIPPED | 0.000 s |
| 6 | Then Admin should land on Manage Program page and can see the selected program is deleted from the data table | SKIPPED | 0.000 s |

@CNIKFCUG OVNUKRNG RSQ I SCO FGNGUKQP DZ TGNGEUKPI =KPING EJGEMDQY




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is on Manage Program page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/021_Multipledeletereprogram2.feature:6) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.213 s |
| 2 | When Admin clicks any checkbox in the data table | SKIPPED | 0.000 s |
| 3 | Then Delete Button on the header Section | SKIPPED | 0.000 s |
| 4 | Given Admin is on Confirm Deletion alert | SKIPPED | 0.000 s |
| 5 | When Admin clicks <NO> button on the alert | SKIPPED | 0.000 s |
| 6 | Then Admin should land on Manage Program page and can see the selected program is not deleted from the data table | SKIPPED | 0.000 s |

8VNURNG 2GNGUG ; SQ I SCO




@CNKFCUG OVNUKRNG RSQ I SCO FGNGUKQP DZ TGNGEUKPI OVNUKRNG EJGEM DQYGT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is on Manage Program page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</pre> | FAILED | 0.244 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/022_Multipledeleteprogram3.feature:5) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin clicks Multiple checkbox in the data table | SKIPPED | 0.000 s |
| 3 | Then Delete Button on the header Section | SKIPPED | 0.000 s |
| 4 | Given Admin is on Confirm Deletion alert | SKIPPED | 0.000 s |
| 5 | When Admin clicks <YES> button on the alert | SKIPPED | 0.000 s |
| 6 | Then Admin should land on Manage Program page and can see the selected programs are deleted from the data table | SKIPPED | 0.000 s |

@CNKFCUG OVNUKRNG RSQ I SCO FGNGUKQP DZ TGNGEUKPI OVNUKRNG EJGEM DQYGT




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is on Manage Program page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</pre> | FAILED | 0.216 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/022_Multipledeleteprogram3.feature:5) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin clicks Multiple checkbox in the data table | SKIPPED | 0.000 s |
| 3 | Then Delete Button on the header Section | SKIPPED | 0.000 s |
| 4 | Given Admin is on Confirm Deletion alert | SKIPPED | 0.000 s |
| 5 | When Admin clicks <NO> button on the alert | SKIPPED | 0.001 s |
| 6 | Then Admin should land on Manage Program page and can see the selected programs are not deleted from the data table | SKIPPED | 0.000 s |

=QSUKP ! !2CUC :SFGSKP ! " @CNKFCUKQP




@CNKFCUGT =QSUKP ! !FCUC QSFGSKP ! " QP UJG ; SQ ISCO 2CUC UCDNG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.003 s |
| 2 | When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/024_Sortingvalidationprogram.feature:6) * Not displayable characters are replaced by '?'. 3 Then Admin clicks Program from navigation bar 4 Given Admin is on Manage Program Page 5 When Admin clicks the sort icon of program name column 6 Then The data get sorted on the table based on the program name column values in ascending order | FAILED | 0.223 s |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on Manage Program Page | SKIPPED | 0.000 s |
| 5 | When Admin clicks the sort icon of program name column | SKIPPED | 0.000 s |
| 6 | Then The data get sorted on the table based on the program name column values in ascending order | SKIPPED | 0.000 s |


@CMKFCUGT =QSUKP I !FCUC QSFGSKP I " QP UJG ;SQ ISCO 2CUC UCDNG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.003 s |
| 2 | When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/024_Sortingvalidationprogram.feature:6) * Not displayable characters are replaced by '?'. | FAILED | 0.215 s |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given The data is in the ascending order on the table based on Program Name column | SKIPPED | 0.000 s |
| 5 | When Admin clicks the sort icon of program name column | SKIPPED | 0.000 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 6 | Then The data get sorted on the table based on the program name column values in descending order | SKIPPED | 0.000 s |


@CNIKFCUGT =QSUKP I !FCUC QSFGSKP I" QP UJG ;SQ IS CO 2CUC UCDNG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.005 s |
| 2 | <p>When Admin is on Manage Program page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.Ims.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/024_Sortingvalidationprogram.feature:6)</pre> | FAILED | 0.220 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on Manage Program Page | SKIPPED | 0.000 s |
| 5 | When Admin clicks the sort icon of program Desc column | SKIPPED | 0.000 s |
| 6 | Then The data get sorted on the table based on the program description column values in ascending order | SKIPPED | 0.000 s |


@CNKFCUGT =QSUKP I !FCUC QSFGSKP I " QP UJG ; SQ ISCO 2CUC UCDNG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.003 s |
| 2 | <p>When Admin is on Manage Program page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\lseej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy}, se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre> | FAILED | 0.209 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/024_Sortingvalidationprogram.feature:6) * Not displayable characters are replaced by '?' | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given The data is in the ascending order on the table based on Program Description column | SKIPPED | 0.000 s |
| 5 | When Admin clicks the sort icon of program Desc column | SKIPPED | 0.000 s |
| 6 | Then The data get sorted on the table based on the program description column values in descending order | SKIPPED | 0.000 s |


@CIIKFCUGT =QSUKP I !FCUC QSFGSKP I" QP UJG ;SQ IS CO 2CUC UCDNG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | FAILED | 0.211 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/024_Sortingvalidationprogram.feature:6) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.001 s |
| 4 | Given Admin is on Manage Program Page | SKIPPED | 0.000 s |
| 5 | When Admin clicks the sort icon of program Status column | SKIPPED | 0.000 s |
| 6 | Then The data get sorted on the table based on the program status column values in ascending order | SKIPPED | 0.001 s |

@CNIKFCUGT =QSUKP I !FCUC QSFGSKP I " QP UJG ;SQISCO 2CUC UCDNG




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on Manage Program page after Login <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram. lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: </pre> | FAILED | 0.214 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/024_Sortingvalidationprogram.feature:6) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given The data is in the ascending order on the table based on Program Status column | SKIPPED | 0.000 s |
| 5 | When Admin clicks the sort icon of program Status column | SKIPPED | 0.000 s |
| 6 | Then The data get sorted on the table based on the program status column values in descending order | SKIPPED | 0.000 s |

; C I KPCUKQP ; SQ IS CO




@GSKHZ 9GYU RCIG NKPMM



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.003 s |
| 2 | When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/025_paginationprogram.feature:8) * Not displayable characters are replaced by '?'. | FAILED | 0.219 s |
| 3 | Given Admin is on Manage Program Page | SKIPPED | 0.000 s |
| 4 | When Admin clicks Next page link on the program table | SKIPPED | 0.000 s |
| 5 | Then Admin should see the Pagination has "Next" link | SKIPPED | 0.000 s |


@GSKHZ 7CTU RC 1 G NKPM



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | <p>When Admin is on Manage Program page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/025_paginationprogram.feature:8) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.221 s |
| 3 | Given Admin is on Manage Program Page | SKIPPED | 0.000 s |
| 4 | When Admin clicks Last page link | SKIPPED | 0.000 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 5 | Then Admin should see the last page record on the table with Next page link are disabled | SKIPPED | 0.001 s |


@GSKHZ 4KSTU RC 1 G NKPM



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.003 s |
| 2 | <p>When Admin is on Manage Program page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.Ims.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/025_paginationprogram.feature:8)</pre> | FAILED | 0.213 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Given Admin is on last page of Program table | SKIPPED | 0.000 s |
| 4 | When Admin clicks First page link | SKIPPED | 0.000 s |
| 5 | Then Admin should see the previous page record on the table with pagination has previous page link | SKIPPED | 0.000 s |

@GSKHZ =UCSU RC I G NKPM




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | <p>When Admin is on Manage Program page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</pre> | FAILED | 0.227 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/025_paginationprogram.feature:8) * Not displayable characters are replaced by '?'. | | |
| 3 | Given Admin is on Previous Program page | SKIPPED | 0.000 s |
| 4 | When Admin clicks Start page link | SKIPPED | 0.000 s |
| 5 | Then Admin should see the very first page record on the table with Previous page link are disabled | SKIPPED | 0.000 s |

9CWK1CUKQP @CNKFCUKQP HSQO 8CPC1G ;SQ1SCO UQ QUJGS ;C1GT




=UVFGPU NKPM QP PCWK1CUKQP DCS



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Program_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: | FAILED | 0.241 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>{debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/026_Navigationvalidationprogram.feature:7) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on Manage Program Page | SKIPPED | 0.000 s |
| 5 | When Admin clicks on Student link on Manage Program page | SKIPPED | 0.000 s |
| 6 | Then Admin is re-directed to Student page | SKIPPED | 0.000 s |


OCUEJ NKPM QP PCWK I CUKQP DCS



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Program_Admin is on dashboard page after Login | FAILED | 0.212 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/026_Navigationvalidationprogram.feature:7) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on Manage Program Page | SKIPPED | 0.000 s |
| 5 | When Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |
| 6 | Then Admin is re-directed to Batch page | SKIPPED | 0.000 s |

1 NCTT NKPM QP PCWK I CUKQP DCS



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | <p>When Program_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/026_Navigationvalidationprogram.feature:7) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.216 s |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on Manage Program Page | SKIPPED | 0.001 s |
| 5 | When Admin clicks on Class link on Manage Program page | SKIPPED | 0.000 s |
| 6 | Then Admin is re-directed to Class page | SKIPPED | 0.000 s |


?TGS MKPM QP PCW KICUKQP DCS



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Program_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/026_Navigationvalidationprogram.feature:7) * Not displayable characters are replaced by '?'. | FAILED | 0.214 s |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on Manage Program Page | SKIPPED | 0.000 s |
| 5 | When Admin clicks on User link on Manage Program page | SKIPPED | 0.001 s |

| | | | |
|---|--|---------|----------|
| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
| 6 | Then Admin is re-directed to User page | SKIPPED | 0.000 s |


/ TTKIPOGPU NKPM QP PCWKICUKQP DCS



| | | | |
|---|---|--------|----------|
| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
| 1 | Given Logged on the LMS portal | PASSED | 0.001 s |
| 2 | When Program_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/026_Navigationvalidationprogram.feature:7) | FAILED | 0.217 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| * Not displayable characters are replaced by '?'. | | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on Manage Program Page | SKIPPED | 0.000 s |
| 5 | When Admin clicks on Assignment link on Manage Program page | SKIPPED | 0.000 s |
| 6 | Then Admin is re-directed to Assignment page | SKIPPED | 0.000 s |


/ UUGPFCPEG NKPM QP PCWK I CUKQP DCS



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.004 s |
| 2 | When Program_Admin is on dashboard page after Login <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\lsee\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre> | FAILED | 0.232 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/ Team17_SeleniumBrewers_Sept23/src/test/resources/features/026_Navigationvalidationprogram.feature:7) * Not displayable characters are replaced by '?'. | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on Manage Program Page | SKIPPED | 0.000 s |
| 5 | When Admin clicks on Attendance link on Manage Program page | SKIPPED | 0.000 s |
| 6 | Then Admin is re-directed to Attendance page | SKIPPED | 0.000 s |

7Q I QVU NKPM QP PCWK I CUKQP DCS




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.001 s |
| 2 | <p>When Program_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre> | FAILED | 0.225 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/ Team17_SeleniumBrewers_Sept23/src/test/resources/features/026_Navigationvalidationprogram.feature:7) * Not displayable characters are replaced by '?'. | | |
| 3 | Then Admin clicks Program from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin is on Manage Program Page | SKIPPED | 0.000 s |
| 5 | When Admin clicks on Logout link on Manage Program page | SKIPPED | 0.000 s |
| 6 | Then Admin is re-directed to Login page | SKIPPED | 0.000 s |

OCUEJ ; C1G @CNKFCUKQP




@CNKFCUG NCPLKPPI KP OCUEJ RC1G




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | Given Admin is on dashboard page after Login Step undefined | FAILED | 0.000 s |
| 3 | When Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should see the "Manage Batch" in the URL | SKIPPED | 0.000 s |

@CNKFCUG JGCFGs KP UJG OCUEJ ; CIG




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | Given Admin is on dashboard page after Login Step undefined | FAILED | 0.001 s |
| 3 | When Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should see the "Manage Batch" in the header | SKIPPED | 0.000 s |

@CNKFCUG RC1KPCUKQP KP UJG OCUEJ ; CIG




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.001 s |
| 2 | Given Admin is on dashboard page after Login Step undefined | FAILED | 0.001 s |
| 3 | When Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |
| 4 | Then Batch_Admin should see the pagination controls under the data table | SKIPPED | 0.000 s |

@CNIKFCUG FCUC UCDNG JGCFGST KP UJG OCUEJ ; CIG




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | Given Admin is on dashboard page after Login Step undefined | FAILED | 0.001 s |
| 3 | When Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin Should see the data table with headers Batch name, Batch Description,Batch Status, No. of classes, Program Name, EditDelete | SKIPPED | 0.000 s |

@CNIKFCUG 2GNGUG DVUUQP KP OCUEJ ; CIG




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.003 s |
| 2 | Given Admin is on dashboard page after Login Step undefined | FAILED | 0.000 s |
| 3 | When Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should be able to see the "Delete" icon button that is disabled | SKIPPED | 0.001 s |

@CNKFCUG # / 9GX DCUEJ KP OCUEJ ;CIG




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | Given Admin is on dashboard page after Login Step undefined | FAILED | 0.001 s |
| 3 | When Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |
| 4 | Then Admin should be able to see the "+ A New batch" button | SKIPPED | 0.000 s |

@CNKFCUG FCUC SQXT




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | Given Admin is on dashboard page after Login Step undefined | FAILED | 0.001 s |
| 3 | When Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |
| 4 | Then Each row in the data table should have a checkbox,edit icon is enabled,delete icon is enabled | SKIPPED | 0.000 s |

@CNIKFCUG RQR VR HQS CFFKP I DCUEJ




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | Given Admin is on dashboard page after Login Step undefined | FAILED | 0.001 s |
| 3 | When Admin clicks "+ A New Batch" button | SKIPPED | 0.000 s |
| 4 | Then A new pop up with Batch details appears | SKIPPED | 0.000 s |


/ FF PGX OCUEJ



1 JGEM KH UJG HKGNFT GYKTU KP RQR




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on dashboard page after Login Step undefined | FAILED | 0.001 s |
| 3 | And Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |
| 4 | And Admin clicks "+ A New Batch" button | SKIPPED | 0.000 s |
| 5 | Given A new pop up with Batch details appears | SKIPPED | 0.000 s |
| 6 | When Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |
| 7 | Then The pop up should include the fields Name, Numberofclasses and Description as textbox,status as radio button, programname | SKIPPED | 0.000 s |

1 JGEM KH FGTESKRUKQP KT QRUKQPCN HKGNF

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on dashboard page after Login Step undefined | FAILED | 0.001 s |
| 3 | And Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 4 | And Admin clicks "+ A New Batch" button | SKIPPED | 0.000 s |
| 5 | Given A new pop up with Batch details appears | SKIPPED | 0.000 s |
| 6 | When Fill in all the fields except description with valid values | SKIPPED | 0.000 s |
| 7 | And click save | SKIPPED | 0.000 s |
| 8 | Then The newly added batch should be present in the data table in Manage Batch page | SKIPPED | 0.000 s |

1 JGEM KH UJG RSQ I SCO FGUCKNT CSG CFFGF KP FCUC UCDNG





| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on dashboard page after Login | FAILED | 0.000 s |
| | Step undefined | | |
| 3 | And Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |
| 4 | And Admin clicks "+ A New Batch" button | SKIPPED | 0.000 s |
| 5 | Given A new pop up with Batch details appears | SKIPPED | 0.000 s |
| 6 | When Fill in all the fields with valid values | SKIPPED | 0.000 s |
| 7 | And click save | SKIPPED | 0.001 s |
| 8 | Then The newly added batch should be present in the data table in Manage Batch page | SKIPPED | 0.000 s |

1 JGEM HQS GSSQS OGTTCIGT HQS KPWCNKF HKGNFT

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.004 s |  | Steps Total - 7 Pass - 1 Fail - 1 Skip - 5 |  |
| / 5:25:05.226 PM // 5:25:05.230 PM / | | | | |
| Add new Batch | | | | |
| @Addbatch @Test_suit_batch04 | | | | |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on dashboard page after Login Step undefined | FAILED | 0.001 s |
| 3 | And Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |
| 4 | And Admin clicks "+ A New Batch" button | SKIPPED | 0.000 s |
| 5 | Given A new pop up with Batch details appears | SKIPPED | 0.000 s |
| 6 | When Batch_any of the fields have invalid values | SKIPPED | 0.000 s |
| 7 | Then Batch_Error message should appear | SKIPPED | 0.000 s |

1 JGEM HQS GSSQS OGTTCTIGT HQS OCPFCUQSZ HKGNFT


| | | | | |
|--------------------------------------|--------------------|---|--|--|
| FAILED | DURATION - 0.004 s |  | Steps Total - 7 Pass - 1 Fail - 1 Skip - 5 |  |
| / 5:25:05.239 PM // 5:25:05.243 PM / | | | | |
| Add new Batch | | | | |
| @Addbatch @Test_suit_batch05 | | | | |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.001 s |
| 2 | When Admin is on dashboard page after Login Step undefined | FAILED | 0.001 s |
| 3 | And Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |
| 4 | And Admin clicks "+ A New Batch" button | SKIPPED | 0.000 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 5 | Given A new pop up with Batch details appears | SKIPPED | 0.000 s |
| 6 | When Batch_Any of the mandatory fields are blank | SKIPPED | 0.000 s |
| 7 | Then Batch_Error message should appear | SKIPPED | 0.000 s |



2GNGUG OCUEJ

@CNKFCUG SQX NGWGN FGNGUG KEQP





| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on dashboard page after Login <i>Step undefined</i> | FAILED | 0.000 s |
| 3 | And Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Batch_The delete icon on row level in data table is enabled | SKIPPED | 0.000 s |
| 5 | When Batch_Admin clicks on the delete icon | SKIPPED | 0.000 s |
| 6 | Then Alert appears with yes and No option | SKIPPED | 0.000 s |

@CNKFCUG CEEGRU CNGSU

| | | | | |
|--|--------------------|--|--|---|
| FAILED | DURATION - 0.003 s |  | Steps Total - 6 Pass - 1 Fail - 1 Skip - 4 |  |
| / 5:25:05.263 PM // 5:25:05.266 PM / | | | | |
| Delete Batch | | | | |
| @Deleteprogramdeati @Test_suit_batch02 | | | | |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on dashboard page after Login Step undefined | FAILED | 0.000 s |
| 3 | And Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Batch_Admin clicks the delete icon | SKIPPED | 0.000 s |
| 5 | When You click yes option | SKIPPED | 0.000 s |
| 6 | Then Batch deleted alert pops and batch is no more available in data table | SKIPPED | 0.000 s |

@CNKFCUG SGLGEU CNGSU

| | | | | |
|--|--------------------|---|--|--|
| FAILED | DURATION - 0.005 s |  | Steps Total - 6 Pass - 1 Fail - 1 Skip - 4 |  |
| / 5:25:05.274 PM // 5:25:05.279 PM / | | | | |
| Delete Batch | | | | |
| @Deleteprogramdeati @Test_suit_batch03 | | | | |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.003 s |
| 2 | When Admin is on dashboard page after Login Step undefined | FAILED | 0.001 s |
| 3 | And Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Batch_Admin clicks the delete icon | SKIPPED | 0.000 s |
| 5 | When You click no option | SKIPPED | 0.000 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 6 | Then Batch is still listed in data table | SKIPPED | 0.000 s |

2GNGUG OVNUKRNG DCUEJGT





@CMIKFCUG UJG FGNGUG KEQP DGNQX UJG JGCFGS





| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.001 s |
| 2 | When Admin is on dashboard page after Login | FAILED | 0.000 s |
| | Step undefined | | |
| 3 | And Admin clicks "Batch" from navigation bar | SKIPPED | 0.001 s |
| 4 | Given Batch_None of the checkboxes in data table are selected | SKIPPED | 0.000 s |
| 5 | Then The delete icon under the Manage Batch header should be disabled | SKIPPED | 0.000 s |

1JGEM HQS TKP ING SQX FGNGUG

| | | | | |
|---|--------------------|--|--|---|
| FAILED | DURATION - 0.004 s |  | Steps Total - 6 Pass - 1 Fail - 1 Skip - 4 |  |
| / 5:25:05.297 PM // 5:25:05.301 PM / | | | | |
| Delete multiple batches | | | | |
| @Deletemultiplebatches @Test_suit_batch02 | | | | |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on dashboard page after Login Step undefined | FAILED | 0.000 s |
| 3 | And Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |
| 4 | Given One of the checkbox row is selected | SKIPPED | 0.000 s |
| 5 | When Click delete icon below Manage Batch header | SKIPPED | 0.000 s |
| 6 | Then Batch_The respective row in the data table is deleted | SKIPPED | 0.000 s |

1 JGEM HQS OVNUK SQX FGNGUG

| | | | | |
|---|--------------------|---|--|--|
| FAILED | DURATION - 0.003 s |  | Steps Total - 6 Pass - 1 Fail - 1 Skip - 4 |  |
| / 5:25:05.309 PM // 5:25:05.312 PM / | | | | |
| Delete multiple batches | | | | |
| @Deletemultiplebatches @Test_suit_batch03 | | | | |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on dashboard page after Login Step undefined | FAILED | 0.000 s |
| 3 | And Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Two or more checkboxes/row is selected | SKIPPED | 0.000 s |
| 5 | When Click delete icon below Manage Batch header | SKIPPED | 0.000 s |

| | | | |
|---|--|---------|----------|
| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
| 6 | Then Batch_The respective row in the data table is deleted | SKIPPED | 0.000 s |

3FKU OCUEJ



@CMIKFCUG SQX NGWGN GFKU KEQP



| | | | |
|---|---|---------|----------|
| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on dashboard page after Login | FAILED | 0.000 s |
| | Step undefined | | |
| 3 | And Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Batch_The edit icon on row level in data table is enabled | SKIPPED | 0.000 s |
| 5 | When Admin clicks the edit icon to validate row level edit icon | SKIPPED | 0.000 s |
| 6 | Then A new pop up with Batch details appears | SKIPPED | 0.000 s |

1 JGEM KH UJG HKGNFT CSG VRFCUGF

| | | | | |
|--------------------------------------|--------------------|--|--|--|
| FAILED | DURATION - 0.006 s | | Steps Total - 7 Pass - 1 Fail - 1 Skip - 5 | |
| / 5:25:05.337 PM // 5:25:05.343 PM / | | | | |
| Edit Batch | | | | |
| @Editbatches @Test_suit_batch02 | | | | |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on dashboard page after Login Step undefined | FAILED | 0.001 s |
| 3 | And Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Batch_Admin clicks the edit icon | SKIPPED | 0.000 s |
| 5 | When Update the fields with valid values | SKIPPED | 0.000 s |
| 6 | And click save | SKIPPED | 0.000 s |
| 7 | Then The updated batch details should appear on the data table | SKIPPED | 0.000 s |


1 JGEM KH UJG VRFCUG UJSQXT GSSQS XRUJ KPWCNKF WCIVGF

| | | | | |
|--------------------------------------|--------------------|--|--|--|
| FAILED | DURATION - 0.004 s | | Steps Total - 7 Pass - 1 Fail - 1 Skip - 5 | |
| / 5:25:05.352 PM // 5:25:05.356 PM / | | | | |
| Edit Batch | | | | |
| @Editbatches @Test_suit_batch03 | | | | |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.001 s |
| 2 | When Admin is on dashboard page after Login Step undefined | FAILED | 0.000 s |
| 3 | And Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Batch_Admin clicks the edit icon | SKIPPED | 0.000 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 5 | When Update the fields with invalid values | SKIPPED | 0.000 s |
| 6 | And click save | SKIPPED | 0.000 s |
| 7 | Then Batch_Error message should appear | SKIPPED | 0.000 s |

1 JGEM KH ZQV IGU GSSQS OGTT C1G XJGP OCPFCUQSZ HKGNFT CSG GSCTGF




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on dashboard page after Login | FAILED | 0.001 s |
| | Step undefined | | |
| 3 | And Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Batch_Admin clicks the edit icon | SKIPPED | 0.001 s |
| 5 | When Batch_Erase data from mandatory field | SKIPPED | 0.000 s |
| 6 | And click save | SKIPPED | 0.000 s |
| 7 | Then Batch_Error message should appear | SKIPPED | 0.000 s |

1 JGEM KH FGTE SKRUKQP HKGNF KT QRUK QPCN KP VRFCUG




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When Admin is on dashboard page after Login Step undefined | FAILED | 0.001 s |
| 3 | And Admin clicks "Batch" from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Batch_Admin clicks the edit icon | SKIPPED | 0.000 s |
| 5 | When Erase data from description field | SKIPPED | 0.001 s |
| 6 | And click save | SKIPPED | 0.000 s |
| 7 | Then The updated batch details should appear on the data table | SKIPPED | 0.000 s |

>Q WGSKHZ OCPC1G ENCTT RC1G




@GSKHZ NCPEKP1 KP ENCTT RC1G



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Class_Admin is on dashboard page after Login | PASSED | 0.001 s |
| 2 | When Admin clicks Class button on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver | FAILED | 5.057 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <p>Command: [747bac28005a298c0df9c1aceafd3d53, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}]</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}</p> <p>Session ID: 747bac28005a298c0df9c1aceafd3d53</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:10) </pre> <p>* Not displayable characters are replaced by '?'.</p> | | |
| 3 | Then Admin should see URL with Manage Class | SKIPPED | 0.000 s |


1CRUVSG UJG SGTRQPTG UKOG UQ PCWKICUG UQ OCPCIG ENCTT RCIG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Class_Admin is on dashboard page after Login | PASSED | 0.001 s |
| 2 | <p>When Admin clicks Class button on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</p> | FAILED | 5.045 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <p>at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442)</p> <p>at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58)</p> <p>at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:16)</p> <p>* Not displayable characters are replaced by '?'.</p> | | |
| 3 | Then Get the response time for navigation from dashboard page to manage class page | SKIPPED | 0.000 s |


@GSKHZ 8CPCIG 1NCTT :CIG 5GCFG5



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Class_Admin is on dashboard page after Login | PASSED | 0.001 s |
| 2 | When Admin clicks Class button on the navigation bar | FAILED | 5.044 s |
| | <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using>xpath, value=/a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</pre> | | |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:22) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | Then Admin should see header with Manage Class | SKIPPED | 0.000 s |


@CNIKFCUG UGYU KP OCPCIG ENCTT RCIG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Class_Admin is on dashboard page after Login | PASSED | 0.001 s |
| 2 | <p>When Admin clicks Class button on the navigation bar and get all text from the portal page</p> <pre> io.cucumber.core.exception.CucumberException: Step [Admin clicks Class button on the navigation bar and get all text from the portal page] is defined with 1 parameters at 'step_definitions.ClassPage_SD'. admin_clicks_button_on_the_navigation_bar_and_get_all_text_from_the_portal_page(java.lang.String). However, the gherkin step has 0 arguments. Step text: Admin clicks Class button on the navigation bar and get all text from the portal page at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) </pre> | FAILED | 0.001 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> | | |
| 3 | Then Admin should see correct spelling for all the fields | SKIPPED | 0.000 s |


@GSKHZ FGNGUG KEQP DGNQX UJG JGCFGs



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Class_Admin is on dashboard page after Login | PASSED | 0.001 s |
| 2 | <p>When Admin clicks Class button on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</p> | FAILED | 5.060 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <p>at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442)</p> <p>at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58)</p> <p>at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:34)</p> <p>* Not displayable characters are replaced by '?'. </p> | | |
| 3 | Then Admin should see disabled delete icon below the Manage Class | SKIPPED | 0.001 s |


@GSKHZ TGCSEJ DCS QP UJG ENCTT RCIG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Class_Admin is on dashboard page after Login | PASSED | 0.000 s |
| 2 | When Admin clicks Class button on the navigation bar | FAILED | 5.045 s |
| | <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</pre> | | |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:40) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | Then Admin should see search bar on the class page | SKIPPED | 0.000 s |


@GSKHZ CFF PGX ENCTT DVUUQP QP ENCTT RCIG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Class_Admin is on dashboard page after Login | PASSED | 0.000 s |
| 2 | When Admin clicks Class button on the navigation bar <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: </pre> | FAILED | 5.036 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:46) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | Then Admin should see +Add New Class button on the class page | SKIPPED | 0.000 s |

@GSKHZ FCUC UCDNG QP UJG ENCTT RCIG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Class_Admin is on dashboard page after Login | PASSED | 0.001 s |
| 2 | <p>When Admin clicks Class button on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:52)</pre> <p>* Not displayable characters are replaced by '?'.</p> | FAILED | 5.049 s |
| 3 | Then Admin should see data table on the Manage Class Page With all column headers | SKIPPED | 0.000 s |


@GSKHZ 3FKU KEQP KP UJG FCUC UCDNG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Class_Admin is on dashboard page after Login | PASSED | 0.000 s |
| 2 | <p>When Admin clicks Class button on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</p> | FAILED | 5.061 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:58) * Not displayable characters are replaced by '?'. | | |
| 3 | Then Edit Icon in each row of data table only when entries are available | SKIPPED | 0.000 s |


@GSKHZ 3FKU KEQP XJGP PQ FCUC KP UJG UCDNG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Class_Admin is on dashboard page after Login | PASSED | 0.000 s |
| 2 | When Admin clicks Class button on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | FAILED | 5.064 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:64) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | Then Edit Icon will not be present in data table | SKIPPED | 0.000 s |


@GSKHZ FGNGUG KEQP KP UJG FCUC UCDNG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Class_Admin is on dashboard page after Login | PASSED | 0.001 s |
| 2 | When Admin clicks Class button on the navigation bar <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: </pre> | FAILED | 5.051 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:70) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | Then Delete Icon in each row of data table only when entries are available | SKIPPED | 0.000 s |

@GSKHZ FGNGUG KEQP XJGP PQ FCUC KP UJG UCDNG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Class_Admin is on dashboard page after Login | PASSED | 0.000 s |
| 2 | <p>When Admin clicks Class button on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:76)</pre> <p>* Not displayable characters are replaced by '?'.</p> | FAILED | 5.056 s |
| 3 | Then Admin cant see delete Icon in data table | SKIPPED | 0.000 s |


@GSKHZ TQSU KEQP KP UJG FCUC UCDNG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Class_Admin is on dashboard page after Login | PASSED | 0.000 s |
| 2 | <p>When Admin clicks Class button on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</p> | FAILED | 5.057 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:82) * Not displayable characters are replaced by '?'. | | |
| 3 | Then Admin should see sort icon near the column headers except for Edit and Delete | SKIPPED | 0.000 s |


@GSKHZ EJGEM DQY KP UJG FCUC UCDNG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Class_Admin is on dashboard page after Login | PASSED | 0.000 s |
| 2 | When Admin clicks Class button on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | FAILED | 5.064 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:88) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | Then Admin should see check box in the all rows of data table | SKIPPED | 0.000 s |


@CNIKFCUG UJG PVOODGS GPUSKGTE FKTRNCZKP |



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Class_Admin is on dashboard page after Login | PASSED | 0.001 s |
| 2 | When Admin clicks Class button on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=//a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: | FAILED | 5.048 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:94) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | Then A text format Showing x to y of z entries should be visible above the footer, where x is the starting record, y is the ending record and z is the total number of records | SKIPPED | 0.000 s |

@GSKHZ ; C I KPCUKQP EQPUSQN DGNQX UJG FCUC UCDNG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Class_Admin is on dashboard page after Login | PASSED | 0.001 s |
| 2 | <p>When Admin clicks Class button on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:100)</pre> <p>* Not displayable characters are replaced by '?'.</p> | FAILED | 5.020 s |
| 3 | Then Class_Admin should see the pagination controls under the data table | SKIPPED | 0.000 s |

@CNKFCUG HQQUGS UGYU




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Class_Admin is on dashboard page after Login | PASSED | 0.000 s |
| 2 | <p>When Admin clicks Class button on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre> | FAILED | 5.060 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:106) * Not displayable characters are replaced by '?'. | | |
| 3 | Then Admin should see the text with total number classes in the data table. (" In total there are number of classes") | SKIPPED | 0.000 s |

>Q WGSKHZ OCPCIG ENCTT RCIG




@CNKFCUG TGCSEJ DQY HVPEUKQP



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is on Manage Class Page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, | FAILED | 5.017 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/033_ManageClass1.feature:7) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin enters batch id into search box | SKIPPED | 0.000 s |
| 3 | Then Displays entries with that batch Id for Batch 101 | SKIPPED | 0.000 s |

@CNIKFCUG TGCSEJ DQY HVPEUKQP



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | <p>Given Admin is on Manage Class Page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceafd3d53, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/033_ManageClass1.feature:7) * Not displayable characters are replaced by '?'.</pre> | FAILED | 5.045 s |
| 2 | When Admin enters non-existing batch id into search box | SKIPPED | 0.000 s |
| 3 | Then Displays empty details in the data table for Batch 999 | SKIPPED | 0.000 s |


@CNKFCUG TGCSEJ DQY HVPEUKQP



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is on Manage Class Page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336)</pre> | FAILED | 5.058 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/033_ManageClass1.feature:7) * Not displayable characters are replaced by '?'. | | |
| 2 | When Admin enters class no into search box | SKIPPED | 0.000 s |
| 3 | Then Displays entries with that class no for Class 202 | SKIPPED | 0.000 s |


@CNIKFCUG TGCSEJ DQY HVPEUKQP



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is on Manage Class Page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre> | FAILED | 5.056 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/033_ManageClass1.feature:7) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enters non-existing class no into search box | SKIPPED | 0.000 s |
| 3 | Then Displays empty details in the data table for Class 999 | SKIPPED | 0.000 s |


@CNIKFCUG TGCSEJ DQY HVPEUKQP



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is on Manage Class Page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 </pre> | FAILED | 5.023 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/033_ManageClass1.feature:7) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enters class topic into search box | SKIPPED | 0.000 s |
| 3 | Then Displays entries with that class topic for Introduction to Maths | SKIPPED | 0.000 s |


@CNIKFCUG TGCSEJ DQY HVPEUKQP



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is on Manage Class Page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ | FAILED | 5.007 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <p>troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/033_ManageClass1.feature:7) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin enters non-existing class topic into search box | SKIPPED | 0.000 s |
| 3 | Then Displays empty details in the data table for Advanced Quantum | SKIPPED | 0.000 s |


@CNKFCUG TGCSEJ DQY HVPEUKQP



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is on Manage Class Page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceafd3d53, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336)</pre> | FAILED | 5.051 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/033_ManageClass1.feature:7) * Not displayable characters are replaced by '?'. | | |
| 2 | When Admin enters staff id into search box | SKIPPED | 0.000 s |
| 3 | Then Displays entries with that staff id for Staff 303 | SKIPPED | 0.000 s |


@CNIKFCUG TGCSEJ DQY HVPEUKQP



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is on Manage Class Page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre> | FAILED | 5.012 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/033_ManageClass1.feature:7) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enters non-existing staff id into search box | SKIPPED | 0.000 s |
| 3 | Then Displays empty details in the data table for Staff 999 | SKIPPED | 0.000 s |


@CNIKFCUG TGCSEJ DQY HVPEUKQP



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is on Manage Class Page <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 </pre> | FAILED | 5.049 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/033_ManageClass1.feature:7) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enters class date into search box | SKIPPED | 0.000 s |
| 3 | Then Displays entries with that class date for 1st Jan 2023 | SKIPPED | 0.000 s |

@CNIKFCUG TGCSEJ DQY HVPEUKQP




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Given Admin is on Manage Class Page</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/</p> | FAILED | 5.048 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <p>troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/033_ManageClass1.feature:7) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enters invalid class date into search box | SKIPPED | 0.000 s |
| 3 | Then Displays empty details in the data table for 32nd Feb 2023 | SKIPPED | 0.000 s |

>Q WGSKHZ / FF 9GX 1NCTT




@CNIKFCUG CNI DCUEJ KF KT SGHNGEUKPI KP UJG FSQRFQXP



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUJKQP |
|---|--|--------|-----------|
| 1 | <p>Given Admin is in class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. .selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\srreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</pre> | FAILED | 0.020 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:8) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin clicks Batch ID dropdown | SKIPPED | 0.000 s |
| 3 | Then Batch id in the drop down should match with Batch id manage batch page table | SKIPPED | 0.000 s |


@CNKFCUG CFOKP CDNG UQ CFF PGX ENCTT XKUJ WCNKF FCUC KP OCPFCUQSZ HKGNFT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in class detail popup window</p> <p>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true,</p> | FAILED | 0.007 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:14) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enters all mandatory field values with valid data and clicks save button (Batch ID , No of Classes, Class Date, Staff Id) | SKIPPED | 0.000 s |
| 3 | Then Admin should see new class details is added in the data table | SKIPPED | 0.000 s |


@CNIKFCUG CFOKP CDNG UQ CFF PGX ENCTT XKUJ KPWCNKF FCUC KP OCPFCUQSZ HKGNFT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Given Admin is in class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\srreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre> | FAILED | 0.008 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:20) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin enters all mandatory field values with invalid data and clicks save button (Batch ID , No of Classes, Class Date, Staff Id,) | SKIPPED | 0.000 s |
| 3 | Then Error message should appear in alert | SKIPPED | 0.000 s |


@CNKFCUG CFOKP CDNG UQ CFF PGX ENCTT XKUJ WCNKF FCUC KP CNN HKGNFT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Given Admin is in class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDatadir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre> | FAILED | 0.011 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:26) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enters values in all fields with valid data and clicks save button (Batch ID , No of Classes, Class Date, Class Topic, Staff Id, Class description, Comments, Notes, Recordings) | SKIPPED | 0.000 s |
| 3 | Then Admin should see new class details is added in the data table | SKIPPED | 0.000 s |


@CNIKFCUG CFOKP CDNG UQ CFF PGX ENCTT XKUJ KPWCNKF FCUC KP QRUKQPCN HKGNFT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Given Admin is in class detail popup window</p> <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', </pre> | FAILED | 0.012 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <p>revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class='classDetailPopup']] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:32) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin enters with invalid data in optional fields and clicks save button (Batch ID , No of Classes, Class Date, Staff Id) | SKIPPED | 0.000 s |
| 3 | Then Error message should appear in alert | SKIPPED | 0.000 s |


@CNIKFCUG CFOKP CDNG UQ CFF PGX ENCTT OKTTKPI OCUEJ 6F



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Given Admin is in class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\srreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre> | FAILED | 0.014 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:38) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin enters data missing value in Batch ID and clicks save button (No of Classes, Class Date, Staff Id) | SKIPPED | 0.000 s |
| 3 | Then Batch Id is missing | SKIPPED | 0.000 s |


@C1KFCUG CFOKP CDNG UQ CFF PGX ENCTT OKTTKPI 9Q QH 1NCTT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Given Admin is in class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value}//a[@class=classDetailPopup]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880...}, userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre> | FAILED | 0.016 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:44) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enters data missing value in No of class and clicks save button (Batch ID , Class Date, Staff Id,) | SKIPPED | 0.000 s |
| 3 | Then No of classes is missing | SKIPPED | 0.000 s |


@C1KFCUG CFOKP CDNG UQ CFF PGX ENCTT OKTTKPI 1NCTT 2CUG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is in class detail popup window <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, </pre> | FAILED | 0.018 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:50) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin enters data missing value in class date and clicks save button (Batch ID , No of Classes, Staff Id,) | SKIPPED | 0.000 s |
| 3 | Then class date is missing | SKIPPED | 0.000 s |


@CNIKFCUG CFOKP CDNG UQ CFF PGX ENCTT OKTTKP I TUCHH KF



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Given Admin is in class detail popup window</p> <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\srreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) </pre> | FAILED | 0.008 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:56) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin enters data missing value in staff id and clicks save button (Batch ID , No of Classes, Class Date) | SKIPPED | 0.000 s |
| 3 | Then staff id is missing | SKIPPED | 0.000 s |


@ClikFCUG CFOKP CDNG UQ CFF PGX ENCTT RCTTKPI RCTU FCUG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value}//a[@class=classDetailPopup]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre> | FAILED | 0.008 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:62) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enters passed date in the class date field and clicks save button (Batch ID , No of Classes, Class Date, Staff Id) | SKIPPED | 0.000 s |
| 3 | Then class cannot be created for the passed date | SKIPPED | 0.000 s |


@CNIKFCUG FCUG RKEMGS



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in class detail popup window</p> <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, </pre> | FAILED | 0.010 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:68) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin clicks date from date picker | SKIPPED | 0.000 s |
| 3 | Then selected date should be their in class date text box | SKIPPED | 0.000 s |


WCNFCUG FCUG RKEMGS TJQVNIF DG EQSSGEU HQSOCU



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Given Admin is in class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\srreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre> | FAILED | 0.008 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:74) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin clicks date from date picker | SKIPPED | 0.000 s |
| 3 | Then selected date should be in mm/dd/yyyy format | SKIPPED | 0.000 s |


@CNIKFCUG SK I JU CSSQX KP FCUC RKEMGS UQ PCW KI CUG UQ PGYU OQPUJ



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Given Admin is in class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value}//a[@class=classDetailPopup]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880...}, userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre> | FAILED | 0.011 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:80) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin clicks right arrow in the date picker near month | SKIPPED | 0.000 s |
| 3 | Then Next month calender should visible | SKIPPED | 0.000 s |


@CNIKFCUG NGHU CSSQX KP FCUC RKEMGS UQ PCWK I CUG UQ RSGWQVQT OQPUJ



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is in class detail popup window <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, </pre> | FAILED | 0.010 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:86) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin clicks left arrow in the date picker near month | SKIPPED | 0.000 s |
| 3 | Then previous month calender should visible | SKIPPED | 0.000 s |


@CNIKFCUG EVSSGPU FCUG KT JK I JNK I JUGF KP UJG FCUG RKEMGS



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Given Admin is in class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\srreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre> | FAILED | 0.010 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:92) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin clicks date picker button | SKIPPED | 0.000 s |
| 3 | Then Admin should see current date is highlighted in the date picker | SKIPPED | 0.000 s |


@CNIKFCUG TGNGEUGF FCUG KT JK I JNK I JUGF KP UJG FCUG RKEMGS



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Given Admin is in class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value}//a[@class=classDetailPopup]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880...}, userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre> | FAILED | 0.010 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:98) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin clicks date picker button and selects future date | SKIPPED | 0.000 s |
| 3 | Then Admin should see selected date is highlighted in the date picker | SKIPPED | 0.000 s |


@CINKFCUG ECPEGN DVUUQP HVPEUKQP KP ENCTT FGUCKNT RQRVR XKPFQX



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in class detail popup window</p> <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, </pre> | FAILED | 0.016 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:104) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin clicks Cancel button without entering values in the fields | SKIPPED | 0.000 s |
| 3 | Then Admin should land on Manage Class page | SKIPPED | 0.000 s |


@CNIKFCUG ECPEGN DVUUQP HVPEUKQP KP ENCTT FGUCKNT RQRVR XKPfqX XKUJ WCNVGT KP HKGNF




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Given Admin is in class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\srreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre> | FAILED | 0.015 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:110) * Not displayable characters are replaced by '?'. 2 When Admin clicks Cancel button entering values in the fields 3 Then Admin should land on Manage Class Page and validate new class is not created in the data table | | |
| 2 | When Admin clicks Cancel button entering values in the fields | SKIPPED | 0.000 s |
| 3 | Then Admin should land on Manage Class Page and validate new class is not created in the data table | SKIPPED | 0.000 s |

>Q WGSKHZ ENCTT FGUCKN RQRVR X&PFQX




@GSKHZ ENCTT FGUCKNT RQRVR X&PFQX



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Admin is on Manage Class Page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: | FAILED | 5.043 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <p>116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/035_ClassDetailPagePopup.feature:7) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin click +Add New Class button | SKIPPED | 0.000 s |
| 3 | Then Admin should see a popup with heading class details | SKIPPED | 0.000 s |

@GSKHZ KPRVU HKGNFT KP ENCTT FGUCKNT RQRVR XKPFQX



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is on Manage Class Page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/035_ClassDetailPagePopup.feature:13) * Not displayable characters are replaced by '?'.</pre> | FAILED | 5.019 s |
| 2 | When Admin click +Add New Class button | SKIPPED | 0.000 s |
| 3 | Then Admin should see input fields Text (Batch ID , No of Classes, Class Date, Class Topic, Staff Id, Class description, Comments, Notes, Recordings) | SKIPPED | 0.000 s |


@GSKHZ UGYU DQY RSGTGPU KP ENCTT FGUCKNT RQRVR XKPQFQX



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Given Admin is on Manage Class Page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\reej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336)</pre> | FAILED | 5.048 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/035_ClassDetailPagePopup.feature:19) * Not displayable characters are replaced by '?'. | | |
| 2 | When Admin click +Add New Class button | SKIPPED | 0.000 s |
| 3 | Then Six textbox should be present in Class details popup window | SKIPPED | 0.000 s |


@GSKHZ FSQR FQXP KP OCUEJ 6F KP ENCTT FGUCKNT RQRVR XKPFQX



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is on Manage Class Page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre> | FAILED | 5.041 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/035_ClassDetailPagePopup.feature:25) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin click +Add New Class button | SKIPPED | 0.000 s |
| 3 | Then Admin should see dropdown option for Batch ID | SKIPPED | 0.000 s |


@GSKHZ FSQR FQXP KP =UCHH 6F KP ENCTT FGUCKNT RQRVR XKPFQX



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is on Manage Class Page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceafd3d53, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 </pre> | FAILED | 5.043 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/035_ClassDetailPagePopup.feature:31) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin click +Add New Class button | SKIPPED | 0.000 s |
| 3 | Then Admin should see dropdown option for Staff Id | SKIPPED | 0.000 s |


@GSKHZ ECNQPFCS KEQP KP ENCTT FCUG KP ENCTT FGUCKNT RQRVR XKPFQX



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is on Manage Class Page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ | FAILED | 5.035 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <p>troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/035_ClassDetailPagePopup.feature:37) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin click +Add New Class button | SKIPPED | 0.000 s |
| 3 | Then Admin should see calendar icon for class date | SKIPPED | 0.000 s |


@GSKHZ TCWG DVUUQP KT RS GTGPU



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is on Manage Class Page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336)</pre> | FAILED | 5.035 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/035_ClassDetailPagePopup.feature:43) * Not displayable characters are replaced by '?'. | | |
| 2 | When Admin click +Add New Class button | SKIPPED | 0.000 s |
| 3 | Then Admin should see save button in the class detail popup window | SKIPPED | 0.000 s |


@GSKHZ ECPEGN DVUUQP KT RSGTGPU



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is on Manage Class Page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | FAILED | 5.059 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/035_ClassDetailPagePopup.feature:49) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin click +Add New Class button | SKIPPED | 0.000 s |
| 3 | Then Admin should see cancel button in the class detail popup window | SKIPPED | 0.001 s |


@GSKHZ ENQTG DVUUQP KP ENCTT FGUCKNT RQRVR XKPFQX



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is on Manage Class Page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceafd3d53, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 </pre> | FAILED | 5.064 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/035_ClassDetailPagePopup.feature:55) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin click +Add New Class button | SKIPPED | 0.000 s |
| 3 | Then Admin should see close button on the class details popup window | SKIPPED | 0.000 s |


@GSKHZ GFKU ENCTT RQRVR XKPFOX



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Admin is in Manage class page | PASSED | 0.001 s |
| 2 | When Admin clicks Edit button in data table | FAILED | 5.049 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@class='editIcon']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class='editIcon']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at step_definitions.ClassPage_SD.admin_clicks_edit_button_in_data_table(ClassPage_SD.java:710) at ?.Admin clicks Edit button in data table(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/ resources/features/035_ClassDetailPagePopup.feature:62) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | Then Edit popup window appears with heading Class Details | SKIPPED | 0.000 s |

@GSKHZ WCIVGT KP RQRVR XKPFQX




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is in Manage class page | PASSED | 0.001 s |
| 2 | <p>When Admin clicks Edit button from one of the row in data table</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@class='editIcon']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class='editIcon']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.isDisplayed(Unknown Source)</pre> | FAILED | 5.028 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <p>at step_definitions.ClassPage_SD.admin_clicks_edit_button_from_one_of_the_row_in_data_table(ClassPage_SD.java:725) at ?.Admin clicks Edit button from one of the row in data table(file:///C:/Users/sreej/eclipse-phase2Automation/ Team17_SeleniumBrewers_Sept23/src/test/resources/features/035_ClassDetailPagePopup.feature:68) * Not displayable characters are replaced by '?'. </p> | | |
| 3 | Then Edit popup window appears with same row values in the all fields | SKIPPED | 0.000 s |

>Q WGSKHZ GFKU 1NCTT




@CNKFCUG CFOKP CDNG UQ VRFCUG ENCTT XKUJ WCNKF FCUC KP OCPFCUQSZ HKGNFT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is in Edit class detail popup window org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: | FAILED | 0.008 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <p>true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_edit_class_detail_popup_window(ClassPage_SD.java:428) at ?.Admin is in Edit class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/036_EditClassPageValidation.feature:8)</pre> <p>* Not displayable characters are replaced by '?'.</p> | | |
| 2 | When Admin enters all mandatory field values with valid data and clicks save button (Batch ID , No of Classes, Class Date, Staff Id) | SKIPPED | 0.000 s |
| 3 | Then Admin should see particular class details is updated in the data table | SKIPPED | 0.000 s |

@CNKFCUG CFOKP CDNG UQ VRFCUG ENCTT XKUJ KPWCNKF FCUC KP OCPFCUQSZ HKGNFT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given Admin is in Edit class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_edit_class_detail_popup_window(ClassPage_SD.java:428) at ?.Admin is in Edit class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/ resources/features/036_EditClassPageValidation.feature:14) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.006 s |
| 2 | When Admin enters all mandatory field values with invalid data and clicks save button (Batch ID , No of Classes, Class Date, Staff Id,) | SKIPPED | 0.000 s |
| 3 | Then Error message should appear in alert | SKIPPED | 0.000 s |


@CNUFCUG CFOKP CDNG UQ VRFCUG ENCTT XRUJ WCNKF FCUC KP CNN HKGNFT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in Edit class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\srreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre> | FAILED | 0.006 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_edit_class_detail_popup_window(ClassPage_SD.java:428) at ?.Admin is in Edit class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/036_EditClassPageValidation.feature:20) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin enters values in all fields with valid data and clicks save button (Batch ID , No of Classes, Class Date, Class Topic, Staff Id, Class description, Comments, Notes, Recordings) | SKIPPED | 0.000 s |
| 3 | Then Admin should see particular class details is updated in the data table | SKIPPED | 0.000 s |


@CNIKFCUG CFOKP CDNG UQ VRFCUG ENCTT XUJ KPWCNKF FCUC KP CNN HKGNFT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in Edit class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre> | FAILED | 0.009 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_edit_class_detail_popup_window(ClassPage_SD.java:428) at ?.Admin is in Edit class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/036_EditClassPageValidation.feature:26) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enters with invalid data in optional fields and clicks save button (Batch ID , No of Classes, Class Date, Staff Id) | SKIPPED | 0.000 s |
| 3 | Then Error message should appear in alert | SKIPPED | 0.000 s |


@CNIKFCUG CFOKP CDNG UQ VRFCUG ENCTT OKTTKPI OCUEJ 6F



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Given Admin is in Edit class detail popup window</p> <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup'] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup']' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. </pre> | FAILED | 0.015 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using>xpath, value=/a[@class=classDetailPopup']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDatumDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_edit_class_detail_popup_window(ClassPage_SD.java:428) at ?.Admin is in Edit class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/036_EditClassPageValidation.feature:32) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin enters data missing value in Batch ID and clicks save button (No of Classes, Class Date, Staff Id) | SKIPPED | 0.000 s |
| 3 | Then Batch Id is missing | SKIPPED | 0.000 s |


@C\KFCUG CFO\P CD\NG UQ VRFCUG ENCTT OKTT\P I 9Q QH 1\NCTT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in Edit class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\srreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre> | FAILED | 0.010 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_edit_class_detail_popup_window(ClassPage_SD.java:428) at ?.Admin is in Edit class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/036_EditClassPageValidation.feature:38) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin enters data missing value in No of class and clicks save button (Batch ID , Class Date, Staff Id,) | SKIPPED | 0.000 s |
| 3 | Then No of classes is missing | SKIPPED | 0.000 s |


@C1KFCUG CFOKP CDNG UQ VRFCUG ENCTT OKTTKPI 1NCTT 2CUG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Given Admin is in Edit class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value}//a[@class=classDetailPopup]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre> | FAILED | 0.012 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_edit_class_detail_popup_window(ClassPage_SD.java:428) at ?.Admin is in Edit class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/036_EditClassPageValidation.feature:44) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin enters data missing value in class date and clicks save button (Batch ID , No of Classes, Staff Id,) | SKIPPED | 0.000 s |
| 3 | Then class date is missing | SKIPPED | 0.000 s |


@CNIKFCUG CFOKP CDNG UQ VRFCUG ENCTT OKTTKP I TUCHH KF



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is in Edit class detail popup window <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, </pre> | FAILED | 0.011 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_edit_class_detail_popup_window(ClassPage_SD.java:428) at ?.Admin is in Edit class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/036_EditClassPageValidation.feature:50) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin enters data missing value in staff id and clicks save button (Batch ID , No of Classes, Class Date) | SKIPPED | 0.000 s |
| 3 | Then staff id is missing | SKIPPED | 0.000 s |


@CNIKFCUG CFOKP CDNG UQ VRFCUG ENCTT RCTTKP I RCTU FCUG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in Edit class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\srreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre> | FAILED | 0.007 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_edit_class_detail_popup_window(ClassPage_SD.java:428) at ?.Admin is in Edit class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/036_EditClassPageValidation.feature:56) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin enters passed date in the class date field and clicks save button (Batch ID , No of Classes, Class Date, Staff Id) | SKIPPED | 0.000 s |
| 3 | Then class cannot be updated for the passed date | SKIPPED | 0.000 s |


@C1KFCUG ECPEGN DVUUQP HVPEUKQP KP 3FKU ENCTT FGUCKNT RQRVR XKPQFQX



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given Admin is in Edit class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value}//a[@class=classDetailPopup]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880...), userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre> | FAILED | 0.009 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_edit_class_detail_popup_window(ClassPage_SD.java:428) at ?.Admin is in Edit class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/036_EditClassPageValidation.feature:62) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin clicks Cancel button without entering values in the fields | SKIPPED | 0.000 s |
| 3 | Then Admin should land on Manage Class page | SKIPPED | 0.000 s |

@C1KFCUG ECPEGN DVUUQP HVPEUKQP KP 3FKU ENCTT FGUCKNT RQRVR XKPQFQX XKUJ WCIVGT KP HKGNF





| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is in Edit class detail popup window <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, </pre> | FAILED | 0.008 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:pref: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_edit_class_detail_popup_window(ClassPage_SD.java:428) at ?.Admin is in Edit class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/036_EditClassPageValidation.feature:68) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin clicks Cancel button entering values in the fields | SKIPPED | 0.000 s |
| 3 | Then Admin should land on Manage Class Page and validate particular class details are not changed in the data table | SKIPPED | 0.000 s |

>Q WGSKHZ FGNGUG ENCTT CPF FGNGUG OVNUKRNG ENCTT




@GSKHZ 2GNGUG ENCTT CNGSU

| | | | | |
|--|--------------------|--|--|---|
| PASSED | DURATION - 5.045 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 5:28:12.993 PM // 5:28:18.038 PM / | | | | |
| To verify delete class and delete multiple class | | | | |
| @06Class_module_page | | | | |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Admin is in Manage class page | PASSED | 0.000 s |
| 2 | When Admin clicks delete button in data table row level | PASSED | 5.044 s |
| 3 | Then Admin should see alert | PASSED | 0.000 s |


@GSKHZ CEEGRU GPCDNGF KP CNGSU

| | | | | |
|--|---------------------|---|--|--|
| FAILED | DURATION - 10.099 s |  | Steps Total - 3 Pass - 2 Fail - 1 Skip - 0 |  |
| / 5:28:18.045 PM // 5:28:28.144 PM / | | | | |
| To verify delete class and delete multiple class | | | | |
| @06Class_module_page | | | | |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|-------------------|----------|
| 1 | Given Admin is in Manage class page | PASSED | 0.001 s |
| 2 | When Admin clicks delete button in data table row level | PASSED | 5.039 s |
| 3 | Then Alert should have yes button to accept org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#deleteAlertBtn"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=id, value=deleteAlertBtn}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: | FAILED 5.058 s | |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|--|---|--------|----------|
| | <pre> ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.getdeleteAlertBtn(ClassPageObject.java:141) at step_definitions.ClassPage_SD.alert_should_have_yes_button_to_accept(ClassPage_SD.java:914) at ?.Alert should have yes button to accept(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/037_DeleteClassValidation.feature:15) * Not displayable characters are replaced by '?'. </pre> | | |


@GSKHZ SGLGEU GPCDNGF KP CNGSU



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Admin is in Manage class page | PASSED | 0.000 s |
| 2 | When Admin clicks delete button in data table row level | PASSED | 5.020 s |
| 3 | <p>Then Alert should have No button to reject</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#deleteAlertBtn"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, findElement {using=id, value=deleteAlertBtn}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.getdeleteAlertBtn(ClassPageObject.java:141) at step_definitions.ClassPage_SD.alert_should_have_no_button_to_reject(ClassPage_SD.java:923) at ?.Alert should have No button to reject(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/037_DeleteClassValidation.feature:20)</pre> <p>* Not displayable characters are replaced by '?'.</p> | FAILED | 5.007 s |




@CNIKFCUG NCPFKPI KP ?TGS RCIG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</pre> | FAILED | 0.279 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 3 | Then Admin should see the Manage User in the URL | SKIPPED | 0.000 s |


@CNKFCUG JGCFGS KP UJG ?TGS ; CIG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</pre> | FAILED | 0.243 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 3 | Then Admin should see the Manage User in the header | SKIPPED | 0.000 s |


@CNIKFCUG RC1KPCUKQP KP UJG ?TGS ;C1G



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre> | FAILED | 0.236 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 3 | Then User_Admin should see the pagination controls under the data table | SKIPPED | 0.000 s |


@CNIKFCUG FCUC UCDNG JGCFGST KP UJG ?TGS ; CIG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given User_Admin is on dashboard page after Login</p> <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/ login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) </pre> | FAILED | 0.253 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 3 | Then Admin Should see the data table with headers Id, Name, location, Phone Number, Edit&Delete | SKIPPED | 0.000 s |


@CNIKFCUG 2GNGUG DVUUQP KP ?TGS ; CIG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Given User_Admin is on dashboard page after Login</p> <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/ login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre> | FAILED | 0.244 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 3 | Then Admin should be able to see the Delete icon button that is disabled | SKIPPED | 0.000 s |


@CNKFCUG # / 9GX VTGS DVUUQP KP ?TGS ; C 1 G



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | <p>Given User_Admin is on dashboard page after Login</p> <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/ login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 </pre> | FAILED | 0.222 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 3 | Then Admin should be able to see the + A New User button | SKIPPED | 0.000 s |


@CNIKFCUG # /TTKIP TUCHH DVUUQP KP ?TGS RCIG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given User_Admin is on dashboard page after Login</p> <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/ login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, </pre> | FAILED | 0.222 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 3 | Then Admin should be able to see the + Assign staff button | SKIPPED | 0.000 s |


@CNIKFCUG TGCSEJ DQY KP ?TGS RCIG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceafd3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(),</pre> | FAILED | 0.238 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 3 | Then Admin should be able to see the search text box | SKIPPED | 0.000 s |


@CNIKFCUG FCUC SQXT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceafd3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion:</pre> | FAILED | 0.225 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre>116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 3 | Then Each row in the data table should have a checkbox | SKIPPED | 0.000 s |


@CNIKFCUG FCUC SQXT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | <p>Given User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2'</pre> | FAILED | 0.227 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <p>Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 3 | Then Each row in the data table should have a edit icon that is enabled | SKIPPED | 0.000 s |


@CNIKFCUG FCUC SQXT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given User_Admin is on dashboard page after Login | FAILED | 0.216 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4) * Not displayable characters are replaced by '?'.</pre> | | |
| 2 | When Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 3 | Then Each row in the data table should have a delete icon that is enabled | SKIPPED | 0.000 s |

@CNIKFCUG RQR VR HQS CFFKP I VTGS




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | <p>Given User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy}, se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4)</pre> <p>* Not displayable characters are replaced by '?'.</p> | FAILED | 0.247 s |
| 2 | Given User_Admin is on dashboard page after Login and Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 3 | When Admin clicks + A New User button | SKIPPED | 0.000 s |
| 4 | Then A new pop up with UserDetails appears | SKIPPED | 0.000 s |

?TGS




1 JGEM KH UJG HKGNFT GYKTU KP RQR



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | <p>When User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/039_User2_Add.feature:5) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.223 s |
| 3 | Then Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 4 | Given A new pop up with user details appears | SKIPPED | 0.000 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 5 | Then The pop up should include the fields First Name,Middle name, Last Name, Location phone, email,linkedin Url, Undergraduate,postgraduate,time zone and user comments as text box User Role, Role status, visa status as drop down | SKIPPED | 0.000 s |

1 JGEM KH 8KFFNG PCOG\$ NKPMSGF6P VSN\$ GOCKN\$ VTGS EQO OGPUT%VPFGS ISCFVCUG\$RQ TU ISCFVCUG\$UKOG [QPG CSG QRUKQPCN



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | <p>When User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/)</pre> | FAILED | 0.220 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | test/resources/features/039_User2_Add.feature:5 * Not displayable characters are replaced by '?'. | | |
| 3 | Then Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 4 | Given A new pop up with user details appears | SKIPPED | 0.000 s |
| 5 | When Fill in all the fields except optional fields with valid values and click submit | SKIPPED | 0.000 s |
| 6 | Then The newly added user should be present in the data table in Manage User page | SKIPPED | 0.000 s |

1 JGEM KH UJG RSQ ISCO FGUCKNT CSG CFFGF KP FCUC UCDNG

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.001 s |
| 2 | When User_Admin is on dashboard page after Login <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\lsreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</pre> | FAILED | 0.219 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/039_User2_Add.feature:5) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 4 | Given A new pop up with user details appears | SKIPPED | 0.000 s |
| 5 | When Fill in all the fields with valid values and click submit | SKIPPED | 0.000 s |
| 6 | Then The newly added user should be present in the data table in Manage User page | SKIPPED | 0.000 s |


1 JGEM HQS GSSQS OGTTC IGT HQS KPWCNKF HKGNFT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.001 s |
| 2 | <p>When User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</pre> | FAILED | 0.229 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/039_User2_Add.feature:5) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | Then Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 4 | Given A new pop up with user details appears | SKIPPED | 0.000 s |
| 5 | When User_any of the fields have invalid values | SKIPPED | 0.000 s |
| 6 | Then User_Error message should appear | SKIPPED | 0.000 s |

1 JGEM HQS GSSQS OGTTC IGT HQS OCPFCUQSZ HKGNFT




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.001 s |
| 2 | When User_Admin is on dashboard page after Login <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/ login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, </pre> | FAILED | 0.224 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/039_User2_Add.feature:5) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 4 | Given A new pop up with user details appears | SKIPPED | 0.000 s |
| 5 | When User_Any of the mandatory fields are blank | SKIPPED | 0.000 s |
| 6 | Then User_Error message should appear | SKIPPED | 0.000 s |

?TGS


@CNKFCUG SQX NGWGN GFKU KEQP



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | When User_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/040_User3_Edit.feature:5) * Not displayable characters are replaced by '?'. | FAILED | 0.222 s |
| 3 | Then Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 4 | Given User_The edit icon on row level in data table is enabled | SKIPPED | 0.000 s |
| 5 | When Admin clicks the EditIcon | SKIPPED | 0.000 s |

| | | | |
|---|--|---------|----------|
| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
| 6 | Then A new pop up with UserDetails appears | SKIPPED | 0.000 s |


1 JGEM KH UJG HKGNFT CSG VRFCUGF



| | | | |
|---|---|--------|----------|
| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
| 1 | Given Logged on the LMS portal | PASSED | 0.002 s |
| 2 | <p>When User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/040_User3_Edit.feature:5)</pre> | FAILED | 0.235 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| * Not displayable characters are replaced by '?'. | | | |
| 3 | Then Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin clicks the edit icon | SKIPPED | 0.000 s |
| 5 | When Update the fields with valid values and click submit | SKIPPED | 0.000 s |
| 6 | Then The updated user details should appear on the data table | SKIPPED | 0.000 s |


1 JGEM KH UJG VRFCUG UJSQXT GSSQS XKUJ KPWCNKF WCIVGT



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.001 s |
| 2 | When User_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | FAILED | 0.225 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/040_User3_Edit.feature:5) * Not displayable characters are replaced by '?'. | | |
| 3 | Then Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin clicks the edit icon | SKIPPED | 0.000 s |
| 5 | When Update the fields with invalid values and click submit | SKIPPED | 0.000 s |
| 6 | Then User_Error message should appear | SKIPPED | 0.000 s |

1 JGEM KH ZQV IGU GSSQS OGTT CIG XJGP OCPFCUQSZ HKGIFT CSG GSCTGF




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.001 s |
| 2 | <p>When User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> | FAILED | 0.225 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/040_User3_Edit.feature:5) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin clicks the edit icon | SKIPPED | 0.000 s |
| 5 | When User_Erase data from mandatory field | SKIPPED | 0.000 s |
| 6 | Then User_Error message should appear | SKIPPED | 0.000 s |


?TGS



@CNKFCUG SQX NGWGN FGNGUG KEQP




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.001 s |
| 2 | When User_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/041_User4_Delete.feature:5) * Not displayable characters are replaced by '?'. | FAILED | 0.228 s |
| 3 | Then Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 4 | Given User_The delete icon on row level in data table is enabled | SKIPPED | 0.000 s |
| 5 | When Admin clicks the delete icon | SKIPPED | 0.000 s |
| 6 | Then Alert appears with yes and No option | SKIPPED | 0.000 s |



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.001 s |
| 2 | When User_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceafd3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/041_User4_Delete.feature:5) * Not displayable characters are replaced by '?'. | FAILED | 0.211 s |
| 3 | Then Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin clicks the DeleteIcon | SKIPPED | 0.000 s |
| 5 | When Admin click yes option | SKIPPED | 0.000 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| 6 | Then User deleted alert pops and user is no more available in data table | SKIPPED | 0.000 s |

@CNIKFCUG SGLGEU CNGSU



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.001 s |
| 2 | <p>When User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/041_User4_Delete.feature:5)</pre> | FAILED | 0.222 s |


| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|--|---------|----------|
| * Not displayable characters are replaced by '?'. | | | |
| 3 | Then Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Admin clicks the delete icon | SKIPPED | 0.000 s |
| 5 | When Admin click No option | SKIPPED | 0.000 s |
| 6 | Then User is still listed in data table | SKIPPED | 0.000 s |

?TGS**@CNKFCUG UJG FGNGUG KEQP DGNQX UJG JGCFGs**

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.001 s |
| 2 | When User_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, | FAILED | 0.220 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/042_User4_DeleteAll.feature:5) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 4 | Given None of the checkboxes in data table are selected | SKIPPED | 0.000 s |
| 5 | Then The delete icon under the Manage User header should be disabled | SKIPPED | 0.000 s |


1 JGEM HQS TKP ING SQX FGNGUG



| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.001 s |
| 2 | When User_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceafd3d53, get {url=https://signin.lms.com/} | FAILED | 0.208 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre>login]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/042_User4_DeleteAll.feature:5) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 4 | Given One of the checkbox in a row is selected | SKIPPED | 0.000 s |
| 5 | When Click delete icon below Manage User header | SKIPPED | 0.000 s |
| 6 | Then The respective row in the data table is deleted | SKIPPED | 0.000 s |

1 JGEM HQS OVNUK SQX FGNGUG




| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| 1 | Given Logged on the LMS portal | PASSED | 0.001 s |
| 2 | When User_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceaf3d53, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceaf3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/042_User4_DeleteAll.feature:5) * Not displayable characters are replaced by '?'. | FAILED | 0.216 s |
| 3 | Then Admin clicks User from navigation bar | SKIPPED | 0.000 s |
| 4 | Given Two or more checkboxes in rows are selected | SKIPPED | 0.000 s |
| 5 | When Click delete icon below Manage User header | SKIPPED | 0.000 s |
| 6 | Then The respective row in the data table is deleted | SKIPPED | 0.000 s |

7QIQVU HVPEUKQP



@GSKHZ 7Q I QVU DVUUQP HVPEUKQP



| | =UGR & 5QQM 2GUCKNT | =UCJVT | 2VSCUKQP |
|---|---|--------|----------|
| 1 | Given Admin is in dashboard page | PASSED | 0.001 s |
| 2 | <p>When Admin click Logout button on navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Lgout"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [747bac28005a298c0df9c1aceafd3d53, findElement {using=link text, value=Lgout}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 747bac28005a298c0df9c1aceafd3d53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</pre> | FAILED | 5.006 s |

| | =UGR & 5QQM 2GUCKNT | =UCUVT | 2VSCUKQP |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at step_definitions.Dashboard_SD.admin_click_logout_button_on_navigation_bar(Dashboard_SD.java:173) at ?.Admin click Logout button on navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/043_Logout.feature:7) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | Then Admin should land on login in page | SKIPPED | 0.000 s |