

1VEVODGS <GRQSU

Sep 14, 2023, 2:11:46 AM

Start : Sep 14, 2:06:34.431 AM

End : Sep 14, 2:11:45.923 AM

Duration : 5 m 11.492 s

Features







PASSED - 0
FAILED - 28
SKIPPED - 0

Scenarios

PASSED - 3
FAILED - 284
SKIPPED - 0

Steps

PASSED - 173
FAILED - 284
SKIPPED - 685



Feature		Scenario					Step			
Name	Duration	T	P	F	S	T	P	F	S	
<u>Home Page Verification of LMS portal</u>	4.117 s	8	2	6	0	9	3	6	0	
<u>Login page Validation</u>	0.347 s	16	0	16	0	48	0	16	32	
<u>Login Page Validation</u>	0.232 s	9	0	9	0	27	0	9	18	
<u>Forgot username /password</u>	0.251 s	10	0	10	0	30	0	10	20	
<u>Reset Password in home page</u>	0.160 s	8	0	8	0	24	0	8	16	
<u>Reset Password in Login Page</u>	0.116 s	6	0	6	0	18	0	6	12	
<u>Dashboard Page</u>	0.283 s	16	0	16	0	48	0	16	32	
<u>Logout function</u>	0.016 s	1	0	1	0	3	1	1	1	
<u>Student</u>	1 m 13.648 s	31	0	31	0	124	47	31	46	
<u>Manage program validation</u>	3.066 s	16	0	16	0	72	16	16	40	
<u>Add New Program</u>	2.102 s	11	0	11	0	66	11	11	44	
<u>Edit Program Details</u>	1.414 s	7	0	7	0	42	7	7	28	
<u>Delete Program</u>	0.743 s	5	0	5	0	30	5	5	20	
<u>Multiple Delete Program</u>	1.306 s	5	0	5	0	30	1	5	24	
<u>Sorting(Data Ordering) Validation</u>	1.434 s	6	0	6	0	36	6	6	24	
<u>Pagination Program</u>	0.862 s	4	0	4	0	20	4	4	12	
<u>Navigation Validation from Manage Program to other Pages</u>	1.766 s	7	0	7	0	42	7	7	28	

Feature		Scenario					Step			
Name	Duration	T	P	F	S	T	P	F	S	
<u>Batch Page Validation</u>	0.084 s	8	0	8	0	32	8	8	16	
<u>Add new Batch</u>	0.052 s	5	0	5	0	37	5	5	27	
<u>Delete Batch</u>	0.025 s	3	0	3	0	18	3	3	12	
<u>Delete multiple batches</u>	0.027 s	3	0	3	0	17	3	3	11	
<u>Edit Batch</u>	0.044 s	5	0	5	0	34	5	5	24	
<u>To verify manage class page</u>	2 m 11.205 s	27	0	27	0	81	17	27	37	
<u>To verify Add New Class</u>	0.414 s	18	0	18	0	54	0	18	36	
<u>To verify class detail popup window</u>	55.467 s	11	0	11	0	33	2	11	20	
<u>To verify edit Class</u>	0.221 s	11	0	11	0	33	0	11	22	
<u>To verify delete class and delete multiple class</u>	25.250 s	3	1	2	0	9	7	2	0	
<u>User</u>	6.547 s	27	0	27	0	125	15	27	83	

Tag	Scenario	Feature							
		T	P	F	S	T	P	F	S
Name									
@HomePage		24	2	22	0	2	0	2	0
@HomePageNavigation		1	1	0	0	1	0	1	0
@HomPageInvalidUrl		1	0	1	0	1	0	1	0
@HomePageBrocken		1	1	0	0	1	0	1	0
@TextSpelling		3	0	3	0	3	0	3	0
@Logo		1	0	1	0	1	0	1	0
@LogoAligned		1	0	1	0	1	0	1	0
@LoginButtonPresent		2	0	2	0	2	0	2	0
@LoginButtonClickable		1	0	1	0	1	0	1	0
@LoginPage		1	0	1	0	1	0	1	0
@BrockenLink		2	0	2	0	2	0	2	0
@LoginHeader		1	0	1	0	1	0	1	0
@LoginUserNameText		1	0	1	0	1	0	1	0
@LoginTextfield		1	0	1	0	1	0	1	0
@AsterikToUser		1	0	1	0	1	0	1	0
@LoginPasswordText		1	0	1	0	1	0	1	0
@AsterikToPassword		1	0	1	0	1	0	1	0

Tag	Scenario				Feature			
	T	P	F	S	T	P	F	S
Name								
@LoginTextFieldsAlignment	1	0	1	0	1	0	1	0
@LoginButtonAlignment	1	0	1	0	1	0	1	0
@LoginForgotUsernameOrPassword	1	0	1	0	1	0	1	0
@LoginResetPassword	1	0	1	0	1	0	1	0
@LoginDescriptivetestUser	1	0	1	0	1	0	1	0
@LoginDescriptivetestPassword	1	0	1	0	1	0	1	0
@LoginValid	1	0	1	0	1	0	1	0
@LoginInvalid	1	0	1	0	1	0	1	0
@LoginValidUser	1	0	1	0	1	0	1	0
@LoginValidPassword	1	0	1	0	1	0	1	0
@LoginBlankUname	1	0	1	0	1	0	1	0
@LoginBlankPwd	1	0	1	0	1	0	1	0
@LoginEmptyField	1	0	1	0	1	0	1	0
@LoginKeyboard	1	0	1	0	1	0	1	0
@LoginMouse	1	0	1	0	1	0	1	0
@forgotUnamePwd	1	0	1	0	1	0	1	0
@DescriptiveEmail	1	0	1	0	1	0	1	0

Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
	@EmailTextField	1	0	1	0	1	0	1	0
	@SendButton	1	0	1	0	1	0	1	0
	@AsterikEmail	1	0	1	0	1	0	1	0
	@AlignmentSendButton	1	0	1	0	1	0	1	0
	@ResetPwdLink	1	0	1	0	1	0	1	0
	@pageText	1	0	1	0	1	0	1	0
	@SubmitButtonPresent	1	0	1	0	1	0	1	0
	@AlignmentSubmitBtn	1	0	1	0	1	0	1	0
	@TextBoxPresent	1	0	1	0	1	0	1	0
	@FirstLabelText	1	0	1	0	1	0	1	0
	@SecondLabelText	1	0	1	0	1	0	1	0
	@TextBoxDisabled	1	0	1	0	1	0	1	0
	@EnabledNewPWD	1	0	1	0	1	0	1	0
	@EnabledRetypePWD	1	0	1	0	1	0	1	0
	@ResetwithValid	1	0	1	0	1	0	1	0
	@ResetwithInvalid	1	0	1	0	1	0	1	0
	@ResetwithEmpty	1	0	1	0	1	0	1	0

Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@ResetwithMismatch		1	0	1	0	1	0	1	0
@DashBoard		16	0	16	0	1	0	1	0
@ManagePgmHeader		1	0	1	0	1	0	1	0
@ResponseTime		1	0	1	0	1	0	1	0
@VerifyBrockenLink		1	0	1	0	1	0	1	0
@LMS-Title		1	0	1	0	1	0	1	0
@LMSAlignment		1	0	1	0	1	0	1	0
@NavigationBarText		1	0	1	0	1	0	1	0
@SpellingLMSTitle		1	0	1	0	1	0	1	0
@NavigationAlignmentBar		1	0	1	0	1	0	1	0
@StudentNavigation		1	0	1	0	1	0	1	0
@ProgramNavigation		1	0	1	0	1	0	1	0
@BatchNavigation		1	0	1	0	1	0	1	0
@ClassNavigation		1	0	1	0	1	0	1	0
@UserNavigation		1	0	1	0	1	0	1	0
@AssignmentNavigation		1	0	1	0	1	0	1	0
@AttendenceNavigation		1	0	1	0	1	0	1	0

Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@LogoutNavigation		1	0	1	0	1	0	1	0
@TestStudent1		1	0	1	0	1	0	1	0
@Student		31	0	31	0	1	0	1	0
@TestStudent2		1	0	1	0	1	0	1	0
@TestStudent3		1	0	1	0	1	0	1	0
@TestStudent4		1	0	1	0	1	0	1	0
@TestStudent5		1	0	1	0	1	0	1	0
@TestStudent6		1	0	1	0	1	0	1	0
@TestStudent7		1	0	1	0	1	0	1	0
@TestStudent8		1	0	1	0	1	0	1	0
@TestStudent9		1	0	1	0	1	0	1	0
@TestStudent10		1	0	1	0	1	0	1	0
@TestStudent11		1	0	1	0	1	0	1	0
@TestStudent12		1	0	1	0	1	0	1	0
@TestStudent13		1	0	1	0	1	0	1	0
@TestStudent14		1	0	1	0	1	0	1	0
@TestStudent15		1	0	1	0	1	0	1	0

Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@TestStudent16		1	0	1	0	1	0	1	0
@TestStudent17		1	0	1	0	1	0	1	0
@TestStudent18		1	0	1	0	1	0	1	0
@TestStudent19		1	0	1	0	1	0	1	0
@TestStudent20		1	0	1	0	1	0	1	0
@TestStudent21		1	0	1	0	1	0	1	0
@TestStudent22		1	0	1	0	1	0	1	0
@TestStudent23		1	0	1	0	1	0	1	0
@TestStudent24		1	0	1	0	1	0	1	0
@TestStudent25		1	0	1	0	1	0	1	0
@TestStudent26		1	0	1	0	1	0	1	0
@TestStudent27		1	0	1	0	1	0	1	0
@TestStudent28		1	0	1	0	1	0	1	0
@TestStudent29		1	0	1	0	1	0	1	0
@TestStudent30		1	0	1	0	1	0	1	0
@TestStudent31		1	0	1	0	1	0	1	0
@Test_suit_program01		11	0	11	0	8	0	8	0

Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@programvalidationpart1		16	0	16	0	1	0	1	0
@Test_suit_program02		9	0	9	0	8	0	8	0
@Test_suit_program03		8	0	8	0	7	0	7	0
@Test_suit_program04		8	0	8	0	8	0	8	0
@Test_suit_program05		7	0	7	0	7	0	7	0
@Test_suit_program06		5	0	5	0	5	0	5	0
@Test_suit_program07		3	0	3	0	3	0	3	0
@Test_suit_program08		2	0	2	0	2	0	2	0
@Test_suit_program09		1	0	1	0	1	0	1	0
@Test_suit_program10		1	0	1	0	1	0	1	0
@Test_suit_program11		1	0	1	0	1	0	1	0
@Test_suit_program12		1	0	1	0	1	0	1	0
@programvalidationpart2		4	0	4	0	1	0	1	0
@Test_suit_program13		1	0	1	0	1	0	1	0
@Test_suit_program14		1	0	1	0	1	0	1	0
@Test_suit_program15		1	0	1	0	1	0	1	0
@Test_suit_program16		1	0	1	0	1	0	1	0


Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@Addprogram1		11	0	11	0	1	0	1	0
@Addprogram		8	0	8	0	1	0	1	0
@Editprogram		7	0	7	0	1	0	1	0
@Editprogramdeatil		6	0	6	0	1	0	1	0
@Deleteprogramdeatil		5	0	5	0	1	0	1	0
@Deleteprogramdeatil1		3	0	3	0	1	0	1	0
@Multipledeleteprogram		5	0	5	0	1	0	1	0
@sortingvalidation		6	0	6	0	1	0	1	0
@Paginationprogram		4	0	4	0	1	0	1	0
@Navigationvalidtaionprogram		7	0	7	0	1	0	1	0
@Batchvalidation		8	0	8	0	1	0	1	0
@Test_suit_batch01		5	0	5	0	5	0	5	0
@Test_suit_batch02		5	0	5	0	5	0	5	0
@Test_suit_batch03		5	0	5	0	5	0	5	0
@Test_suit_batch04		3	0	3	0	3	0	3	0
@Test_suit_batch05		3	0	3	0	3	0	3	0
@Test_suit_batch06		1	0	1	0	1	0	1	0

Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@Test_suit_batch07		1	0	1	0	1	0	1	0
@Test_suit_batch08		1	0	1	0	1	0	1	0
@Addbatch		5	0	5	0	1	0	1	0
@Deleteprogramdeati		3	0	3	0	1	0	1	0
@Deletemultiplebatches		3	0	3	0	1	0	1	0
@Editbatches		5	0	5	0	1	0	1	0
@01class_module_page		27	0	27	0	1	0	1	0
@class_test_01		14	0	14	0	4	0	4	0
@class_test_02		4	0	4	0	4	0	4	0
@class_test_03		4	0	4	0	4	0	4	0
@class_test_04		4	0	4	0	4	0	4	0
@class_test_05		4	0	4	0	4	0	4	0
@class_test_06		4	0	4	0	4	0	4	0
@class_test_07		4	0	4	0	4	0	4	0
@class_test_08		4	0	4	0	4	0	4	0
@class_test_09		4	0	4	0	4	0	4	0
@class_test_10		5	0	5	0	4	0	4	0


Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@class_test_11		3	0	3	0	3	0	3	0
@class_test_12		2	0	2	0	2	0	2	0
@class_test_13		2	0	2	0	2	0	2	0
@class_test_14		2	0	2	0	2	0	2	0
@class_test_15		2	0	2	0	2	0	2	0
@class_test_16		2	0	2	0	2	0	2	0
@class_test_17		2	0	2	0	2	0	2	0
@04class_module_page		18	0	18	0	1	0	1	0
@class_test_18		1	0	1	0	1	0	1	0
@5class_module_page		11	0	11	0	1	0	1	0
@06Class_module_page		3	1	2	0	1	0	1	0
@TestUser1		1	0	1	0	1	0	1	0
@User		27	0	27	0	1	0	1	0
@TestUser2		1	0	1	0	1	0	1	0
@TestUser3		1	0	1	0	1	0	1	0
@TestUser4		1	0	1	0	1	0	1	0
@TestUser5		1	0	1	0	1	0	1	0

Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@TestUser6		1	0	1	0	1	0	1	0
@TestUser7		1	0	1	0	1	0	1	0
@TestUser8		1	0	1	0	1	0	1	0
@TestUser9		1	0	1	0	1	0	1	0
@TestUser10		1	0	1	0	1	0	1	0
@TestUser11		1	0	1	0	1	0	1	0
@TestUser12		1	0	1	0	1	0	1	0
@TestUser13		1	0	1	0	1	0	1	0
@TestUser14		1	0	1	0	1	0	1	0
@TestUser15		1	0	1	0	1	0	1	0
@TestUser16		1	0	1	0	1	0	1	0
@TestUser17		1	0	1	0	1	0	1	0
@TestUser18		1	0	1	0	1	0	1	0
@TestUser19		1	0	1	0	1	0	1	0
@TestUser20		1	0	1	0	1	0	1	0
@TestUser21		1	0	1	0	1	0	1	0
@TestUser23		1	0	1	0	1	0	1	0


Tag	Scenario				Feature			
	T	P	F	S	T	P	F	S
Name								
@TestUser24	1	0	1	0	1	0	1	0
@TestUser25	1	0	1	0	1	0	1	0
@TestUser26	1	0	1	0	1	0	1	0
@TestUser27	1	0	1	0	1	0	1	0
@TestUser28	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Home Page Verification of LMS portal</u>	8	2	6	0	4.117 s
2	<u>Login page Validation</u>	16	0	16	0	0.347 s
3	<u>Login Page Validation</u>	9	0	9	0	0.232 s
4	<u>Forgot username /password</u>	10	0	10	0	0.251 s
5	<u>Reset Password in home page</u>	8	0	8	0	0.160 s
6	<u>Reset Password in Login Page</u>	6	0	6	0	0.116 s
7	<u>Dashboard Page</u>	16	0	16	0	0.283 s
8	<u>Logout function</u>	1	0	1	0	0.016 s
9	<u>Student</u>	31	0	31	0	1 m 13.648 s
10	<u>Manage program validation</u>	16	0	16	0	3.066 s




#	Feature Name	T	P	F	S	Duration
11	<u>Add New Program</u>	11	0	11	0	2.102 s
12	<u>Edit Program Details</u>	7	0	7	0	1.414 s
13	<u>Delete Program</u>	5	0	5	0	0.743 s
14	<u>Multiple Delete Program</u>	5	0	5	0	1.306 s
15	<u>Sorting(Data Ordering) Validation</u>	6	0	6	0	1.434 s
16	<u>Pagination Program</u>	4	0	4	0	0.862 s
17	<u>Navigation Validation from Manage Program to other Pages</u>	7	0	7	0	1.766 s
18	<u>Batch Page Validation</u>	8	0	8	0	0.084 s
19	<u>Add new Batch</u>	5	0	5	0	0.052 s
20	<u>Delete Batch</u>	3	0	3	0	0.025 s




#	Feature Name	T	P	F	S	Duration
21	<u>Delete multiple batches</u>	3	0	3	0	0.027 s
22	<u>Edit Batch</u>	5	0	5	0	0.044 s
23	<u>To verify manage class page</u>	27	0	27	0	2 m 11.205 s
24	<u>To verify Add New Class</u>	18	0	18	0	0.414 s
25	<u>To verify class detail popup window</u>	11	0	11	0	55.467 s
26	<u>To verify edit Class</u>	11	0	11	0	0.221 s
27	<u>To verify delete class and delete multiple class</u>	3	1	2	0	25.250 s
28	<u>User</u>	27	0	27	0	6.547 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Home Page Verification of LMS portal</u>	<u>Verify admin is able to land on home page</u>	1	1	0	0	1.857 s
2	<u>Home Page Verification of LMS portal</u>	<u>Verify admin is able to land on home page with invalid URL</u>	2	1	1	0	1.978 s
3	<u>Home Page Verification of LMS portal</u>	<u>Verify for broken link</u>	1	1	0	0	0.034 s
4	<u>Home Page Verification of LMS portal</u>	<u>Verify the text spelling in the page</u>	1	0	1	0	0.021 s
5	<u>Home Page Verification of LMS portal</u>	<u>Verify the logo of the LMS</u>	1	0	1	0	0.018 s
6	<u>Home Page Verification of LMS portal</u>	<u>Verify the logo properly aligned</u>	1	0	1	0	0.015 s
7	<u>Home Page Verification of LMS portal</u>	<u>Verify login button is present</u>	1	0	1	0	0.011 s
8	<u>Home Page Verification of LMS portal</u>	<u>Verify login button is present</u>	1	0	1	0	0.015 s
9	<u>Login page Validation</u>	<u>Verify the login page</u>	3	0	1	2	0.014 s
10	<u>Login page Validation</u>	<u>Verify for broken link</u>	3	0	1	2	0.009 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Login page Validation</u>	<u>Verify the header of the login page</u>	3	0	1	2	0.009 s
12	<u>Login page Validation</u>	<u>Verify the text spelling in login page</u>	3	0	1	2	0.010 s
13	<u>Login page Validation</u>	<u>Verify text on the first text field</u>	3	0	1	2	0.008 s
14	<u>Login page Validation</u>	<u>Verify text field is present</u>	3	0	1	2	0.009 s
15	<u>Login page Validation</u>	<u>Verify asterik next to user text</u>	3	0	1	2	0.009 s
16	<u>Login page Validation</u>	<u>Verify text on the second text field</u>	3	0	1	2	0.008 s
17	<u>Login page Validation</u>	<u>Verify asterik next to password text</u>	3	0	1	2	0.010 s
18	<u>Login page Validation</u>	<u>Verify the alignment input field for the login</u>	3	0	1	2	0.010 s
19	<u>Login page Validation</u>	<u>verify Login is present</u>	3	0	1	2	0.008 s
20	<u>Login page Validation</u>	<u>Verify the alignment of the login button</u>	3	0	1	2	0.007 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>Login page Validation</u>	<u>Verify forgot username or password link</u>	3	0	1	2	0.009 s
22	<u>Login page Validation</u>	<u>Verify the alignment of the login button</u>	3	0	1	2	0.010 s
23	<u>Login page Validation</u>	<u>Verify the alignment of the login button</u>	3	0	1	2	0.012 s
24	<u>Login page Validation</u>	<u>Verify the alignment of the login button</u>	3	0	1	2	0.012 s
25	<u>Login Page Validation</u>	<u>Validate login with valid credentials</u>	3	0	1	2	0.023 s
26	<u>Login Page Validation</u>	<u>Validate login with invalid credentials</u>	3	0	1	2	0.018 s
27	<u>Login Page Validation</u>	<u>Validate login with valid credentials in username</u>	3	0	1	2	0.016 s
28	<u>Login Page Validation</u>	<u>Validate login with valid credentials in password</u>	3	0	1	2	0.016 s
29	<u>Login Page Validation</u>	<u>Validate login with blank username credentials</u>	3	0	1	2	0.020 s
30	<u>Login Page Validation</u>	<u>Validate login with blank password credentials</u>	3	0	1	2	0.015 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
31	<u>Login Page Validation</u>	<u>validate login with empty values in both field</u>	3	0	1	2	0.014 s
32	<u>Login Page Validation</u>	<u>verify login button action through keyboard</u>	3	0	1	2	0.012 s
33	<u>Login Page Validation</u>	<u>verify login button action through mouse</u>	3	0	1	2	0.011 s
34	<u>Forgot username /password</u>	<u>Verify forgot username or password link</u>	3	0	1	2	0.013 s
35	<u>Forgot username /password</u>	<u>verify broken link</u>	3	0	1	2	0.010 s
36	<u>Forgot username /password</u>	<u>verify input descriptive text for Email</u>	3	0	1	2	0.014 s
37	<u>Forgot username /password</u>	<u>Verify email text in text field</u>	3	0	1	2	0.011 s
38	<u>Forgot username /password</u>	<u>Verify send link button is present</u>	3	0	1	2	0.010 s
39	<u>Forgot username /password</u>	<u>Verify asterik near Email text</u>	3	0	1	2	0.015 s
40	<u>Forgot username /password</u>	<u>Verify text spelling</u>	3	0	1	2	0.013 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
41	<u>Forgot username /password</u>	<u>Verify the alignment of the send link button</u>	3	0	1	2	0.012 s
42	<u>Forgot username /password</u>	<u>Validate email sent for forgot password in login page</u>	3	0	1	2	0.013 s
43	<u>Forgot username /password</u>	<u>Validate email sent for forgot password with invalid email id</u>	3	0	1	2	0.011 s
44	<u>Reset Password in home page</u>	<u>Verify reset password link</u>	3	0	1	2	0.011 s
45	<u>Reset Password in home page</u>	<u>Verify text in the page</u>	3	0	1	2	0.013 s
46	<u>Reset Password in home page</u>	<u>Verify submit button is present</u>	3	0	1	2	0.016 s
47	<u>Reset Password in home page</u>	<u>Verify the alignment of the submit button</u>	3	0	1	2	0.013 s
48	<u>Reset Password in home page</u>	<u>Verify text box is present is the page</u>	3	0	1	2	0.010 s
49	<u>Reset Password in home page</u>	<u>Verify first label text</u>	3	0	1	2	0.008 s
50	<u>Reset Password in home page</u>	<u>Verify second label text</u>	3	0	1	2	0.009 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
51	<u>Reset Password in home page</u>	<u>verify text box is in disabled</u>	3	0	1	2	0.011 s
52	<u>Reset Password in Login Page</u>	<u>verify text box is in enabled in new password field</u>	3	0	1	2	0.020 s
53	<u>Reset Password in Login Page</u>	<u>verify text box is in enabled in retype password field</u>	3	0	1	2	0.010 s
54	<u>Reset Password in Login Page</u>	<u>Validate reset password with valid details</u>	3	0	1	2	0.010 s
55	<u>Reset Password in Login Page</u>	<u>Validate reset password with invalid details</u>	3	0	1	2	0.013 s
56	<u>Reset Password in Login Page</u>	<u>Validate reset password with empty details</u>	3	0	1	2	0.009 s
57	<u>Reset Password in Login Page</u>	<u>Validate reset password mismatch values</u>	3	0	1	2	0.010 s
58	<u>Dashboard Page</u>	<u>Verify after login admin lands on manage program as dashboard page</u>	3	0	1	2	0.011 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
59	<u>Dashboard Page</u>	<u>Verify the response time</u>	3	0	1	2	0.010 s
60	<u>Dashboard Page</u>	<u>Verify broken link</u>	3	0	1	2	0.009 s
61	<u>Dashboard Page</u>	<u>Verify LMS title</u>	3	0	1	2	0.008 s
62	<u>Dashboard Page</u>	<u>Verify LMS title alignment</u>	3	0	1	2	0.009 s
63	<u>Dashboard Page</u>	<u>Validate navigation bar text</u>	3	0	1	2	0.008 s
64	<u>Dashboard Page</u>	<u>Validate LMS title has correct spelling and space</u>	3	0	1	2	0.009 s
65	<u>Dashboard Page</u>	<u>Validate alignment for navigation bar</u>	3	0	1	2	0.010 s
66	<u>Dashboard Page</u>	<u>Validate navigation bar order 1st Student</u>	3	0	1	2	0.011 s
67	<u>Dashboard Page</u>	<u>Validate navigation bar order 2nd Program</u>	3	0	1	2	0.010 s
68	<u>Dashboard Page</u>	<u>Validate navigation bar order 3rd Batch</u>	3	0	1	2	0.010 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
69	<u>Dashboard Page</u>	<u>Validate navigation bar order 4th Class</u>	3	0	1	2	0.009 s
70	<u>Dashboard Page</u>	<u>Validate navigation bar order 5th User</u>	3	0	1	2	0.010 s
71	<u>Dashboard Page</u>	<u>Validate navigation bar order 6th Assignment</u>	3	0	1	2	0.009 s
72	<u>Dashboard Page</u>	<u>Validate navigation bar order 7th Attendance</u>	3	0	1	2	0.011 s
73	<u>Dashboard Page</u>	<u>Validate navigation bar order 8th Logout</u>	3	0	1	2	0.009 s
74	<u>Logout function</u>	<u>Verify Logout button function</u>	3	1	1	1	0.016 s
75	<u>Student</u>	<u>Validate the title of the page</u>	4	1	1	2	0.239 s
76	<u>Student</u>	<u>Validate response time from dashboard page to student page</u>	4	1	1	2	0.149 s
77	<u>Student</u>	<u>Validate the broken link</u>	4	1	1	2	0.129 s
78	<u>Student</u>	<u>Verify LMS title</u>	4	1	1	2	0.130 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
79	<u>Student</u>	<u>Verify the alignment of the Student detail title</u>	4	1	1	2	0.123 s
80	<u>Student</u>	<u>Validate drop down is present in the page</u>	4	1	1	2	0.148 s
81	<u>Student</u>	<u>Validate search bar in select student name drop down</u>	4	1	1	2	0.116 s
82	<u>Student</u>	<u>Validate search bar in select batch id drop down</u>	4	1	1	2	0.113 s
83	<u>Student</u>	<u>Validate text spelling student name</u>	4	1	1	2	0.112 s
84	<u>Student</u>	<u>Validate text spelling select batch id</u>	4	1	1	2	0.110 s
85	<u>Student</u>	<u>Validate only numbers inside select batch id</u>	4	1	1	2	0.117 s
86	<u>Student</u>	<u>Validate gray color in student name drop down</u>	4	1	1	2	0.155 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
87	<u>Student</u>	<u>Validate gray color in student name drop down</u>	4	1	1	2	0.224 s
88	<u>Student</u>	<u>Validate first drop down label is select student name</u>	4	1	1	2	0.217 s
89	<u>Student</u>	<u>Validate second drop down label is select batch id</u>	4	1	1	2	0.207 s
90	<u>Student</u>	<u>Validate scroll down inside student name dropdown</u>	4	1	1	2	0.216 s
91	<u>Student</u>	<u>Validate scroll down inside batch id dropdown</u>	4	1	1	2	0.239 s
92	<u>Student</u>	<u>Validate select student name is fading</u>	4	3	1	0	5.070 s
93	<u>Student</u>	<u>Validate select batch id is fading</u>	4	3	1	0	5.043 s
94	<u>Student</u>	<u>Validate select student name using search box</u>	4	2	1	1	5.044 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
95	<u>Student</u>	<u>Validate select batch id using search box</u>	4	2	1	1	5.055 s
96	<u>Student</u>	<u>Validate selecting only student name will not display any details</u>	4	2	1	1	5.040 s
97	<u>Student</u>	<u>Validate selecting only batch id will not display any details</u>	4	2	1	1	5.054 s
98	<u>Student</u>	<u>Validate selecting student name and batch id</u>	4	2	1	1	5.045 s
99	<u>Student</u>	<u>Program link on navigation bar</u>	4	2	1	1	5.010 s
10-0	<u>Student</u>	<u>Batch link on navigation bar</u>	4	2	1	1	5.071 s
10-1	<u>Student</u>	<u>Class link on navigation bar</u>	4	2	1	1	5.014 s
10-2	<u>Student</u>	<u>User link on navigation bar</u>	4	2	1	1	5.063 s
10-3	<u>Student</u>	<u>Assignment link on navigation bar</u>	4	2	1	1	5.025 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
10-4	<u>Student</u>	<u>Attendance link on navigation bar</u>	4	2	1	1	5.028 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10-5	<u>Student</u>	<u>Logout link on navigation bar</u>	4	2	1	1	5.022 s
10-6	<u>Manage program validation</u>	<u>Validate landing in Program page</u>	4	1	1	2	0.293 s
10-7	<u>Manage program validation</u>	<u>Validate the heading</u>	4	1	1	2	0.247 s
10-8	<u>Manage program validation</u>	<u>Validate the text and pagination icon below the data table</u>	4	1	1	2	0.229 s
10-9	<u>Manage program validation</u>	<u>Validate the footer</u>	4	1	1	2	0.245 s
11-0	<u>Manage program validation</u>	<u>Validating the default state of Delete button</u>	4	1	1	2	0.233 s
11-1	<u>Manage program validation</u>	<u>Validate Add New Program</u>	4	1	1	2	0.243 s
11-2	<u>Manage program validation</u>	<u>Validate that number of records (rows of data in the table) displayed</u>	4	1	1	2	0.231 s
11-3	<u>Manage program validation</u>	<u>Verify data table on the Program page</u>	4	1	1	2	0.230 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
11-4	<u>Manage program validation</u>	<u>Verify Sort arrow icon on the data table</u>	4	1	1	2	0.224 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11-5	<u>Manage program validation</u>	<u>Verify Check box on the data table</u>	4	1	1	2	0.269 s
11-6	<u>Manage program validation</u>	<u>Verify Edit and Delete buttons</u>	4	1	1	2	0.230 s
11-7	<u>Manage program validation</u>	<u>Verify Search bar on the Program page</u>	4	1	1	2	0.247 s
11-8	<u>Manage program validation</u>	<u>Search Program By Name</u>	6	1	1	4	0.004 s
11-9	<u>Manage program validation</u>	<u>Search Program By Description</u>	6	1	1	4	0.005 s
12-0	<u>Manage program validation</u>	<u>Search Program By Status</u>	6	1	1	4	0.004 s
12-1	<u>Manage program validation</u>	<u>Validating the Search with unrelated keyword</u>	6	1	1	4	0.004 s
12-2	<u>Add New Program</u>	<u>Validate Program Details Popup window</u>	6	1	1	4	0.005 s
12-3	<u>Add New Program</u>	<u>Validate input fields and their text boxes in Program details form</u>	6	1	1	4	0.005 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
12-4	<u>Add New Program</u>	<u>Validate radio button for Program Status</u>	6	1	1	4	0.004 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
12-5	<u>Add New Program</u>	<u>Empty form submission</u>	6	1	1	4	0.301 s
12-6	<u>Add New Program</u>	<u>Enter only Program Name</u>	6	1	1	4	0.254 s
12-7	<u>Add New Program</u>	<u>Enter only Program Description</u>	6	1	1	4	0.262 s
12-8	<u>Add New Program</u>	<u>Select Status only</u>	6	1	1	4	0.228 s
12-9	<u>Add New Program</u>	<u>Validate invalid values on the text column</u>	6	1	1	4	0.242 s
13-0	<u>Add New Program</u>	<u>Validate Cancel/Close(X) icon on Program Details form</u>	6	1	1	4	0.233 s
13-1	<u>Add New Program</u>	<u>Validate Save button on Program Details form</u>	6	1	1	4	0.225 s
13-2	<u>Add New Program</u>	<u>Validate Cancel button on Program Details form</u>	6	1	1	4	0.235 s
13-3	<u>Edit Program Details</u>	<u>Validate Edit Feature</u>	6	1	1	4	0.003 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
13-4	<u>Edit Program Details</u>	<u>Edit Program Name</u>	6	1	1	4	0.235 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
13-5	<u>Edit Program Details</u>	<u>Edit Program description</u>	6	1	1	4	0.220 s
13-6	<u>Edit Program Details</u>	<u>Change Program Status</u>	6	1	1	4	0.228 s
13-7	<u>Edit Program Details</u>	<u>Validate invalid values on the text column</u>	6	1	1	4	0.225 s
13-8	<u>Edit Program Details</u>	<u>Validate Cancel button on Edit popup</u>	6	1	1	4	0.223 s
13-9	<u>Edit Program Details</u>	<u>Validate Save button on Edit popup</u>	6	1	1	4	0.223 s
14-0	<u>Delete Program</u>	<u>Delete Feature</u>	6	1	1	4	0.005 s
14-1	<u>Delete Program</u>	<u>Validate details for Confirm Deletion form</u>	6	1	1	4	0.005 s
14-2	<u>Delete Program</u>	<u>Click Yes on deletion window</u>	6	1	1	4	0.226 s
14-3	<u>Delete Program</u>	<u>Click No on deletion window</u>	6	1	1	4	0.229 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
14-4	<u>Delete Program</u>	<u>Validate Cancel/Close(X) icon on Confirm Deletion alert</u>	6	1	1	4	0.246 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
14-5	<u>Multiple Delete Program</u>	<u>Validate Common Delete button enabled after clicking on any checkbox</u>	6	1	1	4	0.268 s
14-6	<u>Multiple Delete Program</u>	<u>Validate multiple program deletion by selecting Single checkbox</u>	6	0	1	5	0.277 s
14-7	<u>Multiple Delete Program</u>	<u>Validate multiple program deletion by selecting Single checkbox</u>	6	0	1	5	0.223 s
14-8	<u>Multiple Delete Program</u>	<u>Validate multiple program deletion by selecting multiple check boxes</u>	6	0	1	5	0.262 s
14-9	<u>Multiple Delete Program</u>	<u>Validate multiple program deletion by selecting multiple check boxes</u>	6	0	1	5	0.244 s
15-0	<u>Sorting(Data Ordering) Validation</u>	<u>Validates Sorting(data ordering) on the Program Data table</u>	6	1	1	4	0.241 s
15-1	<u>Sorting(Data Ordering) Validation</u>	<u>Validates Sorting(data ordering) on the Program Data table</u>	6	1	1	4	0.233 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
15-2	<u>Sorting(Data Ordering) Validation</u>	<u>Validates Sorting(data ordering) on the Program Data table</u>	6	1	1	4	0.230 s
15-3	<u>Sorting(Data Ordering) Validation</u>	<u>Validates Sorting(data ordering) on the Program Data table</u>	6	1	1	4	0.227 s
15-4	<u>Sorting(Data Ordering) Validation</u>	<u>Validates Sorting(data ordering) on the Program Data table</u>	6	1	1	4	0.240 s
15-5	<u>Sorting(Data Ordering) Validation</u>	<u>Validates Sorting(data ordering) on the Program Data table</u>	6	1	1	4	0.225 s
15-6	<u>Pagination Program</u>	<u>Verify Next page link</u>	5	1	1	3	0.222 s
15-7	<u>Pagination Program</u>	<u>Verify Last page link</u>	5	1	1	3	0.230 s
15-8	<u>Pagination Program</u>	<u>Verify First page link</u>	5	1	1	3	0.246 s
15-9	<u>Pagination Program</u>	<u>Verify Start page link</u>	5	1	1	3	0.140 s
16-0	<u>Navigation Validation from Manage Program to other Pages</u>	<u>Student link on navigation bar</u>	6	1	1	4	0.230 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
16-1	<u>Navigation Validation from Manage Program to other Pages</u>	<u>Batch link on navigation bar</u>	6	1	1	4	0.260 s
16-2	<u>Navigation Validation from Manage Program to other Pages</u>	<u>Class link on navigation bar</u>	6	1	1	4	0.247 s
16-3	<u>Navigation Validation from Manage Program to other Pages</u>	<u>User link on navigation bar</u>	6	1	1	4	0.235 s
16-4	<u>Navigation Validation from Manage Program to other Pages</u>	<u>Assignment link on navigation bar</u>	6	1	1	4	0.233 s
16-5	<u>Navigation Validation from Manage Program to other Pages</u>	<u>Attendance link on navigation bar</u>	6	1	1	4	0.253 s
16-6	<u>Navigation Validation from Manage Program to other Pages</u>	<u>Logout link on navigation bar</u>	6	1	1	4	0.250 s
16-7	<u>Batch Page Validation</u>	<u>Validate landing in Batch page</u>	4	1	1	2	0.004 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
16-8	<u>Batch Page Validation</u>	<u>Validate header in the Batch Page</u>	4	1	1	2	0.002 s
16-9	<u>Batch Page Validation</u>	<u>Validate pagination in the Batch Page</u>	4	1	1	2	0.003 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
17-0	<u>Batch Page Validation</u>	<u>Validate data table headers in the Batch Page</u>	4	1	1	2	0.004 s
17-1	<u>Batch Page Validation</u>	<u>Validate Delete button in Batch Page</u>	4	1	1	2	0.003 s
17-2	<u>Batch Page Validation</u>	<u>Validate "+ A New batch" in Batch Page</u>	4	1	1	2	0.004 s
17-3	<u>Batch Page Validation</u>	<u>Validate data rows</u>	4	1	1	2	0.004 s
17-4	<u>Batch Page Validation</u>	<u>Validate pop up for adding batch</u>	4	1	1	2	0.003 s
17-5	<u>Add new Batch</u>	<u>Check if the fields exist in pop</u>	7	1	1	5	0.004 s
17-6	<u>Add new Batch</u>	<u>Check if description is optional field</u>	8	1	1	6	0.004 s
17-7	<u>Add new Batch</u>	<u>Check if the program details are added in data table</u>	8	1	1	6	0.003 s
17-8	<u>Add new Batch</u>	<u>Check for error messages for invalid fields</u>	7	1	1	5	0.003 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17-9	<u>Add new Batch</u>	<u>Check for error messages for mandatory fields</u>	7	1	1	5	0.003 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18-0	<u>Delete Batch</u>	<u>Validate row level delete icon</u>	6	1	1	4	0.004 s
18-1	<u>Delete Batch</u>	<u>Validate accept alert</u>	6	1	1	4	0.003 s
18-2	<u>Delete Batch</u>	<u>Validate reject alert</u>	6	1	1	4	0.003 s
18-3	<u>Delete multiple batches</u>	<u>Validate the delete icon below the header</u>	5	1	1	3	0.003 s
18-4	<u>Delete multiple batches</u>	<u>Check for single row delete</u>	6	1	1	4	0.003 s
18-5	<u>Delete multiple batches</u>	<u>Check for multi row delete</u>	6	1	1	4	0.005 s
18-6	<u>Edit Batch</u>	<u>Validate row level edit icon</u>	6	1	1	4	0.003 s
18-7	<u>Edit Batch</u>	<u>Check if the fields are updated</u>	7	1	1	5	0.003 s
18-8	<u>Edit Batch</u>	<u>Check if the update throws error with invalid valued</u>	7	1	1	5	0.003 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
18-9	<u>Edit Batch</u>	<u>Check if you get error message when mandatory fields are erased</u>	7	1	1	5	0.003 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
19-0	<u>Edit Batch</u>	<u>Check if description field is optional in update</u>	7	1	1	5	0.003 s
19-1	<u>To verify manage class page</u>	<u>Verify landing in class page</u>	3	1	1	1	5.019 s
19-2	<u>To verify manage class page</u>	<u>Capture the response time to navigate to manage class page</u>	3	1	1	1	5.051 s
19-3	<u>To verify manage class page</u>	<u>Verify Manage Class Page Header</u>	3	1	1	1	5.071 s
19-4	<u>To verify manage class page</u>	<u>Validate text in manage class page</u>	3	1	1	1	0.002 s
19-5	<u>To verify manage class page</u>	<u>Verify delete icon below the header</u>	3	1	1	1	5.013 s
19-6	<u>To verify manage class page</u>	<u>Verify search bar on the class page</u>	3	1	1	1	5.019 s
19-7	<u>To verify manage class page</u>	<u>Verify add new class button on class page</u>	3	1	1	1	5.015 s
19-8	<u>To verify manage class page</u>	<u>Verify data table on the class page</u>	3	1	1	1	5.029 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
19-9	<u>To verify manage class page</u>	<u>Verify Edit icon in the data table</u>	3	1	1	1	5.062 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
20-0	<u>To verify manage class page</u>	<u>Verify Edit icon when no data in the table</u>	3	1	1	1	5.028 s
20-1	<u>To verify manage class page</u>	<u>Verify delete icon in the data table</u>	3	1	1	1	5.044 s
20-2	<u>To verify manage class page</u>	<u>Verify delete icon when no data in the table</u>	3	1	1	1	5.032 s
20-3	<u>To verify manage class page</u>	<u>Verify sort icon in the data table</u>	3	1	1	1	5.036 s
20-4	<u>To verify manage class page</u>	<u>Verify check box in the data table</u>	3	1	1	1	5.038 s
20-5	<u>To verify manage class page</u>	<u>Validate the number entries displaying</u>	3	1	1	1	5.009 s
20-6	<u>To verify manage class page</u>	<u>Verify Pagination control below the data table</u>	3	1	1	1	5.032 s
20-7	<u>To verify manage class page</u>	<u>Validate footer text</u>	3	1	1	1	5.043 s
20-8	<u>To verify manage class page</u>	<u>Validate search box function</u>	3	0	1	2	5.039 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
20-9	<u>To verify manage class page</u>	<u>Validate search box function</u>	3	0	1	2	5.058 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
21-0	<u>To verify manage class page</u>	<u>Validate search box function</u>	3	0	1	2	5.047 s
21-1	<u>To verify manage class page</u>	<u>Validate search box function</u>	3	0	1	2	5.048 s
21-2	<u>To verify manage class page</u>	<u>Validate search box function</u>	3	0	1	2	5.039 s
21-3	<u>To verify manage class page</u>	<u>Validate search box function</u>	3	0	1	2	5.050 s
21-4	<u>To verify manage class page</u>	<u>Validate search box function</u>	3	0	1	2	5.010 s
21-5	<u>To verify manage class page</u>	<u>Validate search box function</u>	3	0	1	2	5.055 s
21-6	<u>To verify manage class page</u>	<u>Validate search box function</u>	3	0	1	2	5.033 s
21-7	<u>To verify manage class page</u>	<u>Validate search box function</u>	3	0	1	2	5.038 s
21-8	<u>To verify Add New Class</u>	<u>Validate all batch id is reflecting in the dropdown</u>	3	0	1	2	0.023 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
21-9	<u>To verify Add New Class</u>	<u>Validate admin able to add new class with valid data in mandatory fields</u>	3	0	1	2	0.012 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
22-0	<u>To verify Add New Class</u>	<u>Validate admin able to add new class with invalid data in mandatory fields</u>	3	0	1	2	0.016 s
22-1	<u>To verify Add New Class</u>	<u>Validate admin able to add new class with valid data in all fields</u>	3	0	1	2	0.015 s
22-2	<u>To verify Add New Class</u>	<u>Validate admin able to add new class with invalid data in optional fields</u>	3	0	1	2	0.015 s
22-3	<u>To verify Add New Class</u>	<u>Validate admin able to add new class missing Batch Id</u>	3	0	1	2	0.015 s
22-4	<u>To verify Add New Class</u>	<u>Validate admin able to add new class missing No of Class</u>	3	0	1	2	0.013 s
22-5	<u>To verify Add New Class</u>	<u>Validate admin able to add new class missing Class Date</u>	3	0	1	2	0.014 s
22-6	<u>To verify Add New Class</u>	<u>Validate admin able to add new class missing staff id</u>	3	0	1	2	0.013 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
22-7	<u>To verify Add New Class</u>	<u>Validate admin able to add new class passing past date</u>	3	0	1	2	0.012 s
22-8	<u>To verify Add New Class</u>	<u>Validate date picker</u>	3	0	1	2	0.013 s
22-9	<u>To verify Add New Class</u>	<u>validate date picker should be correct format</u>	3	0	1	2	0.012 s
23-0	<u>To verify Add New Class</u>	<u>Validate right arrow in data picker to navigate to next month</u>	3	0	1	2	0.010 s
23-1	<u>To verify Add New Class</u>	<u>Validate left arrow in data picker to navigate to previous month</u>	3	0	1	2	0.011 s
23-2	<u>To verify Add New Class</u>	<u>Validate current date is highlighted in the date picker</u>	3	0	1	2	0.013 s
23-3	<u>To verify Add New Class</u>	<u>Validate selected date is highlighted in the date picker</u>	3	0	1	2	0.011 s
23-4	<u>To verify Add New Class</u>	<u>Validate cancel button function in class details popup window</u>	3	0	1	2	0.014 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
23-5	<u>To verify Add New Class</u>	<u>Validate cancel button function in class details popup window with values in field</u>	3	0	1	2	0.012 s
23-6	<u>To verify class detail popup window</u>	<u>Verify class details popup window</u>	3	0	1	2	5.012 s
23-7	<u>To verify class detail popup window</u>	<u>Verify input fields in class details popup window</u>	3	0	1	2	5.018 s
23-8	<u>To verify class detail popup window</u>	<u>Verify text box present in class details popup window</u>	3	0	1	2	5.008 s
23-9	<u>To verify class detail popup window</u>	<u>Verify drop down in Batch Id in class details popup window</u>	3	0	1	2	5.043 s
24-0	<u>To verify class detail popup window</u>	<u>Verify drop down in Staff Id in class details popup window</u>	3	0	1	2	5.015 s
24-1	<u>To verify class detail popup window</u>	<u>Verify calendar icon in class date in class details popup window</u>	3	0	1	2	5.051 s
24-2	<u>To verify class detail popup window</u>	<u>Verify save button is present</u>	3	0	1	2	5.042 s


#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
24-3	<u>To verify class detail popup window</u>	<u>Verify cancel button is present</u>	3	0	1	2	5.048 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
24-4	<u>To verify class detail popup window</u>	<u>Verify close button in class details popup window</u>	3	0	1	2	5.013 s
24-5	<u>To verify class detail popup window</u>	<u>Verify edit class popup window</u>	3	1	1	1	5.074 s
24-6	<u>To verify class detail popup window</u>	<u>Verify values in popup window</u>	3	1	1	1	5.049 s
24-7	<u>To verify edit Class</u>	<u>Validate admin able to update class with valid data in mandatory fields</u>	3	0	1	2	0.018 s
24-8	<u>To verify edit Class</u>	<u>Validate admin able to update class with invalid data in mandatory fields</u>	3	0	1	2	0.010 s
24-9	<u>To verify edit Class</u>	<u>Validate admin able to update class with valid data in all fields</u>	3	0	1	2	0.012 s
25-0	<u>To verify edit Class</u>	<u>Validate admin able to update class with invalid data in all fields</u>	3	0	1	2	0.015 s
25-1	<u>To verify edit Class</u>	<u>Validate admin able to update class missing Batch Id</u>	3	0	1	2	0.013 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
25-2	<u>To verify edit Class</u>	<u>Validate admin able to update class missing No of Class</u>	3	0	1	2	0.013 s
25-3	<u>To verify edit Class</u>	<u>Validate admin able to update class missing Class Date</u>	3	0	1	2	0.012 s
25-4	<u>To verify edit Class</u>	<u>Validate admin able to update class missing staff id</u>	3	0	1	2	0.011 s
25-5	<u>To verify edit Class</u>	<u>Validate admin able to update class passing past date</u>	3	0	1	2	0.009 s
25-6	<u>To verify edit Class</u>	<u>Validate cancel button function in Edit class details popup window</u>	3	0	1	2	0.012 s
25-7	<u>To verify edit Class</u>	<u>Validate cancel button function in Edit class details popup window with values in field</u>	3	0	1	2	0.014 s
25-8	<u>To verify delete class and delete multiple class</u>	<u>Verify Delete class alert</u>	3	3	0	0	5.065 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
25-9	<u>To verify delete class and delete multiple class</u>	<u>Verify accept enabled in alert</u>	3	2	1	0	10.098 s
26-0	<u>To verify delete class and delete multiple class</u>	<u>Verify reject enabled in alert</u>	3	2	1	0	10.072 s
26-1	<u>User</u>	<u>Validate landing in User page</u>	3	0	1	2	0.308 s
26-2	<u>User</u>	<u>Validate header in the User Page</u>	3	0	1	2	0.225 s
26-3	<u>User</u>	<u>Validate pagination in the User Page</u>	3	0	1	2	0.244 s
26-4	<u>User</u>	<u>Validate data table headers in the User Page</u>	3	0	1	2	0.223 s
26-5	<u>User</u>	<u>Validate Delete button in User Page</u>	3	0	1	2	0.220 s
26-6	<u>User</u>	<u>Validate "+ A New user" button in User Page</u>	3	0	1	2	0.238 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
26-7	<u>User</u>	<u>Validate "+ Assign staff" button in User page</u>	3	0	1	2	0.236 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
26-8	User	<u>Validate search box in User page</u>	3	0	1	2	0.233 s
26-9	User	<u>Validate data rows</u>	3	0	1	2	0.211 s
27-0	User	<u>Validate data rows</u>	3	0	1	2	0.265 s
27-1	User	<u>Validate data rows</u>	3	0	1	2	0.225 s
27-2	User	<u>Validate pop up for adding user</u>	4	0	1	3	0.234 s
27-3	User	<u>Check if the fields exist in pop</u>	5	1	1	3	0.243 s
27-4	User	<u>Check if Middle name, linkedIn url, email, user comments. under graduate,post graduate,time zone are optional</u>	6	1	1	4	0.226 s
27-5	User	<u>Check if the program details are added in data table</u>	6	1	1	4	0.224 s
27-6	User	<u>Check for error messages for invalid fields</u>	6	1	1	4	0.226 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
27-7	User	<u>Check for error messages for mandatory fields</u>	6	1	1	4	0.225 s
27-8	User	<u>Validate row level edit icon</u>	6	1	1	4	0.230 s
27-9	User	<u>Check if the fields are updated</u>	6	1	1	4	0.231 s
28-0	User	<u>Check if the update throws error with invalid values</u>	6	1	1	4	0.240 s
28-1	User	<u>Check if you get error message when mandatory fields are erased</u>	6	1	1	4	0.258 s
28-2	User	<u>Validate row level delete icon</u>	6	1	1	4	0.220 s
28-3	User	<u>Validate accept alert</u>	6	1	1	4	0.243 s
28-4	User	<u>Validate reject alert</u>	6	1	1	4	0.222 s
28-5	User	<u>Validate the delete icon below the header</u>	5	1	1	3	0.219 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
28-6	<u>User</u>	<u>Check for single row delete</u>	6	1	1	4	0.222 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
28-7	User	<i>Check for multi row delete</i>	6	1	1	4	0.246 s

5QOG ;CIG @GSKHKECUKQP QH 7 8 = RQSUCN

FAILED	DURATION - 4.117 s	Scenarios Total - 8 Pass - 2 Fail - 6 Skip - 0		Steps Total - 9 Pass - 3 Fail - 6 Skip - 0	
/ 2:06:34.431 AM // 2:06:38.548 AM /					

@GSKHZ CFOKP KT CDNG UQ NCPF QP JQOG RCIG

PASSED	DURATION - 1.857 s	0.15 0.1 0.05 0	1	Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 2:06:34.433 AM // 2:06:36.290 AM /					
<i>Home Page Verification of LMS portal</i>					
@HomePage @HomePageNavigation					

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Then Admin should land on the home page	PASSED	0.009 s


@GSKHZ CFOKP KT CDNG UQ NCPF QP JQOG RCIG XKUJ KPWCNKF ?<7

FAILED	DURATION - 1.978 s	2 1.5 1 0.5 0	1 2	Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 2:06:36.382 AM // 2:06:38.360 AM /					
<i>Home Page Verification of LMS portal</i>					
@HomePage @HomePageInvalidUrl					

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	When Admin gives the invalid LMS portal URL	PASSED	1.934 s
2	Then Admin should receive 404 page not found error	FAILED	0.038 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>java.lang.AssertionError: Response code do not match expected [404] but found [0] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:839) at step_definitions.HomePage_SD.admin_should_recieve_page_not_found_error(HomePage_SD.java:66) at ?.Admin should recieve 404 page not found error(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/001_HomePage.feature:13) * Not displayable characters are replaced by '?'.</pre>		

@GSKHZ HQS DSQMGP NKPM



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Then HTTP response code should be greater than or equal to 400 indicating broken links	PASSED	0.031 s


@GSKHZ UJG UGYU TRGNKPI KP UJG RC1G



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Then Admin should see correct spellings in all fields org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css	FAILED	0.017 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> selector","selector":"#login\button"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=id, value=login-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at page_objects.HomePage.logintext(HomePage.java:105) at page_objects.HomePage.verifyCorrectSpellings(HomePage.java:109) at step_definitions.HomePage_SD.admin_should_see_correct_spellings_in_all_fields(HomePage_SD.java:77) at ?.Admin should see correct spellings in all fields(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/001_HomePage.feature:22) * Not displayable characters are replaced by '?'. </pre>		


@GSKHZ UJG NQIQ QH UJG 78 =



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Then Admin should see correct logo of the LMS</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//img[@title='LMS logo']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/img[@title='LMS logo']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.isDisplayed(Unknown Source) at page_objects.HomePage.isLogoPresent(HomePage.java:123)</pre>	FAILED	0.014 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<p>at step_definitions.HomePage_SD.admin_should_see_correct_logo_of_the_lms(HomePage_SD.java:86) at ?.Admin should see correct logo of the LMS(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/001_HomePage.feature:26) * Not displayable characters are replaced by '?'.</p>		


@GSKHZ UJG NQ I Q RSQRGSNZ CNK I PGF



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Then Admin should see logo is properly aligned</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//img[@title='LMS logo']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/img[@title='LMS logo']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</pre>	FAILED	0.012 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getLocation(Unknown Source) at page_objects.HomePage.verifyLogoAlignment(HomePage.java:127) at step_definitions.HomePage_SD.admin_should_see_logo_is_properly_aligned(HomePage_SD.java:94) at ?.Admin should see logo is properly aligned(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/001_HomePage.feature:30) * Not displayable characters are replaced by '?'. </pre>		


@GSKHZ NQ I KP DVUUQP KT RSGTGPU



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Then Admin should see login button</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#login\button"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=id, value=login-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre>	FAILED	0.008 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.isDisplayed(Unknown Source) at page_objects.HomePage.isLoginButtonPresent(HomePage.java:137) at step_definitions.HomePage_SD.admin_should_see_login_button(HomePage_SD.java:102) at ?.Admin should see login button(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/001_HomePage.feature:35) * Not displayable characters are replaced by '?'. </pre>		


@GSKHZ NQ I KP DVUUQP KT RSGTGPU




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Then Admin should able to click the Login button</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#login-button"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=id, value=login-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96} </pre>	FAILED	0.009 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>(1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.HomePage.ClickOnLoginBtn(HomePage.java:144) at step_definitions.HomePage_SD.admin_should_be_able_to_click_the_login_button(HomePage_SD.java:108) at ?.Admin should be able to click the Login button(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/001_HomePage.feature:39) * Not displayable characters are replaced by '?'.</pre>		

7QIKP RCIG @CNKFCUKQP




@GSKHZ UJG NQIKP RCIG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.010 s
2	When Admin clicks Login button	SKIPPED	0.000 s
3	Then Admin should land on the login page	SKIPPED	0.000 s

@GSKHZ HQS DSQMGPKPM




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.005 s
2	When Admin clicks Login button	SKIPPED	0.000 s
3	Then Login_HTTP response >= 400. Then the link is broken	SKIPPED	0.000 s

@GSKHZ UJG JGCFGs QH UJG NQ IKP RC I G




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.007 s
2	When Admin clicks Login button	SKIPPED	0.000 s
3	Then Admin should see "Please login to LMS application" in the header	SKIPPED	0.000 s

@GSKHZ UJG UGYU TRGNNKP I KP NQIKP RCIG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.006 s
2	When Admin clicks Login button	SKIPPED	0.000 s
3	Then Admin should see correct spellings in all fields	SKIPPED	0.000 s

@GSKHZ UGYU QP UJG HKSTU UGYU HKGNF




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.005 s
2	When Admin clicks Login button	SKIPPED	0.000 s
3	Then Admin should see "user" in the first text field	SKIPPED	0.000 s

@GSKHZ UGYU HKGNF KT RSGTGPU




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.005 s
2	When Admin clicks Login button	SKIPPED	0.000 s
3	Then Admin should see two text field	SKIPPED	0.000 s

@GSKHZ CTUGSKM PGYU UQ VTGS UGYU




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.006 s
2	When Admin clicks Login button	SKIPPED	0.000 s
3	Then Admin should see * symbol next to user text	SKIPPED	0.002 s

@GSKHZ UGYU QP UJG TGEQPF UGYU HKGNF




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.005 s
2	When Admin clicks Login button	SKIPPED	0.000 s
3	Then Admin should "password" in the second text field	SKIPPED	0.000 s

@GSKHZ CTUGSKM PGYU UQ RCTTXQSF UGYU




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.006 s
2	When Admin clicks Login button	SKIPPED	0.000 s
3	Then Admin should see * symbol next to password text	SKIPPED	0.000 s

@GSKHZ UJG CNK I POGPU KPRVU HKGNF HQS UJG NQ I KP




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.006 s
2	When Admin clicks Login button	SKIPPED	0.001 s
3	Then Admin should see input field on the centre of the page	SKIPPED	0.000 s

WGSKHZ 7Q1KP KT RSGTGPU




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.005 s
2	When Admin clicks Login button	SKIPPED	0.000 s
3	Then Admin should see login button	SKIPPED	0.000 s

@GSKHZ UJG CNK I POGPU QH UJG NQ I KP DVUUQP




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.005 s
2	When Admin clicks Login button	SKIPPED	0.000 s
3	Then Admin should see login button on the centre of the page	SKIPPED	0.000 s

@GSKHZ HQS I QU VTGSPCOG QS RCTTXQSF NKPm




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.006 s
2	When Admin clicks Login button	SKIPPED	0.000 s
3	Then Admin should see forgot username or password link	SKIPPED	0.000 s

@GSKHZ UJG CNK I POGPU QH UJG NQ I KP DVUUQP




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.008 s
2	When Admin clicks Login button	SKIPPED	0.000 s
3	Then Admin should see reset password link	SKIPPED	0.000 s

@GSKHZ UJG CNK I POGPU QH UJG NQ I KP DVUUQP



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.007 s
2	When Admin clicks Login button	SKIPPED	0.000 s
3	Then Admin should see user in gray color	SKIPPED	0.000 s

@GSKHZ UJG CNK I POGPU QH UJG NQ I KP DVUUQP




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in home page</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=www.lms.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at page_objects.HomePage.getHomepage(HomePage.java:45) at step_definitions.Login_SD.admin_is_in_home_page(Login_SD.java:29) at ?.Admin is in home page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/002_LoginPageVerification.feature:7) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.008 s
2	When Admin clicks Login button	SKIPPED	0.001 s
3	Then Admin should see password in gray color	SKIPPED	0.000 s

7QIKP ; C1G @CNKFCUKQP




@CNKFCUG NQIKP XUJ WCNKF ESGFGPUKNT



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/input[@type='submit'] }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre>	FAILED	0.019 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/003_LoginPage.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enter valid credentials and clicks login button	SKIPPED	0.001 s
3	Then Admin should land on dashboard page	SKIPPED	0.000 s


@CNIKFCUG NQ I KP XUJ KPWCNKF ESGFGPUKCN



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: </pre>	FAILED	0.015 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>{debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/003_LoginPage.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin enter invalid credentials and clicks login button	SKIPPED	0.001 s
3	Then Error message please check username/password	SKIPPED	0.000 s

@CNKFCUG NQ I KP XUJ WCNKF ESGFGPUKNT KP VTGSPCOG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/input[@type='submit'] }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 003_LoginPage.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.013 s
2	When Admin enter valid username and clicks login button	SKIPPED	0.000 s
3	Then Error message please check password	SKIPPED	0.000 s


@CNKFCUG NQ I KP XNKJ WCNKF ESGFGPUKCNT KP RCTTXQSF



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit'] "} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy{}, se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131)</pre>	FAILED	0.012 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/003_LoginPage.feature:4) * Not displayable characters are replaced by '?'. 2 When Admin enter valid password and clicks login button 3 Then Error message please check username		
2	When Admin enter valid password and clicks login button	SKIPPED	0.000 s
3	Then Error message please check username	SKIPPED	0.000 s


@CNKFCUG NQIKP XKUJ DNCPM VTGSPCOG ESGFGPUKCNT



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</pre>	FAILED	0.011 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/003_LoginPage.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enter blank in username and clicks login button	SKIPPED	0.002 s
3	Then Error message please check username/password	SKIPPED	0.000 s


@CNKFCUG NQIKP XUJ DNCPM RCTTXQSF ESGFGPUKNT



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre>	FAILED	0.013 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/003_LoginPage.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin enter blank in password and clicks login button	SKIPPED	0.000 s
3	Then Error message please check username/password	SKIPPED	0.000 s

WCNKFCUG NQ I KP XKUJ GORUZ WCNVGT KP DQUJ HKGNF



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/input[@type='submit'] }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 003_LoginPage.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.012 s
2	When Admin clicks Login button with empty values in both columns	SKIPPED	0.000 s
3	Then Error message please check username/password	SKIPPED	0.001 s


WGSKHZ NQ I KP DVUUQP CEUKQP UJSQV I J MGZDQCSF



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit'] "} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/input[@type='submit'] }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy{}, se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131)</pre>	FAILED	0.010 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<p>at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131)</p> <p>at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/003_LoginPage.feature:4)</p> <p>* Not displayable characters are replaced by '?'.</p>		
2	When Admin enter valid credentials and clicks login button through keyboard	SKIPPED	0.001 s
3	Then Admin should land on dashboard page	SKIPPED	0.000 s


WGSKHZ NQ I KP DVUUQP CEUKQP UJSQV I J OQVTG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</pre>	FAILED	0.009 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/003_LoginPage.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enter valid credentials and clicks login button through mouse	SKIPPED	0.000 s
3	Then Admin should land on dashboard page	SKIPPED	0.000 s


4QS|QU VTGSPCOG &RCTTXQSF



@GSKHZ HQS|QU VTGSPCOG QS RCTTXQSF ||KPM




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/input[@type='submit'] }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 004_ForgotUsernamePwd.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.010 s
2	When Admin clicks forgot username or password link	SKIPPED	0.001 s
3	Then Admin should land on forgot username or password page	SKIPPED	0.000 s



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit'] "} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy{}, se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131)</pre>	FAILED	0.008 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/004_ForgotUsernamePwd.feature:4) * Not displayable characters are replaced by '?'. 		
2	When Admin clicks forgot username or password link	SKIPPED	0.000 s
3	Then HTTP response >= 400. Then the link is broken	SKIPPED	0.000 s


WGSKHZ KPRVU FGTESKRUKWG UGYU HQS 3OCKN



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</pre>	FAILED	0.011 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/004_ForgotUsernamePwd.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin clicks forgot username or password link	SKIPPED	0.001 s
3	Then Admin should see "Email" text in gray color	SKIPPED	0.000 s


@GSKHZ GOCKN UGYU KP UGYU HKGNF



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre>	FAILED	0.009 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<p>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/004_ForgotUsernamePwd.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin clicks forgot username or password link	SKIPPED	0.000 s
3	Then Admin should see "Email" in text field	SKIPPED	0.000 s

@GSKHZ TGPF NKPM DVUUQP KT RSGTGPU



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/input[@type='submit'] }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 004_ForgotUsernamePwd.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.008 s
2	When Admin clicks forgot username or password link	SKIPPED	0.000 s
3	Then Admin should see "send Link" button	SKIPPED	0.000 s


@GSKHZ CTUGSKM PGCS 3OCKN UGYU



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit'] "} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy{}, se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131)</pre>	FAILED	0.012 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<p>at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131)</p> <p>at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/004_ForgotUsernamePwd.feature:4)</p> <p>* Not displayable characters are replaced by '?'.</p>		
2	When Admin clicks forgot username or password link	SKIPPED	0.000 s
3	Then Admin should see asterik symbol need Email	SKIPPED	0.000 s


@GSKHZ UGYU TRGNNKPI



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is in login page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy{}, se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)	FAILED	0.010 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/004_ForgotUsernamePwd.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin clicks forgot username or password link	SKIPPED	0.000 s
3	Then Admin should see correct spellings in all fields	SKIPPED	0.000 s


@GSKHZ UJG CNK I POGPU QH UJG TGPF NKPM DVUUQP



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre>	FAILED	0.009 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 004_ForgotUsernamePwd.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin clicks forgot username or password link	SKIPPED	0.001 s
3	Then Admin should see send link button in center of the page	SKIPPED	0.000 s

@CNIKFCUG GOCKN TGPU HQS HQS I QU RCTTXQSF KP NQ I KP RCIG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in forgot username and password page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[contains(text(),'forget username_Password')]"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=//*[contains(text(),'forget username_Password')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickForgotUnamePwdLink(LoginPage.java:253) at step_definitions.Login_SD.admin_is_in_forgot_username_and_password_page(Login_SD.java:276) at ?.Admin is in forgot username and password page(file:///C:/Users/sreej/eclipse-phase2Automation/ Team17_SeleniumBrewers_Sept23/src/test/resources/features/005_ForgotUsernamePwd_Login.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.011 s
2	When Admin enters valid email id clicks send link button on forgot username or password page	SKIPPED	0.000 s
3	Then Admin should receive link in mail for reset username or password	SKIPPED	0.000 s

@CNKFCUG GOCKN TGPU HQS HQS I QU RCTTXQSF XKUJ KPWCNKF GOCKN KF




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in forgot username and password page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[contains(text(),'forget username_Password')]"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value='//*[contains(text(),'forget username_Password')]'}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\srreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickForgotUnamePwdLink(LoginPage.java:253)</pre>	FAILED	0.009 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<p>at step_definitions.Login_SD.admin_is_in_forgot_username_and_password_page(Login_SD.java:276)</p> <p>at ?.Admin is in forgot username and password page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/005_ForgotUsernamePwd_Login.feature:4)</p> <p>* Not displayable characters are replaced by '?'.</p>		
2	When Admin enters invalid email id clicks send link button on forgot username or password page	SKIPPED	0.000 s
3	Then Admin should not receive link in mail for reset username or password	SKIPPED	0.000 s

<GTGU ; CTTXQSF KP JQOG RCIG




@GSKHZ SGTGU RCTTXQSF NKPM



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is in login page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDatumDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss, unknownError: {}} org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDatumDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss, unknownError: {}}	FAILED	0.009 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 006_ResetPwdHome.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin clicks reset password link	SKIPPED	0.000 s
3	Then Admin should land on reset password page	SKIPPED	0.000 s

@GSKHZ UGYU KP UJG RCIG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/input[@type='submit'] }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 006_ResetPwdHome.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.009 s
2	When Admin clicks reset password link	SKIPPED	0.000 s
3	Then Admin should see correct spellings in all fields	SKIPPED	0.002 s


@GSKHZ TVDOKU DVUUQP KT RSGTGPU



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit'] "} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy{}, se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131)</pre>	FAILED	0.013 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<p>at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131)</p> <p>at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/006_ResetPwdHome.feature:4)</p> <p>* Not displayable characters are replaced by '?'.</p>		
2	When Admin clicks reset password link	SKIPPED	0.001 s
3	Then Admin should see "submit" button	SKIPPED	0.000 s


@GSKHZ UJG CNK I POGPU QH UJG TVDOKU DVUUQP



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</pre>	FAILED	0.010 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/006_ResetPwdHome.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin clicks reset password link	SKIPPED	0.000 s
3	Then Admin should see submit button in center of the page	SKIPPED	0.000 s


@GSKHZ UGYU DQY KT RSGTGPU KT UJG RCIG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre>	FAILED	0.008 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 006_ResetPwdHome.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin clicks reset password link	SKIPPED	0.001 s
3	Then Admin should see two text box	SKIPPED	0.000 s

@GSKHZ HKSTU NCDGN UGYU




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/input[@type='submit'] }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 006_ResetPwdHome.feature:4)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.006 s
2	When Admin clicks reset password link	SKIPPED	0.000 s
3	Then Admin should see "Type in new password" in the first label text	SKIPPED	0.000 s



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit'] "} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy{}, se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131)</pre>	FAILED	0.008 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<p>at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131)</p> <p>at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/006_ResetPwdHome.feature:4)</p> <p>* Not displayable characters are replaced by '?'.</p>		
2	When Admin clicks reset password link	SKIPPED	0.001 s
3	Then Admin should see "Retype password" in the second label text	SKIPPED	0.000 s


WGSKHZ UGYU DQY KT KP FKTCDNGF




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is in login page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy{}, se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)	FAILED	0.008 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/006_ResetPwdHome.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin clicks reset password link	SKIPPED	0.000 s
3	Then Admin should see text box in disabled state	SKIPPED	0.000 s

<GTGU ; CTTXQSF KP 7QIKP ; CIG




WGSKHZ UGYU DQY KT KP GPCDNGF KP PGX RCTTXQSF HKGNF



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin reset password page</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[contains(text(),'Reset Password)] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[contains(text(),'Reset Password)]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=//*[contains(text(),'Reset Password)]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickResetPwdLink(LoginPage.java:247) at step_definitions.Login_SD.admin_reset_password_page(Login_SD.java:358) at ?.Admin reset password page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/007_ResetPasswordLogin.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.018 s
2	When Admin clicks on type in new password field	SKIPPED	0.000 s
3	Then Admin should see text box is enabled state	SKIPPED	0.000 s


WGSKHZ UGYU DQY KT KP GPCDNGF KP SGUZRG RCTTXQSF HKGNF



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin reset password page</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[contains(text(),'Reset Password)] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[contains(text(),'Reset Password)]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=//*[contains(text(),'Reset Password)]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre>	FAILED	0.008 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>at page_objects.LoginPage.clickResetPwdLink(LoginPage.java:247) at step_definitions.Login_SD.admin_reset_password_page(Login_SD.java:358) at ?.Admin reset password page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/007_ResetPasswordLogin.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin clicks on retype password field	SKIPPED	0.000 s
3	Then Admin should see text box is enabled state	SKIPPED	0.000 s


@C1KFCUG SGTGU RCTTXQSF XRUJ WC1KF FGUCKNT



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin reset password page</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[contains(text(),'Reset Password)] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[contains(text(),'Reset Password)]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=//*[contains(text(),'Reset Password)]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre>	FAILED	0.008 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickResetPwdLink(LoginPage.java:247) at step_definitions.Login_SD.admin_reset_password_page(Login_SD.java:358) at ?.Admin reset password page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/007_ResetPasswordLogin.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enters same password on both field and clicks submit button	SKIPPED	0.000 s
3	Then Admin should receive : "Your password has been reset". Please click here to login	SKIPPED	0.000 s


@CNCFCUG SGTGU RCTTXQSF Xkj KPWCNKF FGUCKNT



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin reset password page</p> <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[contains(text(),'Reset Password)] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[contains(text(),'Reset Password)]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=//*[contains(text(),'Reset Password)]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: </pre>	FAILED	0.011 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickResetPwdLink(LoginPage.java:247) at step_definitions.Login_SD.admin_reset_password_page(Login_SD.java:358) at ?.Admin reset password page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/007_ResetPasswordLogin.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin enters same password on both field with invalid details and clicks submit button	SKIPPED	0.000 s
3	Then Error message " Please try agin"	SKIPPED	0.000 s


@CNKFCUG SGTGU RCTTXQSF XKUJ GORUZ FGUCKNT



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin reset password page</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[contains(text(),'Reset Password)] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[contains(text(),'Reset Password)]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=//*[contains(text(),'Reset Password)]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre>	FAILED	0.007 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>at page_objects.LoginPage.clickResetPwdLink(LoginPage.java:247) at step_definitions.Login_SD.admin_reset_password_page(Login_SD.java:358) at ?.Admin reset password page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/007_ResetPasswordLogin.feature:4) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin enters empty details on both fieldand clicks submit button	SKIPPED	0.000 s
3	Then Error message " Please try agin"	SKIPPED	0.000 s


@C1KFCUG SGTGU RCTTXQSF OKTOCUEJ WCIVGT




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin reset password page</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[contains(text(),'Reset Password)] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[contains(text(),'Reset Password)]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=//*[contains(text(),'Reset Password)]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre>	FAILED	0.008 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickResetPwdLink(LoginPage.java:247) at step_definitions.Login_SD.admin_reset_password_page(Login_SD.java:358) at ?.Admin reset password page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/007_ResetPasswordLogin.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enters mismatch values and clicks submit button	SKIPPED	0.000 s
3	Then Error message " Please try agin"	SKIPPED	0.000 s


2CTJDQCSF ; C1G



@GSKHZ CHUGS NQIKP CFOKP NCPFT QP OCPC1G RSQ1SCO CT FCTJDQCSF RC1G




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/input[@type='submit'] }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 008_Dashboard.feature:6) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.009 s
2	When Admin enter valid credentials and clicks login button	SKIPPED	0.000 s
3	Then Admin should see manage program as header	SKIPPED	0.000 s



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit'] "} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/input[@type='submit'] }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131)</pre>	FAILED	0.007 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/008_Dashboard.feature:6) * Not displayable characters are replaced by '?'. 2 When Admin enter valid credentials and clicks login button 3 Then Maximum navigation time in milliseconds, defaults to 30 seconds		
2	When Admin enter valid credentials and clicks login button	SKIPPED	0.000 s
3	Then Maximum navigation time in milliseconds, defaults to 30 seconds	SKIPPED	0.000 s


@GSKHZ DSQMGP NKPM



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is in login page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy{}, se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)	FAILED	0.008 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/008_Dashboard.feature:6) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enter valid credentials and clicks login button	SKIPPED	0.000 s
3	Then Dashboard_HTTP response should be >= 400 for broken link	SKIPPED	0.000 s


@GSKHZ 7 8 = UKUNG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is in login page <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit'] "} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=//input[@type='submit'] }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre>	FAILED	0.006 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 008_Dashboard.feature:6) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enter valid credentials and clicks login button	SKIPPED	0.001 s
3	Then Admin should see LMS -Learning management system as title	SKIPPED	0.000 s

@GSKHZ 7 8 = UKUNG CNK IPOGPU




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/input[@type='submit'] }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 008_Dashboard.feature:6) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.007 s
2	When Admin enter valid credentials and clicks login button	SKIPPED	0.000 s
3	Then LMS title should be on the top left corner of page	SKIPPED	0.000 s



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit'] "} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/input[@type='submit'] }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131)</pre>	FAILED	0.006 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/008_Dashboard.feature:6) * Not displayable characters are replaced by '?'. 2 When Admin enter valid credentials and clicks login button 3 Then Admin should see correct spelling in navigation bar text		
2	When Admin enter valid credentials and clicks login button	SKIPPED	0.000 s
3	Then Admin should see correct spelling in navigation bar text	SKIPPED	0.000 s


@CNKFCUG 78 = UKUNG JCT EQSSGEU TRGNNKP1 CPF TRCEG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is in login page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy{}, se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)	FAILED	0.007 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/008_Dashboard.feature:6) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enter valid credentials and clicks login button	SKIPPED	0.000 s
3	Then Admin should see correct spelling and space in LMS title	SKIPPED	0.000 s


@CNIKFCUG CNIK IPOGPU HQS PCWK I CUKQP DCS




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre>	FAILED	0.008 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 008_Dashboard.feature:6) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enter valid credentials and clicks login button	SKIPPED	0.000 s
3	Then Admin should see the navigation bar text on the top right side	SKIPPED	0.001 s

@CNIKFCUG PCWK I CUKQP DCS QSFGS ' TU =UVFGPU




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/input[@type='submit'] }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 008_Dashboard.feature:6) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.008 s
2	When Admin enter valid credentials and clicks login button	SKIPPED	0.001 s
3	Then Admin should see student in the 1st place	SKIPPED	0.000 s



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit'] "} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/input[@type='submit'] }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131)</pre>	FAILED	0.008 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/008_Dashboard.feature:6) * Not displayable characters are replaced by '?'. 2 When Admin enter valid credentials and clicks login button 3 Then Admin should see program in the 2nd place		
2	When Admin enter valid credentials and clicks login button	SKIPPED	0.000 s
3	Then Admin should see program in the 2nd place	SKIPPED	0.000 s


@CNKFCUG PCWK I CUKQP DCS QSFGS)SF OCUEJ



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is in login page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy{}, se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)	FAILED	0.007 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/008_Dashboard.feature:6) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enter valid credentials and clicks login button	SKIPPED	0.000 s
3	Then Admin should see batch in the 3rd place	SKIPPED	0.000 s


@CNKFCUG PCWK I CUQP DCS QSFGS *UJ 1NCTT




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre>	FAILED	0.007 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 008_Dashboard.feature:6) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enter valid credentials and clicks login button	SKIPPED	0.000 s
3	Then Admin should see class in the 4th place	SKIPPED	0.000 s

@CNIKFCUG PCWK I CUKQP DCS QSFGS +UJ ?TGS




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/input[@type='submit'] }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/ 008_Dashboard.feature:6) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.008 s
2	When Admin enter valid credentials and clicks login button	SKIPPED	0.000 s
3	Then Admin should see student in the 5th user	SKIPPED	0.000 s



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit'] "} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/input[@type='submit'] }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131)</pre>	FAILED	0.007 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/008_Dashboard.feature:6) * Not displayable characters are replaced by '?'. 2 When Admin enter valid credentials and clicks login button 3 Then Admin should see student in the 6th assignment		
2	When Admin enter valid credentials and clicks login button	SKIPPED	0.000 s
3	Then Admin should see student in the 6th assignment	SKIPPED	0.000 s


@CNKFCUG PCWK I CUKQP DCS QSFGS -UJ / UGPFCPEG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</pre>	FAILED	0.009 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/008_Dashboard.feature:6) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enter valid credentials and clicks login button	SKIPPED	0.000 s
3	Then Admin should see student in the 7th attendance	SKIPPED	0.000 s

@CNIKFCUG PCWK I CUKQP DCS QSFGS .UJ 7QI QVU




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in login page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='submit']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=//input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre>	FAILED	0.008 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.LoginPage.clickLoginBtn(LoginPage.java:131) at step_definitions.Login_SD.admin_is_in_login_page(Login_SD.java:131) at ?.Admin is in login page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/008_Dashboard.feature:6) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin enter valid credentials and clicks login button	SKIPPED	0.000 s
3	Then Admin should see student in the 8th logout	SKIPPED	0.000 s

7Q1QVU HVPEUKQP




@GSKHZ 7Q1QVU DVUUQP HVPEUKQP



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is in dashboard page	PASSED	0.001 s
2	<p>When Admin click Logout button on navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Lgout"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=Lgout}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre>	FAILED	0.013 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at step_definitions.Dashboard_SD.admin_click_logout_button_on_navigation_bar(Dashboard_SD.java:173) at ?.Admin click Logout button on navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_Logout.feature:7) * Not displayable characters are replaced by '?'.		
3	Then Admin should land on login in page	SKIPPED	0.000 s

=UVFGPU**@CNKFCUG UJG UKUNG QH UJG RC1G**

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal as Admin	PASSED	0.006 s
2	Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}	FAILED	0.231 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<p>true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/ Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'.</p>		
3	When Admin clicks Student on the navigation bar	SKIPPED	0.000 s
4	Then Admin should see the Student details Page Title	SKIPPED	0.001 s


@CNIKFCUG SGTRQPTG UKOG HSQO FCTJDQCSF RCIG UQ TUVFGPU RCIG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal as Admin	PASSED	0.003 s
2	<p>Given Student_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(),</pre>	FAILED	0.143 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'.</pre>		
3	When Admin clicks Student on the navigation bar	SKIPPED	0.000 s
4	Then Student_Maximum navigation time in milliseconds, defaults to 30 seconds	SKIPPED	0.000 s


@CNKFCUG UJG DSQMPG NKPM



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal as Admin	PASSED	0.002 s
2	Given Student_Admin is on dashboard page after Login <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/}</pre>	FAILED	0.124 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> login]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. </pre>		
3	When Admin clicks Student on the navigation bar	SKIPPED	0.000 s
4	Then Student_HTTP response >= 400. Then the link is broken	SKIPPED	0.000 s


@GSKHZ 7 8 = UKUNG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal as Admin	PASSED	0.003 s
2	Given Student_Admin is on dashboard page after Login	FAILED	0.125 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'.</pre>		
3	When Admin clicks Student on the navigation bar	SKIPPED	0.000 s
4	Then Admin should see LMS -Learning management system as title	SKIPPED	0.000 s

@GSKHZ UJG CNK I POGPU QH UJG =UVFGPU FGUCKN UKUNG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal as Admin	PASSED	0.003 s
2	Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. / 2:06:40.868 AM // 2:06:41.016 AM / Student @Student @TestStudent6	FAILED	0.116 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.000 s
4	Then Student Detail title should be in centre of the page	SKIPPED	0.000 s

@CNKFCUG FSQR FQXP KT RSGTGPU KP UJG RCIG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal as Admin	PASSED	0.003 s
2	Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. / 2:06:41.026 AM // 2:06:41.142 AM / Student @Student @TestStudent7	FAILED	0.141 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.000 s
4	Then 2 dropdowns should be present in the page	SKIPPED	0.000 s

@CNKFCUG TGCSEJ DCS KP TGNGEU TUVFGPU PCOG FSQR FQXP




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal as Admin	PASSED	0.002 s
2	Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. / 2:06:41.153 AM // 2:06:41.266 AM / Student @Student @TestStudent8	FAILED	0.111 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.001 s
4	Then Admin should see search box inside the drop down	SKIPPED	0.000 s

@CNKFCUG TGCSEJ DCS KP TGNGEU DCUEJ KF FSQR FQXP




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal as Admin	PASSED	0.003 s
2	Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. / 2:06:41.276 AM // 2:06:41.388 AM / Student @Student @TestStudent9	FAILED	0.106 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.001 s
4	Then Admin should see search box inside batch id drop down	SKIPPED	0.000 s

@CNKFCUG UGYU TRGNKKPI TUVFGPU PCOG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal as Admin	PASSED	0.002 s
2	Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. / 2:06:41.396 AM // 2:06:41.506 AM / Student @TestStudent10 @Student	FAILED	0.106 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.000 s
4	Then Admin should see correct spelling select student name	SKIPPED	0.000 s

@CNKFCUG UGYU TRGNKPKI TGNGEU DCUEJ KF




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal as Admin	PASSED	0.003 s
2	Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. / 2:06:41.514 AM // 2:06:41.631 AM / Student @Student @TestStudent11	FAILED	0.104 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.000 s
4	Then Admin should see correct spelling select batch id text	SKIPPED	0.000 s

@CNKFCUG QPNZ PVODGST KPTKFG TGNGEU DCUEJ KF




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal as Admin	PASSED	0.002 s
2	Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. / 2:06:41.643 AM // 2:06:41.798 AM / Student @Student @TestStudent12	FAILED	0.112 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.000 s
4	Then Admin should see only numbers inside batch id drop down	SKIPPED	0.000 s

@CNKFCUG ISCZ EQNQS KP TUVFGPU PCOG FSQR FQXP




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal as Admin	PASSED	0.002 s
2	Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. / 2:06:41.810 AM // 2:06:42.034 AM / Student @Student @TestStudent13	FAILED	0.150 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.000 s
4	Then Admin should see select student name in gray color	SKIPPED	0.001 s

@CNKFCUG ISCZ EQNQS KP TUVFGPU PCOG FSQR FQXP




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal as Admin	PASSED	0.003 s
2	Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. / 2:06:42.048 AM // 2:06:42.265 AM / Student @Student @TestStudent14	FAILED	0.217 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.000 s
4	Then Admin should see select batch ID in gray color	SKIPPED	0.001 s

@CNKFCUG HKSTU FSQR FQXP NCDGN KT TGNGEU TUVFGPU PCOG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal as Admin	PASSED	0.003 s
2	Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. / 2:06:42.277 AM // 2:06:42.484 AM / Student @Student @TestStudent15	FAILED	0.210 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.000 s
4	Then Admin should see select student name in first	SKIPPED	0.000 s

@CNKFCUG TGEQPF FSQR FQXP NCDGN KT TGNGEU DCUEJ KF




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal as Admin	PASSED	0.003 s
2	Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. / 2:06:42.495 AM // 2:06:42.711 AM / Student @Student @TestStudent16	FAILED	0.201 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.000 s
4	Then Admin should see select batch id in second	SKIPPED	0.001 s

@CNKFCUG TESQNN FQXP KPTKFG TUVFGPU PCOG FSQRFQXP




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal as Admin	PASSED	0.003 s
2	Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. / 2:06:42.722 AM // 2:06:42.961 AM / Student @Student @TestStudent17	FAILED	0.211 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.000 s
4	Then Admin should able to scroll down to select the name	SKIPPED	0.000 s

@CNKFCUG TESQNN FQXP KPTKFG DCUEJ KF FSQRFQXP




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal as Admin	PASSED	0.003 s
2	Given Student_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.Student.admin_is_on_dashboard_page_after_login(Student.java:59) at ?.Student_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/009_student1_PageVerification.feature:5) * Not displayable characters are replaced by '?'. / 2:06:42.976 AM // 2:06:48.046 AM / Student @Student @TestStudent18	FAILED	0.233 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.000 s
4	Then Admin should able to scroll down to select the batch id	SKIPPED	0.000 s

@CNKFCUG TGNGEU TUVFGPU PCOG KT HCFKP I




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is logged in and on the student Details page	PASSED	0.002 s
2	Given Admin is on student details page	PASSED	0.000 s
3	When Admin select student name from the drop down	PASSED	0.001 s
4	Then Admin should not see select student name text org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text", "selector":"Select Student Name"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=Select Student Name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.Student.admin_should_not_see_select_student_name_text(Student.java:265) at ?.Admin should not see select student name text(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/010_student2_PageVerification.feature:10)	FAILED	5.063 s



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is logged in and on the student Details page	PASSED	0.002 s
2	Given Admin is on student details page	PASSED	0.000 s
3	When Admin select batch id from the drop down	PASSED	0.000 s
4	<p>Then Admin should not see select batch id text</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text", "selector":"Select batch id"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=Select batch id}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)</pre>	FAILED	5.040 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.Student.admin_should_not_see_select_batch_id_text(Student.java:279) at ?.Admin should not see select batch id text(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/010_student2_PageVerification.feature:16) * Not displayable characters are replaced by '?'. </pre>		


@CNKFCUG TGNGEU TUVFGPU PCOG VTkpI TGCSEJ DQY



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is logged in and on the student Details page	PASSED	0.002 s
2	Given Admin is on student details page	PASSED	0.000 s
3	<p>When Admin clicks select student name and enters x alphabet in the search box</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"text inside a student name dropdown"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=text inside a student name dropdown}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) </pre>	FAILED	5.038 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at step_definitions.Student.admin_clicks_select_student_name_and_enters_x_alphabet_in_the_search_box(Student.java:287) at ?.Admin clicks select student name and enters x alphabet in the search box(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/010_student2_PageVerification.feature:21) * Not displayable characters are replaced by '?'. </pre>		
4	Then Admin should see student name start with x is listed below	SKIPPED	0.000 s


@CNKFCUG TGNGEU DCUEJ KF VTKP I TGCSEJ DQY



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is logged in and on the student Details page	PASSED	0.003 s
2	Given Admin is on student details page	PASSED	0.000 s
3	<p>When Admin clicks select batch id and enter 1 number in the search box</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"text inside a batch id dropdown"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=text inside a batch id dropdown}] Capabilities: {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 </pre>	FAILED	5.051 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>(1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at step_definitions.Student.admin_clicks_select_batch_id_and_enter_x_number_in_the_search_box(Student.java:319) at ?.Admin clicks select batch id and enter 1 number in the search box(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/010_student2_PageVerification.feature:27) * Not displayable characters are replaced by '?'.</pre>		
4	Then Admin should see batch id start with 1 is listed below	SKIPPED	0.000 s

@CNKFCUG TGNGEUKP I QPNZ TUVFGPU PCOG XKN PQU FKTRNCZ CPZ FGUCKNT



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is logged in and on the student Details page	PASSED	0.002 s
2	Given Admin is on student details page	PASSED	0.001 s
3	When Admin selects only student name org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Select Student Name"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=Select Student Name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at step_definitions.Student.admin_selects_only_student_name(Student.java:351) at ?.Admin selects only student name(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/010_student2_PageVerification.feature:33) * Not displayable characters are replaced by '?'.	FAILED	5.035 s
4	Then Student details should not be displayed	SKIPPED	0.000 s


@CNKFCUG TGNGEUKP I QPNZ DCUEJ KF XNN PQU FKTRNCZ CPZ FGUCKNT



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is logged in and on the student Details page	PASSED	0.003 s
2	Given Admin is on student details page	PASSED	0.000 s
3	<p>When Admin selects only batch id</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Select Student Name"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=Select Student Name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre>	FAILED	5.048 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at jdk.proxy2/jdk.proxy2.\$Proxy43.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at step_definitions.Student.admin_selects_only_batch_id(Student.java:371) at ?.Admin selects only batch id(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/010_student2_PageVerification.feature:39) * Not displayable characters are replaced by '?'. </pre>		
4	Then Student details should not be displayed	SKIPPED	0.000 s


@CNKFCUG TGNGEUKP I TUVFGPU PCOG CPF DCUE J KF



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is logged in and on the student Details page	PASSED	0.004 s
2	Given Admin is on student details page	PASSED	0.000 s
3	<p>When Admin selects student name and batch id</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Select Student Name"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=Select Student Name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) </pre>	FAILED	5.039 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at step_definitions.Student.admin_selects_student_name_and_batch_id(Student.java:383) at ?.Admin selects student name and batch id(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/010_student2_PageVerification.feature:45) * Not displayable characters are replaced by '?'. </pre>		
4	Then Particular student information should be displayed	SKIPPED	0.000 s


; SQ ISCO NKPMP QP PCWK I CUKQP DCS



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is logged in and on the student Details page	PASSED	0.002 s
2	Given Admin is on student details page	PASSED	0.001 s
3	When Admin clicks on program link on student page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Program"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:	FAILED	5.005 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<p>[5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=Program}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at step_definitions.Student.admin_clicks_on_program_link_on_student_page(Student.java:408) at ?.Admin clicks on program link on student page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/011_student3_NavigationValidation.feature:9) * Not displayable characters are replaced by '?'.</pre>		
4	Then Admin is redirected to Program page	SKIPPED	0.000 s


OCUEJ NKPMP QP PCWK I CUKQP DCS



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is logged in and on the student Details page	PASSED	0.003 s
2	Given Admin is on student details page	PASSED	0.000 s
3	<p>When Admin clicks on Batch link on student page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Batch"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=Batch}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre>	FAILED	5.065 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at step_definitions.Student.admin_clicks_on_batch_link_on_student_page(Student.java:421) at ?.Admin clicks on Batch link on student page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/011_student3_NavigationValidation.feature:15) * Not displayable characters are replaced by '?'.		
4	Then Admin is redirected to Batch page	SKIPPED	0.000 s


1 NCTT MKPM QP PCWK I CUKQP DCS



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is logged in and on the student Details page	PASSED	0.002 s
2	Given Admin is on student details page	PASSED	0.001 s
3	When Admin clicks on Class link on student page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=Class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	FAILED	5.009 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at step_definitions.Student.admin_clicks_on_class_link_on_student_page(Student.java:434) at ?.Admin clicks on Class link on student page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/011_student3_NavigationValidation.feature:21) * Not displayable characters are replaced by '?'. </pre>		
4	Then Admin is redirected to Class page	SKIPPED	0.000 s


?TGS NKPM QP PCWK I CUKQP DCS



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is logged in and on the student Details page	PASSED	0.003 s
2	Given Admin is on student details page	PASSED	0.000 s
3	When Admin clicks on User link on student page <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"User"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5ef652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=User}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: </pre>	FAILED	5.059 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at step_definitions.Student.admin_clicks_on_user_link_on_student_page(Student.java:447) at ?.Admin clicks on User link on student page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/011_student3_NavigationValidation.feature:27) * Not displayable characters are replaced by '?'.</pre>		
4	Then Admin is redirected to User page	SKIPPED	0.000 s

/ TTKIPOGPU NKPM QP PCWKICUKQP DCS



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is logged in and on the student Details page	PASSED	0.003 s
2	Given Admin is on student details page	PASSED	0.000 s
3	When Admin clicks on Assignment link on student page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Assignment"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=Assignment}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at step_definitions.Student.admin_clicks_on_assignment_link_on_student_page(Student.java:460) at ?.Admin clicks on Assignment link on student page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/011_student3_NavigationValidation.feature:33) * Not displayable characters are replaced by '?'. 	FAILED	5.020 s
4	Then Admin is redirected to Assignment page	SKIPPED	0.001 s


/ UUGPFCPEG NKPQ QP PCWK I CUKQP DCS



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is logged in and on the student Details page	PASSED	0.002 s
2	Given Admin is on student details page	PASSED	0.000 s
3	<p>When Admin clicks on Attendance link on student page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Attendance"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=Attendance}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre>	FAILED	5.022 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at step_definitions.Student.admin_clicks_on_attendance_link_on_student_page(Student.java:473) at ?.Admin clicks on Attendance link on student page(file:///C:/Users/sreej/eclipse-phase2Automation/ Team17_SeleniumBrewers_Sept23/src/test/resources/features/011_student3_NavigationValidation.feature:39) * Not displayable characters are replaced by '?'.		
4	Then Admin is redirected to Attendance page	SKIPPED	0.000 s

7Q1QVU NKPM QP PCWK1 CUKQP DCS




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is logged in and on the student Details page	PASSED	0.002 s
2	Given Admin is on student details page	PASSED	0.000 s
3	When Admin clicks on Logout link on student page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Lgout"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=Lgout}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDatumDir: C:\Users\sreej\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	FAILED	5.018 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at step_definitions.Student.admin_clicks_on_logout_link_on_student_page(Student.java:486) at ?.Admin clicks on Logout link on student page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/011_student3_NavigationValidation.feature:45) * Not displayable characters are replaced by '?'. </pre>		
4	Then Admin is redirected to Login page	SKIPPED	0.000 s

8 CPC1G RSQ1SCO WCNKFCU1QP




@CNKFCUG NCPIKP1 KP ; SQ1SCO RC1G




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.004 s
2	Given Program_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'. / 2:07:54.018 AM // 2:07:54.265 AM / Manage program validation @programvalidationpart1 @Test_suit_program02	FAILED	0.287 s
3	When Admin clicks "Program" on the navigation bar	SKIPPED	0.000 s
4	Then Admin should see URL with "Manage Program"	SKIPPED	0.000 s

@CNKFCUG UJG JGCFKP I




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	Given Program_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'. at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6)	FAILED	0.244 s
3	When Admin clicks "Program" on the navigation bar	SKIPPED	0.000 s
4	Then Admin should see a heading with text "Manage Program" on the page	SKIPPED	0.000 s

@CNKFCUG UJG UGYU CPF RC IKPCUKQP KEQP DGNQX UJG FCUC VCDNG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	Given Program_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'. / 2:07:54.509 AM // 2:07:54.754 AM / Manage program validation @programvalidationpart1 @Test_suit_program04	FAILED	0.226 s
3	When Admin clicks "Program" on the navigation bar	SKIPPED	0.000 s
4	Then Admin should see the text as "Showing x to y of z entries" along with Pagination icon	SKIPPED	0.000 s

@CNKFCUG UJG HQQUGS




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	Given Program_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'. / 2:07:54.764 AM // 2:07:54.997 AM / Manage program validation @programvalidationpart1 @Test_suit_program05	FAILED	0.240 s
3	When Admin clicks "Program" on the navigation bar	SKIPPED	0.000 s
4	Then Admin should see the footer as "In total there are z programs"	SKIPPED	0.000 s

@CNKFCUKP I UJG FGHCVNU TUCUG QH 2GNGUG DVUUQP




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	Given Program_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'. / 2:07:55.006 AM // 2:07:55.249 AM / Manage program validation @Test_suit_program06 @programvalidationpart1	FAILED	0.229 s
3	When Admin clicks "Program" on the navigation bar	SKIPPED	0.000 s
4	Then Admin should see a Delete button on the top left hand side as Disabled	SKIPPED	0.000 s

@CNKFCUG / FF 9GX ; SQ ISCO




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.003 s
2	Given Program_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'. / 2:07:55.257 AM // 2:07:55.488 AM / Manage program validation @Test_suit_program07 @programvalidationpart1	FAILED	0.237 s
3	When Admin clicks "Program" on the navigation bar	SKIPPED	0.000 s
4	Then Admin should see a "+A New Program" button on the program page above the data table	SKIPPED	0.000 s

@CNKFCUG UJCU PVODGS QH SGEQSFT !SQXT QH FCUC KP UJG UCDNG" FKTRNCZGF




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	<p>Given Program_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.228 s
3	When Admin clicks "Program" on the navigation bar	SKIPPED	0.000 s
4	Then Admin should see the number of records (rows of data in the table) displayed on the page are 5	SKIPPED	0.000 s

@GSKHZ FCUC UCDNG QP UJG ; SQISCO RCIG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	Given Program_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'. 	FAILED	0.227 s
3	When Admin clicks "Program" on the navigation bar	SKIPPED	0.000 s
4	Then Admin should see data table on the Manage Program Page with column headers like Program Name, Program Description, Program Status, Edit,Delete	SKIPPED	0.000 s

@GSKHZ =QSU CSSQX KEQP QP UJG FCUC UCDNG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	<p>Given Program_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.220 s
3	When Admin clicks "Program" on the navigation bar	SKIPPED	0.000 s
4	Then Admin should see the sort arrow icon beside to each column header except Edit and Delete	SKIPPED	0.000 s

@GSKHZ 1 JGEM DQY QP UJG FCUC UCDNG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.003 s
2	<p>Given Program_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.265 s
3	When Admin clicks "Program" on the navigation bar	SKIPPED	0.000 s
4	Then Admin should see check box on the left side in all rows of the data table	SKIPPED	0.000 s

@GSKHZ 3FKU CPF 2GNGUG DVUUQPT





	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	<p>Given Program_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.227 s
3	When Admin clicks "Program" on the navigation bar	SKIPPED	0.000 s
4	Then Admin should see the Edit and Delete buttons on each row of the data table	SKIPPED	0.000 s

@GSKHZ =GCSEJ DCS QP UJG ; SQ ISCO RCIG





	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	<p>Given Program_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/012_Manageprogramvalidation1.feature:6) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.244 s
3	When Admin clicks "Program" on the navigation bar	SKIPPED	0.000 s
4	Then Admin should see Search bar with text as "Search..."	SKIPPED	0.000 s

=GCSEJ ; SQISCO OZ 9COG

FAILED	DURATION - 0.004 s		Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	
/ 2:07:56.739 AM // 2:07:56.743 AM /				
<i>Manage program validation</i>				
@programvalidationpart1 @programvalidationpart2 @Test_suit_program13				

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on dashboard page after Login <i>Step undefined</i>	FAILED	0.001 s
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Manage Program Page	SKIPPED	0.000 s
5	When Admin enters <Program name> into search box.	SKIPPED	0.000 s
6	Then Admin should see the Programs displayed based on the Program Name	SKIPPED	0.000 s



=GCSEJ ; SQISCO OZ 2GTESKRUKQP

FAILED	DURATION - 0.005 s		Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	
/ 2:07:56.752 AM // 2:07:56.757 AM /				
<i>Manage program validation</i>				
@programvalidationpart1 @programvalidationpart2 @Test_suit_program14				

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on dashboard page after Login <i>Step undefined</i>	FAILED	0.001 s
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Manage Program Page	SKIPPED	0.000 s



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
5	When Admin enters <Program description phrase> into search box	SKIPPED	0.000 s
6	Then Admin should see the Programs displayed based on the Program Description	SKIPPED	0.000 s

=GCSEJ ; SQISCO OZ =UCUVT

FAILED	DURATION - 0.004 s	 / 2:07:56.766 AM // 2:07:56.770 AM /	Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	 6

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on dashboard page after Login	FAILED	0.001 s
	Step undefined		
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Manage Program Page	SKIPPED	0.000 s
5	When Admin enters <Program status phrase> into search box.	SKIPPED	0.000 s
6	Then Admin should see the Programs displayed based on the Program Status	SKIPPED	0.000 s

@CNKFCUKPI UJG =GCSEJ XUJ VPSGNCUGF MGZXQSF


FAILED	DURATION - 0.004 s	 / 2:07:56.780 AM // 2:07:56.784 AM /	Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	 6

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on dashboard page after Login Step undefined	FAILED	0.001 s
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Manage Program Page	SKIPPED	0.000 s
5	When Admin enters the "keywords" not present in the data table on the Search box	SKIPPED	0.000 s
6	Then Admin should see zero entries on the data table	SKIPPED	0.000 s

/ FF 9GX ;SQISCO




@CNKFCUG ;SQISCO 2GUCKNT ;QRVR XKPFQX



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on dashboard page after Login Step undefined	FAILED	0.000 s
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Manage Program Page	SKIPPED	0.000 s
5	When Admin clicks <A New Program>button	SKIPPED	0.000 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
6	Then Admin should see a popup open for Program details with empty form along with <SAVE> and <CANCEL> button and Close(X) Icon on the top right corner of the window	SKIPPED	0.000 s

@CNKFCUG KPRVU HKGNFT CPF UJGKS UGYU DQYGT KP ; SQ ISCO FGUCKNT HQSO




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	When Admin is on dashboard page after Login	FAILED	0.000 s
	<i>Step undefined</i>		
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Manage Program Page	SKIPPED	0.000 s
5	When Admin clicks <A New Program>button	SKIPPED	0.000 s
6	Then Admin should see two input fields and their respective text boxes in the program details window	SKIPPED	0.000 s

@CNKFCUG SCFKQ DVUUQP HQS ; SQ ISCO =UCUVT



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
2	When Admin is on dashboard page after Login Step undefined	FAILED	0.000 s
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Manage Program Page	SKIPPED	0.000 s
5	When Admin clicks <A New Program>button	SKIPPED	0.000 s
6	Then Admin should see two radio button for Program Status	SKIPPED	0.000 s

3ORUZ HQSO TVDO\TTKQP

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.003 s
2	When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)	FAILED	0.296 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/015_addprogram.feature:7) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on "Program Details" Popup window	SKIPPED	0.000 s
5	When Admin clicks <Save> button without entering any data	SKIPPED	0.000 s
6	Then Admin gets a Error message alert	SKIPPED	0.000 s


3PUGS QPNZ ;SQ ISCO 9COG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	<p>When Admin is on Manage Program page after Login</p> <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram. lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre>	FAILED	0.246 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP		
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/015_addprogram.feature:7) * Not displayable characters are replaced by '?'. </pre>				
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s		
4	Given Admin is on "Program Details" Popup window	SKIPPED	0.000 s		
5	When Admin enters only "ProgramName" in text box and clicks Save button	SKIPPED	0.000 s		
6	Then Admin gets a message alert 'Description is required'	SKIPPED	0.003 s		
	<table border="1"> <tr> <td>ProgramName</td> </tr> <tr> <td>Jan23-Seleniumbrewer-SDET-201-1001</td> </tr> </table>	ProgramName	Jan23-Seleniumbrewer-SDET-201-1001		
ProgramName					
Jan23-Seleniumbrewer-SDET-201-1001					


3PUGS QPNZ ; SQ ISCO 2GTESKRUKQP



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.003 s
2	<p>When Admin is on Manage Program page after Login</p> <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram. </pre>	FAILED	0.256 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP		
	<pre>Ims.com/] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/015_addprogram.feature:7) * Not displayable characters are replaced by '?'.</pre>				
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s		
4	Given Admin is on "Program Details" Popup window	SKIPPED	0.000 s		
5	When Admin enters only the Program Description "ProgramDescription" in text box and clicks Save button	SKIPPED	0.000 s		
6	Then Admin gets a message alert for Description "Name is required"	SKIPPED	0.000 s		
	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td>ProgramDescription</td></tr> <tr><td>Phase II testing</td></tr> </table>	ProgramDescription	Phase II testing		
ProgramDescription					
Phase II testing					

=NGEU =UCUVT QPNZ



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/015_addprogram.feature:7) * Not displayable characters are replaced by '?'. 	FAILED	0.223 s
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on "Program Details" Popup window	SKIPPED	0.000 s
5	When Admin selects only Status and clicks Save button	SKIPPED	0.001 s
6	Then Admin gets a message alert for Name and Description 'Name and Description required'	SKIPPED	0.000 s


@CMKFCUG KPWCNKF WCIVGT QP UJG UGYU EQIVOP



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/015_addprogram.feature:7) * Not displayable characters are replaced by '?'.	FAILED	0.237 s
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on "Program Details" Popup window	SKIPPED	0.000 s
5	When Admin enters only "NumbersORSpecial" char in name and desc column	SKIPPED	0.000 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
6	Then Admin gets a Error message alert for special character specialCharacter (W*%)%)^#)^	SKIPPED	0.001 s


@CMIKFCUG 1CPEGN&1NQTG!A" KEQP QP ;SQ IS CO 2GUCKNT HQSO



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.003 s
2	When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)	FAILED	0.229 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/015_addprogram.feature:7) * Not displayable characters are replaced by '?'.		
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on "Program Details" Popup window	SKIPPED	0.000 s
5	When Admin clicks Cancel-Close(X) Icon on Program Details form	SKIPPED	0.000 s
6	Then Program Details popup window should be closed without saving	SKIPPED	0.000 s


@CNKFCUG =CWG DVUQF QP ;SQ I SCO 2GUCKNT HQSO



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	<p>When Admin is on Manage Program page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre>	FAILED	0.221 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/015_addprogram.feature:7) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on "Program Details" Popup window	SKIPPED	0.000 s
5	When Enter all the required fields with valid values and click Save button	SKIPPED	0.000 s
6	Then Admin gets a message "Successful Program Created" alert and able to see the new program added in the data table	SKIPPED	0.000 s

@CNIKFCUG 1CPEGN DVUUQP QP ; SQ IS CO 2GUCKNT HQSO




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on Manage Program page after Login <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram. lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>	FAILED	0.231 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/015_addprogram.feature:7) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on "Program Details" Popup window	SKIPPED	0.000 s
5	When Admin clicks <Cancel>button	SKIPPED	0.000 s
6	Then Admin can see the Program details popup disappears without creating any program	SKIPPED	0.000 s


3FKU ;SQ I SCO 2GUCKNT



@CNKFCUG 3FKU 4GCUVSG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on dashboard page after Login Step undefined	FAILED	0.000 s
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Manage Program Page	SKIPPED	0.000 s
5	When Admin clicks <Edit> button on the data table for any row	SKIPPED	0.000 s
6	Then Admin should see a popup open for Program details to edit	SKIPPED	0.000 s

3F^{KU} ; SQ ISCO 9COG

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.003 s
2	When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy}, se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)	FAILED	0.230 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP		
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/017_Editprogramdeatil.feature:6) * Not displayable characters are replaced by '?'. </pre>				
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s		
4	Given Admin is on Program Details Popup window to Edit	SKIPPED	0.000 s		
5	When Admin edits the Name column and clicks save button	SKIPPED	0.000 s		
6	<p>Then Admin gets a message "Successful Program Updated" alert and able to see the updated name in the table for the particular program</p> <table border="1"> <tr> <td>expectedMessage</td> </tr> <tr> <td>Successful Program Updated</td> </tr> </table>	expectedMessage	Successful Program Updated	SKIPPED	0.000 s
expectedMessage					
Successful Program Updated					



3F^{KU} ; SQ I SCO FGTESKRUKQP



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	<p>When Admin is on Manage Program page after Login</p> <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram. lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre>	FAILED	0.215 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/017_Editprogramdeatil.feature:6) * Not displayable characters are replaced by '?'.</pre>		
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Manage Program Page	SKIPPED	0.000 s
5	When Admin edits the Description column and clicks save button	SKIPPED	0.000 s
6	Then Admin gets a message "Successful Program Updated" alert and able to see the updated description in the table for the particular program expectedMessage Successful Program Updated	SKIPPED	0.000 s

1 JCP1G ;SQ1SCO =UCUVT

FAILED	DURATION - 0.228 s	 <p>A bar chart with a single black bar at position 2, reaching a height of approximately 0.228 on the y-axis. The x-axis is labeled with numbers 1 through 6. The y-axis has tick marks at 0, 0.1, 0.2, and 0.3.</p>	<p>Steps</p> <p>Total - 6</p> <p>Pass - 1</p> <p>Fail - 1</p> <p>Skip - 4</p>  <p>A donut chart divided into four segments: yellow (approx. 50%), red (approx. 25%), green (approx. 10%), and blue (approx. 15%). The number '6' is displayed in the center of the chart.</p>
/ 2:07:59.391 AM // 2:07:59.619 AM /	Edit Program Details		
@Editprogram @Editprogramdeatil			
@Test_suit_program03			

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/017_Editprogramdeatil.feature:6) * Not displayable characters are replaced by '?'. expectedMessage Successful Program Updated	FAILED	0.224 s
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Program Details Popup window to Edit	SKIPPED	0.000 s
5	When Admin changes the Status and clicks save button	SKIPPED	0.000 s
6	Then Admin gets a message "Successful Program Updated" alert and able to see the updated status in the table for the particular program expectedMessage Successful Program Updated	SKIPPED	0.000 s


@C\KFCUG KPWC\KF WC\VG T QP UJG UGYU EQ\VO P



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/017_Editprogramdeatil.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.220 s
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Program Details Popup window to Edit	SKIPPED	0.000 s
5	When Admin enters only numbers or special "NumbersORSpecial" char in name and desc column	SKIPPED	0.000 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
6	Then Admin gets a Error message alert "Alert Message" specialCharacter (W*%)%)^#)^	SKIPPED	0.000 s


@CMKFCUG 1CPEGN DVUUQP QP 3FKU RQRVR



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)	FAILED	0.220 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/017_Editprogramdeatil.feature:6) * Not displayable characters are replaced by '?'.		
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Program Details Popup window to Edit	SKIPPED	0.000 s
5	When Admin clicks <Cancel>button on edit popup	SKIPPED	0.000 s
6	Then Admin can see the Program details popup disappears and can see nothing changed for particular program	SKIPPED	0.000 s

@CNKFCUG =CWG DVUQD QP 3FKU RQRVR




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)	FAILED	0.217 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/017_Editprogramdeatil.feature:6) * Not displayable characters are replaced by '?'.		
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Program Details Popup window to Edit	SKIPPED	0.001 s
5	When Admin clicks <Save>button on edit popup	SKIPPED	0.000 s
6	Then Admin gets a message "Successful Program Updated" alert and able to see the updated details in the table for the particular program expectedMessage Successful Program Updated	SKIPPED	0.001 s

2GNGUG ; SQ ISCO




2GNGUG 4GCUVSG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on dashboard page after Login Step undefined	FAILED	0.001 s
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Manage Program Page	SKIPPED	0.000 s
5	When Admin clicks <Delete> button on the data table for any row 1	SKIPPED	0.000 s
6	Then Admin should see a alert open with heading "Confirm" along with <YES> and <NO> button for deletion expectedHeading "Confirm" and button for deletion	SKIPPED	0.000 s

@CNKFCUG FGUCKNT HQS 1QPHKSO 2GNGUKQP HQSO



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	When Admin is on dashboard page after Login Step undefined	FAILED	0.001 s
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Manage Program Page	SKIPPED	0.000 s
5	When Admin clicks <Delete> button on the data table for any row 1	SKIPPED	0.000 s
6	Then Admin should see a message for Program Name "Are you sure you want to delete <Program name>" expectedMessage "Are you sure you want to delete ?"	SKIPPED	0.000 s


1NKEM BGT QP FGNGUKQP XKFQX



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/019_Deleteprogram1.feature:7) * Not displayable characters are replaced by '?'.	FAILED	0.223 s
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Confirm Deletion alert	SKIPPED	0.000 s
5	When Admin clicks <YES> button on the alert	SKIPPED	0.000 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
6	Then Admin gets a message "Successful Program Deleted" alert and able to see that program deleted in the data table	SKIPPED	0.000 s


1 NKEM 9Q QP FGNGUKQP XKPFQX



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/019_Deleteprogram1.feature:7)	FAILED	0.225 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
* Not displayable characters are replaced by '?'.			
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Confirm Deletion alert	SKIPPED	0.000 s
5	When Admin clicks <NO> button on the alert	SKIPPED	0.000 s
6	Then Admin can see the deletion alert disappears without deleting	SKIPPED	0.000 s

@CNIKFCUG 1CPEGN&1NQTG!A" KEQP QP 1QPHKS0 2GNGUKQP CNGSU




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\lsreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.244 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/019_Deleteprogram1.feature:7) * Not displayable characters are replaced by '?'.		
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Confirm Deletion alert	SKIPPED	0.000 s
5	When Admin clicks Cancel or Close(X) icon on Deletion alert	SKIPPED	0.000 s
6	Then Admin can see the deletion alert disappears without any changes	SKIPPED	0.000 s

8 VNUKRNG 2GNGUG ; SQ IS CO




@CMKFCUG 1QOOQP 2GNGUG DVUUQP GPCDNGF CHUGS ENKEMKP I QP CPZ EJGEMDQY



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Program_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/}	FAILED	0.265 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>login]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/020_Multipledelteprogram1.feature:6) * Not displayable characters are replaced by '?'.</pre>		
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Manage Program Page	SKIPPED	0.000 s
5	When Admin clicks any checkbox in the data table	SKIPPED	0.000 s
6	Then Admin should see common delete option enabled under header Manage Program	SKIPPED	0.000 s

@CNKFCUG OVNUKRNG RSQISCO FGNGUKQP DZ TGNGEUKPI =KPING EJGEMDQY



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is on Manage Program page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/021_Multipledeletereprogram2.feature:6) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.274 s
2	When Admin clicks any checkbox in the data table	SKIPPED	0.000 s
3	Then Delete Button on the header Section	SKIPPED	0.000 s
4	Given Admin is on Confirm Deletion alert	SKIPPED	0.000 s
5	When Admin clicks <YES> button on the alert	SKIPPED	0.000 s
6	Then Admin should land on Manage Program page and can see the selected program is deleted from the data table	SKIPPED	0.000 s


@CMKFCUG OVNUKRNG RSQISCO FGNGUKQP DZ TGNGEUKPI =KPING EJGEMDQY



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is on Manage Program page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/021_Multipledeleteprogram2.feature:6) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.221 s
2	When Admin clicks any checkbox in the data table	SKIPPED	0.000 s
3	Then Delete Button on the header Section	SKIPPED	0.000 s
4	Given Admin is on Confirm Deletion alert	SKIPPED	0.000 s
5	When Admin clicks <NO> button on the alert	SKIPPED	0.000 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
6	Then Admin should land on Manage Program page and can see the selected program is not deleted from the data table	SKIPPED	0.000 s


@CNKFCUG OVNUKRNG RSQ I SCO FGNGUKQP DZ TGNGEUKPI OVNUKRNG EJGEM DQYGT



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is on Manage Program page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/022_Multipledeleteprogram3.feature:5)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.259 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
2	When Admin clicks Multiple checkbox in the data table	SKIPPED	0.000 s
3	Then Delete Button on the header Section	SKIPPED	0.000 s
4	Given Admin is on Confirm Deletion alert	SKIPPED	0.000 s
5	When Admin clicks <YES> button on the alert	SKIPPED	0.000 s
6	Then Admin should land on Manage Program page and can see the selected programs are deleted from the data table	SKIPPED	0.000 s

@CNKFCUG OVNUKRNG RSQ I SCO FGNGUKQP DZ TGNGEUKPI OVNUKRNG EJGEM DQYGT




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is on Manage Program page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\lsreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</pre>	FAILED	0.241 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/022_Multipledleteprogram3.feature:5) * Not displayable characters are replaced by '?'.		
2	When Admin clicks Multiple checkbox in the data table	SKIPPED	0.000 s
3	Then Delete Button on the header Section	SKIPPED	0.000 s
4	Given Admin is on Confirm Deletion alert	SKIPPED	0.000 s
5	When Admin clicks <NO> button on the alert	SKIPPED	0.000 s
6	Then Admin should land on Manage Program page and can see the selected programs are not deleted from the data table	SKIPPED	0.000 s

=QSUKP I !2CUC : SFGSKP I " @CNKFCUKQP




@CNKFCUGT =QSUKP I !FCUC QSFGSKP I " QP UJG ; SQ IS CO 2CUC UCDNG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.	FAILED	0.237 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>Ims.com/] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/024_Sortingvalidationprogram.feature:6) * Not displayable characters are replaced by '?'.</pre>		
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Manage Program Page	SKIPPED	0.000 s
5	When Admin clicks the sort icon of program name column	SKIPPED	0.000 s
6	Then The data get sorted on the table based on the program name column values in ascending order	SKIPPED	0.000 s

@CNIKFCUGT =QSUKP I !FCUC QSFGSKP I " QP UJG ;SQ ISCO 2CUC UCDNG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/024_Sortingvalidationprogram.feature:6) * Not displayable characters are replaced by '?'. 	FAILED	0.229 s
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given The data is in the ascending order on the table based on Program Name column	SKIPPED	0.000 s
5	When Admin clicks the sort icon of program name column	SKIPPED	0.000 s
6	Then The data get sorted on the table based on the program name column values in descending order	SKIPPED	0.000 s


@CMKFCUGT =QSUKP I !FCUC QSFGSKP I " QP UJG ;SQ ISCO 2CUC UCDNG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.003 s
2	When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/024_Sortingvalidationprogram.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.225 s
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Manage Program Page	SKIPPED	0.000 s
5	When Admin clicks the sort icon of program Desc column	SKIPPED	0.000 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
6	Then The data get sorted on the table based on the program description column values in ascending order	SKIPPED	0.000 s


@CNIKFCUGT =QSUKP I !FCUC QSFGSKP I" QP UJG ;SQ IS CO 2CUC UCDNG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.005 s
2	<p>When Admin is on Manage Program page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/024_Sortingvalidationprogram.feature:6)</pre>	FAILED	0.220 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	* Not displayable characters are replaced by '?'.		
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given The data is in the ascending order on the table based on Program Description column	SKIPPED	0.000 s
5	When Admin clicks the sort icon of program Desc column	SKIPPED	0.000 s
6	Then The data get sorted on the table based on the program description column values in descending order	SKIPPED	0.000 s


@CNKFCUGT =QSUKP I !FCUC QSFGSKP I " QP UJG ; SQ ISCO 2CUC UCDNG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\lsreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.236 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/024_Sortingvalidationprogram.feature:6) * Not displayable characters are replaced by '?'.		
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Manage Program Page	SKIPPED	0.000 s
5	When Admin clicks the sort icon of program Status column	SKIPPED	0.000 s
6	Then The data get sorted on the table based on the program status column values in ascending order	SKIPPED	0.000 s

@CIIKFCUGT =QSUKP I !FCUC QSFGSKP I" QP UJG ;SQ IS CO 2CUC UCDNG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	0.221 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/024_Sortingvalidationprogram.feature:6) * Not displayable characters are replaced by '?'.</pre>		
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given The data is in the ascending order on the table based on Program Status column	SKIPPED	0.000 s
5	When Admin clicks the sort icon of program Status column	SKIPPED	0.000 s
6	Then The data get sorted on the table based on the program status column values in descending order	SKIPPED	0.000 s

; C I KPCUKQP ; SQ IS CO




@GSKHZ 9GYU RCIG NKPM




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/025_paginationprogram.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.218 s
3	Given Admin is on Manage Program Page	SKIPPED	0.000 s
4	When Admin clicks Next page link on the program table	SKIPPED	0.000 s
5	Then Admin should see the Pagination has "Next" link	SKIPPED	0.000 s

@GSKHZ 7CTU RC1 G NKPM



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	When Admin is on Manage Program page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/025_paginationprogram.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.227 s
3	Given Admin is on Manage Program Page	SKIPPED	0.000 s
4	When Admin clicks Last page link	SKIPPED	0.000 s
5	Then Admin should see the last page record on the table with Next page link are disabled	SKIPPED	0.000 s


@GSKHZ 4KSTU RC 1 G NKPM



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	<p>When Admin is on Manage Program page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/025_paginationprogram.feature:8) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.243 s
3	Given Admin is on last page of Program table	SKIPPED	0.000 s
4	When Admin clicks First page link	SKIPPED	0.000 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
5	Then Admin should see the previous page record on the table with pagination has previous page link	SKIPPED	0.000 s

@GSKHZ =UCSU RC 1 G NKPM




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	<p>When Admin is on Manage Program page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://manageprogram.lms.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_manage_program_page_after_login(ManageProgramModule.java:65) at ?.Admin is on Manage Program page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/025_paginationprogram.feature:8)</pre>	FAILED	0.136 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	* Not displayable characters are replaced by '?':		
3	Given Admin is on Previous Program page	SKIPPED	0.000 s
4	When Admin clicks Start page link	SKIPPED	0.000 s
5	Then Admin should see the very first page record on the table with Previous page link are disabled	SKIPPED	0.000 s

9CWK1CUKQP @CNKFCUKQP HSQO 8CPC1G ;SQ1SCO UQ QUJGS ;C1GT




=UVFGPU NKPM QP PCWK1CUKQP DCS



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Program_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66	FAILED	0.226 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/ Team17_SeleniumBrewers_Sept23/src/test/resources/features/026_Navigationvalidationprogram.feature:7) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Manage Program Page	SKIPPED	0.000 s
5	When Admin clicks on Student link on Manage Program page	SKIPPED	0.000 s
6	Then Admin is re-directed to Student page	SKIPPED	0.000 s


OCUEJ NPKM QP PCWK I CUKQP DCS



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Program_Admin is on dashboard page after Login <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/ login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: </pre>	FAILED	0.256 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/026_Navigationvalidationprogram.feature:7) * Not displayable characters are replaced by '?'.</pre>		
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Manage Program Page	SKIPPED	0.000 s
5	When Admin clicks "Batch" from navigation bar	SKIPPED	0.001 s
6	Then Admin is re-directed to Batch page	SKIPPED	0.000 s

1 NCTT MKPM QP PCWK I CUKQP DCS



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Program_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/026_Navigationvalidationprogram.feature:7) * Not displayable characters are replaced by '?'. 	FAILED	0.243 s
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Manage Program Page	SKIPPED	0.000 s
5	When Admin clicks on Class link on Manage Program page	SKIPPED	0.000 s
6	Then Admin is re-directed to Class page	SKIPPED	0.000 s


?TGS MKPM QP PCW KICUKQP DCS



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	When Program_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/026_Navigationvalidationprogram.feature:7) * Not displayable characters are replaced by '?'.	FAILED	0.231 s
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Manage Program Page	SKIPPED	0.000 s
5	When Admin clicks on User link on Manage Program page	SKIPPED	0.000 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
6	Then Admin is re-directed to User page	SKIPPED	0.000 s


/ TTKIPOGPU NKPM QP PCWKICUKQP DCS



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	<p>When Program_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/026_Navigationvalidationprogram.feature:7)</pre>	FAILED	0.230 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
* Not displayable characters are replaced by '?'.			
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Manage Program Page	SKIPPED	0.000 s
5	When Admin clicks on Assignment link on Manage Program page	SKIPPED	0.000 s
6	Then Admin is re-directed to Assignment page	SKIPPED	0.000 s


/ UUGPFCPEG NKPM QP PCWK I CUKQP DCS



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	<p>When Program_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre>	FAILED	0.249 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/ Team17_SeleniumBrewers_Sept23/src/test/resources/features/026_Navigationvalidationprogram.feature:7) * Not displayable characters are replaced by '?'.		
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Manage Program Page	SKIPPED	0.000 s
5	When Admin clicks on Attendance link on Manage Program page	SKIPPED	0.000 s
6	Then Admin is re-directed to Attendance page	SKIPPED	0.000 s

7Q I QVU NKPM QP PCWK I CUKQP DCS




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	<p>When Program_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre>	FAILED	0.246 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.ManageProgramModule.admin_is_on_dashboard_page_after_login(ManageProgramModule.java:57) at ?.Program_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/ Team17_SeleniumBrewers_Sept23/src/test/resources/features/026_Navigationvalidationprogram.feature:7) * Not displayable characters are replaced by '?'.		
3	Then Admin clicks Program from navigation bar	SKIPPED	0.000 s
4	Given Admin is on Manage Program Page	SKIPPED	0.000 s
5	When Admin clicks on Logout link on Manage Program page	SKIPPED	0.000 s
6	Then Admin is re-directed to Login page	SKIPPED	0.000 s

OCUEJ ; C1G @CNKFCUKQP




@CNKFCUG NCPLKPPI KP OCUEJ RC1G




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	Given Admin is on dashboard page after Login Step undefined	FAILED	0.000 s
3	When Admin clicks "Batch" from navigation bar	SKIPPED	0.000 s
4	Then Admin should see the "Manage Batch" in the URL	SKIPPED	0.000 s

@CNKFCUG JGCFGs KP UJG OCUEJ ; CIG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	Given Admin is on dashboard page after Login Step undefined	FAILED	0.000 s
3	When Admin clicks "Batch" from navigation bar	SKIPPED	0.000 s
4	Then Admin should see the "Manage Batch" in the header	SKIPPED	0.000 s

@CNKFCUG RC1KPCUKQP KP UJG OCUEJ ; CIG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	Given Admin is on dashboard page after Login Step undefined	FAILED	0.000 s
3	When Admin clicks "Batch" from navigation bar	SKIPPED	0.000 s
4	Then Batch_Admin should see the pagination controls under the data table	SKIPPED	0.000 s

@CNKFCUG FCUC UCDNG JGCFGST KP UJG OCUEJ ; CIG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	Given Admin is on dashboard page after Login Step undefined	FAILED	0.000 s
3	When Admin clicks "Batch" from navigation bar	SKIPPED	0.000 s
4	Then Admin Should see the data table with headers Batch name, Batch Description,Batch Status, No. of classes, Program Name, EditDelete	SKIPPED	0.000 s

@CNKFCUG 2GNGUG DVUUQP KP OCUEJ ; CIG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	Given Admin is on dashboard page after Login Step undefined	FAILED	0.001 s
3	When Admin clicks "Batch" from navigation bar	SKIPPED	0.000 s
4	Then Admin should be able to see the "Delete" icon button that is disabled	SKIPPED	0.000 s

@CNKFCUG # / 9GX DCUEJ KP OCUEJ ;CIG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.003 s
2	Given Admin is on dashboard page after Login Step undefined	FAILED	0.000 s
3	When Admin clicks "Batch" from navigation bar	SKIPPED	0.001 s
4	Then Admin should be able to see the "+ A New batch" button	SKIPPED	0.000 s

@CNKFCUG FCUC SQXT




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	Given Admin is on dashboard page after Login Step undefined	FAILED	0.001 s
3	When Admin clicks "Batch" from navigation bar	SKIPPED	0.000 s
4	Then Each row in the data table should have a checkbox,edit icon is enabled,delete icon is enabled	SKIPPED	0.000 s

@CNIKFCUG RQR VR HQS CFFKP I DCUEJ




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	Given Admin is on dashboard page after Login Step undefined	FAILED	0.000 s
3	When Admin clicks "+ A New Batch" button	SKIPPED	0.000 s
4	Then A new pop up with Batch details appears	SKIPPED	0.000 s


/ FF PGX OCUEJ



1 JGEM KH UJG HKGNFT GYKTU KP RQR




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	When Admin is on dashboard page after Login Step undefined	FAILED	0.001 s
3	And Admin clicks "Batch" from navigation bar	SKIPPED	0.000 s
4	And Admin clicks "+ A New Batch" button	SKIPPED	0.000 s
5	Given A new pop up with Batch details appears	SKIPPED	0.000 s
6	When Admin clicks "Batch" from navigation bar	SKIPPED	0.000 s
7	Then The pop up should include the fields Name, Numberofclasses and Description as textbox,status as radio button, programname	SKIPPED	0.000 s

1 JGEM KH FGTESKRUKQP KT QRUKQPCN HKGNF

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on dashboard page after Login Step undefined	FAILED	0.000 s
3	And Admin clicks "Batch" from navigation bar	SKIPPED	0.000 s



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
4	And Admin clicks "+ A New Batch" button	SKIPPED	0.000 s
5	Given A new pop up with Batch details appears	SKIPPED	0.000 s
6	When Fill in all the fields except description with valid values	SKIPPED	0.000 s
7	And click save	SKIPPED	0.000 s
8	Then The newly added batch should be present in the data table in Manage Batch page	SKIPPED	0.000 s

1 JGEM KH UJG RSQ I SCO FGUCKNT CSG CFFGF KP FCUC UCDNG





	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on dashboard page after Login	FAILED	0.000 s
	Step undefined		
3	And Admin clicks "Batch" from navigation bar	SKIPPED	0.000 s
4	And Admin clicks "+ A New Batch" button	SKIPPED	0.000 s
5	Given A new pop up with Batch details appears	SKIPPED	0.000 s
6	When Fill in all the fields with valid values	SKIPPED	0.000 s
7	And click save	SKIPPED	0.000 s
8	Then The newly added batch should be present in the data table in Manage Batch page	SKIPPED	0.000 s

1 JGEM HQS GSSQS OGTTCIGT HQS KPWCNKF HKGNFT

FAILED	DURATION - 0.003 s		Steps Total - 7 Pass - 1 Fail - 1 Skip - 5	
/ 2:08:06.615 AM // 2:08:06.618 AM /				
Add new Batch				
@Addbatch @Test_suit_batch04				


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	When Admin is on dashboard page after Login	FAILED	0.000 s
	Step undefined		
3	And Admin clicks "Batch" from navigation bar	SKIPPED	0.000 s
4	And Admin clicks "+ A New Batch" button	SKIPPED	0.000 s
5	Given A new pop up with Batch details appears	SKIPPED	0.000 s
6	When Batch_any of the fields have invalid values	SKIPPED	0.000 s
7	Then Batch_Error message should appear	SKIPPED	0.000 s

1 JGEM HQS GSSQS OGTTCTIGT HQS OCPFCUQSZ HKGNFT


FAILED	DURATION - 0.003 s		Steps Total - 7 Pass - 1 Fail - 1 Skip - 5	
/ 2:08:06.627 AM // 2:08:06.630 AM /				
Add new Batch				
@Addbatch @Test_suit_batch05				

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on dashboard page after Login	FAILED	0.000 s
	Step undefined		
3	And Admin clicks "Batch" from navigation bar	SKIPPED	0.000 s
4	And Admin clicks "+ A New Batch" button	SKIPPED	0.000 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
5	Given A new pop up with Batch details appears	SKIPPED	0.000 s
6	When Batch_Any of the mandatory fields are blank	SKIPPED	0.000 s
7	Then Batch_Error message should appear	SKIPPED	0.000 s



2GNGUG OCUEJ

@CNKFCUG SQX NGWGN FGNGUG KEQP





	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.003 s
2	When Admin is on dashboard page after Login Step undefined	FAILED	0.000 s
3	And Admin clicks "Batch" from navigation bar	SKIPPED	0.000 s
4	Given Batch_The delete icon on row level in data table is enabled	SKIPPED	0.000 s
5	When Batch_Admin clicks on the delete icon	SKIPPED	0.000 s
6	Then Alert appears with yes and No option	SKIPPED	0.000 s

@CNKFCUG CEEGRU CNGSU

FAILED	DURATION - 0.003 s		Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	
/ 2:08:06.650 AM // 2:08:06.653 AM /				
Delete Batch				
@Deleteprogramdeati @Test_suit_batch02				

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on dashboard page after Login Step undefined	FAILED	0.000 s
3	And Admin clicks "Batch" from navigation bar	SKIPPED	0.000 s
4	Given Batch_Admin clicks the delete icon	SKIPPED	0.000 s
5	When You click yes option	SKIPPED	0.000 s
6	Then Batch deleted alert pops and batch is no more available in data table	SKIPPED	0.000 s

@CNKFCUG SGLGEU CNGSU

FAILED	DURATION - 0.003 s		Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	
/ 2:08:06.660 AM // 2:08:06.663 AM /				
Delete Batch				
@Deleteprogramdeati @Test_suit_batch03				


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on dashboard page after Login Step undefined	FAILED	0.000 s
3	And Admin clicks "Batch" from navigation bar	SKIPPED	0.000 s
4	Given Batch_Admin clicks the delete icon	SKIPPED	0.000 s
5	When You click no option	SKIPPED	0.000 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
6	Then Batch is still listed in data table	SKIPPED	0.000 s

2GNGUG OVNUKRNG DCUEJGT





@CMIKFCUG UJG FGNGUG KEQP DGNQX UJG JGCFGS





	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	When Admin is on dashboard page after Login	FAILED	0.000 s
	Step undefined		
3	And Admin clicks "Batch" from navigation bar	SKIPPED	0.000 s
4	Given Batch_None of the checkboxes in data table are selected	SKIPPED	0.001 s
5	Then The delete icon under the Manage Batch header should be disabled	SKIPPED	0.000 s

1JGEM HQS TKP ING SQX FGNGUG

FAILED	DURATION - 0.003 s		Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	
/ 2:08:06.683 AM // 2:08:06.686 AM /				
Delete multiple batches				
@Deletemultiplebatches @Test_suit_batch02				

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	When Admin is on dashboard page after Login Step undefined	FAILED	0.001 s
3	And Admin clicks "Batch" from navigation bar	SKIPPED	0.000 s
4	Given One of the checkbox row is selected	SKIPPED	0.000 s
5	When Click delete icon below Manage Batch header	SKIPPED	0.000 s
6	Then Batch_The respective row in the data table is deleted	SKIPPED	0.000 s

1 JGEM HQS OVNUK SQX FGNGUG

FAILED	DURATION - 0.005 s		Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	
/ 2:08:06.694 AM // 2:08:06.699 AM /				
Delete multiple batches				
@Deletemultiplebatches @Test_suit_batch03				


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on dashboard page after Login Step undefined	FAILED	0.000 s
3	And Admin clicks "Batch" from navigation bar	SKIPPED	0.001 s
4	Given Two or more checkboxes/row is selected	SKIPPED	0.000 s
5	When Click delete icon below Manage Batch header	SKIPPED	0.000 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
6	Then Batch_The respective row in the data table is deleted	SKIPPED	0.000 s

3FKU OCUEJ





@CIIKFCUG SQX NGWGN GFKU KEQP





	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on dashboard page after Login	FAILED	0.000 s
	Step undefined		
3	And Admin clicks "Batch" from navigation bar	SKIPPED	0.000 s
4	Given Batch_The edit icon on row level in data table is enabled	SKIPPED	0.000 s
5	When Admin clicks the edit icon to validate row level edit icon	SKIPPED	0.000 s
6	Then A new pop up with Batch details appears	SKIPPED	0.000 s

1 JGEM KH UJG HKGNFT CSG VRFCUGF

FAILED	DURATION - 0.003 s		Steps Total - 7 Pass - 1 Fail - 1 Skip - 5	
/ 2:08:06.719 AM // 2:08:06.722 AM /				
Edit Batch				
@Editbatches @Test_suit_batch02				

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on dashboard page after Login	FAILED	0.000 s
	Step undefined		
3	And Admin clicks "Batch" from navigation bar	SKIPPED	0.000 s
4	Given Batch_Admin clicks the edit icon	SKIPPED	0.000 s
5	When Update the fields with valid values	SKIPPED	0.000 s
6	And click save	SKIPPED	0.000 s
7	Then The updated batch details should appear on the data table	SKIPPED	0.000 s


1 JGEM KH UJG VRFCUG UJSQXT GSSQS XRUJ KPWCNKF WCNVGF

FAILED	DURATION - 0.003 s		Steps Total - 7 Pass - 1 Fail - 1 Skip - 5	
/ 2:08:06.729 AM // 2:08:06.732 AM /				
Edit Batch				
@Editbatches @Test_suit_batch03				

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When Admin is on dashboard page after Login	FAILED	0.000 s
	Step undefined		
3	And Admin clicks "Batch" from navigation bar	SKIPPED	0.000 s
4	Given Batch_Admin clicks the edit icon	SKIPPED	0.000 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
5	When Update the fields with invalid values	SKIPPED	0.000 s
6	And click save	SKIPPED	0.000 s
7	Then Batch_Error message should appear	SKIPPED	0.000 s

1 JGEM KH ZQV IGU GSSQS OGTT C1G XJGP OCPFCUQSZ HKGNFT CSG GSCTGF




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	When Admin is on dashboard page after Login	FAILED	0.000 s
	Step undefined		
3	And Admin clicks "Batch" from navigation bar	SKIPPED	0.000 s
4	Given Batch_Admin clicks the edit icon	SKIPPED	0.000 s
5	When Batch_Erase data from mandatory field	SKIPPED	0.000 s
6	And click save	SKIPPED	0.000 s
7	Then Batch_Error message should appear	SKIPPED	0.000 s

1 JGEM KH FGTE SKRUKQP HKGNF KT QRUK QPCN KP VRFCUG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	When Admin is on dashboard page after Login Step undefined	FAILED	0.001 s
3	And Admin clicks "Batch" from navigation bar	SKIPPED	0.000 s
4	Given Batch_Admin clicks the edit icon	SKIPPED	0.000 s
5	When Erase data from description field	SKIPPED	0.000 s
6	And click save	SKIPPED	0.000 s
7	Then The updated batch details should appear on the data table	SKIPPED	0.000 s

>Q WGSKHZ OCPC1G ENCTT RC1G




@GSKHZ NCPEKP1 KP ENCTT RC1G



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Class_Admin is on dashboard page after Login	PASSED	0.002 s
2	When Admin clicks Class button on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver	FAILED	5.015 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<p>Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}]</p> <p>Capabilities</p> <pre>{ acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}</pre> <p>Session ID: 5e5f652ec735f89601b1a19aa84d9b66</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:10)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
3	Then Admin should see URL with Manage Class	SKIPPED	0.000 s


1CRUVSG UJG SGTRQPTG UKOG UQ PCWKICUG UQ OCPCIG ENCTT RCIG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Class_Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks Class button on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre>	FAILED	5.049 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:16) * Not displayable characters are replaced by '?'.		
3	Then Get the response time for navigation from dashboard page to manage class page	SKIPPED	0.000 s


@GSKHZ 8 CPCIG 1NCTT ; CIG 5GCFGs



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Class_Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks Class button on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[normalize-space()='navigationBar']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)	FAILED	5.069 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:22) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin should see header with Manage Class	SKIPPED	0.000 s


@CNIKFCUG UGYU KP OCPCIG ENCTT RCIG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Class_Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks Class button on the navigation bar and get all text from the portal page</p> <pre> io.cucumber.core.exception.CucumberException: Step [Admin clicks Class button on the navigation bar and get all text from the portal page] is defined with 1 parameters at 'step_definitions.ClassPage_SD'. admin_clicks_button_on_the_navigation_bar_and_get_all_text_from_the_portal_page(java.lang.String). However, the gherkin step has 0 arguments. Step text: Admin clicks Class button on the navigation bar and get all text from the portal page at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) </pre>	FAILED	0.001 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:766) at org.testng.TestRunner.run(TestRunner.java:587) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre>		
3	Then Admin should see correct spelling for all the fields	SKIPPED	0.000 s


@GSKHZ FGNGUG KEQP DGNQX UJG JGCFGs



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Class_Admin is on dashboard page after Login	PASSED	0.001 s
2	<p>When Admin clicks Class button on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre>	FAILED	5.011 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:34) * Not displayable characters are replaced by '?'.		
3	Then Admin should see disabled delete icon below the Manage Class	SKIPPED	0.000 s


@GSKHZ TGCSEJ DCS QP UJG ENCTT RCIG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Class_Admin is on dashboard page after Login	PASSED	0.001 s
2	When Admin clicks Class button on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[normalize-space()='navigationBar']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)	FAILED	5.016 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:40) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin should see search bar on the class page	SKIPPED	0.000 s


@GSKHZ CFF PGX ENCTT DVUUQP QP ENCTT RCIG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Class_Admin is on dashboard page after Login	PASSED	0.001 s
2	<p>When Admin clicks Class button on the navigation bar</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: </pre>	FAILED	5.013 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:46) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin should see +Add New Class button on the class page	SKIPPED	0.000 s

@GSKHZ FCUC UCDNG QP UJG ENCTT RCIG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Class_Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks Class button on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:52)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	5.026 s
3	Then Admin should see data table on the Manage Class Page With all column headers	SKIPPED	0.000 s


@GSKHZ 3FKU KEQP KP UJG FCUC UCDNG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Class_Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks Class button on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre>	FAILED	5.060 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:58) * Not displayable characters are replaced by '?'.		
3	Then Edit Icon in each row of data table only when entries are available	SKIPPED	0.000 s


@GSKHZ 3FKU KEQP XJGP PQ FCUC KP UJG UCDNG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Class_Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks Class button on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[normalize-space()='navigationBar']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)	FAILED	5.025 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:64) * Not displayable characters are replaced by '?'. </pre>		
3	Then Edit Icon will not be present in data table	SKIPPED	0.000 s


@GSKHZ FGNGUG KEQP KP UJG FCUC UCDNG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Class_Admin is on dashboard page after Login	PASSED	0.001 s
2	When Admin clicks Class button on the navigation bar <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: </pre>	FAILED	5.042 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:70) * Not displayable characters are replaced by '?'. </pre>		
3	Then Delete Icon in each row of data table only when entries are available	SKIPPED	0.000 s

@GSKHZ FGNGUG KEQP XJGP PQ FCUC KP UJG UCDNG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Class_Admin is on dashboard page after Login	PASSED	0.000 s
2	<p>When Admin clicks Class button on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:76)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	5.031 s
3	Then Admin cant see delete Icon in data table	SKIPPED	0.000 s


@GSKHZ TQSU KEQP KP UJG FCUC UCDNG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Class_Admin is on dashboard page after Login	PASSED	0.001 s
2	<p>When Admin clicks Class button on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre>	FAILED	5.033 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:82) * Not displayable characters are replaced by '?'.		
3	Then Admin should see sort icon near the column headers except for Edit and Delete	SKIPPED	0.000 s


@GSKHZ EJGEM DQY KP UJG FCUC UCDNG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Class_Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks Class button on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[normalize-space()='navigationBar']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)	FAILED	5.036 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:88) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin should see check box in the all rows of data table	SKIPPED	0.000 s


@CNIKFCUG UJG PVOODGS GPUSKGTFKTRNCZKP |



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Class_Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks Class button on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp:	FAILED	5.008 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:94) * Not displayable characters are replaced by '?'. </pre>		
3	Then A text format Showing x to y of z entries should be visible above the footer, where x is the starting record, y is the ending record and z is the total number of records	SKIPPED	0.000 s

@GSKHZ ; C I KPCUKQP EQPUSQN DGNQX UJG FCUC UCDNG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Class_Admin is on dashboard page after Login	PASSED	0.000 s
2	When Admin clicks Class button on the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:100) * Not displayable characters are replaced by '?'. 3 Then Class_Admin should see the pagination controls under the data table	FAILED	5.030 s
3	Then Class_Admin should see the pagination controls under the data table	SKIPPED	0.000 s


@CNKFCUG HQQUGS UGYU



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Class_Admin is on dashboard page after Login	PASSED	0.001 s
2	<p>When Admin clicks Class button on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='navigationBar']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[normalize-space()='navigationBar']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre>	FAILED	5.038 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at page_objects.ClassPageObject.clickOnNavigationBar(ClassPageObject.java:442) at step_definitions.ClassPage_SD.admin_clicks_class_button_on_the_navigation_bar(ClassPage_SD.java:58) at ?.Admin clicks Class button on the navigation bar(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/032_ManageClass.feature:106) * Not displayable characters are replaced by '?'.		
3	Then Admin should see the text with total number classes in the data table. (" In total there are number of classes")	SKIPPED	0.000 s


@CNIKFCUG TGCSEJ DQY HVPEUKQP



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is on Manage Class Page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)	FAILED	5.037 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/033_ManageClass1.feature:7) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enters batch id into search box	SKIPPED	0.000 s
3	Then Displays entries with that batch Id for Batch 101	SKIPPED	0.000 s


@CNKFCUG TGCSEJ DQY HVPEUKQP



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is on Manage Class Page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5ef652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: </pre>	FAILED	5.056 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/033_ManageClass1.feature:7) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin enters non-existing batch id into search box	SKIPPED	0.000 s
3	Then Displays empty details in the data table for Batch 999	SKIPPED	0.000 s


@CNIKFCUG TGCSEJ DQY HVPEUKQP



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is on Manage Class Page	FAILED	5.045 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/033_ManageClass1.feature:7) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin enters class no into search box	SKIPPED	0.001 s
3	Then Displays entries with that class no for Class 202	SKIPPED	0.000 s


@CNIKFCUG TGCSEJ DQY HVPEUKQP



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is on Manage Class Page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336)</pre>	FAILED	5.045 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/033_ManageClass1.feature:7) * Not displayable characters are replaced by '?'.		
2	When Admin enters non-existing class no into search box	SKIPPED	0.000 s
3	Then Displays empty details in the data table for Class 999	SKIPPED	0.000 s


@CNIKFCUG TGCSEJ DQY HVPEUKQP



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is on Manage Class Page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre>	FAILED	5.038 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/033_ManageClass1.feature:7) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enters class topic into search box	SKIPPED	0.000 s
3	Then Displays entries with that class topic for Introduction to Maths	SKIPPED	0.000 s


@CNIKFCUG TGCSEJ DQY HVPEUKQP



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is on Manage Class Page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 </pre>	FAILED	5.048 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/033_ManageClass1.feature:7) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enters non-existing class topic into search box	SKIPPED	0.000 s
3	Then Displays empty details in the data table for Advanced Quantum	SKIPPED	0.000 s


@CNIKFCUG TGCSEJ DQY HVPEUKQP



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is on Manage Class Page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/	FAILED	5.008 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<p>troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/033_ManageClass1.feature:7) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin enters staff id into search box	SKIPPED	0.000 s
3	Then Displays entries with that staff id for Staff 303	SKIPPED	0.000 s


@CNKFCUG TGCSEJ DQY HVPEUKQP



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is on Manage Class Page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\reej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336)</pre>	FAILED	5.054 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/033_ManageClass1.feature:7) * Not displayable characters are replaced by '?'.		
2	When Admin enters non-existing staff id into search box	SKIPPED	0.000 s
3	Then Displays empty details in the data table for Staff 999	SKIPPED	0.000 s


@CNIKFCUG TGCSEJ DQY HVPEUKQP



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is on Manage Class Page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre>	FAILED	5.030 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/033_ManageClass1.feature:7) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enters class date into search box	SKIPPED	0.000 s
3	Then Displays entries with that class date for 1st Jan 2023	SKIPPED	0.000 s


@CNIKFCUG TGCSEJ DQY HVPEUKQP




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is on Manage Class Page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 </pre>	FAILED	5.036 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/033_ManageClass1.feature:7) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enters invalid class date into search box	SKIPPED	0.000 s
3	Then Displays empty details in the data table for 32nd Feb 2023	SKIPPED	0.000 s

>Q WGSKHZ / FF 9GX 1NCTT




@CNKFCUG CWW DCUEJ KF KT SGHNGEUKP I KP UJG FSQRFQXP



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\lsreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre>	FAILED	0.022 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:8) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin clicks Batch ID dropdown	SKIPPED	0.000 s
3	Then Batch id in the drop down should match with Batch id manage batch page table	SKIPPED	0.000 s


@C1KFCUG CFOKP CDNG UQ CFF PGX ENCTT XRUJ WCNKF FCUC KP OCPFCUQSZ HKGNFT



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value>//a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre>	FAILED	0.009 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:14) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enters all mandatory field values with valid data and clicks save button (Batch ID , No of Classes, Class Date, Staff Id)	SKIPPED	0.000 s
3	Then Admin should see new class details is added in the data table	SKIPPED	0.000 s


@CNIKFCUG CFOKP CDNG UQ CFF PGX ENCTT XKUJ KPWCNKF FCUC KP OCPFCUQSZ HKGNFT



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is in class detail popup window <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, </pre>	FAILED	0.013 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> value="//a[@class='classDetailPopup']] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:20) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enters all mandatory field values with invalid data and clicks save button (Batch ID , No of Classes, Class Date, Staff Id,)	SKIPPED	0.001 s
3	Then Error message should appear in alert	SKIPPED	0.000 s


@CNIKFCUG CFOKP CDNG UQ CFF PGX ENCTT XKUJ WCNKF FCUC KP CNN HKGNFT



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\lsreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre>	FAILED	0.012 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:26) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin enters values in all fields with valid data and clicks save button (Batch ID , No of Classes, Class Date, Class Topic, Staff Id, Class description, Comments, Notes, Recordings)	SKIPPED	0.000 s
3	Then Admin should see new class details is added in the data table	SKIPPED	0.000 s


@CNKFCUG CFOKP CDNG UQ CFF PGX ENCTT XKUJ KPWCNKFCUFC KP QRUKQPCN HKGNFT



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDatadir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre>	FAILED	0.012 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:32) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enters with invalid data in optional fields and clicks save button (Batch ID , No of Classes, Class Date, Staff Id)	SKIPPED	0.001 s
3	Then Error message should appear in alert	SKIPPED	0.000 s


@CNIKFCUG CFOKP CDNG UQ CFF PGX ENCTT OKTTKPI OCUEJ 6F



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in class detail popup window</p> <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. </pre>	FAILED	0.013 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/a[@class=classDetailPopup']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDatumDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:38) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin enters data missing value in Batch ID and clicks save button (No of Classes, Class Date, Staff Id)	SKIPPED	0.000 s
3	Then Batch Id is missing	SKIPPED	0.000 s


@C\KFCUG CFO\P CD\NG UQ CFF PGX ENCTT OKTT\P I 9Q QH 1NCTT



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\lsreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre>	FAILED	0.011 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:44) * Not displayable characters are replaced by '?'.		
2	When Admin enters data missing value in No of class and clicks save button (Batch ID , Class Date, Staff Id,)	SKIPPED	0.000 s
3	Then No of classes is missing	SKIPPED	0.000 s


@C1KFCUG CFOKP CDNG UQ CFF PGX ENCTT OKTTKPI 1NCTT 2CUG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value://a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre>	FAILED	0.012 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:50) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enters data missing value in class date and clicks save button (Batch ID , No of Classes, Staff Id,)	SKIPPED	0.000 s
3	Then class date is missing	SKIPPED	0.001 s


@CNIKFCUG CFOKP CDNG UQ CFF PGX ENCTT OKTTKPI TUCHH KF



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in class detail popup window</p> <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, </pre>	FAILED	0.012 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:56) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin enters data missing value in staff id and clicks save button (Batch ID , No of Classes, Class Date)	SKIPPED	0.000 s
3	Then staff id is missing	SKIPPED	0.000 s


@CNIKFCUG CFOKP CDNG UQ CFF PGX ENCTT RCTT_KP_I RCTU FCUG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\lsreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre>	FAILED	0.010 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:62) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin enters passed date in the class date field and clicks save button (Batch ID , No of Classes, Class Date, Staff Id)	SKIPPED	0.000 s
3	Then class cannot be created for the passed date	SKIPPED	0.000 s


@CINKFCUG FCUG RKEMGS



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value>//a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre>	FAILED	0.011 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:68) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin clicks date from date picker	SKIPPED	0.000 s
3	Then selected date should be their in class date text box	SKIPPED	0.000 s


WCNKFCUG FCUG RKEMGS TJQVNF DG EQSSGEU HQSOCU



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in class detail popup window</p> <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, </pre>	FAILED	0.011 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:74) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin clicks date from date picker	SKIPPED	0.000 s
3	Then selected date should be in mm/dd/yyyy format	SKIPPED	0.000 s


@CNIKFCUG SK I JU CSSQX KP FCUC RKEMGS UQ PCWIKCUG UQ PGYU OQPUJ



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\lsreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre>	FAILED	0.008 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:80) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin clicks right arrow in the date picker near month	SKIPPED	0.000 s
3	Then Next month calender should visible	SKIPPED	0.000 s


@C1KFCUG NGHU CSSQX KP FCUC RKEMGS UQ PCWK I CUG UQ RSGWQVQT OQPUJ



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value://a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre>	FAILED	0.010 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:86) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin clicks left arrow in the date picker near month	SKIPPED	0.000 s
3	Then previous month calender should visible	SKIPPED	0.000 s


@C1KFCUG EVSSGPU FCUG KT JK I JNK I JUGF KP UJG FCUG RKEMGS



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in class detail popup window</p> <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, </pre>	FAILED	0.011 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:92) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin clicks date picker button	SKIPPED	0.001 s
3	Then Admin should see current date is highlighted in the date picker	SKIPPED	0.000 s


@CNIKFCUG TGNGEUGF FCUG KT JK I JNK I JUGF KP UJG FCUG RKEMGS



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\lsreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre>	FAILED	0.010 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:98) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin clicks date picker button and selects future date	SKIPPED	0.000 s
3	Then Admin should see selected date is higlited in the date picker	SKIPPED	0.000 s


@C\KFCUG ECPEGN DVUUQP HVPEUKQP KP ENCTT FGUCKNT RQRVR X\PFQX



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value>//a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre>	FAILED	0.011 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:104) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin clicks Cancel button without entering values in the fields	SKIPPED	0.000 s
3	Then Admin should land on Manage Class page	SKIPPED	0.000 s

@C1KFCUG ECPEGN DVUUQP HVPEUKQP KP ENCTT FGUCKNT RQRVR XKPFOX XKUJ WCIVGT KP HKGNF




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is in class detail popup window <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, </pre>	FAILED	0.009 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:pref: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_class_detail_popup_window(ClassPage_SD.java:739) at ?.Admin is in class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/034_AddNewClassValidation.feature:110) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin clicks Cancel button entering values in the fields	SKIPPED	0.000 s
3	Then Admin should land on Manage Class Page and validate new class is not created in the data table	SKIPPED	0.000 s

>Q WGSKHZ ENCTT FGUCKN RQRVR XKPfqX




@GSKHZ ENCTT FGUCKNT RQRVR XKPFQX



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is on Manage Class Page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDatadir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre>	FAILED	5.009 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/035_ClassDetailPagePopup.feature:7) * Not displayable characters are replaced by '?'.		
2	When Admin click +Add New Class button	SKIPPED	0.000 s
3	Then Admin should see a popup with heading class details	SKIPPED	0.000 s


@GSKHZ KPRVU HKGNFT KP ENCTT FGUCKNT RQRVR XKPQFQX



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is on Manage Class Page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)	FAILED	5.016 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/035_ClassDetailPagePopup.feature:13) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin click +Add New Class button	SKIPPED	0.000 s
3	Then Admin should see input fields Text (Batch ID , No of Classes, Class Date, Class Topic, Staff Id, Class description, Comments, Notes, Recordings)	SKIPPED	0.000 s


@GSKHZ UGYU DQY RSGTGPU KP ENCTT FGUCKNT RQRVR XOPFQX



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is on Manage Class Page</p> <pre> org.openqa.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: </pre>	FAILED	5.006 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<p>116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/035_ClassDetailPagePopup.feature:19) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin click +Add New Class button	SKIPPED	0.000 s
3	Then Six textbox should be present in Class details popup window	SKIPPED	0.000 s

@GSKHZ FSQR FQXP KP OCUEJ 6F KP ENCTT FGUCKNT RQRVR XKPFQX



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is on Manage Class Page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/035_ClassDetailPagePopup.feature:25) * Not displayable characters are replaced by '?'.</pre>	FAILED	5.042 s
2	When Admin click +Add New Class button	SKIPPED	0.000 s
3	Then Admin should see dropdown option for Batch ID	SKIPPED	0.000 s


@GSKHZ FSQR FQXP KP =UCHH 6F KP ENCTT FGUCKNT RQRVR XKPFQX



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is on Manage Class Page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\reej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336)</pre>	FAILED	5.014 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/035_ClassDetailPagePopup.feature:31) * Not displayable characters are replaced by '?'.		
2	When Admin click +Add New Class button	SKIPPED	0.000 s
3	Then Admin should see dropdown option for Staff Id	SKIPPED	0.000 s


@GSKHZ ECNPFCS KEQP KP ENCTT FCUG KP ENCTT FGUCKNT RQRVR XKPFQX



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is on Manage Class Page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre>	FAILED	5.050 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/035_ClassDetailPagePopup.feature:37) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin click +Add New Class button	SKIPPED	0.000 s
3	Then Admin should see calendar icon for class date	SKIPPED	0.000 s


@GSKHZ TCWG DVUUQP KT RSGTGPU



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is on Manage Class Page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 </pre>	FAILED	5.041 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/035_ClassDetailPagePopup.feature:43) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin click +Add New Class button	SKIPPED	0.000 s
3	Then Admin should see save button in the class detail popup window	SKIPPED	0.000 s


@GSKHZ ECPEGN DVUUQP KT RSGTGPU



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is on Manage Class Page</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/</p>	FAILED	5.046 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<p>troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336) at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/035_ClassDetailPagePopup.feature:49) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin click +Add New Class button	SKIPPED	0.000 s
3	Then Admin should see cancel button in the class detail popup window	SKIPPED	0.000 s


@GSKHZ ENQZG DVUUQP KP ENCTT FGUCKNT RQRVR XKPFQX



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is on Manage Class Page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"class"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=link text, value=class}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\reej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at step_definitions.ClassPage_SD.admin_is_on_manage_class_page(ClassPage_SD.java:336)</pre>	FAILED	5.011 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at ?.Admin is on Manage Class Page(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/035_ClassDetailPagePopup.feature:55) * Not displayable characters are replaced by '?'.		
2	When Admin click +Add New Class button	SKIPPED	0.000 s
3	Then Admin should see close button on the class details popup window	SKIPPED	0.000 s


@GSKHZ GFKU ENCTT RQRVR XKPFQX



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is in Manage class page	PASSED	0.001 s
2	When Admin clicks Edit button in data table org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@class='editIcon']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/a[@class='editIcon']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)	FAILED	5.071 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at step_definitions.ClassPage_SD.admin_clicks_edit_button_in_data_table(ClassPage_SD.java:710) at ?.Admin clicks Edit button in data table(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/035_ClassDetailPagePopup.feature:62) * Not displayable characters are replaced by '?'. </pre>		
3	Then Edit popup window appears with heading Class Details	SKIPPED	0.000 s

@GSKHZ WCIVGT KP RQRVR XKPFQX




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is in Manage class page	PASSED	0.000 s
2	When Admin clicks Edit button from one of the row in data table <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@class='editicon']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=//a[@class='editicon']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre>	FAILED 5.047 s	

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.isDisplayed(Unknown Source) at step_definitions.ClassPage_SD.admin_clicks_edit_button_from_one_of_the_row_in_data_table(ClassPage_SD.java:725) at ?.Admin clicks Edit button from one of the row in data table(file:///C:/Users/sreej/eclipse-phase2Automation/ Team17_SeleniumBrewers_Sept23/src/test/resources/features/035_ClassDetailPagePopup.feature:68) * Not displayable characters are replaced by '?'.</pre>		
3	Then Edit popup window appears with same row values in the all fields	SKIPPED	0.000 s

>Q WGSKHZ GFKU 1NCTT




@CNKFCUG CFOKP CDNG UQ VRFCUG ENCTT XkjJ WCNF FCUC KP OCPFCUQSZ HKGNFT



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in Edit class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\lsreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre>	FAILED	0.016 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_edit_class_detail_popup_window(ClassPage_SD.java:428) at ?.Admin is in Edit class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/036_EditClassPageValidation.feature:8) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin enters all mandatory field values with valid data and clicks save button (Batch ID , No of Classes, Class Date, Staff Id)	SKIPPED	0.000 s
3	Then Admin should see particular class details is updated in the data table	SKIPPED	0.000 s


@CNKFCUG CFOKP CDNG UQ VRFCUG ENCTT XKUJ KPWCNKF FCUC KP OCPFCUQSZ HKGNFT



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in Edit class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre>	FAILED	0.009 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_edit_class_detail_popup_window(ClassPage_SD.java:428) at ?.Admin is in Edit class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/036_EditClassPageValidation.feature:14) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enters all mandatory field values with invalid data and clicks save button (Batch ID , No of Classes, Class Date, Staff Id,)	SKIPPED	0.000 s
3	Then Error message should appear in alert	SKIPPED	0.000 s


@CNIKFCUG CFOKP CDNG UQ VRFCUG ENCTT XKUJ WCNIKF FCUC KP CNN HKGNFT



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is in Edit class detail popup window <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', </pre>	FAILED	0.010 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<p>revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using>xpath, value=/a[@class='classDetailPopup']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_edit_class_detail_popup_window(ClassPage_SD.java:428) at ?.Admin is in Edit class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/036_EditClassPageValidation.feature:20) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin enters values in all fields with valid data and clicks save button (Batch ID , No of Classes, Class Date, Class Topic, Staff Id, Class description, Comments, Notes, Recordings)	SKIPPED	0.000 s
3	Then Admin should see particular class details is updated in the data table	SKIPPED	0.000 s


@CNKFCUG CFOKP CDNG UQ VRFCUG ENCTT XKUJ KPWCNKF FCUC KP CNN HKGNFT



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in Edit class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\lsreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre>	FAILED	0.013 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_edit_class_detail_popup_window(ClassPage_SD.java:428) at ?.Admin is in Edit class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/036_EditClassPageValidation.feature:26) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin enters with invalid data in optional fields and clicks save button (Batch ID , No of Classes, Class Date, Staff Id)	SKIPPED	0.000 s
3	Then Error message should appear in alert	SKIPPED	0.000 s


@CNIKFCUG CFOKP CDNG UQ VRFCUG ENCTT OKTTKPI OCUEJ 6F



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in Edit class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value}//a[@class=classDetailPopup]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre>	FAILED	0.010 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_edit_class_detail_popup_window(ClassPage_SD.java:428) at ?.Admin is in Edit class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/036_EditClassPageValidation.feature:32) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enters data missing value in Batch ID and clicks save button (No of Classes, Class Date, Staff Id)	SKIPPED	0.000 s
3	Then Batch Id is missing	SKIPPED	0.000 s


@CNIKFCUG CFOKP CDNG UQ VRFCUG ENCTT OKTTKP I 9Q QH 1NCTT



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in Edit class detail popup window</p> <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, </pre>	FAILED	0.010 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_edit_class_detail_popup_window(ClassPage_SD.java:428) at ?.Admin is in Edit class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/036_EditClassPageValidation.feature:38) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin enters data missing value in No of class and clicks save button (Batch ID , Class Date, Staff Id,)	SKIPPED	0.000 s
3	Then No of classes is missing	SKIPPED	0.000 s


@CNIKFCUG CFOKP CDNG UQ VRFCUG ENCTT OKTTKPI 1NCTT 2CUG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in Edit class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\lsreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre>	FAILED	0.010 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_edit_class_detail_popup_window(ClassPage_SD.java:428) at ?.Admin is in Edit class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/036_EditClassPageValidation.feature:44) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin enters data missing value in class date and clicks save button (Batch ID , No of Classes, Staff Id,)	SKIPPED	0.000 s
3	Then class date is missing	SKIPPED	0.000 s


@CNIKFCUG CFOKP CDNG UQ VRFCUG ENCTT OKTTKPI TUCHH KF



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in Edit class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value://a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880...}, userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre>	FAILED	0.009 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_edit_class_detail_popup_window(ClassPage_SD.java:428) at ?.Admin is in Edit class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/036_EditClassPageValidation.feature:50) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enters data missing value in staff id and clicks save button (Batch ID , No of Classes, Class Date)	SKIPPED	0.000 s
3	Then staff id is missing	SKIPPED	0.000 s


@CNIKFCUG CFOKP CDNG UQ VRFCUG ENCTT RCTTKP I RCTU FCUG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in Edit class detail popup window</p> <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, </pre>	FAILED	0.008 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_edit_class_detail_popup_window(ClassPage_SD.java:428) at ?.Admin is in Edit class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/036_EditClassPageValidation.feature:56) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin enters passed date in the class date field and clicks save button (Batch ID , No of Classes, Class Date, Staff Id)	SKIPPED	0.000 s
3	Then class cannot be updated for the passed date	SKIPPED	0.000 s


@CNIKFCUG ECPEGN DVUUQP HVPEUKQP KP 3FKU ENCTT FGUCKNT RQRVR XKPQFQX



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in Edit class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value=/a[@class=classDetailPopup]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\lsreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre>	FAILED	0.011 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_edit_class_detail_popup_window(ClassPage_SD.java:428) at ?.Admin is in Edit class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/036_EditClassPageValidation.feature:62) * Not displayable characters are replaced by '?'.</pre>		
2	When Admin clicks Cancel button without entering values in the fields	SKIPPED	0.000 s
3	Then Admin should land on Manage Class page	SKIPPED	0.000 s


@C1KFCUG ECPEGN DVUUQP HVPEUKQP KP 3FKU ENCTT FGUCKNT RQRVR XKPQFQX XRUJ WCIVGT KP HKGNF




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given Admin is in Edit class detail popup window</p> <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[@class=classDetailPopup] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[@class=classDetailPopup]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=xpath, value}//a[@class=classDetailPopup]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880...}, userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre>	FAILED	0.011 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.navigateToClassDetailPopup(ClassPageObject.java:224) at step_definitions.ClassPage_SD.admin_is_in_edit_class_detail_popup_window(ClassPage_SD.java:428) at ?.Admin is in Edit class detail popup window(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/036_EditClassPageValidation.feature:68) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin clicks Cancel button entering values in the fields	SKIPPED	0.000 s
3	Then Admin should land on Manage Class Page and validate particular class details are not changed in the data table	SKIPPED	0.000 s

>Q WGSKHZ FGNGUG ENCTT CPF FGNGUG OVNUKRNQ ENCTT




@GSKHZ 2GNGUG ENCTT CNGSU



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is in Manage class page	PASSED	0.000 s
2	When Admin clicks delete button in data table row level	PASSED	5.064 s
3	Then Admin should see alert	PASSED	0.000 s


@GSKHZ CEEGRU GPCDNGF KP CNGSU



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is in Manage class page	PASSED	0.001 s
2	When Admin clicks delete button in data table row level	PASSED	5.039 s
3	<p>Then Alert should have yes button to accept</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector", "selector":"#deleteAlertBtn"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=id, value=deleteAlertBtn}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</pre>	FAILED	5.057 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.getdeleteAlertBtn(ClassPageObject.java:141) at step_definitions.ClassPage_SD.alert_should_have_yes_button_to_accept(ClassPage_SD.java:914) at ?.Alert should have yes button to accept(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/037_DeleteClassValidation.feature:15) * Not displayable characters are replaced by '?'. </pre>		


@GSKHZ SGLGEU GPCDNGF KP CNGSU




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Admin is in Manage class page	PASSED	0.000 s
2	When Admin clicks delete button in data table row level	PASSED	5.054 s
3	Then Alert should have No button to reject <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#deleteAlertBtn"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www. selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, findElement {using=id, value=deleteAlertBtn}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre>	FAILED	5.015 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at page_objects.ClassPageObject.getdeleteAlertBtn(ClassPageObject.java:141) at step_definitions.ClassPage_SD.alert_should_have_no_button_to_reject(ClassPage_SD.java:923) at ?.Alert should have No button to reject(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/037_DeleteClassValidation.feature:20) * Not displayable characters are replaced by '?'. </pre>		


?TGS




@CMKFCUG NCPFKP ! KP ?TGS RCIG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.306 s
2	When Admin clicks User from navigation bar	SKIPPED	0.000 s
3	Then Admin should see the Manage User in the URL	SKIPPED	0.000 s



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.223 s
2	When Admin clicks User from navigation bar	SKIPPED	0.000 s
3	Then Admin should see the Manage User in the header	SKIPPED	0.000 s




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.242 s
2	When Admin clicks User from navigation bar	SKIPPED	0.001 s
3	Then User_Admin should see the pagination controls under the data table	SKIPPED	0.000 s




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.221 s
2	When Admin clicks User from navigation bar	SKIPPED	0.000 s
3	Then Admin Should see the data table with headers Id, Name, location, Phone Number, Edit&Delete	SKIPPED	0.000 s

@CNKFCUG 2GNGUG DVUUQP KP ?TGS ;CIG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.219 s
2	When Admin clicks User from navigation bar	SKIPPED	0.000 s
3	Then Admin should be able to see the Delete icon button that is disabled	SKIPPED	0.000 s

@CNKFCUG # / 9GX VTGS DVUUQP KP ?TGS ; C1G




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.236 s
2	When Admin clicks User from navigation bar	SKIPPED	0.000 s
3	Then Admin should be able to see the + A New User button	SKIPPED	0.000 s


@CNKFCUG # / TTKIP TUCHH DVUUQP KP ?TGS RCIG




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.235 s
2	When Admin clicks User from navigation bar	SKIPPED	0.000 s
3	Then Admin should be able to see the + Assign staff button	SKIPPED	0.000 s




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.231 s
2	When Admin clicks User from navigation bar	SKIPPED	0.000 s
3	Then Admin should be able to see the search text box	SKIPPED	0.000 s




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.210 s
2	When Admin clicks User from navigation bar	SKIPPED	0.000 s
3	Then Each row in the data table should have a checkbox	SKIPPED	0.000 s



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.263 s
2	When Admin clicks User from navigation bar	SKIPPED	0.000 s
3	Then Each row in the data table should have a edit icon that is enabled	SKIPPED	0.000 s




	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.223 s
2	When Admin clicks User from navigation bar	SKIPPED	0.000 s
3	Then Each row in the data table should have a delete icon that is enabled	SKIPPED	0.000 s



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	<p>Given User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/038_User1_Validation.feature:4) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.232 s
2	Given User_Admin is on dashboard page after Login and Admin clicks User from navigation bar	SKIPPED	0.000 s
3	When Admin clicks + A New User button	SKIPPED	0.000 s
4	Then A new pop up with UserDetails appears	SKIPPED	0.000 s


1 JGEM KH UJG HKGNFT GYKTU KP RQR



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	<p>When User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/039_User2_Add.feature:5) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.238 s
3	Then Admin clicks User from navigation bar	SKIPPED	0.000 s
4	Given A new pop up with user details appears	SKIPPED	0.000 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
5	Then The pop up should include the fields First Name,Middle name, Last Name, Location phone, email,linkedin Url, Undergraduate,postgraduate,time zone and user comments as text box User Role, Role status, visa status as drop down	SKIPPED	0.000 s

1 JGEM KH 8KFFNG PCOG\$ NKPMSGF6P VSN\$ GOCKN\$ VTGS EQO OGPUT%VPFGS ISCFVCUG\$RQ TU ISCFVCUG\$UKOG [QPG CSG QRUKQPCN



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When User_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/)	FAILED	0.222 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	test/resources/features/039_User2_Add.feature:5 * Not displayable characters are replaced by '?'.		
3	Then Admin clicks User from navigation bar	SKIPPED	0.000 s
4	Given A new pop up with user details appears	SKIPPED	0.000 s
5	When Fill in all the fields except optional fields with valid values and click submit	SKIPPED	0.000 s
6	Then The newly added user should be present in the data table in Manage User page	SKIPPED	0.000 s

1 JGEM KH UJG RSQ ISCO FGUCKNT CSG CFFGF KP FCUC UCDNG

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	When User_Admin is on dashboard page after Login <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</pre>	FAILED	0.220 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/039_User2_Add.feature:5) * Not displayable characters are replaced by '?'.</pre>		
3	Then Admin clicks User from navigation bar	SKIPPED	0.000 s
4	Given A new pop up with user details appears	SKIPPED	0.000 s
5	When Fill in all the fields with valid values and click submit	SKIPPED	0.001 s
6	Then The newly added user should be present in the data table in Manage User page	SKIPPED	0.000 s


1 JGEM HQS GSSQS OGTTC IGT HQS KPWCNKF HKGNFT



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	<p>When User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</pre>	FAILED	0.222 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/039_User2_Add.feature:5) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin clicks User from navigation bar	SKIPPED	0.000 s
4	Given A new pop up with user details appears	SKIPPED	0.000 s
5	When User_any of the fields have invalid values	SKIPPED	0.000 s
6	Then User_Error message should appear	SKIPPED	0.000 s


1 JGEM HQS GSSQS OGTTC IGT HQS OCPFCUQSZ HKGNFT



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When User_Admin is on dashboard page after Login <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/ login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, </pre>	FAILED	0.221 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/039_User2_Add.feature:5) * Not displayable characters are replaced by '?'.</pre>		
3	Then Admin clicks User from navigation bar	SKIPPED	0.000 s
4	Given A new pop up with user details appears	SKIPPED	0.000 s
5	When User_Any of the mandatory fields are blank	SKIPPED	0.000 s
6	Then User_Error message should appear	SKIPPED	0.000 s


@CNKFCUG SQX NGWGN GFKU KEQP



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	When User_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2'	FAILED	0.227 s


	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<p>Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/040_User3_Edit.feature:5) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin clicks User from navigation bar	SKIPPED	0.000 s
4	Given User_The edit icon on row level in data table is enabled	SKIPPED	0.000 s
5	When Admin clicks the EditIcon	SKIPPED	0.000 s
6	Then A new pop up with UserDetails appears	SKIPPED	0.000 s

1 JGEM KH UJG HKGNFT CSG VRFCUGF



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	When User_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/040_User3_Edit.feature:5) * Not displayable characters are replaced by '?'. 	FAILED	0.228 s
3	Then Admin clicks User from navigation bar	SKIPPED	0.000 s
4	Given Admin clicks the edit icon	SKIPPED	0.000 s
5	When Update the fields with valid values and click submit	SKIPPED	0.000 s
6	Then The updated user details should appear on the data table	SKIPPED	0.000 s


1 JGEM KH UJG VRFCUG UJSQXT GSSQS XKUJ KPWCNKF WCIVGT



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	When User_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/040_User3_Edit.feature:5) * Not displayable characters are replaced by '?'.	FAILED	0.237 s
3	Then Admin clicks User from navigation bar	SKIPPED	0.000 s
4	Given Admin clicks the edit icon	SKIPPED	0.000 s
5	When Update the fields with invalid values and click submit	SKIPPED	0.000 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
6	Then User_Error message should appear	SKIPPED	0.000 s


1 JGEM KH ZQV IGU GSSQS OGTT CIG XJGP OCPFCUQSZ HKGNFT CSG GSCTGF



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	When User_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/040_User3_Edit.feature:5)	FAILED	0.255 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
* Not displayable characters are replaced by '?'.			
3	Then Admin clicks User from navigation bar	SKIPPED	0.000 s
4	Given Admin clicks the edit icon	SKIPPED	0.000 s
5	When User_Erase data from mandatory field	SKIPPED	0.000 s
6	Then User_Error message should appear	SKIPPED	0.000 s


@CNIKFCUG SQX NGWGN FGNGUG KEQP



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When User_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sree\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.218 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/041_User4_Delete.feature:5) * Not displayable characters are replaced by '?'		
3	Then Admin clicks User from navigation bar	SKIPPED	0.000 s
4	Given User_The delete icon on row level in data table is enabled	SKIPPED	0.000 s
5	When Admin clicks the delete icon	SKIPPED	0.000 s
6	Then Alert appears with yes and No option	SKIPPED	0.000 s


@CNIKFCUG CEEGRU CNGSU



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s
2	When User_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	0.240 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/041_User4_Delete.feature:5) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin clicks User from navigation bar	SKIPPED	0.000 s
4	Given Admin clicks the DeleteIcon	SKIPPED	0.000 s
5	When Admin click yes option	SKIPPED	0.000 s
6	Then User deleted alert pops and user is no more available in data table	SKIPPED	0.000 s


@CNIKFCUG SGLGEU CNGSU



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.003 s
2	When User_Admin is on dashboard page after Login <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/ login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880...}, userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: </pre>	FAILED	0.218 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/041_User4_Delete.feature:5) * Not displayable characters are replaced by '?'.</pre>		
3	Then Admin clicks User from navigation bar	SKIPPED	0.000 s
4	Given Admin clicks the delete icon	SKIPPED	0.000 s
5	When Admin click No option	SKIPPED	0.001 s
6	Then User is still listed in data table	SKIPPED	0.000 s


@CNKFCUG UJG FGNGUG KEQP DGNQX UJG JGCFGs



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When User_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/}	FAILED	0.215 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
	<pre>login]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/042_User4_DeleteAll.feature:5) * Not displayable characters are replaced by '?'.</pre>		
3	Then Admin clicks User from navigation bar	SKIPPED	0.000 s
4	Given None of the checkboxes in data table are selected	SKIPPED	0.001 s
5	Then The delete icon under the Manage User header should be disabled	SKIPPED	0.000 s


1 JGEM HQS TKP I NG SQX FGNGUG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.001 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
2	<p>When User_Admin is on dashboard page after Login</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/042_User4_DeleteAll.feature:5) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.220 s
3	Then Admin clicks User from navigation bar	SKIPPED	0.000 s
4	Given One of the checkbox in a row is selected	SKIPPED	0.000 s
5	When Click delete icon below Manage User header	SKIPPED	0.000 s
6	Then The respective row in the data table is deleted	SKIPPED	0.000 s

1 JGEM HQS OVNUK SQX FGNGUG



	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
1	Given Logged on the LMS portal	PASSED	0.002 s
2	When User_Admin is on dashboard page after Login org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.188) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e5f652ec735f89601b1a19aa84d9b66, get {url=https://signin.lms.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\sreej\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60106}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60106/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e5f652ec735f89601b1a19aa84d9b66 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at step_definitions.User.admin_is_on_dashboard_page_after_login(User.java:218) at ?.User_Admin is on dashboard page after Login(file:///C:/Users/sreej/eclipse-phase2Automation/Team17_SeleniumBrewers_Sept23/src/test/resources/features/042_User4_DeleteAll.feature:5) * Not displayable characters are replaced by '?'.	FAILED	0.242 s
3	Then Admin clicks User from navigation bar	SKIPPED	0.000 s
4	Given Two or more checkboxes in rows are selected	SKIPPED	0.000 s
5	When Click delete icon below Manage User header	SKIPPED	0.000 s

	=UGR & 5QQM 2GUCKNT	=UCUVT	2VSCUKQP
6	Then The respective row in the data table is deleted	SKIPPED	0.000 s