

Importação de arquivos Excel/CSV com Pandas

```
import pandas as pd
```

```
df = pd.read_csv("players_20.csv")
print(df.head())
print("\nColunas:")
print(df.columns.tolist())
print("\nTotal de registros:")
print(len(df))
```

```

    sofifa_id                                player_url \
0      158023  https://sofifa.com/player/158023/lionel-messi/...
1       20801  https://sofifa.com/player/20801/c-ronaldo-dos-...
2      190871  https://sofifa.com/player/190871/neymar-da-sil...
3      200389  https://sofifa.com/player/200389/jan-oblak/200002
4      183277  https://sofifa.com/player/183277/eden-hazard/2...

    short_name                                long_name  age      dob \
0         L. Messi          Lionel Andrés Messi Cuccittini   32  1987-06-24
1  Cristiano Ronaldo  Cristiano Ronaldo dos Santos Aveiro   34  1985-02-05
2         Neymar Jr          Neymar da Silva Santos Júnior   27  1992-02-05
3          J. Oblak              Jan Oblak                 26  1993-01-07
4          E. Hazard              Eden Hazard                 28  1991-01-07

```

```

    height_cm  weight_kg  nationality      club_name  ...  lwb  ldm \
0         170         72   Argentina    FC Barcelona  ...  68+6  66+6
1         187         83   Portugal      Juventus    ...  65+3  62+3
2         175         68    Brazil  Paris Saint-Germain  ...  67+6  61+6
3         188         87   Slovenia   Atlético Madrid  ...  32+3  36+3
4         175         74   Belgium     Real Madrid    ...  66+6  63+6

```

```

    cdm  rdm  rwb  lb  lcb  cb  rcb  rb
0  66+6  66+6  68+6  63+6  53+6  53+6  53+6  63+6
1  62+3  62+3  65+3  61+3  54+3  54+3  54+3  61+3
2  61+6  61+6  67+6  61+6  47+6  47+6  47+6  61+6
3  36+3  36+3  32+3  32+3  33+3  33+3  33+3  32+3
4  63+6  63+6  66+6  61+6  49+6  49+6  49+6  61+6

```

```
[5 rows x 106 columns]
```

Colunas:

```
['sofifa_id', 'player_url', 'short_name', 'long_name', 'age', 'dob', 'height_cm',
'weight_kg', 'nationality', 'club_name', 'league_name', 'league_rank', 'overall',
'potential', 'value_eur', 'wage_eur', 'player_positions', 'preferred_foot',
'international_reputation', 'weak_foot', 'skill_moves', 'work_rate', 'body_type',
'real_face', 'release_clause_eur', 'player_tags', 'team_position',
'team_jersey_number', 'loaned_from', 'joined', 'contract_valid_until',
'nation_position', 'nation_jersey_number', 'pace', 'shooting', 'passing', 'dribbling',
'defending', 'physic', 'gk_diving', 'gk_handling', 'gk_kicking', 'gk_reflexes',
'gk_speed', 'gk_positioning', 'player_traits', 'attacking_crossing',
```

```
'attacking_finishing', 'attacking_heading_accuracy', 'attacking_short_passing',
'attacking_volleys', 'skill_dribbling', 'skill_curve', 'skill_fk_accuracy',
'skill_long_passing', 'skill_ball_control', 'movement_acceleration',
'movement_sprint_speed', 'movement_agility', 'movement_reactions', 'movement_balance',
'power_shot_power', 'power_jumping', 'power_stamina', 'power_strength',
'power_long_shots', 'mentality_aggression', 'mentality_interceptions',
'mentality_positioning', 'mentality_vision', 'mentality_penalties',
'mentality_composure', 'defending_marking', 'defending_standing_tackle',
'defending_sliding_tackle', 'goalkeeping_diving', 'goalkeeping_handling',
'goalkeeping_kicking', 'goalkeeping_positioning', 'goalkeeping_reflexes', 'ls', 'st',
'rs', 'lw', 'lf', 'cf', 'rf', 'rw', 'lam', 'cam', 'ram', 'lm', 'lcm', 'cm', 'rcm',
'rm', 'lwb', 'ldm', 'cdm', 'rdm', 'rwb', 'lb', 'lcb', 'cb', 'rcb', 'rb']
```

Total de registros:
18483

Selecionar 20 jogadores âncora em um único DataFrame

```
import pandas as pd

df = pd.read_csv("players_20.csv")

anchor_players = [
    "Cristiano Ronaldo",
    "Lionel Messi",
    "Neymar Jr",
    "Kylian Mbappé",
    "Kevin De Bruyne",
    "Mohamed Salah",
    "Robert Lewandowski",
    "Sergio Ramos",
    "Virgil van Dijk",
    "Luka Modric",
    "Toni Kroos",
    "Eden Hazard",
    "Luis Suárez",
    "Manuel Neuer",
    "Harry Kane",
    "Paulo Dybala",
    "Giorgio Chiellini",
    "Karim Benzema",
    "Antoine Griezmann",
    "Marc-André ter Stegen"
]

df_anchor_20 = df[df["long_name"].isin(anchor_players)]
print("Quantidade de jogadores encontrados:", len(df_anchor_20))
print(df_anchor_20[["short_name", "long_name", "overall"]])
```

Quantidade de jogadores encontrados: 11

short_name	long_name	overall
------------	-----------	---------

4	E. Hazard	Eden Hazard	91
5	K. De Bruyne	Kevin De Bruyne	91
6	M. ter Stegen	Marc-André ter Stegen	90
7	V. van Dijk	Virgil van Dijk	90
12	H. Kane	Harry Kane	89
16	G. Chiellini	Giorgio Chiellini	89
20	R. Lewandowski	Robert Lewandowski	89
22	A. Griezmann	Antoine Griezmann	89
31	M. Neuer	Manuel Neuer	88
36	T. Kroos	Toni Kroos	88
46	K. Benzema	Karim Benzema	87

Combinar dados de anos diferentes

```
import pandas as pd

# Carregar os arquivos
df20 = pd.read_csv("players_20.csv")
df21 = pd.read_csv("players_21.csv")

# Lista de jogadores âncora
anchor_players = [
    "Cristiano Ronaldo",
    "Lionel Messi",
    "Neymar Jr",
    "Kylian Mbapp ",
    "Kevin De Bruyne",
    "Mohamed Salah",
    "Robert Lewandowski",
    "Sergio Ramos",
    "Virgil van Dijk",
    "Luka Modric",
    "Toni Kroos",
    "Eden Hazard",
    "Luis Su rez",
    "Manuel Neuer",
    "Harry Kane",
    "Paulo Dybala",
    "Giorgio Chiellini",
    "Karim Benzema",
    "Antoine Griezmann",
    "Marc-Andr  ter Stegen"
]

df20_anchor = df20[df20["long_name"].isin(anchor_players)]
df21_anchor = df21[df21["long_name"].isin(anchor_players)]
df20_anchor = df20_anchor[
    ["short_name", "long_name", "overall", "potential"]
].rename(
    columns={
        "overall": "overall_20",
        "potential": "potential_20"
```

```

    }
)

df21_anchor = df21_anchor[
    ["short_name", "long_name", "overall", "potential"]
].rename(
    columns={
        "overall": "overall_21",
        "potential": "potential_21"
    }
)

df_consolidado = pd.merge(
    df20_anchor,
    df21_anchor,
    on=["short_name", "long_name"],
    how="inner"
)

print("Quantidade de jogadores:", len(df_consolidado))
print(df_consolidado)

```

Quantidade de jogadores: 11

	short_name	long_name	overall_20	potential_20	\
0	E. Hazard	Eden Hazard	91	91	
1	K. De Bruyne	Kevin De Bruyne	91	91	
2	M. ter Stegen	Marc-André ter Stegen	90	93	
3	V. van Dijk	Virgil van Dijk	90	91	
4	H. Kane	Harry Kane	89	91	
5	G. Chiellini	Giorgio Chiellini	89	89	
6	R. Lewandowski	Robert Lewandowski	89	89	
7	A. Griezmann	Antoine Griezmann	89	89	
8	M. Neuer	Manuel Neuer	88	88	
9	T. Kroos	Toni Kroos	88	88	
10	K. Benzema	Karim Benzema	87	87	

	overall_21	potential_21
0	88	88
1	91	91
2	90	93
3	90	91
4	88	89
5	87	87
6	91	91
7	87	87
8	89	89
9	88	88
10	89	89

Encontrar jogadores que aparecem em todos os anos disponíveis

```
import pandas as pd

df20 = pd.read_csv("players_20.csv")
df21 = pd.read_csv("players_21.csv")
jogadores_20 = set(df20["long_name"])
jogadores_21 = set(df21["long_name"])

jogadores_comuns = list(jogadores_20.intersection(jogadores_21))

jogadores_comuns.sort()

print("Primeiros 10 jogadores comuns:")
print(jogadores_comuns[:10])

print("\nTotal de jogadores comuns:", len(jogadores_comuns))

Primeiros 10 jogadores comuns:
['A. Benjamin Chiamulaira Paes', 'Aapo Halme', 'Aaron Amadi-Holloway', 'Aaron Anthony Connolly', 'Aaron Appindangoye', 'Aaron Bastiaans', 'Aaron Berzel', 'Aaron Bolger', 'Aaron Calver', 'Aaron Collins']

Total de jogadores comuns: 13145
```

Criar banco SQL em memória e armazenar jogadores âncora

```
%pip install sqlalchemy duckdb duckdb-engine

import pandas as pd
from sqlalchemy import create_engine

df = pd.read_csv("players_20.csv")

anchor_players = [
    "Cristiano Ronaldo",
    "Lionel Messi",
    "Neymar Jr",
    "Kylian Mbappé",
    "Kevin De Bruyne",
    "Mohamed Salah",
    "Robert Lewandowski",
    "Sergio Ramos",
    "Virgil van Dijk",
    "Luka Modric",
    "Toni Kroos",
    "Eden Hazard",
    "Luis Suárez",
    "Manuel Neuer",
```

```

    "Harry Kane",
    "Paulo Dybala",
    "Giorgio Chiellini",
    "Karim Benzema",
    "Antoine Griezmann",
    "Marc-André ter Stegen"
]

df_anchor_20 = df[df["long_name"].isin(anchor_players)]

engine = create_engine("duckdb:///memory:")
df_anchor_20.to_sql(
    "jogadores_20",
    engine,
    index=False,
    if_exists="replace"
)

df_sql = pd.read_sql(
    "SELECT * FROM jogadores_20",
    engine
)

print(df_sql.head())

```

Requirement already satisfied: sqlalchemy in /toolkit-cache/2.3.1/python3.11/kernel-libs/lib/python3.11/site-packages (1.4.54)

Requirement already satisfied: duckdb in /toolkit-cache/2.3.1/python3.11/kernel-libs/lib/python3.11/site-packages (1.4.4)

Collecting duckdb-engine

Downloading duckdb_engine-0.17.0-py3-none-any.whl.metadata (8.4 kB)

Requirement already satisfied: greenlet!=0.4.17 in /toolkit-cache/2.3.1/python3.11/kernel-libs/lib/python3.11/site-packages (from sqlalchemy) (3.2.4)

Requirement already satisfied: packaging>=21 in /root/venv/lib/python3.11/site-packages (from duckdb-engine) (26.2)

Downloading duckdb_engine-0.17.0-py3-none-any.whl (49 kB)

[2K [90m [32m49.7/49.7 kB [0m [31m3.0 MB/s [0m eta [36m0:00:00 [0m

[?25hInstalling collected packages: duckdb-engine

Successfully installed duckdb-engine-0.17.0

[1m[[0m [34;49mnotice [0m [1;39;49m] [0m [39;49m A new release of pip is available: [0m [31;49m24.0 [0m [39;49m -> [0m [32;49m26.1.2 [0m

[1m[[0m [34;49mnotice [0m [1;39;49m] [0m [39;49m To update, run: [0m [32;49mpip install --upgrade pip [0m

Note: you may need to restart the kernel to use updated packages.

	sofifa_id	player_url \
0	183277	https://sofifa.com/player/183277/eden-hazard/2...
1	192985	https://sofifa.com/player/192985/kevin-de-bruy...
2	192448	https://sofifa.com/player/192448/marc-andre-te...
3	203376	https://sofifa.com/player/203376/virgil-van-di...
4	202126	https://sofifa.com/player/202126/harry-kane/20...

	short_name	long_name	age	dob	height_cm	\
0	E. Hazard	Eden Hazard	28	1991-01-07	175	
1	K. De Bruyne	Kevin De Bruyne	28	1991-06-28	181	
2	M. ter Stegen	Marc-André ter Stegen	27	1992-04-30	187	
3	V. van Dijk	Virgil van Dijk	27	1991-07-08	193	
4	H. Kane	Harry Kane	25	1993-07-28	188	

	weight_kg	nationality	club_name	...	lwb	ldm	cdm	rdm	\
0	74	Belgium	Real Madrid	...	66+6	63+6	63+6	63+6	
1	70	Belgium	Manchester City	...	77+3	77+3	77+3	77+3	
2	85	Germany	FC Barcelona	...	33+3	41+3	41+3	41+3	
3	92	Netherlands	Liverpool	...	79+3	84+3	84+3	84+3	
4	89	England	Tottenham Hotspur	...	65+3	66+3	66+3	66+3	

	rwb	lb	lcb	cb	rcb	rb
0	66+6	61+6	49+6	49+6	49+6	61+6
1	77+3	73+3	67+3	67+3	67+3	73+3
2	33+3	31+3	33+3	33+3	33+3	31+3
3	79+3	81+3	88+3	88+3	88+3	81+3
4	65+3	62+3	61+3	61+3	61+3	62+3

[5 rows x 106 columns]

Consultar atributos específicos via SQL

```
import pandas as pd

query = """
SELECT
    short_name,
    pace,
    shooting,
    defending
FROM jogadores_20
"""

df_atributos = pd.read_sql(query, engine)

print(df_atributos)
```

	short_name	pace	shooting	defending
0	E. Hazard	91.0	83.0	35.0
1	K. De Bruyne	76.0	86.0	61.0
2	M. ter Stegen	NaN	NaN	NaN
3	V. van Dijk	77.0	60.0	90.0
4	H. Kane	70.0	91.0	47.0
5	G. Chiellini	68.0	46.0	90.0
6	R. Lewandowski	77.0	87.0	41.0
7	A. Griezmann	81.0	86.0	57.0
8	M. Neuer	NaN	NaN	NaN

9	T. Kroos	45.0	80.0	70.0
10	K. Benzema	76.0	82.0	39.0

Gerar uma tabela consolidada de médias por posição

```
import pandas as pd

df = pd.read_csv("players_20.csv")

df_posicoes = (
    df.groupby("player_positions")
      .agg({
          "overall": "mean",
          "potential": "mean",
          "age": "mean"
      })
      .round(2)
      .rename(columns={
          "overall": "overall_medio",
          "potential": "potential_medio",
          "age": "idade_medio"
      })
      .sort_values(by="overall_medio", ascending=False)
)

print(df_posicoes)
```

player_positions	overall_medio	potential_medio	idade_medio
RW, CF, ST	94.0	94.0	32.0
CF, LW, ST	87.0	87.0	28.0
CDM, CB, LB	83.0	83.0	29.0
CF, LM, LW	83.0	85.0	26.0
CAM, LM, LW	81.0	81.0	31.0
...	...	...	...
CB, LM	53.0	59.0	23.0
LB, CDM, RB	53.0	60.0	24.0
CM, RWB, CDM	52.0	65.0	20.0
LM, CDM, LWB	51.0	65.0	18.0
RM, ST, CM	49.0	53.0	21.0

[649 rows x 3 columns]

Comparar distribuições entre anos

```
import pandas as pd

df20 = pd.read_csv("players_20.csv")
```



```
df21 = pd.read_csv("players_21.csv")

media_20 = {
    "ano": 2020,
    "overall_medio": df20["overall"].mean(),
    "potential_medio": df20["potential"].mean(),
    "idade_media": df20["age"].mean()
}
media_21 = {
    "ano": 2021,
    "overall_medio": df21["overall"].mean(),
    "potential_medio": df21["potential"].mean(),
    "idade_media": df21["age"].mean()
}
df_comparacao_anos = pd.DataFrame([media_20, media_21])

df_comparacao_anos = df_comparacao_anos.round(2)

print(df_comparacao_anos)
```

	ano	overall_medio	potential_medio	idade_media
0	2020	66.20	71.50	25.28
1	2021	65.68	71.09	25.23

Exportar DataFrame para SQL e recuperar com outra consulta

```
import pandas as pd

df21 = pd.read_csv("players_21.csv")

df21.to_sql(
    "jogadores_21",
    engine,
    index=False,
    if_exists="replace"
)

query = """
SELECT
    short_name,
    long_name,
    overall,
    potential
FROM jogadores_21
WHERE overall > 88
ORDER BY overall DESC
"""

df_top = pd.read_sql(query, engine)
```

```
print(df_top)
```

	short_name	long_name	overall	potential
0	L. Messi	Lionel Andrés Messi Cuccittini	93	93
1	Cristiano Ronaldo	Cristiano Ronaldo dos Santos Aveiro	92	92
2	J. Oblak	Jan Oblak	91	93
3	R. Lewandowski	Robert Lewandowski	91	91
4	Neymar Jr	Neymar da Silva Santos Júnior	91	91
5	K. De Bruyne	Kevin De Bruyne	91	91
6	K. Mbappé	Kylian Mbappé Lottin	90	95
7	M. ter Stegen	Marc-André ter Stegen	90	93
8	V. van Dijk	Virgil van Dijk	90	91
9	Alisson	Alisson Ramsés Becker	90	91
10	S. Mané	Sadio Mané	90	90
11	M. Salah	Mohamed Salah Ghaly	90	90
12	T. Courtois	Thibaut Courtois	89	90
13	S. Agüero	Sergio Leonel Agüero del Castillo	89	89
14	Sergio Ramos	Sergio Ramos García	89	89
15	K. Benzema	Karim Benzema	89	89
16	M. Neuer	Manuel Neuer	89	89
17	Casemiro	Carlos Henrique Venancio Casimiro	89	89

Criar um banco SQL com múltiplas tabelas

```
import pandas as pd

df20 = pd.read_csv("players_20.csv")
df21 = pd.read_csv("players_21.csv")

df20.to_sql(
    "jogadores_20",
    engine,
    index=False,
    if_exists="replace"
)

df21.to_sql(
    "jogadores_21",
    engine,
    index=False,
    if_exists="replace"
)

query = """
SELECT
    j20.short_name,
    j20.long_name,
    j20.overall AS overall_20,
    j21.overall AS overall_21
FROM jogadores_20 j20
```

```
INNER JOIN jogadores_21 j21
  ON j20.long_name = j21.long_name
LIMIT 100
"""

df_comuns = pd.read_sql(query, engine)

print(df_comuns)

/root/venv/lib/python3.11/site-packages/duckdb_engine/__init__.py:184:
DuckDBEngineWarning: duckdb-engine doesn't yet support reflection on indices
  warnings.warn(
      short_name      long_name  overall_20 \
0      L. Messi      Lionel Andrés Messi Cuccittini      94
1  Cristiano Ronaldo  Cristiano Ronaldo dos Santos Aveiro      93
2      Neymar Jr      Neymar da Silva Santos Júnior      92
3      J. Oblak      Jan Oblak      91
4      E. Hazard      Eden Hazard      91
..      ...      ...      ...
95      Z. Ibrahimović      Zlatan Ibrahimović      85
96      A. Gómez      Alejandro Darío Gómez      85
97      G. Higuaín      Gonzalo Gerardo Higuaín      85
98      B. Matuidi      Blaise Matuidi      85
99      G. Bale      Gareth Frank Bale      85

overall_21
0      93
1      92
2      91
3      91
4      88
..      ...
95      83
96      86
97      83
98      83
99      83

[100 rows x 4 columns]
```

Consolidar atributos de 20 jogadores âncora entre anos diferentes

```
import pandas as pd

df20 = pd.read_csv("players_20.csv")
df21 = pd.read_csv("players_21.csv")

anchor_players = [
    "Cristiano Ronaldo",
```

```
"Lionel Messi",
"Neymar Jr",
"Kylian Mbappé",
"Kevin De Bruyne",
"Mohamed Salah",
"Robert Lewandowski",
"Sergio Ramos",
"Virgil van Dijk",
"Luka Modric",
"Toni Kroos",
"Eden Hazard",
"Luis Suárez",
"Manuel Neuer",
"Harry Kane",
"Paulo Dybala",
"Giorgio Chiellini",
"Karim Benzema",
"Antoine Griezmann",
"Marc-André ter Stegen"
]

df20_anchor = df20[df20["long_name"].isin(anchor_players)]
df21_anchor = df21[df21["long_name"].isin(anchor_players)]

df20_anchor = df20_anchor[
    ["short_name", "long_name", "overall", "potential"]
].rename(columns={
    "overall": "overall_20",
    "potential": "potential_20"
})

df21_anchor = df21_anchor[
    ["short_name", "long_name", "overall", "potential"]
].rename(columns={
    "overall": "overall_21",
    "potential": "potential_21"
})

df_consolidado = pd.merge(
    df20_anchor,
    df21_anchor,
    on=["short_name", "long_name"],
    how="inner"
)

df_consolidado = df_consolidado[
    [
        "short_name",
        "overall_20",
        "overall_21",
        "potential_20",
        "potential_21"
    ]
]
```

]

```
print(df_consolidado)
```

	short_name	overall_20	overall_21	potential_20	potential_21
0	E. Hazard	91	88	91	88
1	K. De Bruyne	91	91	91	91
2	M. ter Stegen	90	90	93	93
3	V. van Dijk	90	90	91	91
4	H. Kane	89	88	91	89
5	G. Chiellini	89	87	89	87
6	R. Lewandowski	89	91	89	91
7	A. Griezmann	89	87	89	87
8	M. Neuer	88	89	88	89
9	T. Kroos	88	88	88	88
10	K. Benzema	87	89	87	89

Relatório longitudinal de atributos FIFA 15 a FIFA 21

```
import pandas as pd

anchor_players = [
    "Cristiano Ronaldo",
    "Lionel Messi",
    "Neymar Jr",
    "Kylian Mbappé",
    "Kevin De Bruyne",
    "Mohamed Salah",
    "Robert Lewandowski",
    "Sergio Ramos",
    "Virgil van Dijk",
    "Luka Modric",
    "Toni Kroos",
    "Eden Hazard",
    "Luis Suárez",
    "Manuel Neuer",
    "Harry Kane",
    "Paulo Dybala",
    "Giorgio Chiellini",
    "Karim Benzema",
    "Antoine Griezmann",
    "Marc-André ter Stegen"
]

anos = [15, 16, 17, 18, 19, 20, 21]

dfs = []

for ano in anos:

    df = pd.read_csv(f"players_{ano}.csv")
```

```
df = df[df["long_name"].isin(anchor_players)].copy()

colunas = [
    "long_name",
    "overall",
    "potential",
    "player_positions"
]

if ano == 21:
    colunas.append("age")

df = df[colunas]

rename_dict = {
    "overall": f"overall_{ano}",
    "potential": f"potential_{ano}"
}

if ano == 21:
    rename_dict["player_positions"] = "posicao_principal"
    rename_dict["age"] = "age_21"
else:
    rename_dict["player_positions"] = f"posicao_{ano}"

df = df.rename(columns=rename_dict)

dfs.append(df)

df_final = dfs[0]

for df in dfs[1:]:
    df_final = pd.merge(
        df_final,
        df,
        on="long_name",
        how="outer"
    )

df_final["evolucao_overall_15_21"] = (
    df_final["overall_21"] - df_final["overall_15"]
)

df_final["evolucao_potential_15_21"] = (
    df_final["potential_21"] - df_final["potential_15"]
)

def classificar_tendencia(valor):
    if valor > 1:
        return "subiu"
    elif valor < -1:
        return "caiu"
    else:
```

```

        return "estavel"

df_final["tendencia_overall"] = (
    df_final["evolucao_overall_15_21"]
    .apply(classificar_tendencia)
)

df_final.to_csv(
    "relatorio_fifa_15_21_sj90.csv",
    index=False
)

colunas_exibir = [
    "long_name",
    "overall_15",
    "overall_21",
    "potential_15",
    "potential_21",
    "evolucao_overall_15_21",
    "evolucao_potential_15_21",
    "tendencia_overall",
    "posicao_principal",
    "age_21"
]

print(df_final[colunas_exibir])

```

	long_name	overall_15	overall_21	potential_15	potential_21	\
0	Manuel Neuer	90	89	90	89	
1	Eden Hazard	88	88	90	88	
2	Robert Lewandowski	87	91	89	91	
3	Toni Kroos	85	88	88	88	
4	Karim Benzema	85	89	87	89	
5	Giorgio Chiellini	84	87	84	87	
6	Marc-André ter Stegen	82	90	88	93	
7	Antoine Griezmann	82	87	88	87	
8	Kevin De Bruyne	81	91	86	91	
9	Virgil van Dijk	75	90	79	91	
10	Harry Kane	71	88	78	89	

	evolucao_overall_15_21	evolucao_potential_15_21	tendencia_overall	\
0	-1	-1	estavel	
1	0	-2	estavel	
2	4	2	subiu	
3	3	0	subiu	
4	4	2	subiu	
5	3	3	subiu	
6	8	5	subiu	
7	5	-1	subiu	
8	10	5	subiu	
9	15	12	subiu	
10	17	11	subiu	

	posicao_principal	age_21
0	GK	34
1	LW, ST	29
2	ST	31
3	CM	30
4	CF, ST	32
5	CB	35
6	GK	28
7	ST, CF, LW	29
8	CAM, CM	29
9	CB	28
10	ST	26