

NeetCode 150 + Striver Master DSA Patterns

Deduplicated, pattern-wise question reference with platform badges and clickable LeetCode, source, and YouTube links

How to read this reference

[N] = NeetCode 150 [S] = Striver Master DSA Patterns. Shared questions appear once with both badges. LeetCode is included when an exact or clearly corresponding problem was verified. Materially different variants remain separate.

Total unique entries: **269** | NeetCode: 150 | Striver: 179 | Shared: 59

Arrays & hashing (16)

[N] Contains Duplicate

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Valid Anagram

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Two Sum

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] Group Anagrams

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Top K Frequent Elements

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Encode and Decode Strings

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Product of Array Except Self

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Valid Sudoku

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Longest Consecutive Sequence

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[S] Majority Element-I

[LeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[S] Majority Element-II

[LeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[S] Count Inversions

[Striver / takeUforward](#)

Note: Inversion-counting task; original practice link provided.

[S] Reverse Pairs

[LeetCode](#) | [Striver / takeUforward](#)

[S] Longest subarray with sum K

[LeetCode](#) | [Striver / takeUforward](#)

[S] Count subarrays with given sum

[LeetCode](#) | [Striver / takeUforward](#)

[S] Count subarrays with given xor K

[Striver / takeUforward](#)

Two pointers (9)

[N] [S] 3Sum

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] Container With Most Water

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Trapping Rain Water

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] Two Sum II Input Array Is Sorted

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Valid Palindrome

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[S] Sort an array of 0's 1's and 2's

[LeetCode](#) | [Striver / takeUforward](#)

[S] Next Permutation

[LeetCode](#) | [Striver / takeUforward](#)

[S] 4 Sum

[LeetCode](#) | [Striver / takeUforward](#)

[S] Merge two sorted arrays without extra space

[Striver / takeUforward](#)

Note: Two separate sorted arrays; no exact LeetCode link verified for this in-place variant.

Sliding window (12)

[N] Best Time to Buy And Sell Stock

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Longest Substring Without Repeating Characters

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] [S] Longest Repeating Character Replacement

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] Permutation In String

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Minimum Window Substring

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] [S] Sliding Window Maximum

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[S] Maximum Points You Can Obtain from Cards

[LeetCode](#) | [Striver / takeUforward](#)

[S] Max Consecutive Ones III

[LeetCode](#) | [Striver / takeUforward](#)

[S] Longest Substring With At Most K Distinct Characters

[LeetCode](#) | [Striver / takeUforward](#)

[S] Number of Substrings Containing All Three Characters

[LeetCode](#) | [Striver / takeUforward](#)

[S] Binary Subarrays With Sum

[LeetCode](#) | [Striver / takeUforward](#)

[S] Count number of Nice subarrays

[LeetCode](#) | [Striver / takeUforward](#)

Stacks & queues (16)

[N] Valid Parentheses

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Min Stack

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] Evaluate Reverse Polish Notation

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Daily Temperatures

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Car Fleet

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Largest Rectangle In Histogram

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[S] Next Greater Element

[Striver / takeUforward](#)

Note: Next greater value for every array element; not LeetCode 496's subset-query format.

[S] Next Greater Element - 2

[LeetCode](#) | [Striver / takeUforward](#)

[S] Stock span problem

[LeetCode](#) | [Striver / takeUforward](#)

[S] Sum of Subarray Minimums

[LeetCode](#) | [Striver / takeUforward](#)

[S] Sum of Subarray Ranges

[LeetCode](#) | [Striver / takeUforward](#)

[S] Remove K Digits

[LeetCode](#) | [Striver / takeUforward](#)

[S] Maximum Rectangles

[LeetCode](#) | [Striver / takeUforward](#)

[S] Asteroid Collision

[LeetCode](#) | [Striver / takeUforward](#)

[S] Celebrity Problem

[LeetCode](#) | [Striver / takeUforward](#)

[S] LFU Cache

[LeetCode](#) | [Striver / takeUforward](#)

Binary search (17)

[N] Binary Search

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Find Minimum In Rotated Sorted Array

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] [S] Koko Eating Bananas

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] [S] Median of Two Sorted Arrays

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] Search In Rotated Sorted Array

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Search a 2D Matrix

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Time Based Key Value Store

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[S] Find peak element

[LeetCode](#) | [Striver / takeUforward](#)

[S] Search in rotated sorted array-II

[LeetCode](#) | [Striver / takeUforward](#)

[S] Single element in sorted array

[LeetCode](#) | [Striver / takeUforward](#)

[S] Search in 2D matrix - II

[LeetCode](#) | [Striver / takeUforward](#)

[S] Find Peak Element - II

[LeetCode](#) | [Striver / takeUforward](#)

[S] Find Nth root of a number

[Striver / takeUforward](#)

[S] Aggressive Cows

[Striver / takeUforward](#)

[S] Book Allocation Problem

[Striver / takeUforward](#)

[S] Matrix Median

[Striver / takeUforward](#)

[S] Kth element of 2 sorted arrays

[Striver / takeUforward](#)

Linked lists (20)

[N] [S] Reverse Linked List

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] [S] Merge Two Sorted Lists

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] [S] Linked List Cycle

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] Reorder List

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Remove Nth Node From End of List

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] [S] Copy List With Random Pointer

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] [S] Add Two Numbers

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] Find The Duplicate Number

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] LRU Cache

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] Merge K Sorted Lists

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Reverse Nodes In K Group

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[S] Find Middle of Linked List

[LeetCode](#) | [Striver / takeUforward](#)

[S] Find the intersection point of Y LL

[LeetCode](#) | [Striver / takeUforward](#)

[S] Check if LL is palindrome or not

[LeetCode](#) | [Striver / takeUforward](#)

[S] Find the starting point in LL

[LeetCode](#) | [Striver / takeUforward](#)

[S] Length of loop in LL

[Striver / takeUforward](#)

[S] Sort a Linked List of 0's 1's and 2's

[Striver / takeUforward](#)

[S] Rotate a LL

[LeetCode](#) | [Striver / takeUforward](#)

[S] Sort LL

[LeetCode](#) | [Striver / takeUforward](#)

[S] Flattening of LL

[Striver / takeUforward](#)

Binary trees & BSTs (31)

[N] Invert Binary Tree

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Maximum Depth of Binary Tree

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Diameter of Binary Tree

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] Balanced Binary Tree

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Same Tree

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Subtree of Another Tree

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Lowest Common Ancestor of a Binary Search Tree

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] [S] Binary Tree Level Order Traversal

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] [S] Binary Tree Right Side View / Left View

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

Note: Shared: right view. Striver additionally includes the left view; LeetCode covers right view.

[N] Count Good Nodes In Binary Tree

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Validate Binary Search Tree

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] [S] Kth Smallest / Largest Element in a BST

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

Note: Shared: kth smallest. Striver additionally includes kth largest; LeetCode covers kth smallest.

[N] [S] Construct Binary Tree From Preorder And Inorder Traversal

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] [S] Binary Tree Maximum Path Sum

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] [S] Serialize And Deserialize Binary Tree

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[S] Maximum Width of BT

[LeetCode](#) | [Striver / takeUforward](#)

[S] Top View of BT

[Striver / takeUforward](#)

[S] Print all nodes at a distance of K in BT

[LeetCode](#) | [Striver / takeUforward](#)

[S] Minimum time taken to burn the BT from a given Node

[LeetCode](#) | [Striver / takeUforward](#)

Note: LeetCode uses infection terminology for the same propagation task.

[S] Vertical Order Traversal

[LeetCode](#) | [Striver / takeUforward](#)

[S] Print root to leaf path in BT

[LeetCode](#) | [Striver / takeUforward](#)

Note: LeetCode returns all root-to-leaf paths.

[S] LCA in BT

[LeetCode](#) | [Striver / takeUforward](#)

[S] Boundary Traversal

[LeetCode](#) | [Striver / takeUforward](#)

[S] Morris Inorder Traversal

[LeetCode](#) | [Striver / takeUforward](#)

Note: Use Morris traversal for the linked LeetCode inorder-traversal task.

[S] Insert a given node in BST

[LeetCode](#) | [Striver / takeUforward](#)

[S] Delete a node in BST

[LeetCode](#) | [Striver / takeUforward](#)

[S] Inorder successor and predecessor in BST

[Striver / takeUforward](#)

[S] Construct a BST from a preorder traversal

[LeetCode](#) | [Striver / takeUforward](#)

[S] Two sum in BST

[LeetCode](#) | [Striver / takeUforward](#)

[S] Correct BST with two nodes swapped

[LeetCode](#) | [Striver / takeUforward](#)

[S] Largest BST in Binary Tree

[LeetCode](#) | [Striver / takeUforward](#)

Heaps & priority queues (10)

[N] Design Twitter

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Find Median From Data Stream

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] K Closest Points to Origin

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Kth Largest Element In An Array

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] Kth Largest Element In a Stream

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Last Stone Weight

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Task Scheduler

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[S] Heapify Algorithm

[Striver / takeUforward](#)

[S] Build heap from a given Array

[Striver / takeUforward](#)

[S] Implement Min Heap

[Striver / takeUforward](#)

Recursion & backtracking (11)

[N] [S] Subsets

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

Note: Striver: Power Set + Power Set Bit Manipulation; one question, two methods.

[N] [S] Combination Sum

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] [S] Combination Sum II

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] Permutations

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Subsets II

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] [S] Generate Parentheses

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] [S] Word Search

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] [S] Palindrome Partitioning

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] [S] Letter Combinations of a Phone Number

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] [S] N Queens

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[S] Sudoku Solver

[LeetCode](#) | [Striver / takeUforward](#)

Tries (8)

[N] Implement Trie Prefix Tree

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Design Add And Search Words Data Structure

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Word Search II

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[S] Trie Implementation and Advanced Operations

[LeetCode](#) | [Striver / takeUforward](#)

Note: Counting and erase operations; distinct from basic LeetCode 208.

[S] Longest Word with All Prefixes

[LeetCode](#) | [Striver / takeUforward](#)

[S] Number of distinct substrings in a string

[LeetCode](#) | [Striver / takeUforward](#)

[S] Maximum XOR of two numbers in an array

[LeetCode](#) | [Striver / takeUforward](#)

[S] Maximum Xor with an element from an array

[LeetCode](#) | [Striver / takeUforward](#)

Graphs: traversal & connectivity (24)

[N] Clone Graph

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Course Schedule

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Course Schedule II

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] Graph Valid Tree

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Max Area of Island

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Number of Connected Components In An Undirected Graph

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Number of Islands

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Pacific Atlantic Water Flow

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Redundant Connection

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Rotting Oranges

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] [S] Surrounded Regions

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] Walls And Gates

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Word Ladder

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[S] Flood fill algorithm

[LeetCode](#) | [Striver / takeUforward](#)

[S] Number of islands

[Striver / takeUforward](#)

Note: Eight-direction connectivity, including diagonals; distinct from NeetCode / LeetCode 200.

[S] Distance of nearest cell having one

[Striver / takeUforward](#)

Note: Distance to nearest 1; LeetCode 542 instead asks for distance to nearest 0.

[S] Number of distinct islands

[LeetCode](#) | [Striver / takeUforward](#)

[S] Detect a cycle in an undirected graph

[Striver / takeUforward](#)

[S] Bipartite graph

[LeetCode](#) | [Striver / takeUforward](#)

[S] Detect a cycle in a directed graph

[Striver / takeUforward](#)

[S] Topological sort or Kahn's algorithm

[Striver / takeUforward](#)

[S] Kosaraju's algorithm

[Striver / takeUforward](#)

[S] Bridges in graph

[LeetCode](#) | [Striver / takeUforward](#)

[S] Articulation point in graph

[Striver / takeUforward](#)

Graphs: paths & spanning trees (18)

[N] Network Delay Time

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Reconstruct Itinerary

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Min Cost to Connect All Points

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Swim In Rising Water

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Alien Dictionary

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] [S] Cheapest Flights Within K Stops

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[S] Shortest path in undirected graph with unit weights

[Striver / takeUforward](#)

[S] Shortest path in DAG

[Striver / takeUforward](#)

[S] Dijkstra's algorithm

[Striver / takeUforward](#)

[S] Path with minimum effort

[LeetCode](#) | [Striver / takeUforward](#)

[S] Bellman ford algorithm

[Striver / takeUforward](#)

[S] Floyd warshall algorithm

[Striver / takeUforward](#)

[S] Word ladder II

[LeetCode](#) | [Striver / takeUforward](#)

[S] Disjoint Set

[Striver / takeUforward](#)

[S] Find the MST weight

[Striver / takeUforward](#)

[S] Number of operations to make network connected

[LeetCode](#) | [Striver / takeUforward](#)

[S] Number of islands II

[LeetCode](#) | [Striver / takeUforward](#)

[S] Making a large island

[LeetCode](#) | [Striver / takeUforward](#)

Dynamic programming (36)

[N] Climbing Stairs

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Min Cost Climbing Stairs

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] House Robber

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] House Robber II

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

Note: Striver title: House robber (circular houses).

[N] Longest Palindromic Substring

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Palindromic Substrings

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Decode Ways

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Coin Change

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Maximum Product Subarray

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] Word Break

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Longest Increasing Subsequence

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] Partition Equal Subset Sum

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Best Time to Buy And Sell Stock With Cooldown

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Burst Balloons

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Coin Change II

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] Distinct Subsequences

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Edit Distance

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] Interleaving String

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Longest Common Subsequence

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] Longest Increasing Path In a Matrix

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Regular Expression Matching

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Target Sum

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] Unique Paths

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[S] Frog jump with K distances

[Striver / takeUforward](#)

[S] Ninja's training

[Striver / takeUforward](#)

[S] Unique paths II

[LeetCode](#) | [Striver / takeUforward](#)

[S] Best time to buy and sell stock with transaction fees

[LeetCode](#) | [Striver / takeUforward](#)

[S] Best time to buy and sell stock IV

[LeetCode](#) | [Striver / takeUforward](#)

[S] 0 and 1 Knapsack

[Striver / takeUforward](#)

[S] Partition a set into two subsets with minimum absolute sum difference

[Striver / takeUforward](#)

Note: Unrestricted subset sizes; not LeetCode 2035, which requires equal sizes.

[S] Longest common substring

[Striver / takeUforward](#)

[S] Longest palindromic subsequence

[LeetCode](#) | [Striver / takeUforward](#)

[S] Number of Longest Increasing Subsequences

[LeetCode](#) | [Striver / takeUforward](#)

[S] Wildcard matching

[LeetCode](#) | [Striver / takeUforward](#)

[S] Matrix chain multiplication

[Striver / takeUforward](#)

[S] Palindrome partitioning II

[LeetCode](#) | [Striver / takeUforward](#)

Greedy & intervals (18)

[N] [S] Maximum Subarray

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] [S] Jump Game

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] Jump Game II

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Gas Station

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Hand of Straights

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Merge Triplets to Form Target Triplet

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Partition Labels

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Valid Parenthesis String

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] [S] Insert Interval

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] Merge Intervals

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] [S] Non Overlapping Intervals

[LeetCode](#) | [NeetCode](#) | [Striver / takeUforward](#) | [YouTube](#)

[N] Meeting Rooms

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Meeting Rooms II

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Minimum Interval to Include Each Query

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[S] Candy

[LeetCode](#) | [Striver / takeUforward](#)

[S] N meetings in one room

[Striver / takeUforward](#)

[S] Minimum number of platforms required for a railway

[Striver / takeUforward](#)

[S] Job sequencing Problem

[Striver / takeUforward](#)

Math & geometry (9)

[N] Rotate Image

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Spiral Matrix

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Set Matrix Zeroes

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Happy Number

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Plus One

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Pow(x, n)

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Multiply Strings

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Detect Squares

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[S] Print all primes till N

[Striver / takeUforward](#)

Note: Print primes up to N; LeetCode 204 instead counts primes below N.

Bit manipulation (10)

[N] Single Number

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Number of 1 Bits

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Counting Bits

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Reverse Bits

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Missing Number

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Sum of Two Integers

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[N] Reverse Integer

[LeetCode](#) | [NeetCode](#) | [YouTube](#)

[S] Single Number - II

[LeetCode](#) | [Striver / takeUforward](#)

[S] Single Number - III

[LeetCode](#) | [Striver / takeUforward](#)

[S] Find the repeating and missing number

[LeetCode](#) | [Striver / takeUforward](#)

String matching (4)

[S] Rabin Karp Algorithm

[Striver / takeUforward](#)

Note: Algorithm exercise: Rabin-Karp string matching.

[S] Z function

[Striver / takeUforward](#)

Note: Algorithm exercise: computing the Z-function.

[S] KMP Algorithm or LPS array

[Striver / takeUforward](#)

Note: Algorithm exercise: KMP matching / LPS construction.

[S] Shortest Palindrome

[LeetCode](#) | [Striver / takeUforward](#)