



**PREM INDUSTRIES**  
INNOVATION IN ACTION

# CHIMNEYS CATALOGUE



High Quality  
& Suitable



## ■ TABLE OF CONTENTS ■

**03** — CURVE SHAPE CHIMNEYS

**05** — T SHAPE CHIMNEYS

**07** — PYRAMID CHIMNEYS

**08** — UNDER CABINATE CHIMNEYS

**09** — INCLINED CHIMNEYS

**10** — DISPLAY CONTROLLERS

**13** — BLOWERS & HOUSING



## BIS CERTIFIED QUALITY ASSURANCE

Prem Industries India Limited proudly introduces its BIS-certified Chimney Manufacturing Segment, designed and produced in strict compliance with **BUREAU OF INDIAN STANDARDS (BIS)** norms.

### MADE IN INDIA. CERTIFIED BY BIS.

- Compliance with BIS safety & performance standards
- Controlled and audited manufacturing processes
- BIS-compliant materials and components
- Standardized production and inspection procedures

AT PREM INDUSTRIES, CERTIFICATION IS NOT A FORMALITY—  
IT IS A MANUFACTURING DISCIPLINE.



## CURVE SHAPE WALL MOUNTED CHIMNEYS LOOK PLUS PERFORMANCE

Stylish Angled Glass Design With Efficient Suction



VOLTAGE  
230 V AC 50Hz



SUCTION POWER  
1250 - 1550 M<sup>3</sup>/H



LED LIGHT  
RECTANGULAR LED  
( 2\* 1.5-2 W )



MOTOR  
130 W/180 W



AUTO CLEAN  
HEAT AUTO CLEAN



BLOWER & HOUSING  
MATERIAL  
PLASTIC (BLOWER & HOUSING)  
PLASTIC BLOWER  
& MATELHOUSING  
METAL BLOWER  
& MATEL HOUSING



CAPACITOR  
4 MFD/5 MFD



OIL COLLECTOR  
METAL OIL COLLECTOR



FILTER TYPE  
CARBON FILTER  
FILTER LESS  
BAFFLE FILTER

# CURVE SHAPE WALL MOUNTED CHIMNEYS

## LOOK PLUS PERFORMANCE

Stylish Angled Glass Design With Efficient Suction



### SPECIFICATIONS:

- Curve Shape Wall Mounted Hood
- 180W AC motor / 130W BLDC motor
- 0.5mm cold rolled steel body
- Filter less
- Smart auto heat clean
- Motion sensor gesture control with 3/9 speed
- 60W Heating film
- 210\*90mm Metal Blower & metal housing
- Round LED 2\*1.5W
- Max Airflow: 800 M3/H
- Size available: 60, 75, 90 cm

### SQ WITH FOAM PACKING DETAIL:

MASTER CARTON SQ PACKING WITH THERMOCOL AS PER THE CUSTOMER REQUIRIEMENT



### SPECIFICATIONS:

- Curve Shape Wall Mounted Hood
- 180W AC motor / 130W BLDC motor
- 0.5mm cold rolled steel body
- Baffle filter
- Smart auto heat clean
- Motion sensor gesture control with 3/9 speed
- 60W Heating film
- 210\*90mm Metal Blower & metal housing
- LED 1\*1.5W
- Max Airflow: 800 M3/H
- Size available: 60, 75, 90 cm

### SQ WITH FOAM PACKING DETAIL:

MASTER CARTON SQ PACKING WITH THERMOCOL AS PER THE CUSTOMER REQUIRIEMENT



### SPECIFICATIONS:

- Curve Shape Wall Mounted Hood
- 180W AC motor / 130W BLDC motor
- 0.5 mm cold rolled steel body
- Filter less
- Smart auto heat clean
- Motion sensor gesture control with 3/9 speed
- 60W Heating film
- 210\*90mm Metal Blower & metal housing
- LED 1\*1.5 W
- Max Airflow: 800 M3/H
- Size available: 60, 75, 90 cm

### SQ WITH FOAM PACKING DETAIL:

MASTER CARTON SQ PACKING WITH THERMOCOL AS PER THE CUSTOMER REQUIRIEMENT



### SPECIFICATIONS:

- Curve Shape Wall Mounted Hood
- 180W AC motor / 130W BLDC motor
- 0.5mm cold rolled steel body
- Filter less
- Smart auto heat clean
- Motion sensor gesture control with 3/9 speed
- 60W Heating film
- 240\*110mm Metal Blower & metal housing
- LED 1\*1.5W
- Max Airflow: 800 M3/H
- Size available: 60, 75, 90 cm

### SQ WITH FOAM PACKING DETAIL:

MASTER CARTON SQ PACKING WITH THERMOCOL AS PER THE CUSTOMER REQUIRIEMENT



## T SHAPE WALL MOUNTED CHIMNEYS WITH CENTRAL COOKING

High-extraction Units For Large Cooking Islands



**VOLTAGE**  
230 V AC 50Hz



**MOTOR**  
130 W/180 W



**SUCTION POWER**  
1250 - 1550 m<sup>3</sup>/h



**AUTO CLEAN**  
HEAT AUTO CLEAN



**LED LIGHT**  
RECTANGULAR LED  
(2\* 1.5-2 W)



**BLOWER & HOUSING MATERIAL**  
PLASTIC (BLOWER & HOUSING)  
PLASTIC BLOWER & MATELHOUSING  
METAL BLOWER & MATEL HOUSING



**CAPACITOR**  
4 MFD/5 MFD




**OIL COLLECTOR**  
METAL OIL COLLECTOR



**FILTER TYPE**  
MESH FILTER  
CARBON FILTER  
FILTER LESS  
BAFFLE FILTER

# T SHAPE WALL MOUNTED CHIMNEYS WITH CENTRAL COOKING

High-extraction Units For Large Cooking Islands




## SPECIFICATIONS:

- T Shape Wall Mounted Hood
- 180/200 W AC motor / 130 BLDC motor
- 0.5 mm Stainless steel body
- Filter less
- Smart auto heat clean
- Motion sensor control
- 60W Heating film
- 240\*110 mm Metal Blower & Metal housing
- Rectangular LED 1\*5W
- Max Airflow: 800 M3/H
- Size available: 60, 75, 90 cm

## SQ WITH FOAM PACKING DETAIL:

MASTER CARTON SQ PACKING WITH THERMOCOL AS PER THE CUSTOMER REQUIRIEMENT




## SPECIFICATIONS:

- T Shape Wall Mounted Hood
- 180 /200 W AC motor / 130 BLDC
- 0.5mm Galvanized steel body
- Filter less
- Smart auto heat clean
- Motion sensor control
- 60W Heating film
- 240\*110 mm Metal Blower & Metal housing
- Rectangular LED 1\*5W
- Max Airflow: 800 M3/H
- Size available: 60, 75, 90 cm

## SQ WITH FOAM PACKING DETAIL:

MASTER CARTON SQ PACKING WITH THERMOCOL AS PER THE CUSTOMER REQUIRIEMENT




## SPECIFICATIONS:

- T Shape Wall Mounted Hood
- 180W AC / 130 W BLDC motor
- 0.5 mm cold rolled steel body
- Filter less
- Smart auto heat clean
- Knob control with touch
- 60W Heating film
- 210\*90mm Metal Blower & Metal housing
- Rectangular LED 1\*5W
- Max Airflow: 800 M3/H
- Size available: 60, 75, 90 cm

## SQ WITH FOAM PACKING DETAIL:

MASTER CARTON SQ PACKING WITH THERMOCOL AS PER THE CUSTOMER REQUIRIEMENT



## SPECIFICATIONS:

- T Shape Wall Mounted Hood
- 180 /200 W AC motor / 130 BLDC
- 0.5 mm Stainless steel body
- Baffle filter
- Smart auto heat clean
- Motion sensor gesture control with 3/9/12 speed
- 60W Heating film
- 240\*110mm Metal Blower & Metal housing
- Round LED 2\*1.5 W
- Max Airflow: 800 M3/H
- Size available: 60, 75, 90 cm

## SQ WITH FOAM PACKING DETAIL:

MASTER CARTON SQ PACKING WITH THERMOCOL AS PER THE CUSTOMER REQUIRIEMENT

## PYRAMID CHIMNEYS-POPULAR IN STANDARD KITCHENS

Reliable, Space-efficient Option For Most Households



### SPECIFICATIONS :

- Wall - Mounted
- 65/180W AC motor / 130W BLDC motor
- 0.5mm cold rolled steel body
- Baffle filter\*2
- Carbon filter attached with housing
- 3 speed push button control
- 140\*150mm Plastic Blower
- 200 W housing with oil cap attached
- Round LED 2\*1.5W
- Max Airflow: 800 M3/H
- Size available: 60, 75, 90 cm



### SQ WITH FOAM PACKING DETAIL:

MASTER CARTON SQ PACKING WITH THERMOOL AS PER THE CUSTOMER REQURIEMENT



### SPECIFICATIONS :

- Wall - Mounted
- 65/180W AC motor / 130W BLDC motor
- 0.5mm cold rolled steel body
- Baffle filter\*2
- Carbon filter attached with housing
- 3 speed push button control
- 140\*150mm Plastic Blower
- 200 W housing with oil cap attached
- Round LED 2\*1.5W
- Max Airflow: 800 M3/H
- Size available: 60, 75, 90 cm

### SQ WITH FOAM PACKING DETAIL:

MASTER CARTON SQ PACKING WITH THERMOOL AS PER THE CUSTOMER REQURIEMENT



## UNDER CABINATE CHIMNEYS

### THE PERFECT BLEND OF STYLE AND FUNCTIONALITY

 VOLTAGE 230 V AC 50HZ	 MOTOR 130 W/180 W	 CAPACITOR 4 MFD/5 MFD
 SUCTION POWER 1250 - 1550 M <sup>3</sup> /H	 AUTO CLEAN HEAT AUTO CLEAN	 OIL COLLECTOR METAL OIL COLLECTOR
 LED LIGHT RECTANGULAR LED (2*1.5-2 W)	 BLOWER & HOUSING MATERIAL PLASTIC (BLOWER & HOUSING) PLASTIC BLOWER & MATELHOUSING METAL BLOWER & MATEL HOUSING	 FILTER TYPE CARBON FILTER FILTER LESS BAFFLE FILTER



- Maximum Suction: 700 m<sup>3</sup>/hr\*
- Baffle Filter
- Push Button
- Also Available Verita PC CF 1M (Maximum Suction: 450 m<sup>3</sup>/hr\*)



- Maximum Suction: 700 m<sup>3</sup>/hr\*
- Baffle Filter
- Push Button



#### **SPECIFICATIONS:**

- Angular hood
- 180 / 200 W AC motor / 130 W BLDC motor
- 0.5 mm cold rolled steel body
- Filter less
- Smart auto heat clean
- Motion sensor gesture control with 3/9speed
- 60W Heating film
- 240\*110mm Metal Blower & Metal housing
- Rectangular LED 2\*1.5 W
- Max Airflow: 800 M3/H
- Size available: 60,75, 90 cm

#### **SQ WITH FOAM PACKING DETAIL:**

MASTER CARTON SQ PACKING WITH THERMOCOL AS PER THE CUSTOMER REQUIRIEMENT




#### **SPECIFICATIONS:**

- Angular Hood with sliding glass
- 180 / 200 W AC motor / 130 W BLDC motor
- 0.5 mm cold rolled steel body
- Filter less
- Smart auto heat clean
- Motion sensor gesture control with 3/9speed
- 60W Heating film
- 240\*110mm Metal Blower & Metal housing
- Rectangular LED 2\*1.5 W
- Max Airflow: 800 M3/H
- Size available: 60,75, 90 cm

#### **SQ WITH FOAM PACKING DETAIL:**

MASTER CARTON SQ PACKING WITH THERMOCOL AS PER THE CUSTOMER REQUIRIEMENT

# Display Controllers



310×29 mm



290×38 mm



300×34 mm

# Display Controllers



ZC-35 SIZE: 275×15 mm



ZC-38 SIZE: 275×24 mm



ZC-25 SIZE: 273×15 mm



251×32 mm



310×29 mm




290×38 mm



300×34 mm

# Display Controllers



# BLOWERS & HOUSING

Charcoal filter for European model



Metal Motor Housing




Charcoal filter for slim model



Plastic Motor Housing





UNIT 1 (Corporate Office): C-209, Bulandshahar Road, Industrial Area, Ghaziabad, U.P

UNIT 2: 22/13, South Side, G.T. Road Industrial Area, Ghaziabad, Uttar Pradesh, India

UNIT 3: Plot No. 32, Ecotech-12, Greater Noida, Ghaziabad, Uttar Pradesh, India

UNIT 4: Dadri Bypass Road, Chithara, Dadri, Ghaziabad, Uttar Pradesh 201314

Web : [www.premindustries.net](http://www.premindustries.net) ▪ Call : 8447247227



SCAN ME