Governed Agent Fabric

The reusable governance system

From workflow assessment to enforceable action



Describe the work. Make its authority explicit. Carry the evidence through to the effect.

A detailed account of the framework we build on, the engineering we add, the eighteen component groups, and the work still required to earn broader use.

A workflow is the unit. A fabric makes it repeatable.

The opportunity is to connect a useful governance design with the authority, controls and evidence needed to put that design into operation.

What an organisation brings

A process, its purpose, the people and systems involved, the decisions it makes, and the consequences of getting them wrong. It also brings its own policies, owners and operating constraints.

What the system should return

A reviewable governance specification and assessment; a versioned package for supported controls; explicit questions and implementation gaps; and a validation plan tied to the workflow. The output can guide an AI agent, a conventional application or a human-led process.

What makes this more than a document generator

The same identifiers and contracts continue into execution. A proposed operation has a bounded shape, an accountable actor, current source facts, a defined approval rule and an attributable result. Evidence from operation can then change the next assessment.

The reusable core is a chain of responsibility.

Natural language helps describe and design. Reviewed configuration expresses supported rules. The shared fabric checks authority. A registered adapter creates the effect. Evidence shows what actually happened.

A READING ROUTE

The basis	Original framework and extension: pages 3-6
The product	Natural-language design, contracts and outputs: pages 7-9
The system	Eighteen groups, execution and evidence: pages 10-16
The proof	Examples, boundaries, validation and next steps: pages 17-24

Sources: Erdos Effect framework; verified framework crosswalk; repository architecture. Provenance: p24.

Begin with the original governance problem.

The Erdos framing makes workflow description and governance assessment central. Our extension keeps that foundation visible.

The original approach already reaches beyond identifying risks. It considers authority, controls, implementation, validation and operational evidence. Our contribution should therefore be described as a concrete implementation and generalisation of that intent, with clearer executable contracts and product boundaries.

The original design obligation

Understand the workflow before judging it. Make purpose, process, authority, information, accountability, obligations and assurance visible. Produce outputs a responsible owner can review and use.

→

The engineering extension

Represent the design in strict data contracts. Bind it to identities, resources, policy, approvals and adapters. Make supported rules enforceable and preserve the distinction between a proposal, an implementation and verified operation.

Why the input/output work matters

A vague input produces a plausible narrative without enough information to implement or challenge it. A clear contract exposes missing ownership, contradictory limits and unsupported actions before they become hidden assumptions in an agent.

What we should preserve

The assessment remains broader than the executable subset. Human impact, legal applicability, proportionality, quality of oversight and acceptance of residual risk cannot be reduced to a successful API response.

The next two pages retain source section IDs with concise paraphrases. The engineering representations and eighteen-product selection are our choices; they are not requirements or endorsements from the source author.

Sources: Erdos Effect framework; verified framework crosswalk; repository architecture. Provenance: p24.

From a workflow description to an assessable record.

Each input area asks a different governance question. Our representation must preserve its source, owner and uncertainty.

INPUT AREA	QUESTION	OUR REPRESENTATION
3.1.1 Purpose and context	What is the work for, and where does it apply?	Purpose, intended outcomes, jurisdiction, criticality, service and accountable business owner.
3.1.2 Process structure	What happens, in what order, with which exceptions?	Activities, decisions, people, systems, handoffs, source/target boundaries and failure paths.
3.1.3 AI authority	Who can do what, to which resource, under whose authority?	Authenticated principal, permitted operations, resource scope, limits and delegation ceiling.
3.1.4 Information context	Which facts may the decision rely on?	Authoritative source, classification, permitted purpose, freshness, version and quality expectations.
3.1.5 Accountability and impact	Who owns the outcome, and how can it be challenged?	Risk owner, reviewer, affected people, decision rights, escalation and appeal arrangements.
3.1.6 Assessment criteria	Which requirements apply, and who has confirmed that?	Dated supplied requirements, applicability rationale, jurisdiction and unresolved specialist questions.
3.1.7 Safeguards and evidence	How will we know this works and remains acceptable?	Validation criteria, observed evidence, incidents, monitored signals and material change triggers.

These are structured evidence-bearing inputs, not seven boxes to tick. Unknown facts stay unknown; assumptions and proposed answers remain distinguishable from supplied information.

Sources: Erdos Effect framework; verified framework crosswalk; repository architecture. Provenance: p24.

What a governance design must make usable.

The specification is a connected set of decisions and evidence needs. An implementation package is one part of that broader assessment.

SOURCE AREA (PARAPHRASE)	OUR ARTIFACT + REQUIRED REVIEW
4.1 Understanding and gaps	Missing, conflicting and unsupported inputs; questions for the right owner.
4.2 Decision advice	Draft readiness advice and unresolved conditions; authority must be appointed outside the generator.
4.3 Analysis by step	Failure scenarios, control points and tests linked to particular workflow steps.
4.4 Risk records	Proposed scenarios, uncertainty and treatment; residual acceptance reserved for an accountable owner.
4.5 Autonomy boundaries	Proposed authority and review limits; compare these with actual deployed permissions.
4.6 Control designs	Controls and enforcement locations; bind to reviewed configuration and adapters during implementation.
4.7 Requirements traceability	Source/step/risk/control references; applicability and implementation links require review.
4.8 Validation design	Scenarios and proposed measures; executed results and independent review remain separate.
4.9 Operational response	Response and recovery proposals; owners, thresholds and rehearsal evidence remain required.
4.10 Value and restraint	Value hypotheses, missing baselines and costs to measure before increasing autonomy.
4.11 Remediation priorities	Prioritized gaps and control links; actual owners, dates and completion proof must be supplied.
4.12 Assessment history	Versioned draft with source/content identities; retain approval decisions and later evidence separately.

This draft organizes claims and proposals. People must verify the interpretation and supply missing decisions and evidence; traceability is not certification.

Sources: Erdos Effect framework; verified framework crosswalk; repository architecture. Provenance: p24.

Keep the framework.
Make its contracts executable.

The extension is a bridge between workflow assessment and a repeatable operating system for bounded action.

WORKFLOW + GOVERNANCE FRAMEWORK

Purpose, process, authority, information, accountability, obligations, assurance

↓

DESIGN AND ASSESSMENT CONTRACT

Evidence-grounded inputs; explicit unknowns; control design; twelve connected outputs

↓

IMPLEMENTATION CONTRACT

Reviewed workflow definitions; operation schemas; policy bindings; adapter requirements

↓

SHARED ENFORCEMENT + EVIDENCE

Independent authority checks; exact approval; controlled effects; records and feedback

Evidence return: review the assumptions, controls and permission to operate after outcomes, incidents or material changes.


The distinction is implementation depth.

We add strict interfaces, reusable integration, tested enforcement behavior and a deliberate engineering path from a reviewed draft to a bounded running system.

Sources: Erdos Effect framework; verified framework crosswalk; repository architecture. Provenance: p24.

Describe the workflow. Keep the reasoning inspectable.

The design agent should help turn an incomplete description into a source-linked draft, while asking for information that determines the governance design.



A prompt is an interface, not an authority. The model can suggest an approval threshold, describe an adapter or identify a missing policy. It cannot turn the suggestion into an approved rule, register code, provision identities or mark a deployment accepted.

What useful uncertainty looks like: "The process says a manager approves access, but no manager role or authoritative directory is supplied. Please identify the approver and source." That is stronger than silently inventing an owner or threshold.

The final Qwen3:8b vendor draft passed mechanical checks on the first attempt; museum drafts failed validation. Assistant review found faulty paths, inferred authority and weak tests. Substantive human revision is required; earlier failures are retained.

Sources: current configurable source, workflow definitions and tests. Limits and evidence status: pp21-24.

A helpful draft makes its unknowns visible.

A governance design needs an evidence boundary as much as an execution agent needs an action boundary.

INFORMATION TYPE	EXAMPLE	HOW IT IS USED
Supplied statement	"The service owner requires two-hour access."	Link the quoted source. Presence proves the words were supplied; it does not prove their truth.
Proposed control	"Require review for privileged access."	Explain the rationale and seek an accountable decision; do not call it existing policy.
Unresolved question	"Which directory proves employee status?"	Keep the missing fact visible and block dependent readiness claims.
Unsupported capability	"Revoke access in the live directory."	Name the missing adapter, delivery contract and verification; do not emit executable fiction.
Observed evidence	"This version passed a negative authorization test."	Attach the actual evidence identity and scope; do not extrapolate to other versions or deployments.

Questions should be ordered by consequence

First resolve the purpose, permitted effect, owner, identity, source of truth and target. Then settle decision limits, exceptions, oversight and recovery. A design can make progress while these questions remain open, but it must not conceal the dependencies.

The human-review boundary is intentional. A well-formed answer may still be factually wrong, contextually inappropriate or legally inapplicable. Schema checks do not replace expert review.

Sources: current configurable source, workflow definitions and tests. Limits and evidence status: pp21-24.

A specification for people. A package for supported controls.

Engineering work connects these outputs. A natural-language draft is not automatically compiled into an executable workflow.

The reviewable design

The designer records an initial, non-exhaustive workflow graph, evidence links, proposed risks and controls, questions and an assessment. Accountable reviewers check the interpretation and settle the design.

→

The implementation package

A separate exporter packages validated definitions: typed operations, resource checks, approval predicates, lifetime budgets, adapter identifiers and a disabled deployment manifest.

THE ENGINEERING IMPLEMENTATION BOUNDARY

Supported + valid + reviewed does not mean activated.

Only capabilities represented by validated contracts and registered adapters can become runnable. A deployment owner approves and commissions the resulting package separately.

A concrete example

"Manager approval for admin access" can become a configured predicate and reviewer role once the policy and identity mapping are supplied. "Revoke all downstream credentials after an incident" needs supported target operations, reliable delivery and recovery behavior before it is executable.

A concrete output gap

The report should say which requirement is covered, which configuration field expresses it, and what evidence is still needed. If a requirement exceeds the current schema, it remains an explicit gap and a development item.

Sources: current configurable source, workflow definitions and tests. Limits and evidence status: pp21-24.

Different authorities. One controlled effect boundary.

The component groups cooperate across several layers. They are not eighteen interchangeable checks or eighteen steps on every request.

DESIGN / REVIEW / APPLICATION LAYER

Workflow narrative -> governance design -> approved implementation contract

↓

PROPOSE + COORDINATE

18 Ollama / Qwen | 02 Microsoft AGT | 05 Temporal

↓

ESTABLISH AUTHORITY

01 Keycloak | 04 OpenFGA | 03 OPA

↓

SUPPLY GOVERNANCE + ASSURANCE

06 CISO Assistant | 07 OpenMetadata | 08 MLflow | 15 Fairlearn

↓

ENFORCE + COMMIT

Our gateway and reviewed adapter | 14 PostgreSQL

↓

OBSERVE + RESPOND

10 OpenTelemetry | 11 Prometheus / Alertmanager | 12 DFIR-IRIS | 13 GLPI

PROTECTED DEPLOYMENT SPANS EVERY LAYER

09 OpenBao | 16 Kubernetes / Cilium | 17 Syft / Grype / Cosign

Sources: component catalogue, configurable-workflows.md and native component evidence. See p22 for status.

Five questions before an action can proceed.

These groups separate the proposal, the authenticated actor, the resource relationship, the policy decision and the durable wait for review.

01 Keycloak

Who is presenting this request?

Connects: A signed identity reaches the gateway; its principal mapping selects server-owned roles and tenant.
Configure: Issuer, subject mapping and allowed principals.
Verify: Expired, wrong-scope and unmapped identities are rejected.

02 Microsoft Agent Governance Toolkit

Which tools may the agent attempt to call?

Connects: An interceptor restricts the exposed operation set; the gateway independently evaluates each effect.
Configure: Operation allowlist and integration binding.
Verify: Unknown tools and disallowed calls fail; in-process interception is not isolation.

03 Open Policy Agent

Does current policy permit this proposed operation?

Connects: The gateway supplies trusted context and the approved configuration digest; an allow cannot override a local denial.
Configure: Reviewed policy data, restrictions and tenant scope.
Verify: Wrong digest, missing decision or unavailable policy denies the write.

04 OpenFGA

Does this actor have the required relationship to this resource?

Connects: Checks use a scoped resource identity combining workflow, tenant and resource, avoiding ambiguous names.
Configure: Subject/object types, relations and commissioned tuples.
Verify: Cross-resource and cross-tenant relationships cannot substitute for one another.

05 Temporal

How does this request survive waiting and restart?

Connects: A durable workflow can wait for review and retry the governed gateway using the same exact action.
Configure: Task queue, worker delegation and workflow entry point.
Verify: Restart preserves intent; a signal alone does not manufacture valid approval.

Sources: component catalogue, configurable-workflows.md and native component evidence. See p22 for status.

Know what the decision is allowed to rely on.

An authorized operation can still be based on unsuitable information or an unvalidated model. These components address different parts of that problem.

06 **CISO Assistant Community**

Who owns the risk, treatment and acceptance?

Connects: Risk/control records receive scoped evidence links; accountable people retain the decision to accept residual risk.
Configure: Owner, risk and control identifiers; evidence routing.
Verify: An event reaches the intended record and does not auto-close a risk.

07 **OpenMetadata**

Is the source understood, owned and suitable?

Connects: The authority layer checks selected metadata facts such as owner and classification before using a source.
Configure: Entity mapping, classification and required metadata.
Verify: Missing or mismatched metadata denies selected gates; content truth needs its own validation.

08 **MLflow**

Which model release and evaluation are being considered?

Connects: A selected model gate checks registered release prerequisites and configured metric bounds.
Configure: Model/version identity, metrics and promotion process.
Verify: Missing or nonfinite metrics fail; served-model provenance needs additional binding.

15 **Fairlearn**

How do measured outcomes vary between relevant groups?

Connects: Process-specific evaluation produces evidence that reviewers can relate to the workflow and model release.
Configure: Representative dataset, groups, metrics and review criteria.
Verify: The supplied evaluation is reproducible; metric results alone do not establish fairness.

These records answer complementary questions. Data classification is not data correctness; a model metric is not workflow effectiveness; a risk record is not risk acceptance. The design must name the required evidence for each claim.

Sources: component catalogue, configurable-workflows.md and native component evidence. See p22 for status.

An effect should leave more than a chat response.

Receipts establish outcomes. Operational signals reveal faults. Incident and service records turn those observations into accountable action.

14 PostgreSQL

What state changes must agree at commit time?

Connects: The generic schema stores scoped resources, approvals, actions, usage, audit and delivery outbox.
Configure: Database operations, isolation, retention and recovery.
Verify: Effect, approval consumption and evidence commit together for transactional targets.

10 OpenTelemetry Collector

What happened across service boundaries?

Connects: Minimized traces connect gateway and downstream operations without placing tokens or unnecessary personal data in telemetry.
Configure: Allowed fields, exporters and correlation conventions.
Verify: The expected spans arrive and sensitive fields remain absent.

11 Prometheus + Alertmanager

When should an operator know that something is wrong?

Connects: Metrics and alert routes expose service failure, control unavailability and selected operational conditions.
Configure: Signals, thresholds, ownership and routing.
Verify: An injected failure raises the intended actionable alert.

12 DFIR-IRIS

How is a security or governance incident investigated?

Connects: Incident delivery links a denied or anomalous event to a scoped case and a response owner.
Configure: Customer scope, incident rules and correlation IDs.
Verify: Delivery is attributable and retry-safe; responders can trace the source event.

13 GLPI

Which service or asset is affected, and who fixes it?

Connects: Inventory bindings provide service context; remediation tickets link gaps to owners and acceptance evidence.
Configure: Service type, entity, asset and remediation routing.
Verify: The right service and ticket are updated, with verified completion conditions.

Sources: component catalogue, configurable-workflows.md and native component evidence. See p22 for status.

Protect the machinery that enforces the rules.

Governance is weakened if the model can obtain target secrets, bypass the gateway or run an unreviewed release.

09 **OpenBao**

Where do service credentials live?

Connects: Authorized service identities retrieve scoped secrets; workflow definitions and model context contain no target credentials.
Configure: Secret paths, access policies, rotation and service identity.
Verify: Unauthorized callers cannot retrieve secrets; rotation and failure behavior are tested.

16 **Kubernetes + Cilium**

Which workloads may communicate or exercise privilege?

Connects: Runtime isolation and network rules protect the exclusive gateway/adapter path and constrain lateral access.
Configure: Service accounts, containers, network routes and cluster policy.
Verify: Bypass, unauthorized egress and privilege escalation tests fail as intended.

17 **Syft + Grype + Cosign**

What did we build, what is inside it, and can we verify it?

Connects: Inventory, vulnerability and signature checks attach release evidence to the actual deployable artifact.
Configure: Build inputs, vulnerability policy, signer and verification gate.
Verify: A tampered, unsigned or disallowed release cannot pass the configured gate.

18 **Ollama + Qwen**

How are candidate tool calls proposed?


Connects: The bounded agent receives task-derived tool schemas; its proposal crosses the authenticated gateway before any effect.
Configure: Inference endpoint, model, limits and prompt behavior.
Verify: Unknown tools, changed intent and fabricated success cannot produce an executed receipt.

These deployment controls are essential to the intended architecture, but the generic branch is an opt-in development path. Existing lab manifests and recorded native evidence must not be mistaken for acceptance of this new deployment.

Sources: component catalogue, configurable-workflows.md and native component evidence. See p22 for status.

Approval is a bound decision. Execution is a fresh check.

The gateway owns identity and task intent. The model can propose the operation; an independent reviewer may authorize its exact scope.




Bound together: complete action, actor state, source state, configuration fingerprint and deployment approval. Changed context or revoked authority prevents a new effect. A completed retry retrieves a historical receipt.

Sources: current configurable source, workflow definitions and tests. Limits and evidence status: pp21-24.

Close the loop without inventing assurance.

The design becomes stronger when its claims can be traced to the configuration, tests and events that support them.



A useful evidence link is specific.

Name the workflow, configuration digest, adapter and product versions, test scope, decision and operating environment. Passing a different version or another deployment does not close this claim.

The audit chain detects local modification. Independent retention, signed checkpoints, access controls and recovery verification remain deployment responsibilities. Delivery to a risk system is not automatic risk acceptance.

Sources: current configurable source, workflow definitions and tests. Limits and evidence status: pp21-24.

A £200 request becomes a reviewable commitment.

This shipped example demonstrates the common runtime and transactional synthetic target. It does not make a real lending decision.

THE SUPPLIED ACTION

case-a / commit_credit / **20,000 pence (£200)**
Trusted resource: KYC clear; region UK. Permitted acting role: agent.

1 **Inspect the source**

The task-bound read obtains current stored facts. The model cannot provide its own KYC result, identity or approval status as trusted context.

2 **Pause for independent review**

The configured rule requires review above £100. The £200 request returns approval_required; no ledger effect or budget usage has been committed.

3 **Bind approval to this decision**

A separate reviewer approves this exact action and its context. The example approval expires after five minutes and cannot override blocked source facts or exhausted budgets.

4 **Recheck and commit**

The gateway rechecks current authority, source, configuration, stop state, task validity and aggregate limits. The local effect, usage, approval consumption, audit and outbox commit together.

5 **Retry without duplicating**

The same scoped idempotency key and unchanged action return the original receipt. A different amount with that key is rejected. This property applies to the local transactional target.

Illustrative limits: £1,000 per resource and £5,000 per tenant, as lifetime usage counters. A real product needs its own policy, customer impact assessment, data quality and lending validation.

Sources: current configurable source, workflow definitions and tests. Limits and evidence status: pp21-24.

The same engine governs a different kind of effect.

A four-hour admin-access request changes the operation schema, policy and adapter, while reusing the control path.

THE SUPPLIED ACTION

employee-a / grant_access / **admin for four hours**
Trusted resource: active employee; approved application.

1 **Describe the consequence**

The parameters are permission, duration and justification. There is no monetary amount or credit-case assumption in the shared runtime.

2 **Apply this workflow's rules**

Admin permission OR a duration above eight hours requires review. Four hours still needs approval because the permission is privileged. An inactive employee remains a hard denial.

3 **Review within the right context**

The reviewer must be a different permitted principal in the same tenant. This profile uses a three-minute approval and one-hour source freshness window.

4 **Use the registered target adapter**

The synthetic access adapter records a directory grant and an expiry timestamp within the transaction. It does not change a real directory or prove scheduled revocation.

5 **Interpret the evidence precisely**

An executed receipt proves the local configured effect and its control path. Live access provisioning, revocation, entitlement reconciliation and human oversight still need independent acceptance.

What was reused: schema checking, identity, source freshness, deployment approval, stop state, exact approval binding, budget accounting, retries and evidence. The profile and adapter supply the specialization.

Sources: current configurable source, workflow definitions and tests. Limits and evidence status: pp21-24.

An unrelated process. The same design discipline.

A synthetic designer input tests whether a different set of actors, restrictions and conditional paths remains visible. It supplies no execution adapter.

The assistant reads a loan request, catalogue entry and conservation report, then drafts a suitability summary and checklist. A conservator assesses condition; the registrar checks availability, insurance and transport; the lending committee makes the loan decision.

DESIGN ELEMENT	WHAT THE DESIGNER SHOULD SURFACE
Authority boundary	The assistant may prepare documents. It cannot approve a loan, sign an agreement, reveal the storage location or instruct a courier.
Conditional paths	Missing conservation evidence keeps the case pending; conflicting dates go to the registrar; cancellation records a reason. After approval, the registrar schedules handover and return checks.
Data and sources	The request, catalogue and conservation report have distinct roles. Precise storage locations are restricted to authorized staff. A catalogue API has not been selected.
Questions to resolve	Retention, exception authority, actual API permissions and representative evaluation remain unspecified. Faster preparation is an expected benefit with no measured baseline.
Implementation gaps	Source ingestion, reviewed preparatory operations, authorized target integration and acceptance tests remain engineering work. Human loan authority stays with the designated committee.

The test of reuse: preserve this input's human decision boundary and exception paths, without importing credit limits or access-grant logic. A source-linked draft remains subject to review; it cannot expand the assistant's authority.

Sources: current configurable source, workflow definitions and tests. Limits and evidence status: pp21-24.

Change the workflow package. Extend only what is missing.

A reusable platform does not mean that every future requirement is already implemented. It means the change has a clear, contained home.

NEED	WHERE IT BELONGS	WHAT MUST HAPPEN
Change a review threshold	Configuration / policy	Update a supported predicate; review, version, test and approve the new definition.
Add another supported workflow	Workflow package	Supply resource and action schemas, source checks, roles, review rules, limits and bindings.
Use different product instances	Deployment bindings	Commission identity, relationship, source, model, inventory, evidence and secret mappings.
Introduce a new local effect	Registered adapter	Implement the transactional adapter contract; verify validation, atomic effect and evidence behavior.
Call a real external system	Integration capability	Add target idempotency, conditional updates, durable delivery, receipts and uncertain-outcome reconciliation.
Express an unsupported control	Shared capability extension	Extend the contract and engine with review and tests; do not smuggle arbitrary code into configuration.

Current contract limits: bounded primitive object fields, supported predicates and positive integer lifetime budgets. General workflow-graph execution, arbitrary expressions, nested parameter structures and rolling budgets are not implied capabilities.

The eighteen products are reusable capability providers. Our contracts and integration determine how they cooperate for this process. A new workflow should not require rewriting all eighteen products.

Sources: current configurable source, workflow definitions and tests. Limits and evidence status: pp21-24.

Test the boundary by trying to cross it.

A positive demonstration is necessary. Negative and change-of-state tests establish whether the governance boundary holds when it is challenged.

CHALLENGE	EXAMPLE	EXPECTED RESULT
Invent authority	Model adds actor, role, approval or target URL.	Strict envelopes reject it; identity and targets remain server-owned.
Substitute intent	Change resource, parameters or workflow after task creation.	Task binding rejects the proposal; no target effect.
Reuse stale approval	Change source, actor state, configuration or reviewer authority.	A new effect requires a currently valid exact approval.
Wait past expiry	Queue a request or delay a policy call until its task expires.	Recheck under the execution transaction and before effect; deny.
Race the budget	Two actors contend for the remaining shared limit.	Serialized checks prevent both actions spending the same remaining budget.
Lose a dependency	Selected policy or context authority is unavailable.	Fail closed for the selected gate; do not silently substitute old facts.
Repeat the request	Retry an already completed operation after uncertainty.	Return the prior matching receipt; reject a changed payload with the same key.
Break evidence delivery	A downstream risk or incident sink fails.	Retain the outbox event and delivery state; retry with scoped correlation.

Separate validation is still needed for process correctness, quality of human review, model behavior, representative outcomes, native product operation, recovery and containment. Passing control tests does not answer every governance question.

Sources: current configurable source, workflow definitions and tests. Limits and evidence status: pp21-24.

Be ambitious about the system. Be precise about the proof.

Described, implemented, tested and observed are distinct assurance levels. We retain that distinction across the framework, code and deployment.

FRAMEWORK + DESIGN

A traceable basis

The original framework and repository interpretation define the assessment areas. The configurable implementation represents supported controls and unresolved gaps; design generation never grants production approval.

LOCAL ENGINE + INTERFACES

A testable common path

The local regression passed 129 core tests (including 29 designer/CLI tests), 12 Rego tests, 77 enterprise contracts and 3 original AGT tests. These scopes do not establish production readiness.

NATURAL-LANGUAGE DESIGN

A developing design capability

The final Qwen3:8b vendor draft passed mechanical checks on the first attempt; museum drafts failed validation. Assistant review found faulty paths, inferred authority and weak tests. Substantive human revision is required; earlier failures are retained.

NATIVE SYSTEM + DEPLOYMENT

A separate acceptance programme

Real PostgreSQL 16.2 passed the two generic workflow journeys, concurrency and restart checks with synthetic targets. Full eighteen-component native acceptance remains incomplete.

Keep the evidence generations separate: the original native subset observed real model/tool calls in a credit laboratory. New PostgreSQL evidence covers the generic workflows. OpenMetadata, DFIR-IRIS and GLPI remain uncommissioned; cluster isolation and the High-severity supply-chain gate remain unresolved. None of these observations establishes simultaneous all-eighteen acceptance.

This document describes a development snapshot, not a production approval or compliance certification.

Sources: component catalogue, configurable-workflows.md and native component evidence. See p22 for status.

Earn wider use one explicit gate at a time.

The next collaboration should produce decisions, testable artifacts and evidence, rather than a broader unqualified claim.

1. **Agree the workflow and owners**

   A business owner supplies a bounded process, consequence and source of truth. Governance reviewers confirm decision rights, questions, applicability and the evidence required.

2. **Review the generated design**

   Compare the draft with supplied sources. Resolve or assign unknowns. Distinguish proposed controls from existing policy, and supported configuration from implementation work.

3. **Qualify the common engine and adapters**

   Run the positive, negative and change-of-state cases for the selected profiles and adapter versions. Review the contracts and business-effect boundary independently.

4. **Commission the actual product bindings**

   Prove identity, relationships, source/model gates, risk/evidence routes, workload isolation, secrets and the built release in the chosen environment.

5. **Accept a bounded pilot and learn from it**

   Name stop authority, operating limits, incident response and manual fallback. Validate recovery and uncertain outcomes. Reassess after material changes or adverse evidence.

The next useful agreement

Choose one real workflow, one accountable owner and one constrained effect. Agree which evidence would justify a pilot, and which findings would stop it.

Sources: current configurable source, workflow definitions and tests. Limits and evidence status: pp21-24.

A document that can be challenged and updated.

This briefing is an architecture and implementation account. Its sources, examples and status boundaries are intentionally visible.

1 / Framework source. Erdos Effect, *Implementing Governance for Agentic Workflows*, published 1 November 2026. The full public article was verified during this task. Section IDs preserve the crosswalk; labels here are short paraphrases and engineering interpretations, not a reproduction of the article.

Read the original framework article

2 / Original implementation and evidence. The research repository at commit **098f75fb1be3** supplies the original architecture, component catalogue, native laboratory records and explicit incomplete-stack status. Earlier component observations do not qualify the new generic path.

Open the pinned research repository

3 / Configurable development snapshot. The current checkout supplies the configurable implementation and designer. Read docs/framework-extension-map.md and docs/configurable-workflows.md. Regression records: results/designer-validation/. Model trials: results/workflow-designer/. Newer storage evidence: results/native-postgres/20261102T093819Z/summary.json.

4 / How to read the examples. Credit and access use synthetic local effects. The museum story follows examples/workflow-descriptions/museum-loan.txt: the assistant prepares documents while people retain loan authority. It does not assert a museum adapter, domain validation or production operation.

5 / How to update this briefing. The editable Python source contains every diagram and page. A single status object, or an optional status JSON file, updates evidence statements. Regenerate the PDF, render every page, inspect layout and confirm that new claims point to the corresponding evidence.

The promise we can make responsibly

A clearer path from workflow to governance design, and from supported design to controlled execution - with reusable components, explicit extension points and evidence that states its limits.

Prepared 2 November 2026. Editable source: scripts/build_generalisation_briefing.py. Vector diagrams are original to this briefing.