

Solution Explorer

- ▼ Solution 'Example-Solution' (2 of 2 Projects)
 - ▼ 1-Global
 - ▶ Example.Model.App
 - ▶ 2-Web

Output



Solution Explorer

Output

Solution Explorer

- ▼ Solution 'Example-Solution' (2 of 2 Projects)
 - Build Solution
 - Rebuild Solution
 - Clean Solution
 - Properties
 - Add Automation Config

Output

Empty output area for displaying build logs or error messages.

Solution Explorer

Output

Show output from: [dropdown] [refresh] [clear] [copy] [paste] [undo] [redo] [help]


Error List

Output

Solution Explorer

Git Changes





Solution Explorer

- ▼ Solution 'Example-Solution' (2 of 2 Projects)
 - ▼ 1-Global
 - ▶ Example.Model.App
 - ▶ 2-Web
 - ▼ Automation
 - ▶ BlazorArch.aconfig

Output

Show output from: [Dropdown]

[Icons: Refresh, Copy, Paste, Print, Undo, Redo]

Solution Explorer

Output

Error List

Output

Solution Explorer

Git Changes



Config: BlazorArch.aconfig ✕

Automation Configuration for Blazor Architecture Automation Automation Guidance

Automation Commands

Category	Type	Name	Overview
WebAPI	C# File	Refresh WebApi	Creates or updates a web api that implements a target logic
WebAPI	Project Folder	Refresh WebApis	Creates or updates a web api that implements a target logic in the
xxxxx	xxxxxxxxx	xxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxx	xx

Remove Automation Add Automation

Refresh WebApi Configuration

Projects

- Execution
- App Model
- Service Model
- Logic Contract
- WebAPI Service
- Abstraction
- Abstraction Contract

Project Configuration

- Execution
 - Contract Folder
 - Contract Suffix
 - Contract Prefix
 - Number of Revisions
 - Update Date
 - Update if Already Created

Execution Project Configuration

Guidance Required for Automation

Select the project from the solution that contains the logic contracts that will be turned into web API services.

Project:

- Example.Logic.Contracts
- Example.Logic.Contracts
- Example.Model.App
- Example.Model.Service.Rest
- Example.Service.Rest

Save Configuration

Solution Explorer 🔍 ✕

- Solution 'Example-Solution' (2 of 2 Projects)
 - 1-Global
 - Example.Model.App
 - 2-Web
 - Automation
 - BlazorArch.aconfig

Output 🔍 ✕

Show output from: | ⏬ 📄 📄 📄 📄 ⏪ 🕒

Solution Explorer

Output

Empty area for displaying output logs.

Error List

Output

Solution Explorer

Git Changes



Solution Explorer

Output

Empty output area for displaying logs or messages.

Error List Output

Solution Explorer Git Changes



Config: BlazorArch.aconfig

Automation Configuration for Blazor Architecture Automation

Automation Guidance

Automation Commands

Category	Type	Name	Overview
WebAPI	C# File	Refresh WebApi	Creates or updates a web api that implements a target logic
WebAPI	Project Folder	Refresh WebApis	Creates or updates a web api that implements a target logic in the
xxxxx	xxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxx	xxxxxxxxxxxxx	xx

Remove Automation

Add Automation

Save Configuration

Refresh WebApi Configuration

Projects

- Execution
- App Model
- Service Model
- Logic Contract
- WebAPI Service
- Abstraction
- Abstraction Contract

Project Configuration

- Exection
 - Contract Folder
 - Contract Suffix
 - Contract Prefix
 - Number of Revisions
 - Update Date
 - Update if Already Created

Contract Suffix Configuration

Guidance Optional for Automation

When a logic contract is selected for automation it must have the following suffix or it will not be processed.

Parameter:

Output

Show output from:

Error List

Output

Solution Explorer

- Solution 'Example-Solution' (2 of 2 Projects)
 - 1-Global
 - Example.Model.App
 - 2-Web
 - Automation
 - BlazorArch.aconfig

Solution Explorer

Git Changes

Solution Explorer

Output

Empty output area for displaying logs or messages

Automation Configuration for Blazor Architecture Automation Automation Guidance

Automation Commands

Category	Type	Name	Overview
WebAPI	C# File	Refresh WebApi	Creates or updates a web api that implements a target logic
WebAPI	Project Folder	Refresh WebApis	Creates or updates a web api that implements a target logic in the
xxxxx	xxxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxxx	xxxxxxxxxxxxx	xx
xxxxx	xxxxxxxxxx	xxxxxxxxxxxxx	xx

Remove Automation Add Automation Save Configuration

Refresh WebApi Configuration

Projects Project Configuration

- Execution
 - Contract Folder
 - Contract Suffix
 - Contract Prefix
 - Number of Revisions
 - Update Date
 - Update if Already Created
- App Model
- Service Model
- Logic Contract
- WebAPI Service
- Abstraction
- Abstraction Contract

Number of Revisions Configuration

Guidance Optional for Automation
 Limits the number of times the API can be updated. If set to -1 then an unlimited number of changes are allowed.

Parameter:

Solution Explorer

- Solution 'Example-Solution' (2 of 2 Projects)
 - 1-Global
 - Example.Model.App
 - 2-Web
 - Automation
 - BlazorArch.aconfig

Output

Show output from:

Solution Explorer

Output

Empty output area for displaying logs or messages

Error List

Output

Solution Explorer

Git Changes



Automation Configuration for Blazor Architecture Automation Automation Guidance

Automation Commands

Category	Type	Name	Overview
WebAPI	C# File	Refresh WebApi	Creates or updates a web api that implements a target logic
WebAPI	Project Folder	Refresh WebApis	Creates or updates a web api that implements a target logic in the
xxxxxx	xxxxxxxxxxx	xxxxxxxxxxxxxx	xx
xxxxxx	xxxxxxxxxxx	xxxxxxxxxxxxxx	xx
xxxxxx	xxxxxxxxxxx	xxxxxxxxxxxxxx	xx
xxxxxx	xxxxxxxxxxx	xxxxxxxxxxxxxx	xx
xxxxxx	xxxxxxxxxxx	xxxxxxxxxxxxxx	xx
xxxxxx	xxxxxxxxxxx	xxxxxxxxxxxxxx	xx
xxxxxx	xxxxxxxxxxx	xxxxxxxxxxxxxx	xx
xxxxxx	xxxxxxxxxxx	xxxxxxxxxxxxxx	xx
xxxxxx	xxxxxxxxxxx	xxxxxxxxxxxxxx	xx
xxxxxx	xxxxxxxxxxx	xxxxxxxxxxxxxx	xx
xxxxxx	xxxxxxxxxxx	xxxxxxxxxxxxxx	xx
xxxxxx	xxxxxxxxxxx	xxxxxxxxxxxxxx	xx
xxxxxx	xxxxxxxxxxx	xxxxxxxxxxxxxx	xx
xxxxxx	xxxxxxxxxxx	xxxxxxxxxxxxxx	xx
xxxxxx	xxxxxxxxxxx	xxxxxxxxxxxxxx	xx
xxxxxx	xxxxxxxxxxx	xxxxxxxxxxxxxx	xx
xxxxxx	xxxxxxxxxxx	xxxxxxxxxxxxxx	xx
xxxxxx	xxxxxxxxxxx	xxxxxxxxxxxxxx	xx
xxxxxx	xxxxxxxxxxx	xxxxxxxxxxxxxx	xx
xxxxxx	xxxxxxxxxxx	xxxxxxxxxxxxxx	xx
xxxxxx	xxxxxxxxxxx	xxxxxxxxxxxxxx	xx
xxxxxx	xxxxxxxxxxx	xxxxxxxxxxxxxx	xx
xxxxxx	xxxxxxxxxxx	xxxxxxxxxxxxxx	xx

Remove Automation Add Automation Save Configuration

Refresh WebApi Configuration

Projects

- Execution
- App Model
- Service Model
- Logic Contract
- WebAPI Service
- Abstraction
- Abstraction Contract

Project Configuration

- Execution
 - Contract Folder
 - Contract Suffix
 - Contract Prefix
 - Number of Revisions
 - Update Date
 - Update if Already Created

Update Date Configuration

Guidance Optional for Automation

The target date and time in which changes to this web api are allowed.

Parameter:

04/16/2023

- Solution 'Example-Solution' (2 of 2 Projects)
 - 1-Global
 - Example.Model.App
 - 2-Web
 - Automation
 - BlazorArch.aconfig

Output

Show output from:

⏴ ⏵ ⏶ ⏷ ⏸ ⏹ ⏺ ⏻ ⏼

Solution Explorer

Output

Empty output area for displaying logs or messages

Error List

Output

Solution Explorer

Git Changes



Solution Explorer

Output

Empty output area for displaying logs or messages.

Error List

Output

Solution Explorer

Git Changes

