


ABYSSAL TERMINAL

A CLI-based survival horror simulation. Operate a fragile deep-sea bathyscaphe in the Mariana Trench using only text commands. Manage extreme hydrostatic pressure, extract abyssal minerals, and silence your sonar to hide from what lurks in the dark.

Prologue: Welcome to the Depths

At a depth of 10,900 meters, sunlight is just a myth.

You're sitting in a safe, warm, and dry control room, miles above sea level. But don't let that comfort fool you. Through the flickering green phosphorescent glow of this CRT screen, your life and career are directly linked to a 12-ton bathyscaphe currently sinking into the eternal darkness of the Mariana Trench.

The company calls this assignment a "Routine Extraction Mission." Your task, on paper, is simple: run the Mariana OS operating system, monitor hydrostatic pressure, locate mineral nodes at the bottom of the trench, drill, and bring back the results. You don't need a joystick or a rudder. The fate of this experimental, multi-billion-dollar submarine depends entirely on how quickly and accurately you type commands into the terminal.

But, the Company never tells you everything.

They don't explain why the remote operator before you suddenly lost his mind. They keep quiet about why the black boxes from previous vessels are scattered across the bottom of the trench like a mass grave. And they deliberately omit the fact that this submarine was designed to instantly shut off all its sonar systems.

This trough is not empty.

Down there, in the silent void, water pressure can crush a titanium hull like an empty soda can. But the ocean isn't your biggest threat. Sound is your main enemy. The revving of your thrusters, the seismic vibrations of your laser drill, or even the single ping of your active sonar... all will echo through the darkness.

And something massive, blind, and very hungry was listening.

Watch your radar, Operator. Keep an eye on your battery life. And if you see a large red dot hurtling toward your ship, remember the only law that applies on the planet's surface: Turn off your engines, hide in the dark, and pray.

System is booting... Umbilical cable connected...Good luck.

Table of Contents: Mariana OS Operator's Manual

Chapter 1 Introduction

- 1.1 Mission Background & Main Objectives
- 1.2 Game Concept: Typing to Survive

Chapter 2: Understanding the Terminal Interface (HUD)

- 2.1 Telemetry Column (HULL, BATT, PSI, VALVE)
- 2.2 Sonar / Radar CRT Display (Reading Direction and Distance)
- 2.3 Bottom Status Deck (Depth Indicator & System Alert)
- 2.4 Command History (CLI Prompt & Event Log)

Chapter 3: Basic Navigation & Sonar Systems

- 3.1 Controlling Thrust (`thruster`&`thruster_stop`)
- 3.2 Reading Signal Range and Latency
- 3.3 Sonar Modes: Active vs Passive (`active sonar`/`passive sonar`)
- 3.4 Identifying Radar Blips (Terrain, Minerals, Anomalies, and Black Boxes)

Chapter 4: System Failure Management & Depth Physics

- 4.1 Setting Power Allocation (`route_power`)
- 4.2 Water Pressure Management & Implosion Potential (`purge_valve`)
- 4.3 Handling Screen Distortion and Corrupt Memory (`run sys_diag`)

Chapter 5: Extraction Operations (Mining)

- 5.1 Mineral Mining Procedures (`run drill_sequence`)
- 5.2 Overcoming Drill Mechanical Failure (`run drill_reverse`)

Chapter 6: Biological Threat Protocol (Survival Horror)

- 6.1 Understanding Leviathan Behavior (Voice Aggro System)
- 6.2 Using Sound Feed (`deploy_decoy`)
- 6.3 Physical Attack & EMP Blackout Emergency Protocol (`run sys_reboot`)

Chapter 7: Mariana's Track Record (Lore & Exploration)

- 7.1 Detecting and Extracting Black Boxes
- 7.2 Decrypting Previous Crew Logs (`read_log`)

Chapter 8: Quick Reference (Cheat Sheet)

- 8.1 Complete List of CLI Commands & Their Syntax
- 8.2 Tips for Survival in Extreme Depths

Mariana OS Operator's Manual

Chapter 1 Introduction

"Welcome to the deep-sea operations division, Operator. You are now in charge of the Company's trillion-dollar assets. Please remember that the control room you are sitting in is directly connected to the bathyscaphe, which is currently descending to the deepest point on Earth. There are no windows down there, and no human crew on board. You are the brains, eyes, and ears of the machine. Follow these guidelines, do not ignore system alarms, and above all... never panic."

1.1 Mission Background & Main Objectives

The Mariana Trench holds secrets and resources untouched by civilization. Your craft, powered by a military-grade battery reactor and a specialized titanium hull, is tasked with a routine extraction mission.

To successfully complete your work shift, you must meet the following three absolute conditions simultaneously:

1. **Survive:**Do not let the boat battery run out (0%) or allow the boat hull to collapse due to extreme water pressure or physical impact.
2. **Reaching the Bottom of the Trench:**You have to guide the ship down to the mission target depth, which is 10,900 meters below sea level.
3. **Securing Quota:**Find and extract at least 3 Mineral Samples from the seabed using your spacecraft's laser drill.

If these three conditions are met, the system will automatically take over control, transmit the data to the surface, and you win the game.

1.2 Game Concept: Typing to Survive

Mariana OS isn't a modern operating system that pampers its users. This experimental submarine is controlled entirely through a command-line interface (CLI).

- **No Cursor, No Mouse:**You can't click on-screen buttons. Every action—from firing the thrusters to adjusting the pressure valves to turning off the sonar to hide—must be manually typed using your keyboard.
- **Real-Time:**The game runs continuously without any lag. The water pressure will continue to increase, the battery will continue to drain, and the monsters out there won't wait for you to finish typing.
- **Accuracy is Key:**In an emergency situation where the ship's hull begins to crack and alarms sound, you'll be required to type commands quickly. Typos will cause the system to reject your commands and waste precious seconds crucial to the ship's survival.

FAQ (Frequently Asked Questions) - Chapter 1

Q: Can I pause the game if I feel panicked and need time to remember the commands?A: No. The hydrostatic system and deep-sea ecosystem operate in real time. There's no pause button while your ship's hull is being crushed by millions of tons of seawater.

Q: Does this game support the use of a gamepad or mouse?A: No. The Mariana OS system is purely driven by a text terminal. Your fingers on the keyboard are the only control instrument available.

Q: Why does the Company use unmanned vessels (drones) instead of regular manned submarines?A: The pressure at depths of 10,000 meters and above is extremely hostile to human biology. Furthermore, the "accident" rate of previous manned expeditions has made insurance premiums prohibitively expensive. You'll understand the real reason once you see the blackbox logs from those failed vessels.

Chapter 2: Understanding the Terminal Interface (HUD)

"As a Remote Operator, you don't have the luxury of thick glass panels or high-resolution video feeds. Below 1,000 meters, sunlight ceases to exist. Below 5,000 meters, any external camera would be crushed by the pressure. Your only eyes and ears are the raw data streams rendered on this phosphorescent CRT screen. Learn to trust your instruments, read these numbers like your own heartbeat, and most importantly: never ignore a red alert."

2.1 Telemetry Column (Left Panel)

This column is your dive vehicle's primary survival indicator. Failure to monitor this panel is guaranteed to result in the loss of assets (and the lives of the vessel).

- **[HULL] (Hull Integrity):**Indicates the physical condition of the ship's titanium hull (0 - 100%). This percentage will decrease if the ship experiences stress from unbalanced water pressure or physical impact. If it reaches 0%, the hull will collapse instantly (implosion). There is no rescue protocol.
- **[BATT] (Battery Backup):**The remaining power for the thrusters, core reactor, and sonar. Different systems draw power at different rates (the Laser Drill and Thruster consume the most power). If they reach 0%, the systems will shut down completely, leaving the ship eternally submerged in darkness.
- **[PSI] (Differential Pressure):**Measures the difference (gap) between the external seawater pressure and the internal pressure of the hull. The deeper the ship descends, the more the external pressure will skyrocket. If this differential exceeds the SAFE limit and reaches CRITICAL (above 450 PSI), the hull will begin to crack.
- **[VALVE] (Balancing Valve Status):**Displays the status of the vessel pressure equalization valve:`[AUTO]`,`[MANUAL]`, or`[PURGING]`(is actively releasing pressure).

2.2 CRT Sonar / Radar Display (Center Panel)

The hydroacoustic system (Sonar) is your eyes. This circular display maps a 500-meter radius around the vessel using sound waves when Active mode is on. You should be able to read the phosphor blips that appear in flashes:

- **Plain Circle:**Underwater terrain, trench cliff walls, or abyssal reefs. Common physical obstacles.
- **Crosshairs / Reticle (`[x]`):**Valuable Mineral Node. Bring your ship to a distance of less than 85 meters to initiate laser drill extraction.
- **Twinkling Star (Amber Color):**SOS Signal or Blackbox. Debris from a previous failed mission. Contains important log data.
- **Diamond Shape:**The Decoy (Acoustic Sound Bait) you just released.
- **Pulsating Massive Point:**BIOLOGICAL ANOMALY. A giant living object. Rapidly moving when provoked by sound. If this dot is pointing directly at the center of your radar... prepare for impact.

2.3 Lower Status Deck (Bottom Panel)

The lower deck summarizes spatial position and incidental warnings.

- **Digital Depth Indicator`[DEPTH]`:**Shows your ship's current depth in real-time. Your mission target is at the bottom of the trench: 10,900 meters.
- **System Log Monitor:**Displays the number of mineral samples collected (Target: 3) and prints a one-line system alert directly. (Example:`[!] CRITICAL HULL STRESS - EXECUTE "purge_valve" NOW!`).

2.4 Command History (CLI Prompt & Event Log)

All your ship interactions and operations are processed in this area.

- **Event Log (Main Text Screen):**Prints all replies from the OS, extraction success, latency warnings, and syntax error messages.
- **CLI Prompt (`MARIANA_OS>`):**The flashing line where you type operational commands.
- **Recall Feature:**To save time in an emergency, use the Up arrow key (`Up`) and Bottom (`↓`) on your keyboard to recall the history of commands you have previously typed.

FAQ (Frequently Asked Questions) - Chapter 2

Q: My terminal screen suddenly filled with noise, static distortion, and the letters on the screen became messed up (glitched)! Is the game buggy?A: It's not a bug. Low hull integrity (below 40%), extreme water pressure, or proximity to a Biological Anomaly will cause Electromagnetic Field Effect (EMP) distortion. This distortion will mess up your visual interface and turn your typed commands into random characters/symbols (Memory Corruption). You should type a diagnostic command (`run sys_diag`) to clear memory.

Q: The sweep line on my radar suddenly stopped rotating and the screen only displays "PASSIVE MODE". Why?A: Your sonar is currently in "Passive" mode (listening only). Active radar will not work in this mode. You must type the command`active sonar`so that the radar can sweep the area again.

Q: My radar shows a Biological Anomaly (big red dot) moving very fast towards the center of the radar! What should I do?!A: The radar center is your ship's absolute position. Immediately turn off Active Sonar, shut off all thrusters, and pray that your hull is thick enough to withstand the first collision.

Chapter 3: Basic Navigation & Sonar Systems

"In the lightless vacuum of 6,000 meters, you are essentially blind. Hydroacoustic sonar is your feeler stick. But remember a basic principle of the deep ocean: Sound travels faster and farther in water. Every time you emit an active sonar wave or fire up a main thruster, you're not just looking into the darkness... you're also telling the darkness where you are. Move wisely, Operator."

3.1 Controlling Thrust (`thruster` & `thruster_stop`)

The Mariana submersible is designed to passively submerge using ballast (gliding downward at a base speed of about 12 meters per second). However, to maneuver to pursue a target, you must use propulsion commands.

- **Turning on the Thruster:** Use the command `thruster -dir [direction] -pwr [0-100]`.
    - Supported directions: `north`(n), `south`(s), `east`(e), `west`(w), `up`(u), `down`(d).
    - Example: Type `thruster -dir down -pwr 80` to force the ship to dive faster with 80% of the propulsion power.
    - Shorthand: You can also type faster without tags: `Thruster East 50`.
- **Stopping Propulsion:** Type `thruster_stop` This will shut down all lateral and vertical thrusters. The ship will lose its thrust momentum and slowly return to a passive sinking phase.
- **Power Notes:** Running the thruster at high power will drain the battery. `[BATT]` quickly. Use only when you need to track mineral coordinates or avoid an emergency collision.

3.2 Reading Signal Latency

You control this submarine from miles above the ocean's surface via an umbilical cord transmission. As the vessel descends below 3,000 meters, the extreme pressure and tension of the cable begin to slow down data transmission.

- **Latency Delay:**Every command you type (such as starting the engine or applying the brakes) will experience a delay before it is actually executed by the ship's systems.
- At maximum depth, this delay can reach up to 2.2 seconds (2200 ms).
- **Anticipation Strategy:**If you see a ship moving too fast towards the trench wall or Anomaly, don't wait until it's too close to type`thruster_stop`. Take into account the transmission delay time (ping latency) that is always printed on your terminal screen.

3.3 Sonar Modes: Active vs Passive

Your ship is equipped with dual Acoustic Transducers. Knowing when to use the correct mode is the difference between a successful extraction and an early death.

- **Active Mode (`active sonar`):**Firing sound waves in all directions, the CRT radar will sweep the area in a circular motion, revealing the shape of physical obstacles and targets within a 500-meter radius.
    - Fatal Risk: It's incredibly battery-draining. And even more dangerous, the active pinging sound will attract the attention of nearby biological predators (Anomalies). It's like ringing a dinner bell in a dark forest.
- **Passive Mode (`passive sonar`):**Turn off sound emissions and only listen to the surrounding environment (Hydrophone). Your radar screen will go blank and the sweep line will stop.
    - Tactical Advantage: Saves massive power and makes your ship "invisible" to the hearing of biological anomalies. The creature hunting you will lose track and drift away.
    - Weakness: You are completely visually blind.

3.4 Mineral Target Approach

When you find a mineral point (`[x]`) on the radar screen with active sonar:

1. Navigate the ship towards that point using navigation commands (e.g.:`thruster south 60`).
2. Bring the vessel to a distance of less than 85 meters from the mineral node (laser drill safety zone (lock range).

3. Type immediately`thruster_stop`and allow the vessel to stop shifting laterally before you initiate drilling.

FAQ (Frequently Asked Questions) - Chapter 3

Q: I have typed`thruster_stop`, but my ship kept drifting sideways and eventually failed to drill (message "EXCESSIVE VESSEL DRIFT")! Is my keyboard broken?A: No. Keep two things in mind: Latency and Inertia (Hydrodractic). If you're at a depth of 8,000 meters, your commands have a delay of up to 2 seconds before being sent. Furthermore, a 12-ton hull can't simply stop underwater. Get used to braking well before you arrive at the coordinates.

Q: Can I leave the mode on?`passive sonar`continuously to be safe from Leviathan to the bottom of the trench?A: Yes. However, you will never find the mineral samples needed to win the mission, and you are at high risk of running into physical obstacles because you are not orientated. The real key to survival is the Ping-and-Hide method: Turn on`active sonar`for a few seconds to scan the surroundings, note the coordinates in your brain, then quickly type`passive sonar`to move in silence.

Q: Can I move using the thruster while leaving the active sonar on?A: Technically possible, but the combined power drawn by the thrusters and active transducers will drain the battery reserves.`[BATT]`You're very fast. Furthermore, moving with sonar active is the quickest way to invite an Anomaly to crash into you.

Chapter 4: System Failure Management & Depth Physics

"Your greatest enemy in the Mariana Trench is not what swims in the darkness, but the ocean itself. At 8,000 meters, the hydrostatic pressure is equivalent to the weight of several elephants resting on a square inch of titanium steel. Your submersible will creak, electrical systems will overload, and computer memory will become distorted. You cannot prevent these failures; you can only manage them for longer than the mission requires."

4.1 Setting Power Allocation (`route_power`)

Your vessel is operating on battery backup.`[BATT]`Very limited power. The ship's reactor isn't designed to power all systems simultaneously at maximum power. If you force it, the batteries will run out before you reach the halfway point. You'll need to manage the power flow using commands.`route_power`.

- **Command Syntax:** `route_power -sys [system_name] -val [0-100]`
  - Available systems:`engine`(driver),`sonar`(acoustic radar),`drill`(laser drill),`core`(main operating system).
  - Example: Type`route_power -sys sonar -val 20`to reduce sonar power by up to 20% (slows down the radar rotation but saves battery life).
  - Shortcut:`route_power engine 100`(maximize propulsion for evacuation maneuvers).
- **Survival Strategy:**Never let the power`drill`is at 100% if you are not mining. Reduce the power`engine`to 0% if you are just passively drifting down or hiding.

4.2 Water Pressure Management & Implosion Potential (`purge_valve`)

As the ship goes deeper, the pressure of the sea water outside (`EXT PSI`) will continue to increase. If the pressure inside the hull is not equalized with the pressure outside, the ship's hull will experience extreme stress (`PSI DIFF`).

- **PSI Indicator:**Monitor bar`[PSI]`on the left panel of the terminal. If the differential limit (pressure difference) exceeds the safe limit (SAFE) and touches the CRITICAL zone, the hull`[HULL]`Your ship will begin to warp and become damaged. If the bar is full, the ship will implode and the mission will fail.
- **Automatic Balancing Valve (`purge_valve auto`):**The ship will attempt to gradually equalize the pressure. However, this automatic system works very slowly. If you descend rapidly using the thrusters, the automatic valves will be overwhelmed by the increased pressure.
- **Manual Purge (`purge_valve`):**This is the safest method during a crisis. Typing`purge_valve`(without the word auto) will force the valve fully open manually, neutralizing the pressure difference in seconds. Use this whenever you see a warning`"CRITICAL HULL STRESS"`.

4.3 Handling Screen Distortion and Corrupt Memory (`run sys_diag`)

Extreme hull pressure (below 40%) or electromagnetic waves from a nearby Biological Anomaly can damage the ship's computer systems. This manifests as visual distortion on your CRT screen (screen tearing/static).

- **CLI Memory Corruption (Syntax Degradation):**If the system damage is too severe, the ship's keyboard input memory will be compromised. Commands you type will suddenly be inserted with strange characters or reversed in size.
    - Example: You type`thruster_stop`, but the system reads it as`tHrU$t@r_st?p`and reject your command with a message`"SYNTAX PARSE FAILURE"`.
    - This condition is very fatal if it occurs when you are panicking and trying to escape from a monster.
- **Memory Cleaning Protocol:**If your terminal starts typing garbage text that causes the command to be rejected, immediately type`run sys_diag`This core-level diagnostic command is immune to memory corruption. The system will instantly flush the CLI buffer and restore your terminal's ability to read normal syntax.

FAQ (Frequently Asked Questions) - Chapter 4

Q: Percentage of stomach`[HULL]`My speed keeps decreasing even though I haven't hit any cliffs and there are no monsters on the radar. What's wrong?J: You ignored the pressure warning. The difference`[PSI]`You are too high. If the ship descends too quickly without you doing anything`purge_valve`Manually, the water pressure will slowly crush your ship's hull until it is destroyed.

Q: Can I manage Core OS power (`route_power core 0`) to 0% to save battery life to the extreme?A: No. The failure prevention system (failsafe) on Mariana OS will lock the minimum power`core`at 25%. Shutting down the OS is equivalent to shutting down your life-support functions and the terminal itself.

Q: I have typed`run sys_diag`and the terminal replies "DIAGNOSTIC COMPLETE", but my CRT screen is still shaking and full of static lines. Why?J: Command`sys_diag`This simply fixes corrupted text input so you can type correctly again. Screen shaking and static are physical effects of severely compromised hull integrity or the presence of a Leviathan directly outside your ship. Physical hull damage is permanent, and the visual effects cannot be removed.

Q: Every time I turn on the drill, my battery backup drains completely within seconds and the alarm goes off!A: You might try drilling with the Thruster at maximum power and the Sonar Active. This ship's power reactor is not designed to handle the load of three heavy subsystems at once. Turn off the thrusters (`thruster_stop`) and divert all power to`drill`before starting mining.

Chapter 5: Extraction Operations (Mining)

"Your primary purpose in this seat is to retrieve what's embedded in the seafloor. The probe's laser drill is capable of penetrating the deepest basalt rocks on Earth to extract pristine samples. But remember, this mining process is slow, consumes enormous power, and emits low-frequency acoustic vibrations that reverberate across the trench. When you start drilling, you're no longer a stealthy hunter; you're bait on a leash."

5.1 Mineral Mining Procedures (`run drill_sequence`)

Mineral extraction requires precise coordination between navigation, power management, and sonar observations. You must collect three samples to complete the mission. Here are the standard steps:

1. **Target Localization:** Use Active Sonar mode (`active sonar`) to find the cross-reticle shaped blip `[x]` on the radar screen. This target represents a valuable mineral node.
2. **Approach:** Use the thruster command to steer the ship to the mineral coordinates. Bring the ship within the Key Zone, which is below 85 meters.
3. **Stop Maneuver (Important):** The laser drilling system is very precise and sensitive to lateral movement. You must stop the drilling machine (`thruster_stop`) and let the ship's inertia completely stop shifting.
4. **Extraction Initiation:** Type the command `run drill_sequence`.
    - The system will automatically allocate power to the subsystems. `drill` if previously it was at 0.
    - The extraction progress (0% to 100%) will run. A normal cycle takes approximately 12 seconds.
    - **Defensive Tactics:** Turn off radar (`passive sonar`) as soon as the drill is turned on! The sound of the drill alone is enough to attract the attention of the Anomaly from close range; don't make matters worse by leaving the active sonar on.
5. **Solution:** When the progress bar reaches 100%, the system will shut down the drill, secure the sample, and print a catalog report with its purity level in the terminal log.

5.2 Overcoming Drill Mechanical Failure (`run drill_reverse`)

The bottom of the Mariana Trench is uneven and extremely hard. Drill bits have a 15% chance of snagging on debris or very dense basalt.

- **System Warning:**If in the middle of the extraction process you receive a red log that says`[CRIT] DRILL BIT STALLED! IMMINENT OVERHEAT`, it means your drill is stuck.
- **Impact of Failure:**
    - Mining progress will freeze.
    - A jammed drill will experience an electrical short circuit, draining the battery massively (up to almost 4 times the normal consumption).
    - The sound of a drilling machine groaning will raise the Leviathan's alert status in that sector.
- **Recovery Protocol:**You will need to reverse the drill bit to remove any stuck debris.
    - Type the command:`run drill_reverse`.
    - Executing this command will discard a small portion of the extraction progress (5% rollback), but the drill will resume normal rotation, and the rest of the extraction will continue automatically. Do this as quickly as possible before your battery drains.

FAQ (Frequently Asked Questions) - Chapter 5

Q: I am already at a distance of less than 85 meters, but when I type`run drill_sequence`, the system rejects it with the message "VESSEL IN MOTION. HALT LATERAL DRIFT". Why?J: You haven't let the ship's momentum stop completely. Even though you've typed`thruster_stop`The inertia of the 12-ton vessel's thrust still causes it to glide through the water (hydrodrag). Wait about 1-2 seconds after shutting off the engine before executing the drilling sequence.

Q: My drill was running, then suddenly aborted with the warning "LASER DRILL DISLODGED BY EXTERNAL IMPACT!". What happened?A: A Biological Anomaly has just struck your ship's hull from the outside. This extremely violent physical impact shook the ship and caused the drill's locking

system to disengage from its target. If your ship wasn't destroyed by the impact, you'll have to start the extraction from 0% again later.

Q: Can I extract targets remotely to be safer from attacks?A: No. The Mariana OS drill's maximum locking distance is absolutely 85 meters. The company designed the short-range laser to ensure sample integrity and prevent seawater contamination. Operator safety is a secondary priority.

Q: Why is the extraction percentage running so slow?A: The extraction speed is directly proportional to the amount of power entering the subsystem.`drill`. If you want to speed up the process (and risk draining the battery quickly), type`route_power -sys drill -val 100`to provide maximum power to the drill.

Chapter 6: Biological Threat Protocol (Survival Horror)

"The company officially disowns the existence of unclassified megafauna species deep in the Mariana Trench. However, these operational protocols are still written for the sake of asset survival. Down there, there are 'things' larger than our submarines. These things are visually blind, but they have evolved hearing systems capable of picking up the slightest frequencies from hundreds of meters away. Remember, you are not armed. If you attract their attention, your only options are to outwit, hide in stealth, or die."

6.1 Understanding Leviathan Behavior (Voice Aggro System)

The biological anomaly (Leviathan) will appear on your radar as a large, pulsating red dot. This predator's behavior is entirely based on ocean acoustics. The deeper you descend, the faster these creatures move and their hearing becomes more acute.

- **Aggro Triggers:**Anomalies typically patrol aimlessly. However, they'll instantly lock onto your coordinates and dart toward you if you do one of two things near them:
    1. Turn on Active Sonar (ping waves bounce off their bodies).
    2. Turning on the Laser Drill (producing very noisy seismic vibrations).
- **Ping-and-Hide Protocol:**If the red dot turns and moves straight towards the center of the radar (your ship), immediately type`passive sonar`And`thruster_stop`Without sonar emissions and engine vibrations, the Leviathan would become confused, lose track, and slowly revert to its random patrol mode.

6.2 Using Sound Feed (`deploy_decoy`)

Sometimes, turning off the sonar isn't enough. For example, when the Anomaly is already very close, or when you're forced to complete a critical mineral drilling cycle.

- **Command Execution:**Type`deploy_decoy`to throw acoustic beacons (decoys) into the water.

- **Visual Effects:**The decoy will appear on the radar as a diamond. This device emits a very loud false frequency. All Leviathans in that sector will immediately turn around and brutally attack the decoy, giving you time to escape.
- **Costs & Limitations:**This command is very expensive, instantly draining 15% of Battery Reserve`[BATT]`You're instant. The Decoy also only lasts for 8 seconds before being destroyed by being bitten or drowned.

6.3 Physical Attack & EMP Blackout Emergency Protocol

If the Leviathan manages to reach your ship's absolute coordinates, a physical collision is inevitable. This is a nightmare scenario for an Operator.

- **Impact of the collision:**The screen will print`[CRIT] LEVIATHAN IMPACT DETECTED!`. The hull will crack severely instantly (reducing its integrity by more than 25%). If you are drilling, the laser will come loose.
- **EMP (Electromagnetic Pulse) Waves:**Physical contact with this entity will trigger an EMP surge. Your terminal will experience KERNEL PANIC.
    - Your CRT screen will go completely black and be filled with red error text.
    - **The entire system shuts down instantly:**Thruster, Sonar, and Drill power drops to 0%. Your ship is completely paralyzed, blind, and drifting passively in the darkness.
    - Your keyboard buffer memory will be severely damaged by radiation.
- **Emergency Recovery Protocol (Cold Reboot):**In a blackout state, the terminal will reject all standard commands. There is only one command that can save you. You must type:`run sys_reboot`
- **Critical Phase:**After you type that command, the system takes about 5.5 seconds to restart. During that time, you'll have to sit staring at a dark screen, listening to the monster's growls on your audio, and praying it doesn't turn around for a second blow.
- Important: After the system restarts, your boost power will still be at 0%. You must immediately type the command`route_power`And`thruster`to escape!

FAQ (Frequently Asked Questions) - Chapter 6

Q: Can I kill the monster by ramming it using maximum thruster speed?A: No. Crashing your titanium shell into a hundred-ton organic creature will only destroy your own ship. You are a research vessel, not a combat torpedo. Avoid physical contact at all costs.

Q: I got hit, my screen went black and it said "KERNEL PANIC". I tried typing`run sys_reboot`but what appears on the terminal screen is corrupted text like`rUn sy$__reB?ot`. My order was rejected!A: That's an EMP effect that corrupts your input buffer (inverting case and inserting symbols). Stay calm. Press Backspace to delete the distorted characters, then retype.`run sys_reboot`Typing frantically will only worsen text corruption.

Q: Why did the monster suddenly turn around and attack me even though I had already released the decoy?A: Decoy only lasts for 8 seconds. If after 8 seconds it turns off and you still have the sonar on or the laser drill running, the Leviathan will immediately pick up your position. Use that 8 seconds to turn off the sonar and move away.

Q: When I'm in Passive Sonar mode (radar off), how can I tell if the monster is still near me or if it's gone?A: Use headphones (earphones). Mariana OS is equipped with spatial hydrophone sensors (Audio Panning). If the creature is within the danger radius, you will hear a low-frequency growl from the left or right of your audio channel, depending on its position relative to the ship. Listen carefully, the darkness has a sound.

Chapter 7: Mariana's Track Record (Lore & Exploration)

"You're not the first operator to sit in that chair, and this submersible isn't the first to descend into the Mariana Trench. The Enterprise has lost many crews, both unmanned vessels and secret, manned expeditions. The secrets of their failures were never made public, buried among the titanium debris at the bottom of the ocean. But memory never truly dies. Find their black boxes, and you'll understand why some secrets are best left to sink."

7.1 Detecting and Extracting Black Boxes

Besides minerals, your sonar will occasionally detect man-made foreign objects buried in cliffs or the bottom of trenches.

- **Radar Identification:**On the radar screen, the Blackbox will appear as a flashing dot (star) with an Amber/Orange glow, unlike the mineral which is in the form of a reticle.`[x]`.
- **Extraction Process:**This black box is embedded in coral rock. You'll need to extract it using exactly the same procedure as mining minerals:
    1. Steer the ship until the distance is below 85 meters.
    2. Stop maneuver (`thruster_stop`).
    3. Turn on the laser drill (`run drill_sequence`).
- **System Notification:**If successfully extracted, instead of displaying the mineral purity, the terminal will print a log:`[SYS] ENCRYPTED FLIGHT RECORDER (BLACKBOX) RECOVERED.`along with the ID of the log.

7.2 Decrypting Previous Crew Logs (`read_log`)

Each Black Box you find contains a fragment of an audio recording or journal of the last seconds of the previous crew/operator before their ship was destroyed.

- **Decryption Command:**To read the contents of the black box you have captured, type the command`read_log [ID]`.
    - Example: If the system tells you it has found Log ID 1, type:`read_log 1`.

- **Reading in a Time of Crisis:**This log will be printed directly to your CLI terminal. Reading this log is optional and doesn't add to your mineral quota. However, it often contains implicit clues about the Leviathan's behavior, the ship's tolerance limits, or the truth behind the "eggs" (minerals) you're harvesting.
- **Tactical Warning:**Never attempt to read a lengthy log while the Biological Anomaly is chasing you or when your hull pressure is critical. Resolve your crisis first, then read the log later when it's safe (or while hiding).

FAQ (Frequently Asked Questions) - Chapter 7

Q: Do I have to find the Black Box to win the game?A: No. Your only requirements for victory are a depth of 10,900m and three mineral samples. The black box is an extra challenge (side quest) for operators who want to learn the game's lore and are willing to take greater risks.

Q: I've searched everywhere with sonar on, but I can't find a single blinking Black Box!A: Black boxes are very rare. Not every sector has one. Sometimes they're deep in the ocean, and you have to dive much deeper to detect them on radar.

Q: What happens if I type`read_log`with random numbers even though I haven't found them yet?A: Terminal OS will deny your access and print the message:`[ERR] LOG NOT FOUND OR ACCESS DENIED.`You can only read data from a black box whose physical form has been successfully recovered into your ship's cargo hold.

Chapter 8: Quick Reference (Cheat Sheet)

8.1 Complete List of CLI Commands & Their Syntax

- **`help`**Displays a reference list of basic operational commands on the terminal screen.
- **`status`**Prints a complete telemetry report, including Coordinates, Hull Integrity, Battery Remaining, PSI Pressure (Outside & Differential), Mineral Amount, and Latency (Signal Delay).
- **`clear`**Clearing the terminal screen of accumulated log history.
- **`sonar -mode [active|passive]`**or**`sonar [active|passive]`**Change the acoustic transducer mode. Active for radar scanning (consuming power and attracting predators), Passive for silent (radar display off, saving power, safe from detection).
- **`thruster -dir [direction] -pwr [0-100]`**or**`thruster [direction] [0-100]`**Turning on the thruster in a certain direction (`n`,`s`,`e`,`w`,`up`,`down`) with percentage power (0 to 100).
- **`thruster_stop`**Instantly shut off all propulsion engines. The ship returns to a passive sinking phase.
- **`purge_valve`**or**`purge_valve [auto|manual]`**Balancing the water pressure (PSI) inside and outside the stomach. Type`purge_valve`without argument to force the valve to open manually in the event of a crisis/warning.
- **`route_power -sys [system] -val [0-100]`**or**`route_power [system] [0-100]`**Redirects battery power allocation to specific subsystems. Valid systems:`engine`,`sonar`,`drill`,`core`.
- **`run drill_sequence`**Initiate the laser extraction process on the nearest mineral or blackbox target (distance must be < 85m and the ship must not be in a gliding/moving state).
- **`run drill_reverse`**Reverse the drill bit to remove debris when a drill stall occurs.
- **`run sys_diag`**Run system diagnostics (memory clear) to fix corrupt/glitched terminal input text due to EMP radiation or extremely low hull pressure.
- **`run sys_reboot`**Performs a cold reboot (force restart) on the operating system. The only command that works when the ship experiences a total EMP blackout due to being hit by a Leviathan.

- **`deploy_decoy`**Releases an acoustic decoy to distract Leviathan for 8 seconds. Instantly consumes 15% battery.
- **`read_log [ID]`**Decrypt and display log messages from the Blackbox that have been successfully extracted (example:`read_log 1`).

8.2 Tips for Survival in Extreme Depths

- **Ping-and-Hide Tactics:**Don't leave the active sonar on continuously. Turn it on for 2-3 seconds to scan the position of the mineral on the radar, remember its direction, then immediately turn it off (`passive sonar`) and move in silence.
- **Anticipate Inertia & Latency:**A 12-ton vessel cannot stop instantly, and signals can take up to 2 seconds to reach the vessel at extreme depths. Turn off the thrusters (`thruster_stop`) from a distance and let the momentum of the boat carry you into extraction distance (< 85 meters).
- **Discipline Power Management:**Do not turn on three heavy systems at the same time. When mining with`drill`, make sure`engine`is at 0% and`sonar`in a passive state.
- **Implosion Rapid Response:**The automatic pressure balancing valve works very slowly. Get your fingers used to typing quickly.`purge_valve`manually every time you use thruster down to dive aggressively.
- **Blackout Recovery Protocol:**If a crash is unavoidable and the screen goes black (Kernel Panic), don't start typing frantically. Press the Backspace key to clear any random characters that may appear in the prompt, then type`run sys_reboot`with caution. Speed and composure are the line between life and death.

Mission Scenario: Sector 7 Extraction Operation

Phase 1: Initial Descent & Inertia (1,000 Meters Depth)

- **Condition:**The ship is descending passively at a base speed of 12 m/s. Battery 100%, Hull 100%. Latency remains 0 ms.
- **Operator:**Check around for the first target.`MARIANA_OS> sonar active[SYS] ACOUSTIC TRANSDUCER ONLINE: ACTIVE PING ENABLED.`
- **Observation:**On the radar screen, a blip`[x]`(mineral) appears at the North-East coordinates.
- **Operator:**`MARIANA_OS> thruster east 50MARIANA_OS> thruster north 50`(Wait until the target distance is below 85 meters)`MARIANA_OS> run drill_sequence`
- **System:** `[ERR] VESSEL IN MOTION. HALT LATERAL DRIFT BEFORE DRILLING.`
- **Operator (Correction):**Forgot to turn off the engine. The momentum of a 12-ton ship can't be stopped instantly.`MARIANA_OS> thruster_stop`(Wait 1-2 seconds for the ship to slow down)`MARIANA_OS> run drill_sequence[SYS] LASER DRILL DEPLOYED. EXTRACTING...`
- **Results:** `[SYS] CATALOGED: Ferromanganese Nodule [MRN-01-1200] (PURITY: 62.4%)`. (Mineral 1/3 collected). The operator immediately turned off the sonar (`passive sonar`) to save battery.

Phase 2: Speedrun & Pressure Crisis (6,500 Meters Depth)

- **Condition:**Time passes. Battery life is at 75%. Signal latency is now ~1,000 ms (1 second delay).
- **Operator:**Wanting to get to the bottom quickly, the operator dived sharply.`MARIANA_OS> thruster down 100`
- **Observation:**The ship was moving very fast (around 30 m/s). Because it was descending so drastically, the automatic valves couldn't balance the skyrocketing water pressure.
- **System:** `[WARN] HYDROSTATIC DIFFERENTIAL HIGH. MANUAL PURGE RECOMMENDED.`(2 seconds later)`[CRIT] HULL STRESS CRITICAL! IMMINENT IMPLOSION!`
- **Operator:**Panic at the sight of gastric integrity`[HULL]`dropped rapidly to 82%.`MARIANA_OS> purge_valve[SYS] MANUAL BALLAST & PRESSURE VALVE OPENED. EQUALIZING...`

- **Results:**The alarm stopped. The pressure differential returned to 0. The ship survived the implosion, and the operator shut off the thrusters to breathe a sigh of relief.

Phase 3: Borehole Jam & Cat-and-Mouse (8,800 Meters Depth)

- **Condition:**Latency 1.8 seconds. Battery 55%.
- **Observation:**The operator discovered a second mineral and began drilling.
- **System:** `[CRIT] DRILL BIT STALLED! IMMINENT OVERHEAT. RUN "run drill_reverse" TO CLEAR!`
- **Situation:**The alarm sounded loudly. The battery was drained drastically due to a short circuit in the drill. The noise attracted a Leviathan in the area.
- **System (Again):** `[CRIT] MASSIVE ACOUSTIC SIGNATURE APPROACHING! SONAR SILENCE!`
- **Operator:**Have to chase away monsters AND fix the drill, but the 1.8 second signal delay makes typing extremely accurate.`MARIANA_OS> deploy_decoy[SYS] ACOUSTIC DECOY DEPLOYED. BROADCASTING FALSE SIGNATURE.MARIANA_OS> run drill_reverse[SYS] DRILL REVERSING. CLEARING DEBRIS...MARIANA_OS> sonar passive`
- **Results:**The diamond-shaped decoy floats away, chased by the monster. The drill is back in operation. The mineral has been secured. (Mineral 2/3 collected). Battery life is at 28% (drained by the decoy and the jammed drill).

Phase 4: Nightmare Scenario (Depth 10,900 Meters)

- **Condition:**Depth target reached. Battery critical (18%). Latency 2.2 seconds.
- **System:** `[SYS] TARGET TRENCH DEPTH (10900M) REACHED.`
- **Observation:**The operator turned on the sonar briefly and saw the last mineral.`[x]`right in front of it (40m distance). However, the giant red glow (Leviathan) turned out to be right next to the ship!
- **System (Suddenly):** `[CRIT] LEVIATHAN IMPACT DETECTED! HULL BREACH: -28.5%![FATAL] MASSIVE EMP SURGE DETECTED! TERMINAL KERNEL PANIC!`

- **Incident:**The operator's screen suddenly went completely black. A distorted growl filled the headphones. The propulsion, sonar, and drill systems were completely shut down (0%).
- **Operator:**Typing blindly and frantically. Due to the effects of EMP radiation on memory, what he types is distorted on the screen:`MARIANA_OS> rUn syS__rEb0Ot`
- **Operator (Quick Correction):**Press Backspace repeatedly to delete junk text, then retype calmly.`MARIANA_OS> run sys_reboot`
- **System:** `[SYS] INITIATING EMERGENCY COLD REBOOT...`(After a very tense 5.5 seconds in the dark)`[SYS] KERNEL REBOOT SUCCESSFUL. SYSTEM RESTORED.`

Phase 5: Final Extraction & Victory

- **Condition:**The screen flashed back on. The hull had 45% remaining. The battery was at 11%. The monster was turning around for a second attack.
- **Operator:**The ship was near the mineral, but due to the reboot, its drill power was at 0%. The operator focused the remaining power directly on the drill.`MARIANA_OS> route_power drill 100MARIANA_OS> run drill_sequence`
- **System:**`[SYS] LASER DRILL DEPLOYED. EXTRACTING...`(Drilling progress is faster than usual due to 100% power)`[SYS] CATALOGED: Hadal Piezoelectric Quartz [MRN-03-10900] (PURITY: 98.2%)`
- **The final result:**`[SYS] ALL OBJECTIVES COMPLETED! TELEMETRY & SAMPLES TRANSMITTED TO SURFACE!`
- **Closing:**The game is over. The terminal screen locks out user input, taking over automatic control, and the player successfully wins the mission (Victory State) seconds before the Leviathan hits the ship a second time.