


ASTRALOGICA ORBITAL COMMAND



Link :<https://github.com/CodeInPas/AstraLogica>

Visit My Other Works:<https://github.com/CodeInPas/>

ASTRALOGICA - ORBITAL COMMAND

CHAPTER 1: Mission Introduction

- **1.1. Main Objectives:** Survive 14 Sol Cycles amidst a space anomaly.
- **1.2. Game Over Rules:** What happens if Oxygen runs out or Hull Integrity is destroyed reaching 0%.
- **1.3. Starting a New Session:** How to initialize the terminal and read your first Event Log.

CHAPTER 2: Reading the Terminal Interface (UI)

- **2.1. Left Panel [L & R] :** Reads System Module status and Core Metrics (Core Status).
- **2.2. Middle Panel [C] :** Monitoring Orbital Radar, Telemetry Waves, and Event Logs.
- **2.3. Right Panel:** Using Operational Buttons, Crew Assignment, and Radar Visual Filters (Standard, CRT, Red Alert, Starfield).

CHAPTER 3: Resource Management (Core Status)

- **3.1. Oxygen & Power:** Life balance.
 - Example: Turning on multiple modules will deplete the Power Reserve. If the power runs out, the entire system shuts down and oxygen levels drop drastically.
- **3.2. Hull Integrity:** The "life" of your station is surviving a meteor impact or anomaly.
- **3.3. Core Temperature & Core Trace Graph (Core Temp):** Overheating Danger.
 - Example: Turning on the Main Generator, Shield, and Lab simultaneously will raise the temperature. If the temperature reaches 100%, Meltdown will occur, damaging random modules. Turn off the modules (Venting) to cool the temperature.
- **3.4. Tech Points & Crew:** Currency for station upgrades and labor.

CHAPTER 4: Operating System Modules

- **4.1. Functions of the 5 Main Modules:**
 - Life Support (Oxygen Production)

- Deflector Shield (Withstands the impact of the crisis)
- Research Lab (Generates Tech Points)
- Comms Array (Signal detection and early warning)
- Main Generator (Power production center)
- **4.2. How Module Toggle & Rotation Works:** Module on/off strategy to prevent Draining (running out of power) and Overheating.
- **4.3. Module Upgrade & Crew Assignment:**
 - Example: Adding a crew to the Research Lab will double the production of Tech Points per second.

CHAPTER 5: Facing Natural Crisis (Anomaly)

- **5.1. Reading Danger Signs on Radar:** The meaning of a red blip approaching the center of the radar.
- **5.2. Types of Crisis & Their Impacts:** Solar Flare (Radiation), Meteor Shower (Hull Impact), Power Surge, and Oxygen Leak.
- **5.3. Damage Repair (Dispatch Repair Drone):** How to select a module that has status [DMG] from the dropdown and send a repair drone.

CHAPTER 6: Mysterious Signals & Emergency Protocols

- **6.1. Deep Space Encounters (Foreign Signals):** Responding to notifications [?] SIGNAL DETECTED on radar.
 - Example: When the radar picks up a transmission, press [Y] DECRYPT or [N] IGNORE. Decrypting a destroyed ship's signal can grant a +25% hull bonus, or trigger a -20% trap explosion.
- **6.2. Emergency Override Protocols [A] & [B] :** The last resort button in a deadly crisis.
 - [A] Shield Boost: Sacrifice -15% oxygen to save the stomach.
 - [B] Jettison Cargo: Sacrifice all Tech Points to instantly repair the hull.

CHAPTER 7: Scenario Simulation (Case Example)

- **Scenario 1: Meteor Shower during Dying Power.**
 - Tactics: Shut down the Research Lab and Comms, and turn on the Deflector Shield at full power. Let the temperature rise temporarily, then turn off the Shield as soon as the crisis is over for ventilation.
- **Scenario 2: Meltdown in the Middle of an SOS Signal.**
 - Tactics: Send repair drones to the exploded module, ignore the signal (press N) to avoid risking double damage, focus on regenerating oxygen.

CHAPTER 8: Telemetry Data Management (Save/Load)

- **8.1. Save Telemetry:**How to save progress in a specific cycle.
- **8.2. Restore Telemetry:**How to reload a station if it gets destroyed midway.

CHAPTER 1: MISSION INTRODUCTION

Welcome to the command room, COO (Chief Operations Officer). You have just been granted full access to the AstraLogica: Orbital Command terminal, a space station located in an anomaly-prone sector. Your task is not to attack or explore, but rather to survive through careful resource management and quick decision-making.

1.1. Main Objectives Your primary mission is simple: survive for 14 Sol Cycles. One Sol Cycle is equivalent to 60 seconds in the real world. During this time, the station will continuously consume resources, be randomly hit by various cosmic crises (such as solar storms or meteor showers), and receive mysterious transmissions. If you manage to see the numbers... [SOL : 015] in the top right corner of the screen, the mission is considered a great success and you win the game.

1.2. Game Over Rules AstraLogica Station is extremely vulnerable. The game will immediately end in a Critical Failure (Lose) status if either of these two fatal conditions occurs:

- **Oxygen Depleted (0%):** Without oxygen supply from the Life Support module, the entire crew would die instantly.
- **Hull Integrity 0%:** Continuous crisis impacts without the protection of the Deflector Shield would reduce the station's structure to rubble.

1.3. Starting a New Session To start the game, click the INITIALIZE / NEW GAME button in the bottom right panel. Once pressed, the system will reboot. Immediately, look at the blue panel in the bottom center—the Event Log. You'll see the system print a faint green line like this: [LOG] SYSTEM BOOT SEQUENCE... OK [LOG] CHECKING LIFE SUPPORT & POWER RESERVES... NOMINAL [LOG] INSTRUCTION: SURVIVE 14 SOL CYCLES. RADAR MONITORS FOR ANOMALIES.

Make it a habit to always read this Event Log, because this is where the station "talks" to you about what is happening out there.

Case Study: Negligence on the First Day

A rookie commander named Leon starts a new game. He's too engrossed in the rotating radar animation and the streaking effect on the screen (CRT glitch) to notice the flashing text. ! DRAINING ! yellow on the panel Core Status on the left.

Because he didn't turn it on The Main Generator's power reserve was depleted. As a result, the entire module blacked out. Without the Life Support module powered on,

oxygen levels slowly dropped from 100% to 0% on Sol Cycle 2. Game Over. Lesson: Radar animations are beautiful, but a commander's eye must be constantly checking the power indicator panel on the left.

Commander's Tip:

- **Use Break Time:** If you feel panicked or confused when you first press the New Game button, take a deep breath. In Sol 1, the crisis usually hasn't yet occurred. Use the first 60 seconds purely to memorize the button placement and ensure your oxygen level is stable or increasing.
- **Color is Language:** The terminal is designed using color codes. Green/Cyan means Safe, Yellow means Warning/Alert, and Red means Critical/Dangerous. If something is flashing red on your screen, it's a high-priority issue that needs to be addressed immediately.

CHAPTER 2: READING THE TERMINAL INTERFACE (UI)

As commander, this terminal screen is your only window into the conditions of the station and the space around you. AstraLogica's functional, retro-futuristic UI is divided into three main zones, allowing you to make decisions in a matter of seconds.

Let's dissect the function of each of these panels:

2.1. Left Panel [L & R] : Vital Indicators & Modules The left panel is your station's heartbeat. This is where you monitor whether the station is dying or operating optimally.

- **[L] SYSTEM MODULES:** Displays the station's five main modules. You can see their status in the right corner of the module name: [ON] (Light up), [OFF] (Dead), [DMG] (Damaged), or [REP] (Under construction). Under the module name, there is information about power consumption (Pwr), Upgrade Level (Lvl), and the number of assigned crew (Crew).
- **[R] CORE STATUS:** These are your most important metrics. They include Oxygen Level, Power Reserve, Hull Integrity, and Core Temp bars. Below them is the CORE TRACE box, which displays a waveform graph similar to an EKG; if this line starts to become sharp and glitchy, it's a sign the station is under extreme stress.

2.2. Middle Panel [C] : The Station's Eyes & Ears The middle zone is the main focus for monitoring external threats.

- **ORBITAL RADAR & TELEMETRY:** A circular radar screen with a continuously rotating sweep line. Here you'll see ticks, telemetry waves, and most importantly: Anomalous Points (Blips). A natural crisis threat will appear as a red dot moving closer to the center, while a mysterious transmission signal will flash with text. `UNK_SIG` and countdown `T-15s`.
- **EVENT LOG (Bottom Blue Box):** A real-time station operations log. All events (crew assigned, crisis detected, module damaged) are displayed here. Green

indicates normal information, yellow indicates warnings, and red indicates emergency action.

2.3. Right Panel: Operational Control Center If the left and middle panels are for viewing, the right panel is for acting.

- **Main Operational Buttons:** A row of buttons to turn on/off (Toggle) the four main modules, perform Upgrades, and set crew assignments (Assign/Recall Crew).
- **Emergency Protocols [A] & [B] :** The red button is for executing Shield Boost or Jettison Cargo in critical moments.
- **Repair System (Repair Module):** There is a dropdown menu to select the damaged module and a DISPATCH REPAIR DRONE button to start the repair.
- **System Management & Filters:** Buttons to save/load data (Save/Restore Telemetry) and a RADAR VISUAL FILTER menu to change the visual style of your radar (e.g. to CRT Glitch or Red Alert mode).

Case Study: Visual Sweep Trick

Commander Sarah was on duty on Sol Cycle 4. Suddenly, she heard an alarm sound.

First action: His eyes immediately fell on the Center Panel (Event Log). It said there [**CRIT J**] WARNING! SOLAR FLARE INBOUND IN 10s. He also saw a red dot on **Radar**. Second action: His eyes shift to the Left Panel. He saw > DEFLECTOR SHIELD status [OFF] . He realized his station was unprotected. Third action: His hand immediately moves to the Right Panel, then clicks the button **TOGGLE SHIELD**.

+ 2

In less than 3 seconds, it managed to respond to the threat thanks to its habit of reading the interface in the correct order: Center (Problem Identification) -> Left (Status Check) -> Right (Solution Execution).

Commander's Tip:

- **Use Your Ears:** The AstraLogica UI is designed to pair perfectly with the Audio System. A long alarm always signals a natural disaster, a rapid beep indicates

an anomalous transmission, and static/explosive sounds indicate a malfunction. You don't have to keep staring at the radar if you've memorized the audio cues.

- **Customize Visual Filters:**The Radar Visual Filter menu in the bottom right panel isn't just a cosmetic touch. If CRT Glitch mode makes you dizzy or makes it difficult to read threat positions, don't hesitate to switch to STANDARD or STARFIELD mode for your eyes' comfort.

CHAPTER 3: RESOURCE MANAGEMENT (CORE STATUS)

The [R] CORE STATUS panel is a direct reflection of your station's health. If you fail to balance all four metrics here, destruction is only a matter of time. The key to this game is not turning on all systems, but turning on the right ones at the right time.

3.1. Oxygen & Power: Life Balance

- **Oxygen Level:** Survival is a matter of life's death. Oxygen will continue to decrease with each passing second if left unchecked. You must activate the Life Support module to restore it.
- **Power Reserve:** The station's backup battery. The Main Generator module is your primary power source. If you power too many modules (e.g., Life Support, Shield, and Lab all at once), power consumption will exceed production. When this happens, the message ! DRAINING! will flash. If the Power Reserve reaches 0%, all modules will blackout, meaning oxygen production will cease completely!

3.2. Hull Integrity: Physical Shield This is an indicator of the physical strength of your station's building. Hull Integrity will decrease if the station is hit by a meteor shower (especially if the Shield is down), is affected by Meltdown, or is attacked by a trap from an alien transmission. If this bar reaches 0%, the station will be destroyed by explosion. Maintain its integrity by deploying a Deflector Shield before a crisis strikes.

3.3. Core Temperature & Core Trace (Core Temp): Overheat Danger Each module that is turned on generates heat. The more modules that are active (especially the Main Generator and Deflector Shield), the faster the core temperature (Core Temp) will climb.

- **Meltdown:** If the temperature reaches a critical point of 100%, the reactor will explode from within (Meltdown). This explosion will damage one module at random (making it go into a state of [DMG]) and reduces Hull Integrity by 15%.
- **Venting (Cooling):** The only way to lower the temperature is to turn off (Toggle Off) the modules that are running and let the vacuum of space slowly cool your reactor.
- **Core Trace:** Pay attention to the waveform graph at the very bottom of the panel. If the station overheats or its hull is severely damaged, this graph will oscillate wildly, glitch, and turn red. This is a quick visual warning that the station is under extreme stress.

3.4. Tech Points & Crew: Survival Capital

- **Tech Points (TP):** These are station research points, slowly generated by powering the Research Lab module. TP is used to upgrade modules to improve their performance.
- **Idle Crew:** The number of idle crew members. You can assign crew members to specific modules to increase their efficiency.

Case Study: Trapped in the "Turn Everything On" Syndrome

Commander Rey turns on The Main Generator, Life Support, Deflector Shield, and Research Lab were all simultaneously activated from the start of the game, as he felt he had enough power. Shortly after, he saw a flashing red warning. **OVERHEAT WARNING** *!because of the temperature* Core Temp breaks 85%.

Because he panicked when he saw the very high temperature, he turned it off. The main generator was turned on in the hope that the temperature would drop quickly. The consequences were fatal: without the main generator, the station immediately experienced a **DRAINING** *!serious. Battery* (The Power Reserves were depleted in seconds, triggering a Blackout. All systems shut down, oxygen production ceased, and Rey died of asphyxiation before reaching Sol Cycle 5.

Lesson: *Never turn off* Main Generator during high power loads. To cool the station (venting), turn off less urgent high-power modules, such as the Research Lab or Deflector Shield (if the radar is clear of anomalies).

Commander's Tip:

- **Use Shift System (Module Rotation):** The module doesn't need to be on 100% of the time. Turn on Life Support until the oxygen level is full, then turn it off briefly to vent while you power up the Research Lab to find Tech Points. Turn Life Support back on when the oxygen level starts to drop below 40%. Be an efficient manager!
- **Don't Let the Crew Relax:** Idle Crew members offer no benefit. Always assign them to modules you're currently focusing on. Placing crew members in the Research Lab will double your Tech Point production rate.

CHAPTER 4: OPERATING SYSTEM MODULES

The AstraLogica station is equipped with five main modules that determine the life and death of your crew. Managing these modules via the right panel is your daily operational task. Remember, each operating module consumes power and generates heat.

4.1. Functions of the 5 Main Modules

- **Life Support:**The station's air factory. When powered on, this module slowly restores oxygen levels. Without it, oxygen supplies would continually deplete.
PAS
- **Deflector Shield:**Protective energy shield. Must be activated immediately before a threat (such as a Meteor Shower) strikes the station. This module consumes enormous amounts of power and rapidly raises the core temperature.
PAS
- **Research Lab:**The station's science center. While operational, this module continuously produces Tech Points, which are then used to upgrade systems.
PAS
- **Comms Array:**The station's ear. If this module fails, the system won't be able to provide early warnings on the radar screen, and you won't be able to intercept mysterious transmission signals from outer space.
PAS
- **Main Generator:**The heart of the electrical system. The only module that generates power to replenish the Power Reserve, not consume it. If this fails, you're completely dependent on the remaining backup battery.
PAS

4.2. How Module Toggle & Rotation WorksUse the row of TOGGLE buttons on the top right panel to turn modules on or off. Since turning on too many modules simultaneously can cause overheating (temperature > 100%) and battery drain, you should get into the habit of rotating them. Turn off the Research Lab temporarily when you need to fully activate the Deflector Shield, then turn it back on when the crisis is over.

4.3. Module Upgrade & Crew AssignmentThe Tech Points (TP) you collect can be used to strengthen your station.

- **Upgrade Module:**Select the module name from the dropdown menu (selection box) in the bottom right panel, then click the UPGRADE MODULE button.

Upgrading the module will make it more efficient (e.g., consume less power or produce oxygen more quickly).

- **Assign / Recall Crew:** You have a limited number of Idle Crew. Select a module from the dropdown menu, then click ASSIGN CREW to assign them to it. Crews will provide a significant performance boost! When they're no longer needed, click RECALL CREW to recall them to rest.

Case Study: Tech Points' "Speeding" Tactics

Commander Elara is in her third Sol Cycle. The atmosphere in space is calm, with no signs of solar storms or meteors. She wants to proceed immediately. Upgrades to his Deflector Shield in preparation for the deadly final days.

Elara's Steps: He turned on Research Lab. To speed up TP production, she selected "Research Lab" from the dropdown menu and clicked ASSIGN CREW twice, sending two of her staff to the lab. Tech Point production immediately skyrocketed thanks to the additional crew! Once she felt she had enough points, Elara immediately clicked RECALL CREW to return her crew to Idle status, then used those points to upgrade the Deflector Shield.

Lesson: Taking advantage of idle crew (Idle Crew) is the fastest way to maximize the potential of the station during quiet times.

Commander's Tip:

- **Communication Priorities:** If possible, never turn off the Comms Array. Operating "blind and deaf" in space is deadly. You won't know what crisis is approaching on your radar.
- **Give the Generator a Break Every Once in a While:** If your Power Reserve is at 100% and the station begins to overheat (Core Temp > 80%), you are allowed to turn off the Main Generator briefly. This is the most drastic and quickest method of cooling (venting), as long as you remember to turn it back on immediately when the Power Reserve runs low!

CHAPTER 5: FACING NATURAL CRISES (ANOMALIES)

Space is an inhospitable place. Over the course of 14 Sol Cycles, the AstraLogica station will be constantly tested by various cosmic anomalies. Failure to respond to these threats will lead to the station's destruction.

5.1. Reading Danger Signs on Radar Natural disasters don't happen instantly; your system will always provide a warning a few seconds before impact, provided your Comms Array module is on! When a threat is detected, you'll hear a warning alarm, and a red dot will appear on the radar screen, slowly moving closer to the center (the center point of the station). The text below the radar will also change to [\] SCANNING... ANOMALY DETECTED. Once the red dot touches the center, a crisis has officially struck your station!

5.2. Types of Crises & Their Impacts There are four types of natural disasters that can strike a station, and each requires different handling:

- **Solar Flare (Solar Radiation Storm):** This radiation wave will immediately burn the station's hull (Hull Integrity) quickly if you don't take cover behind the Deflector Shield.
PAS
- **Meteor Shower:** Space rock impact! If Shield is on, the station will only shake slightly and the hull will take minor damage. However, if Shield is off, your screen will shake violently and the hull will shatter very quickly.
PAS
- **Power Surge:** An electromagnetic anomaly that is aggressively sucking and draining your station's power reserve.
PAS
- **Oxygen Leak:** An internal incident has drastically depleted your oxygen supply. You must ensure Life Support is fully activated to compensate for this leak.
PAS

5.3. Dispatch Repair Drone Sometimes, a crisis—like Meltdown due to overheating—can randomly crash one of your modules.

PAS

1. Damaged modules will be marked with red text. [DMG] and accompanied by a visual spark effect (glitch/sparks) on the screen. This module cannot be turned on at all.

PAS

2. To fix it, navigate to the bottom right panel. Select the name of the damaged module from the dropdown menu.

PAS

3. Click the DISPATCH REPAIR DRONE button.

PAS

4. The module status will change to yellow. **[REP]** (Repairing). Wait until the repair process is complete (reaches 100%), and the module will return to normal status. **[OFF]** to be ready to be turned back on.

PAS

Case Study: Meteor Shower Panic

*Commander Tono was focused on collecting Tech Points. The radar suddenly went off and Event Log prints warning: **WARNING! METEOR SHOWER INBOUND.***

*Due to his slow realization, the meteor hit the station before Tono had time to turn on the lights. Deflector Shield. The screen shook very badly (extreme Screen Shake). The impact caused the station to lose 40% of its Hull Integrity, and unfortunately, the Main Generator module was damaged (**[DMG]**).*

PAS

*Tono panicked, he was out of power and couldn't repair the hull. He immediately selected "Main Generator" in the box. Repair Module and press DISPATCH REPAIR DRONE. While waiting for the drone to finish working, he assigned two crew members (Assign Crew) to the module as a precaution. After the generator was repaired (**[REP]** become **[OFF]**), he immediately turned it back on to save the station from a total blackout (Blackout).*

PAS

Commander's Tip:

- **Know When to Hold On:** The Deflector Shield is your primary weapon against Solar Flares and Meteor Showers. However, this shield consumes a lot of power and quickly raises Core Temp. Don't activate the shield if the radar is clear; activate it only when the red warning dot is nearly touching the center of the radar!
- **There's Only One Drone:** You can only send a repair drone to one module at a time. If two modules are damaged, repair the most vital one first (Priority: Main Generator > Life Support).

CHAPTER 6: MYSTERIOUS SIGNAL & EMERGENCY PROTOCOL

As a commander, not everything you encounter in space is meteors or radiation. Sometimes, you'll discover tantalizing mysteries, and other times, you'll be faced with life-and-death choices that require enormous sacrifices.

6.1. Deep Space Encounters (Alien Signals) Occasionally, when the station isn't experiencing a natural disaster, you'll hear a rapid beep. A static dot will appear on the radar screen with the following warning text: **[?] SIGNAL DETECTED : T-15s** This is a transmission from a mysterious entity (it could be a crashed cargo ship, an SOS signal, or an alien transmission). You have 15 seconds to respond by clicking the button below the log (or pressing your keyboard):

- **[Y] DECRYPT (Signal Decryption):** "High Risk, High Reward" decisions. The system will draw a 50:50 chance. You could win incredible treasures (like +150 Tech Points or an extra crew member), or trigger a deadly trap (like a virus that forcibly shuts down modules or a pirate ambush that damages the hull).
- **[N] IGNORE (Ignore):** The signal will be removed from the radar. Your station is 100% safe, but you've missed out on a bonus opportunity.

6.2. Emergency Override Protocols [A] & [B] On the right panel, below the crew settings buttons, are two red text buttons. These are Emergency Protocols. Use these buttons only as a last resort when the station is truly on the verge of collapse, as they are extremely expensive:

- **[A] SHIELD BOOST:** Forcefully redirects life force to shields. This option will slightly restore your hull to withstand a fatal impact, but in return, your oxygen will immediately drain/drop by 15%.
- **[B] JETTISON CARGO:** Discard the station's cargo sector to lighten the hull load. This option will instantly heal/repair Hull Integrity by 25%. The cost? All your Tech Points (TP) will be reduced to 0.

Case Study: Gambling That Ended in Disaster

Commander Budi is currently in his 9th Sol Cycle. Condition The station's Hull Integrity was critical at 20%. Suddenly, the radar picked up a strange signal. **UNK_SIG**.

Because he was tempted to get a bonus for stomach repairs, Budi was determined to press [Y] DECRYPT Unfortunately, luck wasn't on his side. The signal turned out to be a pirate trap! The station's hull was hit and its power was reduced by 15%. Hull

Integrity is now at 5%, the station is about to explode, and a meteor shower has just been detected on radar!

*In a state of super panic, Budi pressed the button [B] **JETTISON CARGO** His hull was instantly restored by 25% (increased to 30%), and he survived the meteor strike. However, he had to sacrifice the 200 Tech Points he had accumulated since the beginning of the game to be wiped out.*

Lesson: *Don't be greedy. Responding to a foreign signal while the station's hull is dying is suicide.*

Commander's Tip:

- **When to Ignore Signals:** If your Hull Integrity is below 40%, it is highly recommended to always press [N] **IGNORE**. The risk of taking additional damage is too dangerous and not worth the reward.
- **Jettison Cargo Trick (B Button):** The [B] button deletes all your Tech Points. If you've just spent all your Tech Points on Upgrades (leaving your TP balance at 0), this is a golden opportunity! You can press [B] to get a 25% hull repair for "free" since there are no points to sacrifice.

CHAPTER 7: SCENARIO SIMULATION (CASE EXAMPLE)

Theory alone isn't enough to survive the harsh conditions of space; you need to be able to think quickly under extreme pressure. Let's examine two very common dual crisis scenarios at AstraLogica and the best tactics for resolving them.

Scenario 1: Meteor Shower When Power is DyingSituation: Radar detects a Meteor Shower (red dot moving toward the center). At the same time, your Power Reserve is at 15% and continues to drop. Core Temp is at the safe limit of 40%. Threat Analysis: If you immediately activate the Deflector Shield, the station will run out of power before the meteor strikes, triggering a Blackout, automatically disabling the Shield, and the meteor will destroy your hull. Resolution Tactics (Electrical Triage):

1. Immediately Toggle Off the secondary power consumption modules: Research Lab and Comms Array. (Your radar will be momentarily blinded, but this is a necessary sacrifice).
2. If necessary, temporarily turn off Life Support.
3. Turn on the Deflector Shield. With the other modules off, your Power Reserve is now safe from draining.
4. Let Core Temp rise temporarily. Hold this position until the screen shake stops (signifying the meteor has passed).
5. Once safe, turn off the Deflector Shield to dissipate heat (Venting).
6. Restart the Comms Array and Life Support.

Scenario 2: Meltdown Amidst Mysterious SignalsSituation: You left your Shield and Generator on for too long. Core Temp reached 100%, triggering Meltdown. The screen shook violently, Hull Integrity decreased by 15%, and your Life Support went into a state of failure. [DMG] (Damaged). At the same second a beep was heard—the radar had picked up a signal.UNK_SIG : T-15sThreat Analysis: The station is in critical condition. Without Life Support, oxygen will continue to drain. Responding to the mysterious signal at this point is suicidal, as there is a 50% chance the pirate trap will instantly destroy the rest of your hull. Resolution Tactics (Internal Focus):

1. Press the [N] IGNORE button as fast as possible under the radar screen. Forget the reward, focus on survival.
2. Lower the temperature immediately! Turn off the Research Lab and Shield to stabilize the Core Temp.
3. Head to the Repair Module panel in the bottom right. Select Life Support from the list, then click DISPATCH REPAIR DRONE.

4. While waiting for status [REP] Once completed, be prepared to turn Life Support back on as soon as the module is in the status [OFF] .

Commander's Tips (Golden Rules of Survival):

- **Survive > Progress:**Collecting Tech Points is fun, but it's useless if your crew runs out of oxygen. Don't hesitate to shut down the Research Lab for days (several Sol Cycles) if you're having trouble stabilizing the temperature or power.
- **Don't Panic-Click:**When the alarm sounds and the screen flashes red, a new player's first instinct is often to randomly click all the buttons. Hold your hand. Read the center panel (Event Log or Radar) for 1 second, identify the problem (temperature? oxygen? meteor?), and then click the correct button.
- **Memorize the Module Priority Order:**When a mass Blackout occurs and you need to turn on the systems one by one, use this order: Generator (to keep the power flowing) -> Life Support (to keep the crew breathing) -> Comms (to keep the radar from going blind) -> Shield (if there is a threat) -> Lab (last, if everything is safe).

CHAPTER 8: TELEMETRY DATA MANAGEMENT (SAVE/LOAD)

As a commander, you're not expected to be perfect on your first try. Space is incredibly unpredictable. Therefore, the AstraLogica terminal system provides a telemetry backup feature so you can "rewind time" in the event of a fatal strategic error.

8.1. Save Telemetry (Save Station Status) If you feel the station is in excellent condition (full oxygen, safe power, low core temperature, and no threats on radar), this is a good time to save your game. To do so, click the SAVE TELEMETRY button on the right control panel. The game will automatically pause, giving you a moment to breathe. Select an available memory slot, and all your resource data, crew positions, and Sol Cycle progress will be safely backed up.

8.2. Restore Telemetry (Reloading Data) If your station is completely destroyed (Game Over) or you realize you just made a fatal mistake (e.g., accidentally pressing Jettison Cargo and losing hundreds of Tech Points), you don't have to get frustrated and start over from Sol Cycle 1. Simply click the RESTORE TELEMETRY button. This button is accessible at any time. Select the memory slot where you saved it, and the station will instantly return to the exact state it was in when you saved it.

Case Study: Sol Cycle 7 Rescue

Commander Dina has successfully reached Sol Cycle 7. The station's condition is very stable: Oxygen was 100%, Hull Integrity was 100%, and Tech Points were abundant. Feeling proud and wanting to secure his progress, he clicked SAVE TELEMETRY to Slot 1.

Three days later, in the 10th Sol Cycle, a series of disasters occurred. A solar flare and an oxygen leak strike simultaneously. Panicking to manage power, Dina is too late to activate the Deflector Shield. The station's hull explodes (Game Over).

Instead of giving up and pressing the button In New Game, Dina clicks RESTORE TELEMETRY and selects Slot 1. Instantly, she's back in Sol Cycle 7 with the station in perfect condition. Now she can develop a more robust power backup strategy for the disaster on Day 10!

Lesson: *Don't let your hard work go to waste. The best safety net in space is your own backup data.*

Commander's Tip:

- **Best Time to Save:** Save your game only when the station is in "Green" (Safe and Stable). Never press Save when the hull is at 5% critical, oxygen is low, or when the radar detects a meteor approaching! Reloading a save file while in crisis will only lead to repeated suffering and death.
- **Save Before Experiment:** Not sure if your Power Reserves will last if you assign your crew to the lab and upgrade your Shields at the same time? Save your Telemetry first. If your tactical experiment ends up blacking out the station, you can simply reload the game and try a different allocation strategy as if nothing happened.

SUPPLEMENTARY SECTION: FAQ (FREQUENTLY ASKED QUESTIONS)

Q: My screen suddenly started shaking violently and one of the modules failed, even though there was no meteor warning on the radar. What happened?A: You just experienced a meltdown! This happened because you let the core temperature (Core Temp) reach 100%. To prevent this, pay attention to the Core Trace graph. If the temperature starts to approach 85% (! OVERHEAT WARNING !), immediately turn off some modules (especially Shield or Research Lab) to get rid of heat (Venting).

Q: Suddenly all my modules have status [OFF] and there is a yellow warning! DRAINING !. Why is the station completely dead?A: You're experiencing a blackout. Your station's battery (Power Reserve) has been completely drained. This happens because you're turning on too many modules simultaneously, drawing more power than the Main Generator can produce. Make sure you rotate modules (turning them on and off alternately) to maintain stable power.

Q: There is writing UNK_SIG : T-15s flashing on the radar. Do I have to keep pressing the button? [Y] DECRYPT?A: NO. Signal decryption is a 50/50 gamble. You could win big or trigger a trap that damages your hull. If your Hull Integrity is critical (below 40%), never respond to the signal. Press [N] IGNORE for safety.

Q: My Tech Points are increasing very slowly. How can I speed them up so I can upgrade sooner?A: Turn on the Research Lab module, then check if you have any idle crew. Select Research Lab from the dropdown menu in the bottom right, then click ASSIGN CREW. Additional crew will drastically increase your Tech Point production speed!

Q: A meteor shower just destroyed Main Generator And Comms Array! am at the same time. Can I fix both at once?A: No. Your station is only equipped with one Repair Drone. You'll need to repair them one by one, taking turns. In this case, repair the Main Generator first to prevent the station from going into a deadlock due to power outage.

Q: When is the right time to press the red emergency button? [A] SHIELD BOOSTOR [B] JETTISON CARGO?A: Use this protocol only as a last resort when your Hull Integrity is below 15% and there is a threat of imminent collision with the station.

- Use [A] if the stomach is critical, but your Oxygen Level is still very full (because this option will suck 15% of oxygen instantly).
- Use [B] If the hull is critical and you happen to have no (or have just spent) Tech Points, this option instantly repairs the hull at the cost of resetting all Tech Points to zero.

Q: I have upgraded my Deflector Shield module to Level 2. Does that mean I can leave it on all the time?A: No. While the upgrades have reduced power consumption, the Deflector Shield remains the station's highest heat output. Leaving it on continuously without a clear threat on radar will only accelerate the Meltdown. Only activate the shield when a crisis is imminent.

Q: Is there a limit to how many times I can Save Telemetry?A: There's no limit! You can save your game whenever you want. However, the golden rule is: Save ONLY when the station is green (safe). If you save exactly 2 seconds before a meteor hits your already destroyed hull, every time you restore, you'll just see the Game Over screen over and over again.

Good luck, COO. AstraLogica's fate is in your hands.