additional_fees

id	bigint(20) NN
title	varchar(255)
status	tinyint(4)
created_at	timestamp
updated_at	timestamp

app_settings

id	bigint(20) NN
site_name	varchar(255)
site_email	varchar(255)
site_logo	varchar(255)
site_favicon	varchar(255)
site_description	longtext
site_copyright	varchar(255)
facebook_url	varchar(255)
instagram_url	varchar(255)
twitter_url	varchar(255)
linkedin_url	varchar(255)
language_option	longtext
contact_email	varchar(255)
contact_number	varchar(255)
help_support_url	varchar(255)
notification_settings	longtext
created_at	timestamp
updated_at	timestamp

complaints

id	bigint(20) NN
driver_id	bigint(20)
rider_id	bigint(20)
complaint_by	varchar(255)
subject	text
description	text
ride_request_id	bigint(20)
status	varchar(255)
created_at	timestamp
updated_at	timestamp

complaint_comments

id	bigint(20) NN
user_id	bigint(20)
complaint_id	bigint(20)
added_by	varchar(255)
status	varchar(255)
comment	longtext
created_at	timestamp
updated_at	timestamp

coupons

id	bigint(20) NN
code	varchar(255)
title	varchar(255)
coupon_type	varchar(255)
usage_limit_per_rider	bigint(20)
discount_type	varchar(255)
discount	double
start_date	date
end_date	date
minimum_amount	double
maximum_discount	double
description	text
status	tinyint(4)
region_ids	text
service_ids	text
created_at	timestamp
updated_at	timestamp

documents

id	bigint(20) NN
name	varchar(255)
type	varchar(255)
is_required	tinyint(4)
has_expiry_date	tinyint(4)
status	tinyint(4)
created_at	timestamp
updated_at	timestamp

driver_documents

id	bigint(20) NN
document_id	bigint(20)
driver_id	bigint(20)
expire_date	date
is_verified	tinyint(4)
created_at	timestamp
updated_at	timestamp

media

id	bigint(20) NN
model_type	varchar(255) NN
model_id	bigint(20) NN
uuid	char(36)
collection_name	varchar(255) NN
name	varchar(255) NN
file_name	varchar(255) NN
mime_type	varchar(255)
disk	varchar(255) NN
conversions_disk	varchar(255)
size	bigint(20) NN
manipulations	longtext NN
custom_properties	longtext NN
generated_conversions	longtext NN
responsive_images	longtext NN
order_column	int(10)
created_at	timestamp
updated_at	timestamp

model_has_permissions

permission_id	bigint(20) NN
model_type	varchar(255) NN
model_id	bigint(20) NN

model_has_roles

role_id	bigint(20) NN
model_type	varchar(255) NN
model_id	bigint(20) NN

failed_jobs

id	bigint(20) NN
uuid	varchar(255) NN
connection	text NN
queue	text NN
payload	longtext NN
exception	longtext NN
failed_at	timestamp NN

permissions

id	bigint(20) NN
name	varchar(255) NN
guard_name	varchar(255) NN
parent_id	bigint(20)
created_at	timestamp
updated_at	timestamp

personal_access_tokens

id	bigint(20) NN
tokenable_type	varchar(255) NN
tokenable_id	bigint(20) NN
name	varchar(255) NN
token	varchar(64) NN
abilities	text
last_used_at	timestamp
created_at	timestamp
updated_at	timestamp

password_resets

email	varchar(255) NN
token	varchar(255) NN
created_at	timestamp

migrations

id	int(10) NN
migration	varchar(255) NN
batch	int(11) NN

payment_gateways

id	bigint(20) NN
title	varchar(255)
type	varchar(255)
status	tinyint(4)
is_test	tinyint(4)
test_value	longtext
live_value	longtext
created_at	timestamp
updated_at	timestamp

ride_request_histories

id	bigint(20) NN
ride_request_id	bigint(20) NN
datetime	datetime
history_type	varchar(255)
history_message	varchar(255)
history_data	longtext
created_at	timestamp
updated_at	timestamp

driver_services

id	bigint(20) NN
driver_id	bigint(20)
service_id	bigint(20)
status	tinyint(4)
created_at	timestamp
updated_at	timestamp

notifications

id	char(36) NN
type	varchar(255) NN
notifiable_type	varchar(255) NN
notifiable_id	bigint(20) NN
data	text NN
read_at	timestamp
created_at	timestamp
updated_at	timestamp

reviews

id	bigint(20) NN
driver_id	bigint(20)
rider_id	bigint(20)
ride_request_id	bigint(20)
driver_rating	double
rider_rating	double
driver_review	text
rider_review	text
created_at	timestamp
updated_at	timestamp

payments

id	bigint(20) NN
rider_id	bigint(20) NN
ride_request_id	bigint(20) NN
datetime	datetime
total_amount	double
admin_commission	double
received_by	varchar(255)
driver_fee	double
driver_tips	double
driver_commission	double
fleet_commission	double
payment_type	varchar(255)
txn_id	varchar(255)
payment_status	varchar(255)
transaction_detail	longtext
created_at	timestamp
updated_at	timestamp

ride_requests

id	bigint(20) NN
rider_id	bigint(20)
service_id	bigint(20)
datetime	datetime
is_schedule	tinyint(1)
ride_attempt	int(11)
distance_unit	varchar(255)
total_amount	double
subtotal	double
extra_charges_amount	double
driver_id	bigint(20)
riderequest_in_driver_id	bigint(20)
riderequest_in_datetime	datetime
start_latitude	varchar(255)
start_longitude	varchar(255)
start_address	text
end_latitude	varchar(255)
end_longitude	varchar(255)
end_address	text
distance	double
base_distance	double
duration	double
seat_count	double
reason	text
status	varchar(20) NN
base_fare	double
minimum_fare	double
per_distance	double
per_distance_charge	double
per_minute_drive	double
per_minute_drive_charge	double
extra_charges	longtext
coupon_discount	double
coupon_code	bigint(20)
coupon_data	longtext
otp	varchar(255)
cancel_by	ride_requests_cancel_by_enum E
cancelation_charges	double
waiting_time	double
waiting_time_limit	double
tips	double
per_minute_waiting	double
per_minute_waiting_charge	double
payment_type	varchar(255)
is_driver_rated	tinyint(1)
is_rider_rated	tinyint(1)
cancelled_driver_ids	text
service_data	longtext
max_time_for_find_driver_for_ride_request	double
created_at	timestamp
updated_at	timestamp
is_ride_for_other	tinyint(1)
other_rider_data	longtext
has_conversation	tinyint(1) NN

role_has_permissions

permission_id	bigint(20) NN
role_id	bigint(20) NN

sos

id	bigint(20) NN
region_id	bigint(20)
title	varchar(255)
contact_number	varchar(255)
status	tinyint(4)
added_by	bigint(20)
created_at	timestamp
updated_at	timestamp

regions

id	bigint(20) NN
name	varchar(255)
distance_unit	varchar(255)
coordinates	polygon
status	tinyint(4)
timezone	varchar(255)
created_at	timestamp
updated_at	timestamp

user_details

id	bigint(20) NN
user_id	bigint(20)
car_type	varchar(220)
car_model	varchar(255)
car_color	varchar(255)
car_plate_number	varchar(255)
car_production_year	varchar(255)
id_card_photo	varchar(256)
driving_licence_photo	varchar(256)
car_registration_photo	varchar(256)
car_insurance_photo	varchar(256)
work_address	text
home_address	text
work_latitude	varchar(255)
work_longitude	varchar(255)
home_latitude	varchar(255)
home_longitude	varchar(255)
created_at	timestamp
updated_at	timestamp

withdraw_requests

id	bigint(20) NN
user_id	bigint(20)
amount	double
currency	varchar(255)
status	tinyint(4)
created_at	timestamp
updated_at	timestamp

users

id	bigint(20) NN
first_name	varchar(255)
last_name	varchar(255)
email	varchar(255)
username	varchar(255)
password	varchar(255) NN
contact_number	varchar(255) NN
gender	users_gender_enum E
email_verified_at	timestamp
address	text
user_type	varchar(255)
player_id	varchar(255)
service_id	bigint(20)
fleet_id	bigint(20)
latitude	varchar(255)
longitude	varchar(255)
remember_token	varchar(100)
last_notification_seen	timestamp
status	varchar(256) NN
is_online	tinyint(4)
is_available	tinyint(4)
is_verified_driver	tinyint(4)
uid	varchar(255)
fcm_token	text
display_name	varchar(255)
login_type	varchar(255)
timezone	varchar(255)
last_location_update_at	datetime
platform	varchar(255)
created_at	timestamp
updated_at	timestamp
otp_code	varchar(255)
otp_code_expire_at	timestamp
cash_collected_from_wallet	double NN
last_wallet_cash_added	double NN

rewards

id	bigint(20) NN
user_id	bigint(20) NN
amount	double NN
created_at	timestamp
updated_at	timestamp

roles

id	bigint(20) NN
name	varchar(255) NN
guard_name	varchar(255) NN
status	tinyint(4)
created_at	timestamp
updated_at	timestamp

services

id	bigint(20) NN
name	varchar(255)
region_id	bigint(20)
capacity	bigint(20)
base_fare	double
minimum_fare	double
minimum_fee	double
maximum_fee	double
minimum_distance	double
per_distance	double
per_minute_drive	double
per_minute_wait	double
waiting_time_limit	double
cancellation_fee	double
payment_method	services_payment_method_enum E NN
commission_type	varchar(255)
admin_commission	double
fleet_commission	double
status	tinyint(4)
description	text
created_at	timestamp
updated_at	timestamp

user_bank_accounts

id	bigint(20) NN
user_id	bigint(20)
bank_name	varchar(255)
account_iban	varchar(255)
account_holder_name	varchar(255)
created_at	timestamp
updated_at	timestamp

wallets

id	bigint(20) NN
user_id	bigint(20)
total_amount	double
online_received	double
collected_cash	double
manual_received	double
total_withdrawn	double
currency	varchar(255)
created_at	timestamp
updated_at	timestamp

settings

id	bigint(20) NN
key	varchar(255)
type	varchar(255)
value	text

wallet_histories

id	bigint(20) NN
user_id	bigint(20)
type	varchar(255)
transaction_type	varchar(255)
currency	varchar(255)
amount	double
balance	double
datetime	datetime
ride_request_id	bigint(20)
description	text
data	text
created_at	timestamp
updated_at	timestamp

dbdiagram.io

additional_fees
id bigint(20) NN
title varchar(255)
status tinyint(4)
created_at timestamp
updated_at timestamp
app_settings
id bigint(20) NN
site_name varchar(255)
site_email varchar(255)
site_logo varchar(255)
site_favicon varchar(255)
site_description longtext
site_copyright varchar(255)
facebook_url varchar(255)
instagram_url varchar(255)
twitter_url varchar(255)
linkedin_url varchar(255)
language_option longtext
contact_email varchar(255)
contact_number varchar(255)
help_support_url varchar(255)
notification_settings longtext
created_at timestamp
updated_at timestamp
complaints
id bigint(20) NN
driver_id bigint(20)
rider_id bigint(20)
complaint_by varchar(255)
subject text
description text
ride_request_id bigint(20)
status varchar(255)
created_at timestamp
updated_at timestamp
complaint_comments
id bigint(20) NN
user_id bigint(20)
complaint_id bigint(20)
added_by varchar(255)
status varchar(255)
comment longtext
created_at timestamp
updated_at timestamp
coupons
id bigint(20) NN
code varchar(255)
title varchar(255)
coupon_type varchar(255)
usage_limit_per_rider bigint(20)
discount_type varchar(255)
discount double
start_date date
end_date date
minimum_amount double
maximum_discount double
description text
status tinyint(4)
region_ids text
service_ids text
created_at timestamp
updated_at timestamp
documents
id bigint(20) NN
name varchar(255)
type varchar(255)
is_required tinyint(4)
has_expiry_date tinyint(4)
status tinyint(4)
created_at timestamp
updated_at timestamp
driver_documents
id bigint(20) NN
document_id bigint(20)
driver_id bigint(20)
expire_date date
is_verified tinyint(4)
created_at timestamp
updated_at timestamp
failed_jobs
id bigint(20) NN
uuid varchar(255) NN
connection text NN
queue text NN
payload longtext NN
exception longtext NN
failed_at timestamp NN
media
id bigint(20) NN
model_type varchar(255) NN
model_id bigint(20) NN
uuid char(36)
collection_name varchar(255) NN
name varchar(255) NN
file_name varchar(255) NN
mime_type varchar(255)
disk varchar(255) NN
conversions_disk varchar(255)
size bigint(20) NN
manipulations longtext NN
custom_properties longtext NN
generated_conversions longtext NN
responsive_images longtext NN
order_column int(10)
created_at timestamp
updated_at timestamp
model_has_permissions
permission_id bigint(20) NN
model_type varchar(255) NN
model_id bigint(20) NN
permissions
id bigint(20) NN
name varchar(255) NN
guard_name varchar(255) NN
parent_id bigint(20)
created_at timestamp
updated_at timestamp
model_has_roles
role_id bigint(20) NN
model_type varchar(255) NN
model_id bigint(20) NN
driver_services
id bigint(20) NN
driver_id bigint(20)
service_id bigint(20)
status tinyint(4)
created_at timestamp
updated_at timestamp
password_resets
email varchar(255) NN
token varchar(255) NN
created_at timestamp
migrations
id int(10) NN
migration varchar(255) NN
batch int(11) NN
model_has_permissions_permission_id_foreign
personal_access_tokens
id bigint(20) NN
tokenable_type varchar(255) NN
tokenable_id bigint(20) NN
name varchar(255) NN
token varchar(64) NN
abilities text
last_used_at timestamp
created_at timestamp
updated_at timestamp
notifications
id char(36) NN
type varchar(255) NN
notifiable_type varchar(255) NN
notifiable_id bigint(20) NN
data text NN
read_at timestamp
created_at timestamp
updated_at timestamp
reviews
id bigint(20) NN
driver_id bigint(20)
rider_id bigint(20)
ride_request_id bigint(20)
driver_rating double
rider_rating double
driver_review text
rider_review text
created_at timestamp
updated_at timestamp
payments
id bigint(20) NN
rider_id bigint(20) NN
ride_request_id bigint(20) NN
datetime datetime
total_amount double
admin_commission double
received_by varchar(255)
driver_fee double
driver_tips double
driver_commission double
fleet_commission double
payment_type varchar(255)
txn_id varchar(255)
payment_status varchar(255)
transaction_detail longtext
created_at timestamp
updated_at timestamp
payment_gateways
id bigint(20) NN
title varchar(255)
type varchar(255)
status tinyint(4)
is_test tinyint(4)
test_value longtext
live_value longtext
created_at timestamp
updated_at timestamp
ride_request_histories
id bigint(20) NN
ride_request_id bigint(20) NN
datetime datetime
history_type varchar(255)
history_message varchar(255)
history_data longtext
created_at timestamp
updated_at timestamp
ride_request_ratings
id bigint(20) NN
ride_request_id bigint(20) NN
rider_id bigint(20)
driver_id bigint(20)
rating double NN
comment text
rating_by varchar(255)
created_at timestamp
updated_at timestamp
regions
id bigint(20) NN
name varchar(255)
distance_unit varchar(255)
coordinates polygon
status tinyint(4)
timezone varchar(255)
created_at timestamp
updated_at timestamp
role_has_permissions
permission_id bigint(20) NN
role_id bigint(20) NN
ride_requests
id bigint(20) NN
rider_id bigint(20)
service_id bigint(20)
datetime datetime
is_schedule tinyint(1)
ride_attempt int(11)
distance_unit varchar(255)
total_amount double
subtotal double
extra_charges_amount double
driver_id bigint(20)
riderequest_in_driver_id bigint(20)
riderequest_in_datetime datetime
start_latitude varchar(255)
start_longitude varchar(255)
start_address text
end_latitude varchar(255)
end_longitude varchar(255)
end_address text
distance double
base_distance double
duration double
seat_count double
reason text
status varchar(20) NN
base_fare double
minimum_fare double
per_distance double
per_distance_charge double
per_minute_drive double
per_minute_drive_charge double
extra_charges longtext
coupon_discount double
coupon_code bigint(20)
coupon_data longtext
otp varchar(255)
cancel_by ride_requests_cancel_by_enum E
cancelation_charges double
waiting_time double
waiting_time_limit double
tips double
per_minute_waiting double
per_minute_waiting_charge double
payment_type varchar(255)
is_driver_rated tinyint(1)
is_rider_rated tinyint(1)
cancelled_driver_ids text
service_data longtext
max_time_for_find_driver_for_ride_request double
created_at timestamp
updated_at timestamp
is_ride_for_other tinyint(1)
other_rider_data longtext
has_conversation tinyint(1) NN
sos
id bigint(20) NN
region_id bigint(20)
title varchar(255)
contact_number varchar(255)
status tinyint(4)
added_by bigint(20)
created_at timestamp
updated_at timestamp
users
id bigint(20) NN
first_name varchar(255)
last_name varchar(255)
email varchar(255)
username varchar(255)
password varchar(255) NN
contact_number varchar(255) NN
gender users_gender_enum E
email_verified_at timestamp
address text
user_type varchar(255)
player_id varchar(255)
service_id bigint(20)
fleet_id bigint(20)
latitude varchar(255)
longitude varchar(255)
remember_token varchar(100)
last_notification_seen timestamp
status varchar(256) NN
is_online tinyint(4)
is_available tinyint(4)
is_verified_driver tinyint(4)
uid varchar(255)
fcm_token text
display_name varchar(255)
login_type varchar(255)
timezone varchar(255)
last_location_update_at datetime
platform varchar(255)
created_at timestamp
updated_at timestamp
otp_code varchar(255)
otp_code_expire_at timestamp
cash_collected_from_wallet double NN
last_wallet_cash_added double NN
user_details
id bigint(20) NN
user_id bigint(20)
car_type varchar(220)
car_model varchar(255)
car_color varchar(255)
car_plate_number varchar(255)
car_production_year varchar(255)
id_card_photo varchar(256)
driving_licence_photo varchar(256)
car_registration_photo varchar(256)
car_insurance_photo varchar(256)
work_address text
home_address text
work_latitude varchar(255)
work_longitude varchar(255)
home_latitude varchar(255)
home_longitude varchar(255)
created_at timestamp
updated_at timestamp
withdraw_requests
id bigint(20) NN
user_id bigint(20)
amount double
currency varchar(255)
status tinyint(4)
created_at timestamp
updated_at timestamp
roles
id bigint(20) NN
name varchar(255) NN
guard_name varchar(255) NN
status tinyint(4)
created_at timestamp
updated_at timestamp
rewards
id bigint(20) NN
user_id bigint(20) NN
amount double NN
created_at timestamp
updated_at timestamp
user_bank_accounts
id bigint(20) NN
user_id bigint(20)
bank_name varchar(255)
account_iban varchar(255)
account_holder_name varchar(255)
created_at timestamp
updated_at timestamp
services
id bigint(20) NN
name varchar(255)
region_id bigint(20)
capacity bigint(20)
base_fare double
minimum_fare double
minimum_fee double
maximum_fee double
minimum_distance double
per_distance double
per_minute_drive double
per_minute_wait double
waiting_time_limit double
cancellation_fee double
payment_method services_payment_method_enum E NN
commission_type varchar(255)
admin_commission double
fleet_commission double
status tinyint(4)
description text
created_at timestamp
updated_at timestamp
wallets
id bigint(20) NN
user_id bigint(20)
total_amount double
online_received double
collected_cash double
manual_received double
total_withdrawn double
currency varchar(255)
created_at timestamp
updated_at timestamp
settings
id bigint(20) NN
key varchar(255)
type varchar(255)
value text
wallet_histories
id bigint(20) NN
user_id bigint(20)
type varchar(255)
transaction_type varchar(255)
currency varchar(255)
amount double
balance double
datetime datetime
ride_request_id bigint(20)
description text
data text
created_at timestamp
updated_at timestamp
0..1
*
1
documents_driver_id_foreign
reviews_rider_id_foreign
payments_ride_request_id_foreign
model_has_permissions_permission_id_foreign
dbdiagram.io

```
Enum ride_requests_cancel_by_enum {
    rider
    driver
    auto
}



Enum services_payment_method_enum {
    cash_wallet
    cash
    wallet
}
```

```
Enum users_gender_enum {
    male
    female
    other
}
```

dbdiagram.io