


additional_fees	
id 	bigint(20) NN
title	varchar(255)
status	tinyint(4)
created_at	timestamp
updated_at	timestamp

driver_documents	
id 	bigint(20) NN
document_id 	bigint(20)
driver_id 	bigint(20)
expire_date	date
is_verified	tinyint(4)
created_at	timestamp
updated_at	timestamp



model_has_roles	
role_id	bigint(20) NN
model_type	varchar(255) NN
model_id 	bigint(20) NN

personal_access_tokens		
id	bigint(20)	NN
tokenable_type	varchar(255)	NN
tokenable_id	bigint(20)	NN
name	varchar(255)	NN
token	varchar(64)	NN
abilities		text
last_used_at		timestamp
created_at		timestamp
updated_at		timestamp

ride_request_ratings	
id 	bigint(20) NN
ride_request_id 	bigint(20) NN
rider_id	bigint(20)
driver_id	bigint(20)
rating	double NN
comment	text
rating_by	varchar(255)
created_at	timestamp
updated_at	timestamp


users	
id	bigint(20) NN
first_name	varchar(255)
last_name	varchar(255)
email	varchar(255)
username	varchar(255)
password	varchar(255) NN
contact_number	varchar(255) NN
gender	users_gender_enum E
email_verified_at	timestamp
address	text
user_type	varchar(255)
player_id	varchar(255)
service_id	bigint(20)
fleet_id	bigint(20)
latitude	varchar(255)
longitude	varchar(255)
remember_token	varchar(100)
last_notification_seen	timestamp
status	varchar(256) NN
is_online	tinyint(4)
is_available	tinyint(4)
is_verified_driver	tinyint(4)
uid	varchar(255)
fcm_token	text
display_name	varchar(255)
login_type	varchar(255)
timezone	varchar(255)
last_location_update_at	datetime
platform	varchar(255)
created_at	timestamp
updated_at	timestamp
otp_code	varchar(255)
otp_code_expire_at	timestamp
cash_collected_from_wallet	double NN
last_wallet_cash_added	double NN


app_settings	
id	bigint(20) NN
site_name	varchar(255)
site_email	varchar(255)
site_logo	varchar(255)
site_favicon	varchar(255)
site_description	longtext
site_copyright	varchar(255)
facebook_url	varchar(255)
instagram_url	varchar(255)
twitter_url	varchar(255)
linkedin_url	varchar(255)
language_option	longtext
contact_email	varchar(255)
contact_number	varchar(255)
help_support_url	varchar(255)
notification_settings	longtext
created_at	timestamp
updated_at	timestamp

driver_services	
id 	bigint(20) <u>NN</u>
driver_id 	bigint(20)
service_id	bigint(20)
status	tinyint(4)
created_at	timestamp
updated_at	timestamp

notifications	
id \varnothing	char(36) NN
type	varchar(255) NN
notifiable_type	varchar(255) NN
notifiable_id	bigint(20) NN
data	text NN
read_at	timestamp
created_at	timestamp
updated_at	timestamp

regions	
id 	bigint(20) NN
name	varchar(255)
distance_unit	varchar(255)
coordinates	polygon
status	tinyint(4)
timezone	varchar(255)
created_at	timestamp
updated_at	timestamp


roles	
id 	bigint(20) NN
name	varchar(255) NN
guard_name	varchar(255) NN
status	tinyint(4)
created_at	timestamp
updated_at	timestamp


user_bank_accounts	
id 	bigint(20) NN
user_id	bigint(20)
bank_name	varchar(255)
account_iban	varchar(255)
account_holder_name	varchar(255)
created_at	timestamp
updated_at	timestamp

complaints	
id 	bigint(20) NN
driver_id	bigint(20)
rider_id 	bigint(20)
complaint_by	varchar(255)
subject	text
description	text
ride_request_id 	bigint(20)
status	varchar(255)
created_at	timestamp
updated_at	timestamp

failed_jobs	
id 	bigint(20) NN
uuid	varchar(255) NN
connection	text NN
queue	text NN
payload	longtext NN
exception	longtext NN
failed_at	timestamp NN

password_resets	
email	varchar(255) NN
token	varchar(255) NN
created_at	timestamp

reviews	
id 	bigint(20) NN
driver_id	bigint(20)
rider_id 	bigint(20)
ride_request_id 	bigint(20)
driver_rating	double
rider_rating	double
driver_review	text
rider_review	text
created_at	timestamp
updated_at	timestamp



role_has_permissions	
permission_id 	bigint(20) NN
role_id	bigint(20) NN

user_details	
id \varnothing	bigint(20) NN
user_id	bigint(20)
car_type	varchar(22)
car_model	varchar(255)
car_color	varchar(255)
car_plate_number	varchar(255)
car_production_year	varchar(255)
id_card_photo	varchar(256)
driving_licence_photo	varchar(256)
car_registration_photo	varchar(256)
car_insurance_photo	varchar(256)
work_address	text
home_address	text
work_latitude	varchar(255)
work_longitude	varchar(255)
home_latitude	varchar(255)
home_longitude	varchar(255)
created_at	timestamp
updated_at	timestamp

complaint_comments	
id 	bigint(20) NN
user_id	bigint(20)
complaint_id 	bigint(20)
added_by	varchar(255)
status	varchar(255)
comment	longtext
created_at	timestamp
updated_at	timestamp


media	
id \varnothing	bigint(20) NN
model_type	varchar(255) NN
model_id	bigint(20) NN
uuid	char(36)
collection_name	varchar(255) NN
name	varchar(255) NN
file_name	varchar(255) NN
mime_type	varchar(255)
disk	varchar(255) NN
conversions_disk	varchar(255)
size	bigint(20) NN
manipulations	longtext NN
custom_properties	longtext NN
generated_conversions	longtext NN
responsive_images	longtext NN
order_column	int(10)
created_at	timestamp
updated_at	timestamp

payments	
id	bigint(20) NN
rider_id	bigint(20) NN
ride_request_id	bigint(20) NN
datetime	datetime
total_amount	double
admin_commission	double
received_by	varchar(255)
driver_fee	double
driver_tips	double
driver_commission	double
fleet_commission	double
payment_type	varchar(255)
txn_id	varchar(255)
payment_status	varchar(255)
transaction_detail	longtext
created_at	timestamp
updated_at	timestamp

rewards	
id 	bigint(20) NN
user_id 	bigint(20) NN
amount	double NN
created_at	timestamp
updated_at	timestamp

services	
id \varnothing	bigint(20) NN
name	varchar(255)
region_id	bigint(20)
capacity	bigint(20)
base_fare	double
minimum_fare	double
minimum_fee	double
maximum_fee	double
minimum_distance	double
per_distance	double
per_minute_drive	double
per_minute_wait	double
waiting_time_limit	double
cancellation_fee	double
payment_method	services_payment_method_enum E NN
commission_type	varchar(255)
admin_commission	double
fleet_commission	double
status	tinyint(4)
description	text
created_at	timestamp
updated_at	timestamp


wallets	
id 	bigint(20) NN
user_id	bigint(20)
total_amount	double
online_received	double
collected_cash	double
manual_received	double
total_withdrawn	double
currency	varchar(255)
created_at	timestamp
updated_at	timestamp

coupons	
id 	bigint(20) NN
code	varchar(255)
title	varchar(255)
coupon_type	varchar(255)
usage_limit_per_rider	bigint(20)
discount_type	varchar(255)
discount	double
start_date	date
end_date	date
minimum_amount	double
maximum_discount	double
description	text
status	tinyint(4)
region_ids	text
service_ids	text
created_at	timestamp
updated_at	timestamp

migrations	
id	int(10) NN
migration	varchar(255) NN
batch	int(11) NN



payment_gateways	
id 	bigint(20) NN
title	varchar(255)
type	varchar(255)
status	tinyint(4)
is_test	tinyint(4)
test_value	longtext
live_value	longtext
created_at	timestamp
updated_at	timestamp


ride_requests	
id	bigint(20) NN
rider_id	bigint(20)
service_id	bigint(20)
datetime	datetime
is_schedule	tinyint(1)
ride_attempt	int(11)
distance_unit	varchar(255)
total_amount	double
subtotal	double
extra_charges_amount	double
driver_id	bigint(20)
riderequest_in_driver_id	bigint(20)
riderequest_in_datetime	datetime
start_latitude	varchar(255)
start_longitude	varchar(255)
start_address	text
end_latitude	varchar(255)
end_longitude	varchar(255)
end_address	text
distance	double
base_distance	double
duration	double
seat_count	double
reason	text
status	varchar(20) NN
base_fare	double
minimum_fare	double
per_distance	double
per_distance_charge	double
per_minute_drive	double
per_minute_drive_charge	double
extra_charges	longtext
coupon_discount	double
coupon_code	bigint(20)
coupon_data	longtext
otp	varchar(255)
cancel_by	ride_requests_cancel_by_enum E
cancellation_charges	double
waiting_time	double
waiting_time_limit	double
tips	double
per_minute_waiting	double
per_minute_waiting_charge	double
payment_type	varchar(255)
is_driver_rated	tinyint(1)
is_rider_rated	tinyint(1)
cancelled_driver_ids	text
service_data	longtext
max_time_for_find_driver_for_ride_request	double
created_at	timestamp
updated_at	timestamp
is_ride_for_other	tinyint(1)
other_rider_data	longtext
has_conversation	tinyint(1) NN

settings	
id 	bigint(20) NN
key	varchar(255)
type	varchar(255)
value	text

wallet_histories		
id 	bigint(20)	NN
user_id	bigint(20)	
type	varchar(255)	
transaction_type	varchar(255)	
currency	varchar(255)	
amount	double	
balance	double	
datetime	datetime	
ride_request_id	bigint(20)	
description	text	
data	text	
created_at	timestamp	
updated_at	timestamp	

documents	
id 	bigint(20) NN
name	varchar(255)
type	varchar(255)
is_required	tinyint(4)
has_expiry_date	tinyint(4)
status	tinyint(4)
created_at	timestamp
updated_at	timestamp


model_has_permissions	
permission_id	bigint(20) NN
model_type 	varchar(255) NN
model_id 	bigint(20) NN




permissions	
id 	bigint(20) NN
name	varchar(255) NN
guard_name	varchar(255) NN
parent_id	bigint(20)
created_at	timestamp
updated_at	timestamp

ride_request_histories	
id \varnothing	bigint(20) NN
ride_request_id	bigint(20) NN
datetime	datetime
history_type	varchar(255)
history_message	varchar(255)
history_data	longtext
created_at	timestamp
updated_at	timestamp

sos	
id \varnothing	bigint(20) NN
region_id	bigint(20)
title	varchar(255)
contact_number	varchar(255)
status	tinyint(4)
added_by	bigint(20)
created_at	timestamp
updated_at	timestamp

withdraw_requests	
id 	bigint(20) NN
user_id	bigint(20)
amount	double
currency	varchar(255)
status	tinyint(4)
created_at	timestamp
updated_at	timestamp

additional_fees	
id 	bigint(20) NN
title	varchar(255)
status	tinyint(4)
created_at	timestamp
updated_at	timestamp

driver_documents	
id 	bigint(20) NN
document_id 	bigint(20)
driver_id 	bigint(20)
expire_date	date
is_verified	tinyint(4)
created_at	timestamp
updated_at	timestamp

model_has_roles	
role_id 🔑	bigint(20) NN
model_type 🔑	varchar(255) NN
model_id 🔑	bigint(20) NN

personal_access_tokens	
id 🔑	bigint(20) NN
tokenable_type	varchar(255) NN
tokenable_id	bigint(20) NN
name	varchar(255) NN
token	varchar(64) NN
abilities	text
last_used_at	timestamp
created_at	timestamp
updated_at	timestamp

ride_request_ratings	
id	bigint(20) NN
ride_request_id	bigint(20) NN
rider_id	bigint(20)
driver_id	bigint(20)
rating	double NN
comment	text
rating_by	varchar(255)
created_at	timestamp
updated_at	timestamp

users	
id 	bigint(20) NN
first_name	varchar(255)
last_name	varchar(255)
email	varchar(255)
username	varchar(255)
password	varchar(255) NN
contact_number	varchar(255) NN
gender	users_gender_enum E
email_verified_at	timestamp
address	text
user_type	varchar(255)
player_id	varchar(255)
service_id	bigint(20)
fleet_id	bigint(20)
latitude	varchar(255)
longitude	varchar(255)
remember_token	varchar(100)
last_notification_seen	timestamp
status	varchar(256) NN
is_online	tinyint(4)
is_available	tinyint(4)
is_verified_driver	tinyint(4)
uid	varchar(255)
fcm_token	text
display_name	varchar(255)
login_type	varchar(255)
timezone	varchar(255)
last_location_update_at	datetime
platform	varchar(255)
created_at	timestamp
updated_at	timestamp
otp_code	varchar(255)
otp_code_expire_at	timestamp
cash_collected_from_wallet	double NN
last_wallet_cash_added	double NN

app_settings	
id	bigint(20) NN
site_name	varchar(255)
site_email	varchar(255)
site_logo	varchar(255)
site_favicon	varchar(255)
site_description	longtext
site_copyright	varchar(255)
facebook_url	varchar(255)
instagram_url	varchar(255)
twitter_url	varchar(255)
linkedin_url	varchar(255)
language_option	longtext
contact_email	varchar(255)
contact_number	varchar(255)
help_support_url	varchar(255)
notification_settings	longtext
created_at	timestamp
updated_at	timestamp

driver_services	
id 🔑	bigint(20) NN
driver_id 🔑	bigint(20)
service_id	bigint(20)
status	tinyint(4)
created_at	timestamp
updated_at	timestamp

notifications	
id 🔑	char(36) NN
type	varchar(255) NN
notifiable_type	varchar(255) NN
notifiable_id	bigint(20) NN
data	text NN
read_at	timestamp
created_at	timestamp
updated_at	timestamp

regions	
id	bigint(20) NN
name	varchar(255)
distance_unit	varchar(255)
coordinates	polygon
status	tinyint(4)
timezone	varchar(255)
created_at	timestamp
updated_at	timestamp

roles	
id	bigint(20) NN
name	varchar(255) NN
guard_name	varchar(255) NN
status	tinyint(4)
created_at	timestamp
updated_at	timestamp

user_bank_accounts	
id 🔑	bigint(20) NN
user_id	bigint(20)
bank_name	varchar(255)
account_iban	varchar(255)
account_holder_name	varchar(255)
created_at	timestamp
updated_at	timestamp







complaints	
id	bigint(20) NN
driver_id	bigint(20)
rider_id	bigint(20)
complaint_by	varchar(255)
subject	text
description	text
ride_request_id	bigint(20)
status	varchar(255)
created_at	timestamp
updated_at	timestamp

failed_jobs		
id	bigint(20)	NN
uuid	varchar(255)	NN
connection	text	NN
queue	text	NN
payload	longtext	NN
exception	longtext	NN
failed_at	timestamp	NN


password_resets	
email	varchar(255) NN
token	varchar(255) NN
created_at	timestamp

reviews	
id 	bigint(20) NN
driver_id	bigint(20)
rider_id 	bigint(20)
ride_request_id 	bigint(20) 
driver_rating	double
rider_rating	double
driver_review	text
rider_review	text
created_at	timestamp
updated_at	timestamp

role_has_permissions	
permission_id 🔑	bigint(20) NN
role_id 🔑	bigint(20) NN

user_details	
id 	bigint(20) NN
user_id 	bigint(20)
car_type	varchar(220)
car_model	varchar(255)
car_color	varchar(255)
car_plate_number	varchar(255)
car_production_year	varchar(255)
id_card_photo	varchar(256) 
driving_licence_photo	varchar(256) 
car_registration_photo	varchar(256) 
car_insurance_photo	varchar(256) 
work_address	text
home_address	text
work_latitude	varchar(255)
work_longitude	varchar(255)
home_latitude	varchar(255)
home_longitude	varchar(255)
created_at	timestamp
updated_at	timestamp



rewards	
id 🔑	bigint(20) NN
user_id 🔑	bigint(20) NN
amount	double NN
created_at	timestamp
updated_at	timestamp

services	
id 	bigint(20) NN
name	varchar(255)
region_id	bigint(20)
capacity	bigint(20)
base_fare	double
minimum_fare	double
minimum_fee	double
maximum_fee	double
minimum_distance	double
per_distance	double
per_minute_drive	double
per_minute_wait	double
waiting_time_limit	double
cancellation_fee	double
payment_method	services_payment_method_enum E NN
commission_type	varchar(255)
admin_commission	double
fleet_commission	double
status	tinyint(4)
description	text
created_at	timestamp
updated_at	timestamp



wallets	
id 🔑	bigint(20) NN
user_id	bigint(20)
total_amount	double
online_received	double
collected_cash	double
manual_received	double
total_withdrawn	double
currency	varchar(255)
created_at	timestamp
updated_at	timestamp

settings	
id 🔑	bigint(20) NN
key	varchar(255)
type	varchar(255)
value	text


wallet_histories	
id 🔑	bigint(20) NN
user_id	bigint(20)
type	varchar(255)
transaction_type	varchar(255)
currency	varchar(255)
amount	double
balance	double
datetime	datetime
ride_request_id	bigint(20)
description	text
data	text
created_at	timestamp
updated_at	timestamp

complaint_comments	
id 	bigint(20) NN
user_id	bigint(20)
complaint_id 	bigint(20)
added_by	varchar(255)
status	varchar(255)
comment	longtext
created_at	timestamp
updated_at	timestamp

media	
id 	bigint(20) NN
model_type	varchar(255) NN
model_id	bigint(20) NN
uuid	char(36)
collection_name	varchar(255) NN
name	varchar(255) NN
file_name	varchar(255) NN
mime_type	varchar(255)
disk	varchar(255) NN
conversions_disk	varchar(255)
size	bigint(20) NN
manipulations	longtext NN
custom_properties	longtext NN
generated_conversions	longtext NN
responsive_images	longtext NN
order_column	int(10)
created_at	timestamp
updated_at	timestamp

payments	
id 	bigint(20) NN
rider_id 	bigint(20) NN
ride_request_id 	bigint(20) NN
datetime	datetime
total_amount	double
admin_commission	double
received_by	varchar(255)
driver_fee	double
driver_tips	double
driver_commission	double
fleet_commission	double
payment_type	varchar(255)
txn_id	varchar(255)
payment_status	varchar(255)
transaction_detail	longtext
created_at	timestamp
updated_at	timestamp

rewards	
id 🔑	bigint(20) NN
user_id 🔑	bigint(20) NN
amount	double NN
created_at	timestamp
updated_at	timestamp

coupons	
id 	bigint(20) NN
code	varchar(255)
title	varchar(255)
coupon_type	varchar(255)
usage_limit_per_rider	bigint(20)
discount_type	varchar(255)
discount	double
start_date	date
end_date	date
minimum_amount	double
maximum_discount	double
description	text
status	tinyint(4)
region_ids	text
service_ids	text
created_at	timestamp
updated_at	timestamp

migrations	
id 🔑	int(10) NN
migration	varchar(255) NN
batch	int(11) NN

payment_gateways	
id 	bigint(20) NN
title	varchar(255)
type	varchar(255)
status	tinyint(4)
is_test	tinyint(4)
test_value	longtext
live_value	longtext
created_at	timestamp
updated_at	timestamp

ride_requests	
id	bigint(20) NN
request_id	bigint(20)
service_id	bigint(20)
datetime	datetime
is_schedule	tinyint(1)
ride_attempt	int(11)
distance_unit	varchar(255)
total_amount	double
subtotal	double
extra_charges_amount	double
driver_id	bigint(20)
riderequest_in_driver_id	bigint(20)
riderequest_in_datetime	datetime
start_latitude	varchar(255)
start_longitude	varchar(255)
start_address	text
end_latitude	varchar(255)
end_longitude	varchar(255)
end_address	text
distance	double
base_distance	double
duration	double
seat_count	double
reason	text
status	varchar(20) NN
base_fare	double
minimum_fare	double
per_distance	double
per_distance_charge	double
per_minute_drive	double
per_minute_drive_charge	double
extra_charges	longtext
coupon_discount	double
coupon_code	bigint(20)
coupon_data	longtext
otp	varchar(255)
cancel_by	ride_requests_cancel_by_enum E
cancellation_charges	double
waiting_time	double
waiting_time_limit	double
tips	double
per_minute_waiting	double
per_minute_waiting_charge	double
payment_type	varchar(255)
is_driver_rated	tinyint(1)
is_rider_rated	tinyint(1)
cancelled_driver_ids	text
service_data	longtext
max_time_for_find_driver_for_ride_request	double
created_at	timestamp
updated_at	timestamp
is_ride_for_other	tinyint(1)
other_rider_data	longtext
has_conversation	tinyint(1) NN

settings	
id	bigint(20) NN
key	varchar(255)
type	varchar(255)
value	text

documents	
id 	bigint(20) NN
name	varchar(255)
type	varchar(255)
is_required	tinyint(4)
has_expiry_date	tinyint(4)
status	tinyint(4)
created_at	timestamp
updated_at	timestamp

model_has_permissions	
permission_id 🔑	bigint(20) NN
model_type 🔑	varchar(255) NN
model_id 🔑	bigint(20) NN

permissions	
id 🔑	bigint(20) NN
name	varchar(255) NN
guard_name	varchar(255) NN
parent_id	bigint(20)
created_at	timestamp
updated_at	timestamp

ride_request_histories	
id 🔑	bigint(20) NN
ride_request_id	bigint(20) NN
datetime	datetime
history_type	varchar(255)
history_message	varchar(255)
history_data	longtext
created_at	timestamp
updated_at	timestamp

sos	
id 	bigint(20) NN
region_id	bigint(20)
title	varchar(255)
contact_number	varchar(255)
status	tinyint(4)
added_by	bigint(20)
created_at	timestamp
updated_at	timestamp

withdraw_requests	
id 🔑	bigint(20) NN
user_id	bigint(20)
amount	double
currency	varchar(255)
status	tinyint(4)
created_at	timestamp
updated_at	timestamp



```
Enum ride_requests_cancel_by_enum {
    rider
    driver
    auto
}
```

```
Enum services_payment_method_enum {
    cash_wallet
    cash
    wallet
}
```

```
Enum users_gender_enum {
    male
    female
    other
}
```