

Bunyala district FCDRR-RTK Reports for November-2013



RTK FCDRR Report for Osieko Dispensary November 2013

Ministry of Health

Health Commodities Management Platform

| Name of Facility: | Osieko Dispensary | Applicable to HIV Test Kits Only | | Applicable to Malaria Testing Only | | | |
|-------------------|-------------------|----------------------------------|-------------------|------------------------------------|-------------------------------|------------------------|--------------|
| MFL Code: | 12982 | Type of Service | No. of Tests Done | Test | Category | No. of Tests Performed | No. Positive |
| District: | Bunyala | VCT | 0 | RDT | Patients <u>under</u> 5 years | 0 | 0 |
| County: | Busia | PITC | 233 | | Patients aged 5-14 yrs | 0 | 0 |
| Beginning: | 2013-10-01 | PMTCT | 7 | | Patients <u>over</u> 14 years | 0 | 0 |
| Ending: | 2013-10-31 | Blood Screening | 0 | | Patients <u>under</u> 5 years | 0 | 0 |
| | | Other (Please Specify) | 0 | | Microscopy | Patients aged 5-14 yrs | 0 |
| | | Specify Here: | | | Patients <u>over</u> 14 years | 0 | 0 |

[illegible]

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|-----------------------------------|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| TB-RELATED LABORATORY COMMODITIES | Falcon tubes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|--|
| Explanation of Losses and Adjustments | 10 Unigold strips received from Ampath |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 1 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |



RTK FCDRR Report for Sirimba Dispensary November 2013
Ministry of Health
Health Commodities Management Platform

| | | | | | | | |
|--------------------------|--------------------|---|--------------------------|-------------|---|-------------------------------|---------------------|
| Name of Facility: | Sirimba Dispensary | Applicable to HIV Test Kits Only | | | Applicable to Malaria Testing Only | | |
| MFL Code: | 12982 | Type of Service | No. of Tests Done | Test | Category | No. of Tests Performed | No. Positive |
| District: | Bunyala | VCT | 0 | | Patients under 5 years | 0 | 0 |
| County: | Busia | PITC | 43 | RDT | Patients aged 5-14 yrs | 0 | 0 |
| Beginning: | 2013-10-01 | PMTCT | 5 | | Patients over 14 years | 0 | 0 |

Ending: 2013-10-31 Blood Screening 0

Patients
under 5 years 0 0

Other (Please Specify) 0

Microscopy Patients aged 5-14 yrs 0 0

Specify Here:

Patients over 14 years 0 0

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|--|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Screening | 1 | 573 | 0 | 48 | 48 | 0 | 0 | 0 | 525 | 0 | 0 | 0 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Confirmatory | 1 | 28 | 0 | 3 | 3 | 0 | 0 | 0 | 25 | 0 | 0 | 0 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Tiebreaker | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid Syphilis Test (RPR) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Malaria Rapid Diagnostic Test (RDT) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain A | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain B | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Giemsa Stain | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Carbol Fuchsin (solution) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Falcon tubes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|--|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 1 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 1 |
| Compiled by: | 0 |

[illegible]

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|-----------------------------------|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 1 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 1 |
| Compiled by: | 0 |



RTK FCDRR Report for Bulwani Dispensary November 2013
Ministry of Health
Health Commodities Management Platform

| Name of Facility: | Bulwani Dispensary | Applicable to HIV Test Kits Only | | | Applicable to Malaria Testing Only | | |
|-------------------|--------------------|----------------------------------|-------------------|------|------------------------------------|------------------------|--------------|
| MFL Code: | 12982 | Type of Service | No. of Tests Done | Test | Category | No. of Tests Performed | No. Positive |
| District: | Bunyala | VCT | 0 | | Patients <u>under</u> 5 years | 0 | 0 |
| County: | Busia | PITC | 19 | RDT | Patients aged 5-14 yrs | 0 | 0 |
| Beginning: | 2013-10-01 | PMTCT | 3 | | Patients <u>over</u> 14 years | 0 | 0 |

Ending: 2013-10-31 Blood Screening 0

Patients
under 5 years 0 0

Other (Please Specify) 0


Microscopy Patients aged 5-14 yrs 0 0

Specify Here:

Patients over 14 years 0 0

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|--|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Screening | 1 | 267 | 0 | 22 | 22 | 2 | 0 | 0 | 243 | 0 | 0 | 0 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Confirmatory | 1 | 21 | 0 | 0 | 0 | 0 | 0 | 0 | 21 | 0 | 0 | 0 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Tiebreaker | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid Syphilis Test (RPR) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Malaria Rapid Diagnostic Test (RDT) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain A | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain B | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Giemsa Stain | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Carbol Fuchsin (solution) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Falcon tubes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|--|-----------------------------------|
| Explanation of Losses and Adjustments | Two determine tests were repeated |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 1 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 1 |
| Compiled by: | 0 |

[illegible]

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|-----------------------------------|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|----------------------------------|
| Explanation of Losses and Adjustments | Several HTC outreaches were done |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 1 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 1 |
| Compiled by: | 0 |



RTK FCDRR Report for Budalangi Dispensary November 2013
Ministry of Health
Health Commodities Management Platform

| Name of Facility: | Budalangi Dispensary | Applicable to HIV Test Kits Only | | | Applicable to Malaria Testing Only | | |
|-------------------|----------------------|----------------------------------|-------------------|------|------------------------------------|------------------------|--------------|
| MFL Code: | 12982 | Type of Service | No. of Tests Done | Test | Category | No. of Tests Performed | No. Positive |
| District: | Bunyala | VCT | 0 | | Patients <u>under</u> 5 years | 0 | 0 |
| County: | Busia | PITC | 75 | RDT | Patients aged 5-14 yrs | 0 | 0 |
| Beginning: | 2013-10-01 | PMTCT | 8 | | Patients <u>over</u> 14 years | 0 | 0 |

Ending: 2013-10-31 Blood Screening 0

Patients
under 5 years 0 0

Other (Please Specify) 0

Microscopy Patients aged 5-14 yrs 0 0

Specify Here:

Patients over 14 years 0 0

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|--|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Screening | 1 | 264 | 0 | 106 | 106 | 0 | 0 | 0 | 158 | 0 | 0 | 300 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Confirmatory | 1 | 4 | 0 | 8 | 8 | 1 | 5 | 0 | 0 | 0 | 0 | 40 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Tiebreaker | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid Syphilis Test (RPR) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Malaria Rapid Diagnostic Test (RDT) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain A | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain B | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Giemsa Stain | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Carbol Fuchsin (solution) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Falcon tubes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|--|---|
| Explanation of Losses and Adjustments | Received 5 unigold from Port Victoria District Hospital |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |

[illegible]

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|-----------------------------------|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | Received 24 determine strips from Port Victoria D. Hospital and 80 strips from Ampath |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |



RTK FCDRR Report for Port Victoria Hospital November 2013
Ministry of Health
Health Commodities Management Platform

| | | | | | | | |
|--------------------------|------------------------|---|--------------------------|---|-------------------------------|-------------------------------|---------------------|
| Name of Facility: | Port Victoria Hospital | Applicable to HIV Test Kits Only | | Applicable to Malaria Testing Only | | | |
| MFL Code: | 12982 | Type of Service | No. of Tests Done | Test | Category | No. of Tests Performed | No. Positive |
| District: | Bunyala | VCT | 27 | RDT | Patients <u>under</u> 5 years | 0 | 0 |
| County: | Busia | PITC | 500 | | Patients aged 5-14 yrs | 0 | 0 |
| Beginning: | 2013-10-01 | PMTCT | 71 | | Patients <u>over</u> 14 years | 0 | 0 |

Ending: 2013-10-31 Blood Screening 0

Patients under 5 years 0 0

Other (Please Specify) 112

Microscopy Patients aged 5-14 yrs 0 0

Specify Here: Lab/VMMC

Patients over 14 years 0 0

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|--|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Screening | 1 | 2140 | 0 | 710 | 710 | 0 | 220 | 24 | 1626 | 0 | 0 | 2200 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Confirmatory | 1 | 48 | 0 | 33 | 33 | 0 | 20 | 5 | 30 | 0 | 0 | 140 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Tiebreaker | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid Syphilis Test (RPR) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Malaria Rapid Diagnostic Test (RDT) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain A | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain B | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Giemsa Stain | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| TB-RELATED LABORATORY COMMODITIES | Carbol Fuchsin (solution) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Falcon tubes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Explanation of Losses and Adjustments

220 determine tests received from Ampath and 24 determine tests issued to Mukhobola H/C. 20 Unigold

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

0

Compiled by:

0

