

Nakuru district FCDRR-RTK Reports for November-2013

**RTK FCDRR Report for Family Healthoptions Kenya (Nakuru) November 2013**

Ministry of Health

Health Commodities Management Platform

Name of Facility:	Family Healthoptions Kenya (Nakuru)	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
		Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
MFL Code:	12982						
District:	Nakuru	VCT	1079	RDT	Patients <u>under</u> 5 years	0	0
County:	Nakuru	PITC	71		Patients aged 5-14 yrs	0	0
Beginning:	2013-10-01	PMTCT	8		Patients <u>over</u> 14 years	0	0
Ending:	2013-10-31	Blood Screening	0		Patients <u>under</u> 5 years	16	2
		Other (Please Specify)	0		Microscopy Patients aged 5-14 yrs	48	4
		Specify Here:	0		Patients <u>over</u> 14 years	80	2

[illegible]

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	800 DETERMINE TEST KITS OBTAINED FROM APHIAplus,100KITS ISSUED TO MOH AND 200 TO FHOK KISUMU
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for FITC Dispensary November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	FITC Dispensary	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive

District:	Nakuru	VCT	0		Patients <u>under</u> 5 years	57	7
County:	Nakuru	PITC	309		RDT Patients aged 5-14 yrs	22	8
Beginning:	2013-10-01	PMTCT	97		Patients <u>over</u> 14 years	113	5
Ending:	2013-10-31	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Microscopy Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	1000	0	406	406	0	0	0	594	0	0	1000
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	27	0	27	27	0	0	0	0	0	0	40
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
---------------------------------------	--

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Kings Medical Centre (delivarance) Nakuru November 2013
Ministry of Health
Health Commodities Management Platform

Applicable to Malaria Testing Only[illegible]

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Real Healthcare Medical clinic November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Real Healthcare Medical clinic	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
		MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category
District:	Nakuru	VCT	0	RDT	Patients <u>under</u> 5 years	0	0
County:	Nakuru	PITC	0		Patients aged 5-14 yrs	0	0
Beginning:	2013-10-01	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	2013-10-31	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Microscopy	Patients aged 5-14 yrs	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	0	0	0	0	0	0	0	0	0	0	100
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	32	0	1	0	0	0	10	21	21	0	20
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	GIVEN 10 UNIGOLD TO NEIGHBOURING CLINIC WILL REFUND
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0

[illegible]

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Langa Langa Health Centre November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Langa Health Centre	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Nakuru	VCT	664	RDT	Patients <u>under</u> 5 years	77	3
County:	Nakuru	PITC	146		Patients aged 5-14 yrs	27	3
Beginning:	2013-10-01	PMTCT	135		Patients <u>over</u> 14 years	85	8

Ending: 2013-10-31 Blood Screening 0

Patients
under 5 years 0 0

Other (Please Specify) 0

Microscopy Patients aged 5-14 yrs 0 0

Specify Here: 0

Patients over 14 years 0 0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	836	0	945	945	0	300	0	191	0	0	3500
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	34	0	37	37	0	60	0	57	57	0	140
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	120	120	0	320	0	200	0	14	1000
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	4000	0	200	69	0	0	0	3800	0	0	1000
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	4500	0	200	69	0	0	0	4300	0	0	1000
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuchsin (solution)	1	232	2000	312	104	0	0	0	1920	0	0	1920
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	230	2000	312	104	0	0	0	1918	0	0	2000
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	1240	0	104	104	0	0	0	1136	0	0	1000
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	RECEIVED 300 TEST KITS FROM DMLT ON 16/10/2013
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0

[illegible]

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Hekima Dispensary November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Hekima Dispensary	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Nakuru	VCT	0	RDT	Patients under 5 years	28	1
County:	Nakuru	PITC	10		Patients aged 5-14 yrs	10	0
Beginning:	2013-10-01	PMTCT	0		Patients over 14 years	18	0

Ending: 2013-10-31 Blood Screening 0

Patients
under 5 years 28 0

Other (Please Specify) 0

Microscopy Patients aged 5-14 yrs 10 0

Specify Here: 0

Patients over 14 years 18 0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	210	0	10	10	0	0	100	100	0	0	100
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	22	0	2	2	0	0	0	20	0	0	20
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	310	0	52	52	0	0	0	258	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	NEGATIVE ADJUSTMENT 100 DETERMINE GIVEN TO MOH DUE TO LARGE STOCK
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Kiti Dispensary November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Kiti Dispensary	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Nakuru	VCT	14	RDT	Patients under 5 years	3	0
County:	Nakuru	PITC	3		Patients aged 5-14 yrs	0	0
Beginning:	2013-10-01	PMTCT	24		Patients over 14 years	2	0

Ending: 2013-10-31 Blood Screening 0

Patients
under 5 years 0 0

Other (Please Specify) 0

Microscopy Patients aged 5-14 yrs 0 0

Specify Here: 0

Patients over 14 years 0 0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	29	0	41	41	0	100	0	88	0	0	200
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	47	0	1	1	0	0	0	46	46	60	80
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	305	0	5	5	0	0	0	300	0	0	600
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuchsin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Kapkures Dispensary (Nakuru Central) November 2013

Ministry of Health

Health Commodities Management Platform

Name of Facility:	Kapkures Dispensary (Nakuru Central)		Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only			
	MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed
District:	Nakuru	VCT	115	RDT	Patients <u>under</u> 5 years	54	0
County:	Nakuru	PITC	75		Patients aged 5-14 yrs	103	7
Beginning:	2013-10-01	PMTCT	79		Patients <u>over</u> 14 years	175	17
Ending:	2013-10-31	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Microscopy	Patients aged 5-14 yrs	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	173	0	269	269	0	200	0	104	0	0	104
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	32	0	8	8	0	20	0	44	44	0	20
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	381	0	332	332	0	0	0	49	0	0	900
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	480	0	0	0	0	0	0	480	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	480	0	0	0	0	0	0	480	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	200	0	0	0	0	0	0	200	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	4000	0	100	21	0	0	0	3900	0	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	400	0	100	21	0	0	0	300	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	80	0	30	30	0	0	0	50	0	0	100
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	80	0	21	21	0	0	0	59	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	20	0	20	21	0	0	0	0	0	0	100

Explanation of Losses and Adjustments	RECEIVED 200 DETERMINE AND 20 UNIGOLD FROM APHIAPlus
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Aic parkview dispensary November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Aic parkview dispensary	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive

District:	Nakuru	VCT	10		Patients <u>under</u> 5 years	40	0
County:	Nakuru	PITC	8		RDT Patients aged 5-14 yrs	0	0
Beginning:	2013-10-01	PMTCT	8		Patients <u>over</u> 14 years	0	0
Ending:	2013-10-31	Blood Screening	0		Patients <u>under</u> 5 years	40	19
		Other (Please Specify)	0		Microscopy Patients aged 5-14 yrs	10	5
		Specify Here:	0		Patients <u>over</u> 14 years	38	15

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	140	0	26	26	4	0	0	110	0	0	100
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	0	0	2	2	0	10	0	8	0	25	20
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	100
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	40	0	40	82	0	0	0	0	0	0	50
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	45	0	40	82	0	0	0	5	0	0	50
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
---------------------------------------	--

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Fountain Medical clinic November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Fountain Medical clinic	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Nakuru	VCT	0	RDT	Patients <u>under</u> 5 years	1	0
County:	Nakuru	PITC	0		Patients aged 5-14 yrs	0	0
Beginning:	2013-10-01	PMTCT	0		Patients <u>over</u> 14 years	8	0
Ending:	2013-10-31	Blood Screening	0		Patients <u>under</u> 5 years	60	15
		Other (Please Specify)	0		Microscopy	Patients aged 5-14 yrs	29
		Specify Here:			Patients <u>over</u> 14 years	74	28

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	111	0	33	33	0	0	0	78	0	0	100
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	19	0	1	1	0	0	0	18	18	0	20
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	46	0	5	5	0	0	0	41	0	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	58	0	9	9	0	0	0	49	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	420	0	40	172	0	0	0	380	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	420	0	40	172	0	0	0	380	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Glemsa Stain	1	500	0	500	0	0	0	0	500	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	452	0	12	4	0	0	0	440	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	452	0	12	4	0	0	0	440	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	74	0	4	4	0	0	0	70	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	36	0	4	4	0	0	0	32	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	345	0	8	4	0	0	0	337	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Matutu Medical Clinic November 2013
Ministry of Health
Health Commodities Management Platform

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Coping Centre November 2013

Ministry of Health

Health Commodities Management Platform

Name of Facility:	Coping Centre	Applicable to HIV Test Kits Only			Applicable to Malaria Testing Only		
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Nakuru	VCT	104		Patients under 5 years	0	0
County:	Nakuru	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	2013-10-01	PMTCT	0		Patients over 14 years	0	0
Ending:	2013-10-31	Blood Screening	0		Patients under 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients over 14 years	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	109	0	104	104	0	0	0	5	0	0	500

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	35	0	2	2	0	0	0	33	0	0	20
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



Name of Facility:		Nakuru West (PCEA) Health Centre		Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only	
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Nakuru	VCT	75	RDT	Patients <u>under</u> 5 years	0	0
County:	Nakuru	PITC	88		Patients aged 5-14 yrs	0	0
Beginning:	2013-10-01	PMTCT	22		Patients <u>over</u> 14 years	0	0
Ending:	2013-10-31	Blood Screening	0		Patients <u>under</u> 5 years	33	0
		Other (Please Specify)	0		Microscopy	Patients aged 5-14 yrs	169
		Specify Here:	0		Patients <u>over</u> 14 years	169	0

[illegible]

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	250	0	50	6	0	0	0	200	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	285	0	6	0	0	0	0	279	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	183	0	6	6	0	0	0	177	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	700	0	50	6	0	0	0	650	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	1
Compiled by:	0



RTK FCDRR Report for Baraka Maternity Home November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Baraka Maternity Home	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Nakuru	VCT	7	RDT	Patients <u>under</u> 5 years	5	3
County:	Nakuru	PITC	9		Patients aged 5-14 yrs	3	2
Beginning:	2013-10-01	PMTCT	8		Patients <u>over</u> 14 years	10	3

Ending: 2013-10-31 Blood Screening 0

Patients under 5 years 5 3

Other (Please Specify) 5

Microscopy Patients aged 5-14 yrs 3 2

Specify Here: 0

Patients over 14 years 10 4

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	88	0	27	27	0	0	0	61	0	0	300
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	26	0	10	10	0	0	0	16	0	0	20
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	50	0	25	25	0	0	0	25	0	0	50
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	42	60	39	39	0	0	0	63	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuchsin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

0

Compiled by:

0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Algadir Medical Clinic November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Algadir Medical Clinic	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Nakuru	VCT	0	RDT	Patients <u>under</u> 5 years	0	0
County:	Nakuru	PITC	56		Patients aged 5-14 yrs	0	0
Beginning:	2013-10-01	PMTCT	14		Patients <u>over</u> 14 years	0	0

Ending: 2013-10-31 Blood Screening 0

Patients
under 5 years 0 0

Other (Please Specify) 0

Microscopy Patients aged 5-14 yrs 0 0

Specify Here: 0

Patients over 14 years 0 0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	29	0	29	29	0	0	0	0	0	10	300
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	0	0	0	0	0	0	0	0	0	10	40
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuchsin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0

[illegible]

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Florex Medical Clinic November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Florex Medical Clinic	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Nakuru	VCT	0	RDT	Patients <u>under</u> 5 years	0	0
County:	Nakuru	PITC	8		Patients aged 5-14 yrs	0	0
Beginning:	2013-10-01	PMTCT	0		Patients <u>over</u> 14 years	0	0

Ending: 2013-10-31 **Blood Screening** 0

Patients
under 5 years 0 0

Other (Please Specify) 0

Microscopy Patients aged 5-14 yrs 0 0

Specify Here:

Patients over 14 years 0 0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	160	0	8	5	3	0	0	149	0	0	100
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	26	0	0	2	2	0	0	24	24	0	20
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuchsin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	10 UNIGOLD TEST STRIPS WERE GIVEN TO AIC PARK VIEW UPENDO CLINIC
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Nku West Health Centre November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Nku West Health Centre	Applicable to HIV Test Kits Only			Applicable to Malaria Testing Only		
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive

District:	Nakuru	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Nakuru	PITC	432	RDT	Patients aged 5-14 yrs	0	0
Beginning:	2013-10-01	PMTCT	27		Patients <u>over</u> 14 years	0	0
Ending:	2013-10-31	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	428	0	459	459	0	200	0	169	0	0	200
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	56	0	12	12	0	20	0	64	0	0	20
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
---------------------------------------	--

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Glemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Lalwet Dispensary November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility: Lalwet Dispensary **Applicable to HIV Test Kits Only** **Applicable to Malaria Testing Only**

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Glemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Mother Kevin Dispensary(catholic) November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility: Mother Kevin Dispensary(catholic) **Applicable to HIV Test Kits Only** **Applicable to Malaria Testing Only**

MFL Code: 12982		Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Nakuru	VCT	41		Patients <u>under</u> 5 years	30	0
County:	Nakuru	PITC	82	RDT	Patients aged 5-14 yrs	64	0
Beginning:	2013-10-01	PMTCT	46		Patients <u>over</u> 14 years	88	2
Ending:	2013-10-31	Blood Screening	0		Patients <u>under</u> 5 years	30	13
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	64	17
		Specify Here:	0		Patients <u>over</u> 14 years	88	38

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	453	0	169	169	0	0	0	284	30	0	600
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	50	0	16	16	0	0	0	34	0	0	60
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuchsin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
---------------------------------------	--

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Glemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Prison Dispensary November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility: Prison Dispensary **Applicable to HIV Test Kits Only** **Applicable to Malaria Testing Only**

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuchsin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Sunrise Evans Hospital November 2013
Ministry of Health
Health Commodities Management Platform

Applicable to Malaria Testing Only

[illegible]

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	LOSSES ARE DUE TO REPEATS
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Civil Servants Clinic (Nakuru) November 2013

Ministry of Health Health Commodities Management Platform

Name of Facility:	Civil Servants Clinic (Nakuru)	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
		MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category
District:	Nakuru	VCT	0	RDT	Patients <u>under</u> 5 years	5	0
County:	Nakuru	PITC	53		Patients aged 5-14 yrs	16	0
Beginning:	2013-10-01	PMTCT	0		Patients <u>over</u> 14 years	14	0
Ending:	2013-10-31	Blood Screening	0		Patients <u>under</u> 5 years	7	4
		Other (Please Specify)	0		Microscopy	Patients aged 5-14 yrs	20
		Specify Here:	0		Patients <u>over</u> 14 years	13	6

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	134	0	53	53	0	0	0	81	0	0	200

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	60	0	4	4	0	0	0	56	0	0	20
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	54	0	15	15	0	0	0	39	0	0	100
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



Name of Facility:		Bethsaida (AIC) Clinic (Nakuru)		Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only	
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Nakuru	VCT	0	RDT	Patients <u>under</u> 5 years	0	0
County:	Nakuru	PITC	0		Patients aged 5-14 yrs	0	0
Beginning:	2013-10-01	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	2013-10-31	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Microscopy	Patients aged 5-14 yrs	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

[illegible]

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for State House Dispensary (Nakuru) November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	State House Dispensary (Nakuru)	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
		Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
MFL Code:	12982						
District:	Nakuru	VCT	0	RDT	Patients <u>under</u> 5 years	2	0
County:	Nakuru	PITC	4		Patients aged 5-14 yrs	1	0
Beginning:	2013-10-01	PMTCT	0		Patients <u>over</u> 14 years	5	0
Ending:	2013-10-31	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Microscopy Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	226	0	4	4	0	0	124	98	98	0	100
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	21	0	1	1	0	0	0	20	20	0	20
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	NEGATIVE ADJUSTMENT MADE TO MOH (LAB) ON 04/09/2013 AND 24 PIECES USED FOR OUTREACH SERVICES AT MANY
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Marie Stopes (Nakuru) November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Marie Stopes (Nakuru)	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Nakuru	VCT	53	RDT	Patients under 5 years	0	0
County:	Nakuru	PITC	0		Patients aged 5-14 yrs	0	0
Beginning:	2013-10-01	PMTCT	11		Patients over 14 years	0	0

Ending: 2013-10-31 Blood Screening 0

Patients
under 5 years 0 0

Other (Please Specify) 0

Microscopy Patients aged 5-14 yrs 0 0

Specify Here: 0

Patients over 14 years 0 0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	292	0	64	64	0	0	100	128	0	0	100
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	26	0	2	2	0	0	0	24	0	0	20
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuchsin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	100 DETERMINE GIVEN TO NASCOP
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for St Elizabeth Nursing Home November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	St Elizabeth Nursing Home	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Nakuru	VCT	0	RDT	Patients <u>under</u> 5 years	0	0
County:	Nakuru	PITC	33		Patients aged 5-14 yrs	0	0
Beginning:	2013-10-01	PMTCT	3		Patients <u>over</u> 14 years	0	0
Ending:	2013-10-31	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Microscopy	Patients aged 5-14 yrs	153
		Specify Here:	0		Patients <u>over</u> 14 years	86	22

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	232	0	33	33	0	0	0	199	0	0	200
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	32	0	1	1	0	0	0	31	0	0	20
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	44	0	5	5	0	0	0	39	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	50	0	25	239	0	0	0	25	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	50	0	25	239	0	0	0	25	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	300	0	15	3	0	0	0	285	0	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	300	0	15	3	0	0	0	285	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	48	0	3	3	0	0	0	45	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	22	0	2	2	0	0	0	20	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Mid-Town Reproductive health and youth Friendly November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Mid-Town Reproductive health and youth Friendly	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive

District:	Nakuru	VCT	9		Patients <u>under</u> 5 years	0	0
County:	Nakuru	PITC	3	RDT	Patients aged 5-14 yrs	0	0
Beginning:	2013-10-01	PMTCT	1		Patients <u>over</u> 14 years	0	0
Ending:	2013-10-31	Blood Screening	0		Patients <u>under</u> 5 years	2	2
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	10	7

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	87	0	13	13	0	0	0	74	0	0	100
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	20	0	0	0	0	0	0	20	0	0	20
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	3	0	2	2	0	0	0	1	0	0	10
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuchsin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Nakuru Provincial General Hospital (PGH) November 2013
Ministry of Health
Health Commodities Management Platform

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Kasarani Police VCT November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Kasarani Police VCT	Applicable to HIV Test Kits Only			Applicable to Malaria Testing Only		
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Nakuru	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Nakuru	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	2013-10-01	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	2013-10-31	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
----------	-------------	---------------	-------------------	-------------------	---------------	----------------------	--------	----------------------	----------------------	---------------	-------------------------------	-------------------	--------------------

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	174	0	52	52	0	0	0	122	0	0	300
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	20	0	0	0	0	0	0	20	0	0	20
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0

[illegible]

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Nakuru Centre of Hope November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Nakuru Centre of Hope	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Nakuru	VCT	193	RDT	Patients under 5 years	0	0
County:	Nakuru	PITC	58		Patients aged 5-14 yrs	0	0
Beginning:	2013-10-01	PMTCT	0		Patients over 14 years	0	0

Ending: 2013-10-31 Blood Screening 0

Patients
under 5 years 0 0

Other (Please Specify) 0

Microscopy Patients aged 5-14 yrs 0 0

Specify Here: 0

Patients over 14 years 0 0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	0	316	251	251	0	0	0	65	65	0	1000
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	40	0	6	6	0	0	0	34	34	0	20
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuchsin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0