

Turkana North district FCDRR-RTK Reports for November-2013



RTK FCDRR Report for Kaeris Dispensary November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Kaeris Dispensary	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Turkana North	VCT	11	RDT	Patients <u>under</u> 5 years	29	6
County:	Turkana	PITC	0		Patients aged 5-14 yrs	14	8
Beginning:	2013-10-01	PMTCT	24		Patients <u>over</u> 14 years	59	15
Ending:	2013-10-31	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Microscopy	Patients aged 5-14 yrs	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

[illegible]

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Kaikor Dispensary November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Kaikor Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only
MFL Code:	12982	Type of Service	No. of Tests Done
		Test	Category
		No. of Tests Performed	No. Positive

District:	Turkana North	VCT	0		Patients <u>under</u> 5 years	5	2
County:	Turkana	PITC	12		RDT Patients aged 5-14 yrs	1	0
Beginning:	2013-10-01	PMTCT	0		Patients <u>over</u> 14 years	4	0
Ending:	2013-10-31	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Microscopy Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	360	1600	12	12	0	0	0	1948	100	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	111	0	0	0	0	0	0	111	111	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments

received 1600 tests of detrmine from KEMSA

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Glemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	Received 1600 detrmine test kits from KEMSA
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Kokuro Dispensary November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Kokuro Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only
MFL Code:	12982	Type of Service	No. of Tests Done
		Test	Category
		No. of Tests Performed	No. Positive

District:	Turkana North	VCT	105		Patients <u>under</u> 5 years	0	0
County:	Turkana	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	2013-10-01	PMTCT	21		Patients <u>over</u> 14 years	0	0
Ending:	2013-10-31	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	360	400	105	105	0	0	100	555	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	56	0	6	0	0	0	0	50	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments

Received 400 determine test from KEMSA and issued 100 determine tests to Lobur mobile clinic.

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Loruth Dispensary November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Loruth Dispensary	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Turkana North	VCT	0	RDT	Patients <u>under</u> 5 years	6	3
County:	Turkana	PITC	44		Patients aged 5-14 yrs	0	0
Beginning:	2013-10-01	PMTCT	4		Patients <u>over</u> 14 years	8	1
Ending:	2013-10-31	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Microscopy	Patients aged 5-14 yrs	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	70	400	48	48	0	0	0	422	0	0	200
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	17	0	0	0	0	0	0	17	0	0	20
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	450	0	14	14	0	0	0	436	0	0	500

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Glemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Lokitaung District Hospital November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Lokitaung District Hospital	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only
--------------------------	-----------------------------	---	---

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Lowarengak Dispensary November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility: Lowarengak Dispensary **Applicable to HIV Test Kits Only** **Applicable to Malaria Testing Only**

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0
