

Lower Yatta district FCDRR-RTK Reports for February-2014



RTK FCDRR Report for Kanyangi Sub-District Hospital February 2013

Ministry of Health

Health Commodities Management Platform

Name of Facility: Kanyangi Sub-District Hospital **Applicable to HIV Test Kits Only**

Applicable to Malaria Testing Only

MFL Code: 12982		Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Lower Yatta	VCT	0	RDT	Patients <u>under</u> 5 years	0	0
County:	Kitui	PITC	0		Patients aged 5-14 yrs	0	0
Beginning:	2014-01-01	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	2014-01-31	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Microscopy	Patients aged 5-14 yrs	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

[illegible]

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	ROBERT MWANGU



RTK FCDRR Report for Kwa Vonza Dispensary February 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Kwa Vonza Dispensary	Applicable to HIV Test Kits Only			Applicable to Malaria Testing Only		
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Lower Yatta	VCT	0		Patients under 5 years	0	0
County:	Kitui	PITC	60	RDT	Patients aged 5-14 yrs	0	0
Beginning:	2014-01-01	PMTCT	65		Patients over 14 years	0	0

Ending: 2014-01-31 Blood Screening 0

Patients
under 5 years 0 0

Other (Please Specify) 0

Microscopy Patients aged 5-14 yrs 0 0

Specify Here:

Patients over 14 years 0 0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	24	200	125	125	0	0	0	99	0	0	400
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	40	20	2	2	0	0	0	58	0	0	20
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuchsin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

0

Compiled by:

ALEX NZUKI

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	FRED NDETO



RTK FCDRR Report for Masimba February 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Masimba	Applicable to HIV Test Kits Only			Applicable to Malaria Testing Only		
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Lower Yatta	VCT	0	RDT	Patients <u>under</u> 5 years	0	0
County:	Kitui	PITC	18		Patients aged 5-14 yrs	0	0
Beginning:	2014-01-01	PMTCT	1		Patients <u>over</u> 14 years	0	0

Ending: 2014-01-31 Blood Screening 0

Patients
under 5 years 0 0

Other (Please Specify) 0

Microscopy Patients aged 5-14 yrs 0 0

Specify Here:

Patients over 14 years 0 0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	47	200	18	18	0	0	0	229	29	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	0	20	2	2	0	0	0	18	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuchsin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

0

Compiled by:

STEPHEN MUTIO

[illegible]

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	VERONICA MUTUI



RTK FCDRR Report for Nthongoni Dispensary (Kitui) February 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Nthongoni Dispensary (Kitui)		Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only		
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Lower Yatta	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Kitui	PITC	29	RDT	Patients aged 5-14 yrs	0	0
Beginning:	2014-01-01	PMTCT	5		Patients <u>over</u> 14 years	0	0

Ending: 2014-01-31 Blood Screening 0

Patients
under 5 years 0 0

Other (Please Specify) 0

Microscopy Patients aged 5-14 yrs 0 0

Specify Here:

Patients over 14 years 0 0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	159	0	34	34	0	0	0	125	0	0	100
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	47	0	2	2	0	0	0	45	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuchsin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

0

Compiled by:

PAULINE

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	150 DETERMINE ISSUED TO YATTA HC ,20 UNIGOLD EXPIRED
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	J MBALUTO



RTK FCDRR Report for Kiseuni Dispensary (Kitui) February 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Kiseuni Dispensary (Kitui)	Applicable to HIV Test Kits Only			Applicable to Malaria Testing Only		
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Lower Yatta	VCT	0	RDT	Patients <u>under</u> 5 years	0	0
County:	Kitui	PITC	24		Patients aged 5-14 yrs	0	0
Beginning:	2014-01-01	PMTCT	12		Patients <u>over</u> 14 years	0	0

Ending: 2014-01-31 **Blood Screening** 0

Patients
under 5 years 0 0

Other (Please Specify) 0

Microscopy Patients aged 5-14 yrs 0 0

Specify Here:

Patients over 14 years 0 0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	250	200	40	36	0	0	0	410	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	20	20	0	0	0	0	0	40	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuchsin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	SHEDRACK S KOMO

[illegible]

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	JOYCE M MUNYALO