

Matinyani district FCDRR-RTK Reports for November-2013



RTK FCDRR Report for Matinyani Dispensary November 2013

Ministry of Health

Health Commodities Management Platform

Name of Facility:	Matinyani Dispensary	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Matinyani	VCT	0	RDT	Patients <u>under</u> 5 years	0	0
County:	Kitui	PITC	258		Patients aged 5-14 yrs	0	0
Beginning:	2013-10-01	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	2013-10-31	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Microscopy	Patients aged 5-14 yrs	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

[illegible]

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Kauma Dispensary (Kitui) November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Kauma Dispensary (Kitui)		Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only			
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Matinyani	VCT	0		Patients under 5 years	0	0
County:	Kitui	PITC	8	RDT	Patients aged 5-14 yrs	0	0
Beginning:	2013-10-01	PMTCT	13		Patients over 14 years	0	0

Ending: 2013-10-31 Blood Screening 0

Patients
under 5 years 0 0

Other (Please Specify) 0

Microscopy Patients aged 5-14 yrs 0 0

Specify Here:

Patients over 14 years 0 0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	40	0	21	21	0	0	0	19	0	0	200
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	16	0	0	0	0	0	0	16	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuchsin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

0

Compiled by:

0

[illegible]

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Ndiuni Dispensary November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Ndiuni Dispensary	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Matinyani	VCT	0	RDT	Patients <u>under</u> 5 years	0	0
County:	Kitui	PITC	5		Patients aged 5-14 yrs	0	0
Beginning:	2013-10-01	PMTCT	0		Patients <u>over</u> 14 years	0	0

Ending: 2013-10-31 **Blood Screening** 0

Patients
under 5 years 0 0

Other (Please Specify) 0


Microscopy Patients aged 5-14 yrs 0 0

Specify Here:

Patients over 14 years 0 0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	10	0	5	5	0	0	0	5	0	0	100
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	35	0	2	2	0	0	0	33	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuchsin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0

[illegible]

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0



RTK FCDRR Report for Kwa Mutonga Dispensary November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility:	Kwa Mutonga Dispensary	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Matinyani	VCT	0	RDT	Patients <u>under</u> 5 years	0	0
County:	Kitui	PITC	49		Patients aged 5-14 yrs	0	0
Beginning:	2013-10-01	PMTCT	0		Patients <u>over</u> 14 years	0	0

Ending: 2013-10-31 Blood Screening 0

Patients
under 5 years 0 0

Other (Please Specify) 12

Microscopy Patients aged 5-14 yrs 0 0

Specify Here: PT
PANELS

Patients over 14 years 0 0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	261	0	61	61	0	0	0	200	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	39	0	4	4	0	0	0	35	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Giemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

0

Compiled by:

0

[illegible]

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	0