

Turkana North district FCDRR-RTK Reports for January-2014



RTK FCDRR Report for Kaikor Dispensary January 2013

Ministry of Health

Health Commodities Management Platform

| Name of Facility: | Kaikor Dispensary | Applicable to HIV Test Kits Only | | Applicable to Malaria Testing Only | | | |
|-------------------|-------------------|----------------------------------|-------------------|------------------------------------|-------------------------------|------------------------|--------------|
| MFL Code: | 12982 | Type of Service | No. of Tests Done | Test | Category | No. of Tests Performed | No. Positive |
| District: | Turkana North | VCT | 0 | RDT | Patients <u>under</u> 5 years | 0 | 0 |
| County: | Turkana | PITC | 2 | | Patients aged 5-14 yrs | 0 | 0 |
| Beginning: | 2013-12-01 | PMTCT | 0 | | Patients <u>over</u> 14 years | 0 | 0 |
| Ending: | 2013-12-31 | Blood Screening | 0 | | Patients <u>under</u> 5 years | 0 | 0 |
| | | Other (Please Specify) | 0 | | Microscopy | Patients aged 5-14 yrs | 0 |
| | | Specify Here: | 0 | | Patients <u>over</u> 14 years | 0 | 0 |

[illegible]

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|-----------------------------------|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| TB-RELATED LABORATORY COMMODITIES | Carbol Fuschin (solution) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Falcon tubes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | |



RTK FCDRR Report for Kaeris Dispensary January 2013
Ministry of Health
Health Commodities Management Platform

| | | | |
|--------------------------|-------------------|---|---|
| Name of Facility: | Kaeris Dispensary | Applicable to HIV Test Kits Only | Applicable to Malaria Testing Only |
| MFL Code: | 12982 | Type of Service | No. of Tests Done |
| | | Test | Category |
| | | No. of Tests Performed | No. Positive |

| | | | | | | | |
|-------------------|---------------|-------------------------------|----|------------|-------------------------------|---|---|
| District: | Turkana North | VCT | 0 | | Patients <u>under</u> 5 years | 0 | 0 |
| County: | Turkana | PITC | 35 | RDT | Patients aged 5-14 yrs | 0 | 0 |
| Beginning: | 2013-12-01 | PMTCT | 0 | | Patients <u>over</u> 14 years | 0 | 0 |
| Ending: | 2013-12-31 | Blood Screening | 0 | | Patients <u>under</u> 5 years | 0 | 0 |
| | | Other (Please Specify) | 0 | Microscopy | Patients aged 5-14 yrs | 0 | 0 |
| | | Specify Here: | 0 | | Patients <u>over</u> 14 years | 0 | 0 |

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|--|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Screening | 1 | 1535 | 0 | 35 | 35 | 0 | 0 | 0 | 1500 | 0 | 0 | 0 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Confirmatory | 1 | 119 | 0 | 0 | 0 | 0 | 0 | 0 | 119 | 0 | 0 | 0 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Tiebreaker | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid Syphilis Test (RPR) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Malaria Rapid Diagnostic Test (RDT) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain A | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain B | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Giemsa Stain | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Carbol Fuchsin (solution) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Falcon tubes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---------------------------------------|--|
| Explanation of Losses and Adjustments | |
|---------------------------------------|--|

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|--|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain A | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain B | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Glemsa Stain | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Carbol Fuschin (solution) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Falcon tubes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | |



RTK FCDRR Report for Lokitaung District Hospital January 2013
Ministry of Health
Health Commodities Management Platform

| | | | |
|--------------------------|-----------------------------|---|---|
| Name of Facility: | Lokitaung District Hospital | Applicable to HIV Test Kits Only | Applicable to Malaria Testing Only |
|--------------------------|-----------------------------|---|---|

| | |
|---|---------|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 2 |
| Compiled by: | DICKSON |
