Laikipia North district FCDRR-RTK Reports for January-2014



RTK FCDRR Report for Ewaso Dispensary January 2013 Ministry of Health Health Commodities Management Platform

Name of Facility:	Ewaso Dispensary	Applicable to HIV Test	Kits Only	Applic	able to Malar	ria Testing (Only
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Laikipia North	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Laikipia	PITC	11	RDT	Patients aged 5-14 yrs	0	0
Beginning:	2013-12-01	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	2013-12-31	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	Ü	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	179	0	11	11	0	0	0	168	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	100	0	0	0	0	0	0	100	100	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Glemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done		Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Esther



RTK FCDRR Report for Kimanjo Dispensary January 2013 Ministry of Health Health Commodities Management Platform

Name of Facility: Kimanjo Dispensary Applicable to HIV Test Kits Only Applicable to Malaria Testing Only

MFL Code: 12982 Type of Service No. of Tests Test Category Done Category Performed No. of Tests Positive

District:	Laikipia North	VCT	3		Patients under 5 years	0	0
County:	Laikipia	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	2013-12-01	PMTCT	6		Patients <u>over</u> 14 years	0	0
Ending:	2013-12-31	Blood Screening	0		Patients under 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	86	0	12	12	0	0	0	74	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	100	0	0	0	0	0	0	100	100	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Glemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Christine



RTK FCDRR Report for Oljogi Dispensary January 2013 Ministry of Health Health Commodities Management Platform

Name of Facility:	Oljogi Dispensary	Applicable to HIV Test	Kits Only	Applic	able to Malar	ria Testing (Only
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Laikipia North	VCT	0		Patients under 5 years	0	0
County:	Laikipia	PITC	4		Patients aged 5-14 yrs	-	0
Beginning:	2013-12-01	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	2013-12-31	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Patients aged 5-14 yrs		0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	94	0	7	7	0	0	0	87	87	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	20	0	0	0	0	0	0	20	20	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Glemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Towett



RTK FCDRR Report for Doldol Health Centre January 2013 **Ministry of Health Health Commodities Management Platform**

Name of **Facility:**

Doldol Health Centre

Applicable to HIV Test Kits Only

Applicable to Malaria Testing Only

MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Laikipia North	VCT	0		Patients under 5 years	0	0
County:	Laikipia	PITC	0		Patients aged 5-14 yrs		0
Beginning:	2013-12-01	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	2013-12-31	Blood Screening	0		Patients under 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done		Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	0	0	0	0	0	0	0	0	0	30	3000
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	100	0	0	0	0	0	40	60	60	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Glemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Winnie Jematia



RTK FCDRR Report for Ilpolei Dispensary January 2013 Ministry of Health Health Commodities Management Platform

Name of Facility:	Ilpolei Dispensary	Applicable to HIV Test	Kits Only	Applic	able to Malar	ia Testing (Only
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Laikipia North	VCT	0		Patients under 5 years	0	0
County:	Laikipia	PITC	2	RDT	Patients aged 5-14 yrs	O	0
Beginning:	2013-12-01	PMTCT	3		Patients <u>over</u> 14 years	0	0
Ending:	2013-12-31	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Patients aged 5-14 yrs	-	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done		Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	339	0	2	2	0	0	0	337	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	80	0	0	0	0	0	0	80	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Glemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Doris Labott



RTK FCDRR Report for Arjijo Dispensary January 2013 Ministry of Health Health Commodities Management Platform

Name of Facility: Arjijo Dispensary Applicable to HIV Test Kits Only Applicable to Malaria Testing Only

MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Laikipia North	VCT	0		Patients under 5 years	0	0
County:	Laikipia	PITC	8		Patients aged 5-14 yrs		0
Beginning:	2013-12-01	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	2013-12-31	Blood Screening	0		Patients under 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done		Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	180	0	8	8	0	0	0	172	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	0	0	0	0	0	0	0	0	0	30	20
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Glemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	



RTK FCDRR Report for Lokusero Dispensary January 2013 Ministry of Health Health Commodities Management Platform

Name of Facility:	Lokusero Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Laikipia North	VCT	0		Patients under 5 years	0	0			
County:	Laikipia	PITC	11		Patients aged 5-14 yrs	O .	0			
Beginning:	2013-12-01	PMTCT	4		Patients <u>over</u> 14 years	0	0			
Ending:	2013-12-31	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Category	Description	Unit of Issue	Beginning Balance	Quantity Received		Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months		Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	100	0	20	20	0	0	0	80	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	15	0	0	0	0	0	0	15	15	0	20
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Glemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	



RTK FCDRR Report for Borana Dispensary January 2013 Ministry of Health Health Commodities Management Platform

Name of Facility: Borana Dispensary Applicable to HIV Test Kits Only Applicable to Malaria Testing Only

MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Laikipia North	VCT	5		Patients under 5 years	0	0
County:	Laikipia	PITC	13		Patients aged 5-14 yrs		0
Beginning:	2013-12-01	PMTCT	4		Patients <u>over</u> 14 years	0	0
Ending:	2013-12-31	Blood Screening	0		Patients under 5 years	0	0
		Other (Please Specify)	0		Patients aged 5-14 yrs		0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	119	0	22	22	0	0	0	97	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	20	0	3	3	0	0	0	17	17	0	20
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Glemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Kawap