

Rongai district FCDRR-RTK Reports for November-2013



RTK FCDRR Report for GSU Dispensary (Kabarak) November 2013

Ministry of Health

Health Commodities Management Platform

| | | | |
|--------------------------|----------------------|---|---|
| Name of Facility: | GSU | Applicable to HIV Test Kits Only | Applicable to Malaria Testing Only |
| | Dispensary (Kabarak) | | |

| MFL Code: 12982 | | Type of Service | No. of Tests Done | Test | Category | No. of Tests Performed | No. Positive |
|------------------------------|--------|-------------------------------|-------------------|------|-------------------------------|------------------------|--------------|
| District: | Rongai | VCT | 0 | RDT | Patients <u>under</u> 5 years | 0 | 0 |
| County: | Nakuru | PITC | 0 | | Patients aged 5-14 yrs | 0 | 0 |
| Beginning: 2013-10-01 | | PMTCT | 0 | | Patients <u>over</u> 14 years | 0 | 0 |
| Ending: 2013-10-31 | | Blood Screening | 0 | | Patients <u>under</u> 5 years | 0 | 0 |
| | | Other (Please Specify) | 0 | | Microscopy | Patients aged 5-14 yrs | 0 |
| | | Specify Here: | | | Patients <u>over</u> 14 years | 0 | 0 |

[illegible]

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|-----------------------------------|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| TB-RELATED LABORATORY COMMODITIES | Falcon tubes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |



RTK FCDRR Report for Kabarak Health Centre November 2013
Ministry of Health
Health Commodities Management Platform

| | | | | | | | |
|--------------------------|-----------------------|---|--------------------------|---|-------------------------------|-------------------------------|---------------------|
| Name of Facility: | Kabarak Health Centre | Applicable to HIV Test Kits Only | | Applicable to Malaria Testing Only | | | |
| MFL Code: | 12982 | Type of Service | No. of Tests Done | Test | Category | No. of Tests Performed | No. Positive |
| District: | Rongai | VCT | 0 | RDT | Patients <u>under</u> 5 years | 0 | 0 |
| County: | Nakuru | PITC | 24 | | Patients aged 5-14 yrs | 10 | 1 |
| Beginning: | 2013-10-01 | PMTCT | 35 | | Patients <u>over</u> 14 years | 34 | 3 |

Ending: 2013-10-31 Blood Screening 0

Patients
under 5 years 4 1

Other (Please Specify) 0

Microscopy Patients aged 5-14 yrs 20 2

Specify Here: 0

Patients over 14 years 154 8

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|--|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Screening | 1 | 226 | 0 | 59 | 59 | 0 | 0 | 0 | 167 | 0 | 0 | 100 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Confirmatory | 1 | 42 | 0 | 2 | 2 | 0 | 0 | 0 | 40 | 0 | 0 | 20 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Tiebreaker | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid Syphilis Test (RPR) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Malaria Rapid Diagnostic Test (RDT) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain A | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain B | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Giemsa Stain | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Carbol Fuchsin (solution) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Falcon tubes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |

[illegible]

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|-----------------------------------|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |



RTK FCDRR Report for Mogotio Plantation Dispensary November 2013
Ministry of Health
Health Commodities Management Platform

| | | | | | | | |
|--------------------------|-------------------------------|---|--------------------------|---|-------------------------------|-------------------------------|---------------------|
| Name of Facility: | Mogotio Plantation Dispensary | Applicable to HIV Test Kits Only | | Applicable to Malaria Testing Only | | | |
| MFL Code: | 12982 | Type of Service | No. of Tests Done | Test | Category | No. of Tests Performed | No. Positive |
| District: | Rongai | VCT | 0 | RDT | Patients <u>under</u> 5 years | 9 | 6 |
| County: | Nakuru | PITC | 10 | | Patients aged 5-14 yrs | 5 | 2 |
| Beginning: | 2013-10-01 | PMTCT | 0 | | Patients <u>over</u> 14 years | 22 | 17 |

Ending: 2013-10-31 Blood Screening 0

Patients
under 5 years 0 0

Other (Please Specify) 0

Microscopy Patients aged 5-14 yrs 0 0

Specify Here: 0

Patients over 14 years 0 0

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|--|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Screening | 1 | 197 | 0 | 10 | 10 | 0 | 0 | 0 | 187 | 0 | 0 | 200 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Confirmatory | 1 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 15 | 0 | 0 | 20 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Tiebreaker | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid Syphilis Test (RPR) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Malaria Rapid Diagnostic Test (RDT) | 1 | 74 | 0 | 36 | 36 | 0 | 0 | 0 | 38 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain A | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain B | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Giemsa Stain | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Carbol Fuchsin (solution) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Falcon tubes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |

[illegible]

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|-----------------------------------|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |



RTK FCDRR Report for Nyamamithi Dispensary November 2013
Ministry of Health
Health Commodities Management Platform

| Name of Facility: | Nyamamithi Dispensary | Applicable to HIV Test Kits Only | | Applicable to Malaria Testing Only | | | |
|-------------------|-----------------------|----------------------------------|-------------------|------------------------------------|-------------------------------|------------------------|--------------|
| MFL Code: | 12982 | Type of Service | No. of Tests Done | Test | Category | No. of Tests Performed | No. Positive |
| District: | Rongai | VCT | 0 | RDT | Patients <u>under</u> 5 years | 0 | 0 |
| County: | Nakuru | PITC | 58 | | Patients aged 5-14 yrs | 0 | 0 |
| Beginning: | 2013-10-01 | PMTCT | 8 | | Patients <u>over</u> 14 years | 0 | 0 |

Ending: 2013-10-31 **Blood Screening** 0

Patients
under 0 0
5 years

Other (Please Specify) 0

Microscopy Patients aged 0 0
5-14 yrs

Specify Here: 0

Patients over 0 0
14 years

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|--|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Screening | 1 | 91 | 0 | 66 | 66 | 0 | 0 | 0 | 25 | 0 | 0 | 300 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Confirmatory | 1 | 38 | 0 | 0 | 0 | 0 | 0 | 0 | 38 | 38 | 0 | 20 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Tiebreaker | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid Syphilis Test (RPR) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Malaria Rapid Diagnostic Test (RDT) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain A | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain B | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Giemsa Stain | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Carbol Fuschin (solution) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Falcon tubes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |

[illegible]

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|-----------------------------------|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |



RTK FCDRR Report for Rosewo VCT Centre November 2013
Ministry of Health
Health Commodities Management Platform

| Name of Facility: | Rosewo VCT Centre | Applicable to HIV Test Kits Only | | Applicable to Malaria Testing Only | | | |
|-------------------|-------------------|----------------------------------|-------------------|------------------------------------|-------------------------------|------------------------|--------------|
| MFL Code: | 12982 | Type of Service | No. of Tests Done | Test | Category | No. of Tests Performed | No. Positive |
| District: | Rongai | VCT | 68 | RDT | Patients <u>under</u> 5 years | 0 | 0 |
| County: | Nakuru | PITC | 0 | | Patients aged 5-14 yrs | 0 | 0 |
| Beginning: | 2013-10-01 | PMTCT | 0 | | Patients <u>over</u> 14 years | 0 | 0 |

Ending: 2013-10-31 Blood Screening 0

Patients
under 5 years 0 0

Other (Please Specify) 0

Microscopy Patients aged 5-14 yrs 0 0

Specify Here: 0

Patients over 14 years 0 0

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|--|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Screening | 1 | 103 | 0 | 68 | 68 | 0 | 0 | 0 | 35 | 0 | 0 | 400 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Confirmatory | 1 | 101 | 0 | 1 | 1 | 0 | 0 | 0 | 100 | 40 | 0 | 20 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Tiebreaker | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid Syphilis Test (RPR) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Malaria Rapid Diagnostic Test (RDT) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain A | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain B | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Giemsa Stain | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Carbol Fuchsin (solution) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Falcon tubes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |

[illegible]

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|-----------------------------------|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |



RTK FCDRR Report for PCEA Mwangaza Dispensary November 2013
Ministry of Health
Health Commodities Management Platform

| | | | | | | | |
|--------------------------|--------------------------|---|---|-------------|-------------------------------|-------------------------------|---------------------|
| Name of Facility: | PCEA Mwangaza Dispensary | Applicable to HIV Test Kits Only | Applicable to Malaria Testing Only | | | | |
| MFL Code: | 12982 | Type of Service | No. of Tests Done | Test | Category | No. of Tests Performed | No. Positive |
| District: | Rongai | VCT | 0 | RDT | Patients <u>under</u> 5 years | 0 | 0 |
| County: | Nakuru | PITC | 18 | | Patients aged 5-14 yrs | 0 | 0 |
| Beginning: | 2013-10-01 | PMTCT | 4 | | Patients <u>over</u> 14 years | 0 | 0 |

Ending: 2013-10-31 Blood Screening 0

Patients
under 20 3
5 years

Other (Please Specify) 0

Microscopy Patients aged 18 0
5-14 yrs

Specify Here: 0

Patients over 46 5
14 years

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|--|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Screening | 1 | 101 | 0 | 22 | 22 | 0 | 100 | 0 | 179 | 0 | 0 | 200 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Confirmatory | 1 | 13 | 0 | 2 | 2 | 0 | 0 | 0 | 11 | 0 | 0 | 20 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Tiebreaker | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid Syphilis Test (RPR) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Malaria Rapid Diagnostic Test (RDT) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain A | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain B | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Giemsa Stain | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Carbol Fuchsin (solution) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Falcon tubes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |

[illegible]

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|-----------------------------------|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | 129 TESTS OF DETERMINE AND 55 TESTS OF UNIGOLD NOT ACCOUNTED FOR. |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |



RTK FCDRR Report for Kapsetek Dispensary November 2013
Ministry of Health
Health Commodities Management Platform

| Name of Facility: | Kapsetek Dispensary | Applicable to HIV Test Kits Only | | Applicable to Malaria Testing Only | | | |
|-------------------|---------------------|----------------------------------|-------------------|------------------------------------|-------------------------------|------------------------|--------------|
| MFL Code: | 12982 | Type of Service | No. of Tests Done | Test | Category | No. of Tests Performed | No. Positive |
| District: | Rongai | VCT | 0 | RDT | Patients <u>under</u> 5 years | 20 | 11 |
| County: | Nakuru | PITC | 23 | | Patients aged 5-14 yrs | 15 | 7 |
| Beginning: | 2013-10-01 | PMTCT | 5 | | Patients <u>over</u> 14 years | 10 | 4 |

Ending: 2013-10-31 Blood Screening 0

Patients
under 5 years 5 3

Other (Please Specify) 0

Microscopy Patients aged 5-14 yrs 0 0

Specify Here: 0

Patients over 14 years 0 0

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|--|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Screening | 1 | 166 | 0 | 30 | 30 | 4 | 0 | 0 | 132 | 0 | 0 | 200 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Confirmatory | 1 | 38 | 0 | 0 | 0 | 0 | 0 | 0 | 38 | 0 | 0 | 20 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Tiebreaker | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid Syphilis Test (RPR) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Malaria Rapid Diagnostic Test (RDT) | 1 | 1000 | 0 | 0 | 0 | 0 | 0 | 0 | 1000 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain A | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain B | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Giemsa Stain | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Carbol Fuchsin (solution) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Falcon tubes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

0

Compiled by:

0

[illegible]

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|-----------------------------------|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 1 |
| Compiled by: | 0 |



RTK FCDRR Report for Lelechwet Dispensary (Rongai) November 2013
Ministry of Health
Health Commodities Management Platform

| Name of Facility: | Lelechwet Dispensary (Rongai) | Applicable to HIV Test Kits Only | | Applicable to Malaria Testing Only | | | |
|-------------------|-------------------------------|----------------------------------|-------------------|------------------------------------|-------------------------------|------------------------|--------------|
| MFL Code: | 12982 | Type of Service | No. of Tests Done | Test | Category | No. of Tests Performed | No. Positive |
| District: | Rongai | VCT | 0 | RDT | Patients <u>under</u> 5 years | 0 | 0 |
| County: | Nakuru | PITC | 31 | | Patients aged 5-14 yrs | 0 | 0 |
| Beginning: | 2013-10-01 | PMTCT | 3 | | Patients <u>over</u> 14 years | 0 | 0 |

Ending: 2013-10-31 Blood Screening 0

Patients
under 5 years 0 0

Other (Please Specify) 0

Microscopy Patients aged 5-14 yrs 0 0

Specify Here: 0

Patients over 14 years 0 0

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|--|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Screening | 1 | 135 | 0 | 34 | 34 | 0 | 0 | 0 | 101 | 0 | 0 | 200 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Confirmatory | 1 | 25 | 0 | 0 | 0 | 1 | 0 | 0 | 24 | 0 | 0 | 20 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Tiebreaker | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid Syphilis Test (RPR) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Malaria Rapid Diagnostic Test (RDT) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain A | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain B | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Giemsa Stain | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Carbol Fuchsin (solution) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Falcon tubes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |

[illegible]

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|-----------------------------------|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| TB-RELATED LABORATORY COMMODITIES | Falcon tubes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|--|--|
| Explanation of Losses and Adjustments | HELPED KANDUTURA HEALTH FACILITY 50 STRIPS (DETERMINE) ON 25/10/2013 |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |



RTK FCDRR Report for Lower Solai Dispensary November 2013
Ministry of Health
Health Commodities Management Platform

| | | | | | | | |
|--------------------------|------------------------|---|--------------------------|---|-----------------|-------------------------------|---------------------|
| Name of Facility: | Lower Solai Dispensary | Applicable to HIV Test Kits Only | | Applicable to Malaria Testing Only | | | |
| MFL Code: | 12982 | Type of Service | No. of Tests Done | Test | Category | No. of Tests Performed | No. Positive |

| | | | | | | | |
|-------------------|------------|-------------------------------|----|--|-----------------------------------|---|---|
| District: | Rongai | VCT | 0 | | Patients <u>under</u> 5 years | 0 | 0 |
| County: | Nakuru | PITC | 62 | | RDT Patients aged 5-14 yrs | 0 | 0 |
| Beginning: | 2013-10-01 | PMTCT | 23 | | Patients <u>over</u> 14 years | 0 | 0 |
| Ending: | 2013-10-31 | Blood Screening | 0 | | Patients <u>under</u> 5 years | 0 | 0 |
| | | Other (Please Specify) | 0 | | Microscopy Patients aged 5-14 yrs | 0 | 0 |
| | | Specify Here: | | | Patients <u>over</u> 14 years | 0 | 0 |

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|--|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Screening | 1 | 139 | 0 | 85 | 85 | 0 | 0 | 0 | 54 | 0 | 0 | 300 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Confirmatory | 1 | 39 | 0 | 1 | 1 | 0 | 0 | 0 | 38 | 0 | 0 | 0 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Tiebreaker | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid Syphilis Test (RPR) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Malaria Rapid Diagnostic Test (RDT) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain A | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain B | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Giemsa Stain | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Carbol Fuschin (solution) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Falcon tubes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---------------------------------------|--|
| Explanation of Losses and Adjustments | |
|---------------------------------------|--|

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|--|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| MALARIA-RELATED LABORATORY COMMODITIES | Malaria Rapid Diagnostic Test (RDT) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain A | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain B | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Glemsa Stain | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Carbol Fuschin (solution) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Falcon tubes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |



RTK FCDRR Report for Kipsyenan Dispensary November 2013
Ministry of Health
Health Commodities Management Platform

Name of Facility: Kipsyenan Dispensary **Applicable to HIV Test Kits Only** **Applicable to Malaria Testing Only**

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|--|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| MALARIA-RELATED LABORATORY COMMODITIES | Malaria Rapid Diagnostic Test (RDT) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain A | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain B | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Giemsa Stain | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Carbol Fuchsin (solution) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Falcon tubes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |



RTK FCDRR Report for Rongai Health Centre November 2013
Ministry of Health
Health Commodities Management Platform

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|-----------------------------------|----------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|--|--|
| Explanation of Losses and Adjustments | ADJUSTMENTS 300 DETERMINE APHIAPlus AND 10 UNIGOLD GIVEN TO KANDUTURA DISPENSARY |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |



RTK FCDRR Report for Mangu Dispensary(Rongai) November 2013
Ministry of Health
Health Commodities Management Platform

| Name of Facility: | Mangu Dispensary(Rongai) | Applicable to HIV Test Kits Only | | Applicable to Malaria Testing Only | | | |
|-------------------|--------------------------|----------------------------------|-------------------|------------------------------------|-------------------------------|------------------------|--------------|
| MFL Code: | 12982 | Type of Service | No. of Tests Done | Test | Category | No. of Tests Performed | No. Positive |
| District: | Rongai | VCT | 0 | RDT | Patients <u>under</u> 5 years | 0 | 0 |
| County: | Nakuru | PITC | 0 | | Patients aged 5-14 yrs | 0 | 0 |
| Beginning: | 2013-10-01 | PMTCT | 0 | | Patients <u>over</u> 14 years | 0 | 0 |
| Ending: | 2013-10-31 | Blood Screening | 0 | Microscopy | Patients <u>under</u> 5 years | 0 | 0 |
| | | Other (Please Specify) | 0 | | Patients aged 5-14 yrs | 0 | 0 |
| | | Specify Here: | | | Patients <u>over</u> 14 years | 0 | 0 |

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|------------------------------------|-------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Screening | 1 | 161 | 0 | 49 | 49 | 0 | 0 | 0 | 112 | 0 | 0 | 200 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Confirmatory | 1 | 39 | 0 | 6 | 6 | 0 | 0 | 20 | 13 | 0 | 0 | 20 |

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|--|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Tiebreaker | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid Syphilis Test (RPR) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Malaria Rapid Diagnostic Test (RDT) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain A | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain B | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Giemsa Stain | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Carbol Fuchsin (solution) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Falcon tubes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |



RTK FCDRR Report for AGC Baby Health Centre November 2013
Ministry of Health
Health Commodities Management Platform

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|-----------------------------------|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |



RTK FCDRR Report for Moricho Dispensary November 2013
Ministry of Health
Health Commodities Management Platform

| Name of Facility: | Moricho Dispensary | Applicable to HIV Test Kits Only | | Applicable to Malaria Testing Only | | | |
|-------------------|--------------------|----------------------------------|-------------------|------------------------------------|-------------------------------|------------------------|--------------|
| MFL Code: | 12982 | Type of Service | No. of Tests Done | Test | Category | No. of Tests Performed | No. Positive |
| District: | Rongai | VCT | 0 | RDT | Patients <u>under</u> 5 years | 1 | 0 |
| County: | Nakuru | PITC | 12 | | Patients aged 5-14 yrs | 0 | 0 |
| Beginning: | 2013-10-01 | PMTCT | 1 | | Patients <u>over</u> 14 years | 12 | 1 |
| Ending: | 2013-10-31 | Blood Screening | 0 | | Patients <u>under</u> 5 years | 0 | 0 |
| | | Other (Please Specify) | 0 | | Microscopy | Patients aged 5-14 yrs | 0 |
| | | Specify Here: | 0 | | Patients <u>over</u> 14 years | 0 | 0 |

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|----------|-------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
|----------|-------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|--|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Screening | 1 | 94 | 0 | 13 | 13 | 0 | 0 | 0 | 81 | 0 | 0 | 400 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Confirmatory | 1 | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 20 | 20 | 0 | 20 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Tiebreaker | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid Syphilis Test (RPR) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Malaria Rapid Diagnostic Test (RDT) | 1 | 428 | 0 | 14 | 14 | 0 | 0 | 0 | 414 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain A | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain B | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Glemsa Stain | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Carbol Fuschin (solution) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Falcon tubes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |

[illegible]

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|-----------------------------------|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |



RTK FCDRR Report for Ol-Rongai Dispensary (Rongai) November 2013
Ministry of Health
Health Commodities Management Platform

| | | | | | | | |
|--------------------------|-------------------------------|------------------------|---|---|------------------------|-------------------------------|---------------------|
| Name of Facility: | Ol-Rongai Dispensary (Rongai) | | Applicable to HIV Test Kits Only | Applicable to Malaria Testing Only | | | |
| MFL Code: | 12982 | Type of Service | No. of Tests Done | Test | Category | No. of Tests Performed | No. Positive |
| District: | Rongai | VCT | 0 | | Patients under 5 years | 12 | 2 |
| County: | Nakuru | PITC | 40 | RDT | Patients aged 5-14 yrs | 37 | 0 |
| Beginning: | 2013-10-01 | PMTCT | 10 | | Patients over 14 years | 15 | 0 |

Ending: 2013-10-31 Blood Screening 0

Patients under 5 years 0 0

Other (Please Specify) 0

Microscopy Patients aged 5-14 yrs 37 26

Specify Here: 0

Patients over 14 years 0 0

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|--|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Screening | 1 | 100 | 0 | 50 | 50 | 0 | 0 | 0 | 50 | 0 | 0 | 300 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Confirmatory | 1 | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 20 | 0 | 0 | 40 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid HIV 1+2 Test 1 - Tiebreaker | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HIV-RELATED LABORATORY COMMODITIES | Rapid Syphilis Test (RPR) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Malaria Rapid Diagnostic Test (RDT) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain A | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Field Stain B | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MALARIA-RELATED LABORATORY COMMODITIES | Giemsa Stain | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Carbol Fuchsin (solution) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Falcon tubes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|--|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |

[illegible]

| Category | Description | Unit of Issue | Beginning Balance | Quantity Received | Quantity Used | Number of Tests Done | Losses | Positive Adjustments | Negative Adjustments | Closing Stock | Quantity Expiring in 6 Months | Days Out of Stock | Quantity Requested |
|-----------------------------------|--------------------------------------|---------------|-------------------|-------------------|---------------|----------------------|--------|----------------------|----------------------|---------------|-------------------------------|-------------------|--------------------|
| TB-RELATED LABORATORY COMMODITIES | Hydrochloric acid (HCL) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Lens Tissue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Methylene Blue | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Microscopic slides | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sputum mugs (AFB Polypots with lids) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TB-RELATED LABORATORY COMMODITIES | Sulphuric acid | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|---|
| Explanation of Losses and Adjustments | |
| (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): | 0 |
| (2) F-CDRR for Laboratory Commodities (MOH 643): | 0 |
| Compiled by: | 0 |
