Turkana West district FCDRR-RTK Reports for January-2014



RTK FCDRR Report for Kakuma Mission Hospital January 2013 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kakuma Mission Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	12982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Turkana West	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Turkana	PITC	5698		Patients aged 5-14 yrs	· ·	0			
Beginning:	2013-12-01	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	2013-12-31	Blood Screening	0		5 years	0	0			
		Other (Please Specify)	0		Patients aged 5-14 yrs	· ·	0			
		Specify Here:	0		Patients <u>over</u> 14 years	0	0			

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	5434	0	5698	5698	0	3000	0	2736	0	0	4000
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	382	0	34	34	0	0	0	348	348	0	100
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Glemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	5
Compiled by:	jamada



RTK FCDRR Report for Lokichogio (AIC) Health Centre January 2013 Ministry of Health Health Commodities Management Platform

Lokichogio

Name of Facility: (AIC) Health Applicable to HIV Test Kits Only Applicable to Malaria Testing Only

Centre

MFL Code: 12982 Type of Service No. of Tests Test Category Done Category Performed No. of Tests Positive

Turkana West	VCT	500		Patients under 5 years	0	0
Turkana	PITC	3545	RDT	Patients aged 5-14 yrs	0	0
2013-12-01	PMTCT	0		Patients <u>over</u> 14 years	0	0
2013-12-31	Blood Screening	0		Patients under 5 years	0	0
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:	0		Patients <u>over</u> 14 years	0	0
	West Turkana 2013-12-01	West Turkana PITC 2013-12-01 PMTCT 2013-12-31 Blood Screening Other (Please Specify)	West VCT 500 Turkana PITC 3545 2013-12-01 PMTCT 0 2013-12-31 Blood Screening 0 Other (Please Specify) 0	West VCT 500 Turkana PITC 3545 RDT 2013-12-01 PMTCT 0 2013-12-31 Blood Screening 0 Other (Please Specify) 0 Microscopy	West VCT 500 under 5 years Turkana PITC 3545 RDT Patients aged 5-14 yrs Patients over 14 years Patients 2013-12-31 Blood Screening Other (Please Specify) Microscopy Patients aged 5-14 yrs Patients under 5 years Patients years Microscopy Patients aged 5-14 yrs Patients over Patients over Patients over	West VCT 500 under 5 years Turkana PITC 3545 RDT Patients aged 5-14 yrs Patients over 14 years Patients Patients O Patients aged 5-14 yrs Patients O Patients over O

Category	Description	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Number of Tests Done	Losses	Positive Adjustments	Negative Adjustments	Closing Stock	Quantity Expiring in 6 Months	Days Out of Stock	Quantity Requested
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Screening	1	19870	0	4045	4045	0	0	3000	12825	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Confirmatory	1	149	0	9	9	0	0	120	20	20	0	200
HIV-RELATED LABORATORY COMMODITIES	Rapid HIV 1+2 Test 1 - Tiebreaker	1	0	0	0	0	0	0	0	0	0	0	0
HIV-RELATED LABORATORY COMMODITIES	Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Malaria Rapid Diagnostic Test (RDT)	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain A	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Field Stain B	1	0	0	0	0	0	0	0	0	0	0	0
MALARIA-RELATED LABORATORY COMMODITIES	Glemsa Stain	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Carbol Fuschin (solution)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Falcon tubes	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Hydrochloric acid (HCL)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Lens Tissue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Methylene Blue	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Microscopic slides	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sputum mugs (AFB Polypots with lids)	1	0	0	0	0	0	0	0	0	0	0	0
TB-RELATED LABORATORY COMMODITIES	Sulphuric acid	1	0	0	0	0	0	0	0	0	0	0	0

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Willington