



**Ministry of Health**

---

Telephone:(020) 2630867  
Fax: (020) 2710518  
E-mail: head@nascop.or.ke  
Office Mobile: 0775-409108  
Skype: nascop.ke When replying please quote  
Ref:NASCOP/ADMIN/MARPs/2013/5

NATIONAL AIDS & STI CONTROL  
PROGRAM  
Kenyatta National Hospital  
Grounds  
P.O. Box 19361, 00202  
Nairobi

.....  
.....  
To CEO KEMSA

Dear Sir

02nd November 2013

**RE: Release of CD4 Reagents**

---

NASCOP is mandated to control HIV commodities. The purpose of this memo is to kindly request the release of CD4 reagents (FACS Calibur, FACS Count, Partec Cyflow) for Q4 2013. Please find the allocation list attached.

**Dr. William K. Maina, OGW**

Head, NASCOP.



**Ministry of Health**  
**CD4 Allocations for November, 2013**

---

Malindi District Hospital (11555)

<b>Reagent</b>	<b>Quantity</b>
Tri-TEST CD3/CD4/CD45 with TruCOUNT Tubes	91
FACS Lysing solution	5
FACS Flow solution	9
Printing Paper (A4)	82
HP Laser Jet Printer Catridge 53A	5
Vacutainer EDTA 4ml tubes	50
Yellow Pipette Tips (50 MicroL)	4560
CD4 Stabilizer tubes 5ml	32

---

Kakuma Mission Hospital (14655)

<b>Reagent</b>	<b>Quantity</b>
FACSCount Kit 50T	91
FACSCount Controls	5
FACSFlow	9
FACSClean	5
FACS Rinse	9
Thermal Paper	23
FACSCount CD4 % reagent [Peadiatric]	228
Vacutainer EDTA 4ml tubes	50
Yellow Pipette Tips (50 MicroL)	4560
CD4 Stabilizer tubes 5ml	32

---

KEMRI Alupe (12121212)

<b>Reagent</b>	<b>Quantity</b>
Tri-TEST CD3/CD4/CD45 with TruCOUNT Tubes	91
FACS Lysing solution	5
FACS Flow solution	9
Printing Paper (A4)	82
HP Laser Jet Printer Catridge 53A	5
Vacutainer EDTA 4ml tubes	50
Yellow Pipette Tips (50 MicroL)	4560
CD4 Stabilizer tubes 5ml	32
Tri-TEST CD3/CD4/CD45 with TruCOUNT Tubes	91
FACS Lysing solution	5

FACS Flow solution	9
Printing Paper (A4)	82
HP Laser Jet Printer Catridge 53A	5
Vacutainer EDTA 4ml tubes	50
Yellow Pipette Tips (50 MicroL)	4560
CD4 Stabilizer tubes 5ml	32
Tri-TEST CD3/CD4/CD45 with TruCOUNT Tubes	91
FACS Lysing solution	5
FACS Flow solution	9
Printing Paper (A4)	82
HP Laser Jet Printer Catridge 53A	5
Vacutainer EDTA 4ml tubes	50
Yellow Pipette Tips (50 MicroL)	4560
CD4 Stabilizer tubes 5ml	32
Tri-TEST CD3/CD4/CD45 with TruCOUNT Tubes	91
FACS Lysing solution	5
FACS Flow solution	9
Printing Paper (A4)	82
HP Laser Jet Printer Catridge 53A	5
Vacutainer EDTA 4ml tubes	50
Yellow Pipette Tips (50 MicroL)	4560
CD4 Stabilizer tubes 5ml	32
Tri-TEST CD3/CD4/CD45 with TruCOUNT Tubes	91
FACS Lysing solution	5
FACS Flow solution	9
Printing Paper (A4)	82
HP Laser Jet Printer Catridge 53A	5
Vacutainer EDTA 4ml tubes	50
Yellow Pipette Tips (50 MicroL)	4560
CD4 Stabilizer tubes 5ml	32

---