



## Personal access tokens

[Generate new token](#)[Revoke all](#)

Tokens you have generated that can be used to access the [GitHub API](#).

Make sure to copy your new personal access token now. You won't be able to see it again!

✓ 

[Edit](#)[Delete](#)



## Where do you store your code?



Bitbucket Cloud



Bitbucket Server



GitHub



GitHub Enterprise



Git



## Connect to Github

Jenkins needs an access key to authorize itself with Github.

[Create an access key here.](#)

.....|

Connect



Complete

Create a Pipeline Job

A green callout box with a long tail pointing left. The box is green with rounded corners and a subtle drop shadow. The text inside is white and bold.

**Copy the new  
token...**



**Paste it into  
Jenkins...**

A green speech bubble with a white shadow, pointing towards the bottom right. Inside the bubble, the text "Hit 'Go'" is written in white.

**Hit “Go”**

**GitHub**



**Jenkins**

# Create a Pipeline Job

**Jenkins**

Personal access tokens

Generate new token

Revoke all

Tokens you have generated that can be used to access the [GitHub API](#).

Make sure to copy your new personal access token now. You won't be able to see it again!

✓ 


**GitHub**

Copy the new token...

Where do you store your code?

 Bitbucket Cloud

 Bitbucket Server

 GitHub

 GitHub Enterprise

 Git

Hit "Go"

Connect to Github

Jenkins needs an access key to authorize itself with Github.  
[Create an access key here.](#)

Paste it into Jenkins...

.....

Connect

Complete

# Create a Pipeline Job



Which organization does the repository belong to?



[Redacted]



[Redacted]



[Redacted]



CodeMashJenkins



klfox



[Redacted]



[Redacted]