Removing Delegate Control






Server Manager ‣ Dashboard
Active Directory Users and Computers
File Action View Help
Active Directory Users and C
Saved Queries
corp.com
Builtin
Computers
Domain Controllers
ForeignSecurityPrinci
Keys
LostAndFound
Managed Service Acc
Program Data
System
Users
NTDS Quotas
TPM Devices
Users Properties
General Object Security Attribute Editor
Group or user names:
CREATOR OWNER
SELF
Authenticated Users
SYSTEM
ben (ben@corp.com)
Domain Admins (CORP\Domain Admins)
Add... Remove
Permissions for ben Allow Deny
Full control
Read
Write
Create all child objects
Delete all child objects
For special permissions or advanced settings, click Advanced.
Advanced
OK Cancel Apply Help
Key Admins Security Group... Members of this group ...


Recycle Bin
Best match
Server Manager
Desktop app
Apps
Windows Server Backup
server
To return to your computer, move the mouse pointer outside or press Ctrl+Alt.


Active Directory Users and Computers
File Action View Help
Active Directory Users and Com
Saved Queries
corp.com
Builtin
Computers
Domain Controllers
ForeignSecurityPrincipal
Managed Service Accou
Users
Delegate Control...
Find...
All Tasks
View
Refresh
Export List...
Properties
Help
Name Type Description
Administrator User Built-in account for ad...
Allowed RO... Security Group... Members in this group c...
ben User
Cert Publish... Security Group... Members of this group ...
Cloneable D... Security Group... Members of this group t...
DefaultAcco... User A user account manage...
Denied ROD... Security Group... Members in this group c...
Security Group... DNS Administrators Gro...
Security Group... DNS clients who are per...
Security Group... Designated administrato...
Security Group... All workstations and ser...
Security Group... All domain controllers i...
Security Group... All domain guests
Security Group... All domain users
Security Group... Designated administrato...
Security Group... Members of this group ...
Security Group... Members of this group ...
Security Group... Members in this group c...
User Built-in account for gue...
john User
Key Admins Security Group... Members of this group ...

To view schema





To register schema



To view schema





SID (Server Side)



SID (Client Side)



Via GUI




Server Manager • Dashboard
Active Directory Users and Computers
File Action View Help
Active Directory Users and Com
Saved Queries
corp.com
Builtin
Computers
Domain Controllers
ForeignSecurityPrincipals
Keys
LostAndFound
Managed Service Accour
Program Data
System
Users
NTDS Quotas
TPM Devices
Name
ben
john
ben Properties
Published Certificates
Member Of
Password Replication
Dial-in
Object
Security
Environment
Sessions
Remote control
Remote Desktop Services Profile
COM+
Attribute Editor
General
Address
Account
Profile
Telephones
Organization
User logon name:
ben
@corp.com
User logon name (pre-Windows 2000):
CORP\
ben
Logon Hours...
Log On To...
Unlock account
Account options:
User must change password at next logon
User cannot change password
Password never expires
Store password using reversible encryption
Account expires
Never
End of:
Sunday , November 15, 2026


Active Directory Users and Computers
File Action View Help
Active Directory Users and Com
Saved Queries
corp.com
Builtin
Computers
Domain Controllers
ForeignSecurityPrincipals
Keys
LostAndFound
Managed Service Accour
Program Data
System
Users
NTDS Quotas
TPM Devices
Name
ben
john
ben Properties
Published Certificates
Member Of
Password Replication
Dial-in
Object
Security
Environment
Sessions
Remote control
General
Address
Account
Profile
Telephones
Organization
Remote Desktop Services Profile
COM+
Attribute Editor
Attributes:
Attribute
Value
accountExpires
11/16/2026 12:00:00 AM India Standard Tim
accountNameHistory
aCSPolicyName
adminCount
adminDescription
adminDisplayName
altSecurityIdentities
assistant
attributeCertificateAttri...
audio
badPasswordTime
10/16/2026 9:33:00 AM India Standard Time
badPwdCount
0
businessCategory
c
<not set>
Edit
Filter
OK
Cancel
Apply
Help

SID of a group





Install & Configure Child Domain Controller






Active Directory Domain Services Configuration Wizard
Deployment Configuration
TARGET SEI
cdc.corp
Deployment Configuration
Domain Controller Options
Additional Options
Paths
Review Options
Prerequisites Check
Installation
Results
Select the deployment operation
Add a domain controller to an existing domain
Add a new domain to an existing forest
Add a new forest
Specify the domain information for this operation
Select domain type:
Child Domain
Parent domain name:
corp.com
Select...
New domain name:
IT
Supply the credentials to perform this operation
CORP\administrator (Current user)
Change...


Active Directory Domain Services Configuration Wizard
Domain Controller Options
TARGET SEI
cdc.corp
Deployment Configuration
Domain Controller Options
DNS Options
Additional Options
Paths
Review Options
Prerequisites Check
Installation
Results
Select functional level of the new domain
Domain functional level:
Windows Server 2016
Specify domain controller capabilities and site information
Domain Name System (DNS) server
Global Catalog (GC)
Read only domain controller (RODC)
Site name:
Default-First-Site-Name
Type the Directory Services Restore Mode (DSRM) password
Password:
Confirm password:


Active Directory Domain Services Configuration Wizard
Additional Options
TARGET SE
cdc.corp
Deployment Configuration
Domain Controller Options
DNS Options
Additional Options
Paths
Review Options
Prerequisites Check
Installation
Results
Verify the NetBIOS name assigned to the domain and change it if necessary
The NetBIOS domain name:
IT
More about additional options
< Previous
Next >
Install
Cance


Server Manager
Active Directory Domain Services Configuration Wizard
Prerequisites Check
TARGET SE
cdc.corp
All prerequisite checks passed successfully. Click 'Install' to begin installation.
Show more
Deployment Configuration
Domain Controller Options
DNS Options
Additional Options
Paths
Review Options
Prerequisites Check
Installation
Results
Prerequisites need to be validated before Active Directory Domain Services is installed on this computer
Rerun prerequisites check
View results
Windows Server 2016 domain controllers have a default for the security setting named "Allow cryptography algorithms compatible with Windows NT 4.0" that prevents weaker cryptography algorithms when establishing security channel sessions.
For more information about this setting, see Knowledge Base article 942564 (http://go.microsoft.com/fwlink/?LinkId=104751).
Prerequisites Check Completed
All prerequisite checks passed successfully. Click 'Install' to begin installation.
If you click Install, the server automatically reboots at the end of the promotion operation.
More about prerequisites
< Previous
Next >
Install
Cance


Active Directory Domain Services Configuration Wizard
Installation
TARGET SE
cdc.corp
Deployment Configuration
Domain Controller Options
DNS Options
Additional Options
Paths
Review Options
Prerequisites Check
Installation
Results
Progress
Checking forest upgrade status
View detailed operation results
Windows Server 2016 domain controllers have a default for the security setting named "Allow cryptography algorithms compatible with Windows NT 4.0" that prevents weaker cryptography algorithms when establishing security channel sessions.
For more information about this setting, see Knowledge Base article 942564 (http://go.microsoft.com/fwlink/?LinkId=104751).
More about installation options


dc
adc
cdc
Client1
Client2
Server Manager
Server Manager ‣ Dashboard
Active Directory Users and Computers
File Action View Help
Active Directory Users and Com
Saved Queries
IT.corp.com
Builtin
Computers
Domain Controllers
ForeignSecurityPrincipals
Managed Service Accour
Users
Name
Type
Description
Allowed RO...
Security Group...
Members in this group c...
Cert Publish...
Security Group...
Members of this group ...
Cloneable D...
Security Group...
Members of this group t...
DefaultAcco...
User
A user account manage...
Denied ROD...
Security Group...
Members in this group c...
DnsAdmins
Security Group...
DNS Administrators Gro...
DnsUpdateP...
Security Group...
DNS clients who are per...
Domain Ad...
Security Group...
Designated administrato...
Domain Co...
Security Group...
All workstations and ser...
Domain Con...
Security Group...
All domain controllers i...
Domain Gue...
Security Group...
All domain guests
Domain Users
Security Group...
All domain users
Group Polic...
Security Group...
Members in this group c...
Guest
User
Built-in account for gue...
Key Admins
Security Group...
Members of this group ...
m4
User
Protected Us...
Security Group...
Members of this group ...
RAS and IAS ...
Security Group...
Servers in this group can...
Read-only D...
Security Group...
Members of this group ...
user1
User


dc
adc
cdc
Client1
Client2
C:\Windows\system32\cmd.exe
Microsoft Windows [Version 10.0.16299.64]
(c) 2017 Microsoft Corporation. All rights reserved.
C:\Users\user1>set l
LOCALAPPDATA=C:\Users\user1\AppData\Local
LOGONSERVER=\\CDC
C:\Users\user1>


dc
adc
cdc
Client1
Client2
Server Manager
Server Manager ‣ Dashboard
Active Directory Users and Computers
File Action View Help
Active Directory Users and Com
Saved Queries
corp.com
Name
Type
Description
Builtin
builtinDomain
Computers
Container
Default container for up...
Domain Con...
Organizational...
Default container for do...
ForeignSecu...
Container
Default container for sec...
Change dom
Domain:
Save this
Browse for Domain
Domains:
corp.com
IT.corp.com
OK
Cancel



Trust Relationship:





Sharing the resource:




dc
adc
cdc
Client1
Client2
Disk Management
File Action View Help
Volume Layout Type File System Status Capacity Free Spa... % Free
(C:) Simple Basic NTFS Healthy (S... 90.23 GB 74.30 GB 82 %
data (E:) Simple Basic NTFS Healthy (P... 9.76 GB 9.73 GB 100 %
Disk 0
Basic
100.00 GB
Online
(C:)
90.23 GB NTFS
Healthy (System, Boot, Page File, Active, Crash Dump, Primary
data
9.76 GB NTFS
Healthy (Primary Partition)
CD-ROM 0
DVD (D:)
No Media
Unallocated
Primary partition


dc
adc
cdc
Client1
Client2
reports
File Home Share View
This PC › data (E:) › reports
Search reports
Quick access
Desktop
Downloads
Documents
Pictures
This PC
Network
Name Date modified Type Size
loss 10/16/2026 12:05 PM Text Document
profit 10/16/2026 12:05 PM Text Document
2 items 1 item selected 0 bytes


dc
adc
cdc
Client1
Client2
C:\Windows\system32\cmd.exe
Microsoft Windows [Version 10.0.16299.64]
(c) 2017 Microsoft Corporation. All rights reserved.
C:\Users\user1>set l
LOCALAPPDATA=C:\Users\user1\AppData\Local
LOGONSERVER=\\CDC
C:\Users\user1>whoami
it\user1
C:\Users\user1>


dc
adc
cdc
Client1
Client2
Recycle Bin
192.168.1.1
File
Home
Share
View
\\192.168.1.1
Search 192.168.1.1
Quick access
Desktop
Downloads
Documents
Pictures
Music
Videos
OneDrive
This PC
Network
netlogon
sysvol
2 items


dc
adc
cdc
Client1
Client2
data (E:)
File
Home
Share
View
This PC
data (E:)
Quick access
Desktop
Downloads
Documents
Pictures
This PC
Network
Name
reports
Size
reports Properties
General
Sharing
Security
Previous Versions
Customize
Object name: E:\reports
Group or user names:
CREATOR OWNER
SYSTEM
Administrators (CORP\Administrators)
Users (CORP\Users)
To change permissions, click Edit.
Edit...
Permissions for CREATOR OWNER
Allow
Deny
Full control
Modify
Read & execute
List folder contents
Read
Write
For special permissions or advanced settings, click Advanced.
Advanced
OK
Cancel
Apply


dc
adc
cdc
Client1
Client2
data (E:)
File
Home
Share
View
This PC
data (E:)
Quick access
Desktop
Downloads
Documents
Pictures
This PC
Network
Name
reports
Size
reports Properties
General
Sharing
Security
Previous Versions
Customize
Advanced Sharing
Share this folder
Settings
Share name:
reports
Add
Remove
Limit the number of simultaneous users to:
16777
Comments:
Permissions
Caching
OK
Cancel
Apply
OK
Cancel
Apply


dc
adc
cdc
Client1
Client2
data (E:)
File
Home
Share
View
This PC
data (E:)
Quick access
Desktop
Downloads
Documents
Pictures
This PC
Network
Name
reports
1 item
1 item selected
Select Users, Computers, Service Accounts, or Groups
Select this object type:
Users, Groups, or Built-in security principals
Object Types...
From this location:
corp.com
Locations...
Common Queries
Name:
Starts with
Description:
Starts with
Disabled accounts
Non expiring password
Days since last logon:
Columns...
Find Now
Stop
OK
Cancel
Search results:
Name
E-Mail Address
Description
In Folder
Access Contr...
corp.com/Builtin
Account Oper...
corp.com/Builtin
Administrator
Built-in account f...
corp.com/Users
Administrators
corp.com/Builtin
Allowed ROD...
Members in this ...
corp.com/Users
ANONYMOU...
Authenticated...
Authenticatio...
Backup Oper...
corp.com/Builtin
BATCH


dc
adc
cdc
Client1
Client2
data (E:)
File
Home
Share
View
This PC
data (E:)
Quick access
Desktop
Downloads
Documents
Pictures
This PC
Network
Name
Size
reports
reports Properties
General
Sharing
Security
Previous Versions
Customize
Permissions for reports
Share Permissions
Group or user names:
Administrators (CORP\Administrators)
Add...
Remove
Permissions for Administrators
Allow
Deny
Full Control
Change
Read
OK
Cancel
Apply


dc
adc
cdc
Client1
Client2
data (E:)
File
Home
Share
View
This PC
data (E:)
Quick access
Desktop
Downloads
Documents
Pictures
This PC
Network
Name
reports
reports Properties
General
Sharing
Security
Previous Versions
Customize
Permissions for reports
Share Permissions
Group or user names:
Administrators (CORP\Administrators)
Add...
Remove
Permissions for Administrators
Allow
Deny
Full Control
Change
Read
OK
Cancel
Apply


dc
adc
cdc
Client1
Client2
data (E:)
File
Home
Share
View
This PC
data (E:)
Quick access
Desktop
Downloads
Documents
Pictures
This PC
Network
Name
reports
reports Properties
General
Sharing
Security
Previous Versions
Customize
Permissions for reports
Select Users, Computers, Service Accounts, or Groups
Select this object type:
Users or Groups
Object Types...
From this location:
IT.corp.com
Locations...
Enter the object names to select (examples):
Check Names
Advanced...
OK
Cancel
Read
OK
Cancel
Apply


dc
adc
cdc
Client1
Client2
data (E:)
File
Home
Share
View
This PC › data (E:)
Quick access
Desktop
Downloads
Documents
Pictures
This PC
Network
Name
reports
reports Properties
General
Sharing
Security
Previous Versions
Customize
Permissions for reports
Share Permissions
Group or user names:
Administrators (CORP\Administrators)
user1 (user1@IT.corp.com)
Add...
Remove
Permissions for user1
Allow
Deny
Full Control
Change
Read
OK
Cancel
Apply


dc
adc
cdc
Client1
Client2
Recycle Bin
192.168.1.1
File
Home
Share
View
Network › 192.168.1.1 ›
Search 192.168.1.1
Quick access
Desktop
Downloads
Documents
Pictures
Music
Videos
OneDrive
This PC
Network
netlogon
reports
sysvol
3 items


dc
adc
cdc
Client1
Client2
Recycle Bin
reports
File
Home
Share
View
Network › 192.168.1.1 › reports
Search reports
Quick access
Desktop
Downloads
Documents
Pictures
Music
Videos
OneDrive
This PC
Network
Name
Date modified
Type
Size
loss
10/16/2026 12:05 ...
Text Document
0 KB
profit
10/16/2026 12:05 ...
Text Document
0 KB
2 items


dc
adc
cdc
Client1
Client2
Recycle Bin
reports
File
Home
Share
View
Network › 192.168.1.1 › reports
Search reports
Quick access
Desktop
Downloads
Documents
Pictures
Music
Videos
OneDrive
This PC
Network
Name
Date modified
Type
Size
loss
10/16/2026 12:05 ...
Text Document
0 KB
profit
10/16/2026 12:05 ...
Text Document
0 KB
Destination Folder Access Denied
You need permission to perform this action
reports
Try Again
Cancel
2 items

Checking shared folders






dc
adc
cdc
Client1
Client2
This PC
File
Computer
View
This PC
Quick access
Desktop
Downloads
Documents
Pictures
Music
Videos
OneDrive
This PC
Network
Folders (7)
3D Objects
Desktop
Documents
Downloads
Videos
Devices and drives (2)
Local Disk (C:)
47.2 GB free of 59.9 GB
DVD Drive (D:)
Windows Security
Enter network credentials
Enter your credentials to connect to: 192.168.1.1
corp\administrator
Domain: corp
Remember my credentials
Access is denied.
OK
Cancel


dc
adc
cdc
Client1
Client2
c$
File
Home
Share
View
Network
192.168.1.1
c$
Quick access
Desktop
Downloads
Documents
Pictures
Music
Videos
OneDrive
This PC
Network
Name
Date modified
Type
Logs
9/12/2016 5:05 PM
File folder
PerfLogs
7/16/2016 6:53 PM
File folder
Program Files
10/15/2026 9:36 AM
File folder
Program Files (x86)
10/15/2026 10:04 ...
File folder
Users
10/15/2026 4:01 PM
File folder
Windows
10/15/2026 12:37 ...
File folder

Hiding files







Demote/Remove ADDS: Manage--→Remove files





If errors comes during pre-requisite then use force!





After demoting restart will happen, then remove with same steps!





Connecting to corp.com:-





ADC/BDC (Demonstrate the working of Intra-Site Replication)

For ADDS, same steps! And then do promote:-






dc
adc
cdc
Client1
Client2
Server Manager
Server Manager ‣ Local Server
Administrator: C:\Windows\system32\cmd.exe
Microsoft Windows [Version 10.0.14393]
(c) 2016 Microsoft Corporation. All rights reserved.
C:\Users\administrator.CORP>net accounts
Force user logoff how long after time expires?: Never
Minimum password age (days): 1
Maximum password age (days): 42
Minimum password length: 7
Length of password history maintained: 24
Lockout threshold: Never
Lockout duration (minutes): 120
Lockout observation window (minutes): 120
Computer role: BACKUP
The command completed successfully.
C:\Users\administrator.CORP>


dc
adc
cdc
Client1
Client2
Server Manager
Server Manager ‣ AD DS
Active Directory Users and Computers
File Action View Help
Active Directory Users and Com
Saved Queries
corp.com
Builtin
Computers
Domain Controllers
ForeignSecurityPrincipal
Managed Service Accour
Users
Name Type DC Type Site Description
ADC Computer GC Default-First-Si...
DC Computer GC Default-First-Si...


dc
adc
cdc
Client1
Client2
Server Manager
Server Manager ▸ Local Server
Active Directory Users and Computers
File Action View Help
Active Directory Users and Com
Saved Queries
corp.com
Builtin
Computers
Domain Controllers
ForeignSecurityPrincipals
Managed Service Accour
Users
Name Type Description
Domain Con... Security Group... All domain controllers i...
Domain Gue... Security Group... All domain guests
Domain Users Security Group... All domain users
Enterprise A... Security Group... Designated administrato...
Enterprise K... Security Group... Members of this group ...
Enterprise R... Security Group... Members of this group ...
Group Polic... Security Group... Members in this group c...
Guest User Built-in account for gue...
HR Security Group...
john User
Key Admins Security Group... Members of this group ...
m4 User
myth User
Protected Us... Security Group... Members of this group ...
RAS and IAS ... Security Group... Servers in this group can...
Read-only D... Security Group... Members of this group ...
Schema Ad... Security Group... Designated administrato...
smith User
sumit User Employee
tom User

Creating user in DC & verifying it in ADC





Disabling DC to check ADC working:-



Trying to login as corp\administrator




dc
adc
cdc
Client1
Client2
Recycle Bin
Run
Type the name of a program, folder, document, or Internet resource, and Windows will open it for you.
Open:
ncpa.cpl
This task will be created with administrative privileges.
OK
Cancel
Browse...


dc
adc
cdc
Client1
Client2
Recycle Bin
Network Connections
Control Panel › Network and Internet › Network Connections
Organize
Disable this network device
Diagnose this connection
Rename this connection
View status of this connection
Ethernet0
corp.com
Intel(R) 82574L Gigabit Net...
Ethernet0 Properties
Internet Protocol Version 4 (TCP/IPv4) Properties
General
You can get IP settings assigned automatically if your network supports this capability. Otherwise, you need to ask your network administrator for the appropriate IP settings.
Obtain an IP address automatically
Use the following IP address:
IP address: 192 . 168 . 1 . 4
Subnet mask: 255 . 255 . 255 . 0
Default gateway:
Obtain DNS server address automatically
Use the following DNS server addresses:
Preferred DNS server: 192 . 168 . 1 . 1
Alternate DNS server: 192 . 168 . 1 . 2
Validate settings upon exit
Advanced...
OK
Cancel
1 item
1 item selected


dc
adc
cdc
Client1
Client2
Other user
corp\same
Sign in to: corp
How do I sign in to another domain?
CORP\administrator
ben
IT\administrator
Other user


dc
adc
cdc
Client1
Client2
C:\Windows\system32\cmd.exe
Microsoft Windows [Version 10.0.16299.64]
(c) 2017 Microsoft Corporation. All rights reserved.
C:\Users\same>set l
LOCALAPPDATA=C:\Users\same\AppData\Local
LOGONSERVER=\\ADC
C:\Users\same>

Distinguished Name






dc - VMware Workstation
116.74.252.91
File Edit View VM Tabs Help
Library
Type here to sear...
My Computer
Linux
Windows
cdc
Client2
adc
Client1
dc
Home
dc
adc
Client1
Select Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) 2016 Microsoft Corporation. All rights reserved.
PS C:\Users\Administrator> Get-ADUser -Identity smith
DistinguishedName : CN=smith,CN=Users,DC=corp,DC=com
Enabled : True
GivenName : smith
Name : smith
ObjectClass : user
ObjectGUID : 26c5e9db-447a-4371-b4fd-3327b6a24350
SamAccountName : smith
SID : S-1-5-21-1653072252-835992033-4179778039-1114
Surname :
UserPrincipalName : smith@corp.com
PS C:\Users\Administrator> dsadd user "cn=James,cn=users,dc=corp,dc=com"
dsadd succeeded:cn=James,cn=users,dc=corp,dc=com
PS C:\Users\Administrator> Get-ADUser -Identity james
DistinguishedName : CN=James,CN=Users,DC=corp,DC=com
Enabled : False
GivenName :
Name : James
ObjectClass : user
ObjectGUID : 6fcfa18f-e440-435a-9357-f564a91154ed
SamAccountName : James
SID : S-1-5-21-1653072252-835992033-4179778039-1121
Surname :
UserPrincipalName :
PS C:\Users\Administrator>


dc - VMware Workstation
116.74.252.91
File Edit View VM Tabs Help
Library
Type here to sear...
My Computer
Linux
Windows
cdc
Client2
adc
Client1
dc
Home
dc
adc
Client1
Administrator: Windows PowerShell
PS C:\Users\Administrator> dsadd user "cn=Sarah,cn=users,dc=corp,dc=com" -pwd * -disabled no
Enter User Password:
Confirm user password:
dsadd succeeded:cn=Sarah,cn=users,dc=corp,dc=com
PS C:\Users\Administrator> Get-ADUser -Identity Sarah
DistinguishedName : CN=Sarah,CN=Users,DC=corp,DC=com
Enabled : True
GivenName :
Name : Sarah
ObjectClass : user
ObjectGUID : 948942aa-7cc6-4203-bd7d-9b01342b0b66
SamAccountName : Sarah
SID : S-1-5-21-1653072252-835992033-4179778039-1122
Surname :
UserPrincipalName :
PS C:\Users\Administrator> dsmod user "cn=James,cn=users,dc=corp,dc=com" -pwd * -disabled no
Enter User Password:
Confirm user password:
dsmod succeeded:cn=James,cn=users,dc=corp,dc=com
PS C:\Users\Administrator>

Flexible Single Master Operation question should be done at the end in the exam because it could make server permanently down!



Role Transfer

Method 1:-

Primary Server:-





Type all 5 transfer commands one by one and after that type quit 2 times.

Command lines for above task:-

```
ntdsutil

roles
connections
connect to server adc
quit
?

transfer  schema master
transfer naming master
transfer pdc
transfer rid master
transfer infrastructure master
quit
quit


c:\>net accounts                          backup
 netdom query fsmo                        adc.corp.com
```

To make dc machine as primary again, same process should be done in adc.

Method 2:-

PDCEmulator	0
RIDMaster	1
InfrastructureMaster	2
SchemaMaster	3
DomainNamingMaster	4





Method 3:- Through GUI

Process should be done at Backup Side.

For RID, PDC, Infrastructure:-



For next 2 roles:-





In run menu, type mmc.






adc - VMware Workstation
116.74.252.91
File Edit View VM Tabs Help
Library
Type here to search
My Computer
Server1
Client1
Linux1
CGServer1
Windows_exam
Linux_exam
Server_Bhandarkar
Linux-Server1
bhandarkar_3666
RHEL-Server1
RHEL-Client1
RHELPracServer
Janhvi_Client
Janhvi_Server
dc
adc
cdc
WinClient1
WinClient2
Home
dc
adc
WinClient1
WinClient2
File Action View Favorites Window Help
Console Root
Active Directory Schema [dc.
Classes
Attributes
Name
Classes
Attributes
Actions
Change Schema Master
The schema master manages modifications to the schema. Only one server in the enterprise performs this role.
Current schema master (online):
dc.corp.com
To transfer the schema master role to the targeted schema FSMO holder below, click Change.
Change
dc.corp.com
Close
Help


adc - VMware Workstation
116.74.252.91
File Edit View VM Tabs Help
Library
Type here to search
My Computer
Server1
Client1
Linux1
CGServer1
Windows_exam
Linux_exam
Server_Bhandarkar
Linux-Server1
bhandarkar_3666
RHEL-Server1
RHEL-Client1
RHELPracServer
Janhvi_Client
Janhvi_Server
dc
adc
cdc
WinClient1
WinClient2
Home
dc
adc
WinClient1
WinClient2
Administrator: C:\Windows\system32\cmd.exe
Microsoft Windows [Version 10.0.14393]
(c) 2016 Microsoft Corporation. All rights reserved.
C:\Users\administrator.CORP>regsvr32 schmmgmt.dls
C:\Users\administrator.CORP>regsvr32 schmmgmt.dll
C:\Users\administrator.CORP>net accounts
Force user logoff how long after time expires?: Never
Minimum password age (days): 1
Maximum password age (days): 42
Minimum password length: 7
Length of password history maintained: 24
Lockout threshold: Never
Lockout duration (minutes): 120
Lockout observation window (minutes): 120
Computer role: PRIMARY
The command completed successfully.
C:\Users\administrator.CORP>netdom query fsmo
Schema master adc.corp.com
Domain naming master adc.corp.com
PDC adc.corp.com
RID pool manager adc.corp.com
Infrastructure master adc.corp.com
The command completed successfully.
C:\Users\administrator.CORP>

Data Backup & Restore:-

Login as administrator on client







Cerate a folder in dc machine



Add roles and features (For installing **windows server backup**)





Or

wbadmin.msc in run menu


dc - VMware Workstation
116.74.252.91
File Edit View VM Tabs Help
Library
Type here to sear...
My Computer
Linux
Windows
RODC
Client2
adc
Client1
dc
Home
dc
Client1
wbadmin - [Windows Server Backup (Local)]
File Action View Help
Windows Server Backup (L
Local Backup
Windows Server Backup (Local)
Backup your important data to a local or online location
Local Backup
Last Backup Status:
Next Backup Time:
Number of available backups:
Online Backup
You can subscribe to Microsoft Azure Backup to backup your critical data automatically.
Learn more about using Microsoft Azur
Actions
Windows Server Backup (Local)
View
Help
6:44 PM
10/22/2026
o return to your computer, move the mouse pointer outside or press Ctrl+Alt.
ENG
15:17
19-10-2026


dc - VMware Workstation
116.74.252.91
File Edit View VM Tabs Help
Library
Type here to sear...
My Computer
Linux
Windows
RODC
Client2
adc
Client1
dc
Home
dc
Client1
wbadmin - [Windows Server Backup (Local)\Local Backup]
File Action View Help
Windows Server Backup (L
Local Backup
Local Backup
You can perform a single backup or schedule a regular backup using this application.
No backup has been configured for this computer. Use the Backup Schedule Wizard or the Backup Once Wizard to perform a
Messages (Activity from last week, double click on the message to see details)
Time
Message
Description
Status
Last Backup
Status:
Time:
View details
Next Backup
Status:
Time:
View details
All Backups
Total backups:
Latest copy:
Oldest copy:
Actions
Local Backup
Backup Schedule...
Backup Once...
Recover...
Configure Performance S...
View
Help


dc - VMware Workstation
File Edit View VM Tabs Help
Library
Type here to sear...
My Computer
Linux
Windows
RODC
Client2
adc
Client1
dc
Home
dc
Client1
wbadmin - [Windows Server Backup (Local)\Local Backup]
File Action View Help
Windows Server Backup (L
Local Backup
Local Backup
Backup Schedule...
Backup Once...
Recover...
Configure Performance Settings...
View
Help
Message


dc - VMware Workstation
116.74.252.91
Backup Once Wizard
Select Items for Backup
Backup Options
Select Backup Configurat...
Select Items for Backup
Specify Destination Type
Confirmation
Backup Progress
Select the items that you want to back up. Selecting bare metal recovery will provide you with the most options if you need to perform a recovery.
Name
Add Items
Advanced Settings
< Previous
Next >
Backup
Cancel
Actions
Local Backup
Backup Schedule...
Backup Once...
Recover...
Configure Performance S...
View
Help


dc - VMware Workstation
116.74.252.91
Backup Once Wizard
Select Items for Backup
Select Items
Specify items to include in the backup by selecting or clearing the associated check boxes. The items that you have included in the current backup are already selected.
Bare metal recovery
System state
Local disk (C:)
data (E:)
$RECYCLE.BIN
exam
Reports
Data.txt
Loss.txt
Profit.txt
OK
Cancel
Actions
Local Backup
Backup Once...
Recover...
View
Help


dc - VMware Workstation
116.74.252.91
Backup Once Wizard
Select Items for Backup
Backup Options
Select Backup Configurat...
Select Items for Backup
Specify Destination Type
Confirmation
Backup Progress
Select the items that you want to back up. Selecting bare metal recovery will provide you with the most options if you need to perform a recovery.
Name
E:\Reports
Add Items
Remove Items


dc - VMware Workstation
116.74.252.91
File Edit View VM Tabs Help
Library
Type here to sear...
My Computer
Linux
Windows
RODC
Client2
adc
Client1
dc
Home
dc
Client1
wbadmin - [Windows Server Backup (Local)\Local Backup]
File Action View Help
Windows Server Backup (I
Local Backup
Backup Once Wizard
Specify Destination Type
Backup Options
Select Backup Configurat...
Select Items for Backup
Specify Destination Type
Specify Remote Folder
Confirmation
Backup Progress
Choose the type of storage for the backup:
Local drives
Example: local disk (D:), DVD drive (E:)
Remote shared folder
Example: \\MyFileServer\SharedFolderName
< Previous
Next >
Backup
Cancel
Actions
Local Backup
Backup Once...
Recover...
Configure Per
View
Help
Status
Last Ba
Status:
Time:


dc - VMware Workstation
116.74.252.91
File Edit View VM Tabs Help
Library
Type here to sear...
My Computer
Linux
Windows
RODC
Client2
adc
Client1
dc
Home
dc
Client1
wbadmin - [Windows Server Backup (Local)\Local Backup]
File Action View Help
Windows Server Backup (I
Local Backup
Backup Once Wizard
Specify Remote Folder
Backup Options
Select Backup Configurat...
Select Items for Backup
Specify Destination Type
Specify Remote Folder
Confirmation
Backup Progress
Location:
\\192.168.1.4\backup
Example: \\MyFileServer\SharedFolderName
A folder named 'WindowsImageBackup' will be created inside the specified share to store the backup.
Access control
Do not inherit
This option makes the backup accessible only for the user whose credentials are provided in the next step.
Inherit
This option makes the backup accessible to everybody who has access to the specified remote shared folder.
The backed up data cannot be securely protected for this destination.
More Information
< Previous
Next >
Backup
Cancel
Actions
Local Backup
Backup Schedule...
Backup Once...
Recover...
Configure Perform
View
Help
Status
Last Ba
Status:
Time:





Backup part is completed. To restore, delete the reports folder which is backed up.


dc - VMware Workstation
116.74.252.91
File Edit View VM Tabs Help
Library
Type here to sear...
My Computer
Linux
Windows
RODC
Client2
adc
Client1
dc
Home
dc
Client1
wbadmin - [Windows Server
File Action View Help
Windows Server Backup (I
Local Backup
Recovery Wizard
Getting Started
Getting Started
Specify Location Type
Select Backup Location
Select Backup Date
Select Recovery Type
Select Items to Recover
Specify Recovery Options
Confirmation
Recovery Progress
You can use this wizard to recover files, applications, volumes, or the system state from a backup that was created earlier.
Where is the backup stored that you want to use for the recovery?
This server (DC)
A backup stored on another location
To continue, click Next.
< Previous
Next >
Recover
Cancel
Actions
Local Backup
Backup Sched
Backup Once...
Recover...
Configure Perf
View
Help


dc - VMware Workstation
116.74.252.91
File Edit View VM Tabs Help
Library
Type here to sear...
My Computer
Linux
Windows
RODC
Client2
adc
Client1
dc
Home
dc
Client1
wbadmin - [Windows Server
File Action View Help
Windows Server Backup (I
Local Backup
Recovery Wizard
Specify Location Type
Getting Started
Specify Location Type
Specify Remote Folder
Select Backup Date
Select Recovery Type
Select Items to Recover
Specify Recovery Options
Confirmation
Recovery Progress
What is the location type where the backup is stored?
Local drives
Example: local disk (D:), DVD drive (E:)
Remote shared folder
Example: \\MyFileServer\SharedFolderName
< Previous
Next >
Recover
Cancel
Actions
Local Back
Backu
Backu
Recov
Confi
View
Help

dc - VMware Workstation
116.74.252.91
File Edit View VM Tabs Help
Library
Type here to sear...
My Computer
Linux
Windows
RODC
Client2
adc
Client1
dc
Home
dc
Client1
wbadmin - [Windows Server
File Action View Help
Windows Server Backup (I
Local Backup
Recovery Wizard
Specify Remote Folder
Getting Started
Specify Location Type
Specify Remote Folder
Select Backup Date
Select Recovery Type
Type the Universal Naming Convention (UNC) path to the remote backup that you want to use.
\\192.168.1.4\backup
Example: \\MyFileServer\SharedFolderName





Pending:- Replication

BMR (DC machine should be off)

Don’t give iso at first!






dc - VMware Workstation
116.74.252.91
File Edit View VM Tabs Help
Library
Type here to sear...
My Computer
Linux
Windows
SecondaryDNS
rodc
Client2
adc
Client1
dc
BMR
Home
dc
Client1
SecondaryDNSServer
BMR
wbadmin - [Windows Server Back
File Action View Help
Windows Server Backup (l
Local Backup
dc
File Home Share View
This PC › BMR (E:) › WindowsImageBackup › dc ›
Search dc
Quick access
Desktop
Downloads
Documents
Pictures
BMR (E:)
System32
This PC
Network
Name
Date modified
Type
Size
Backup 2026-10-24 103137
10/24/2026 4:03 PM
File folder
Catalog
10/24/2026 4:03 PM
File folder
Logs
10/24/2026 4:03 PM
File folder
SPPMetadataCache
10/24/2026 4:03 PM
File folder
MediaId
10/24/2026 4:01 PM
File
5 items


BMR-test - VMware Workstation
File Edit View VM Tabs Help
116.74.252.91
Hardware Options
Device Summary
Memory 2 GB
Processors 1
Hard Disk (NVMe) 100 GB
CD/DVD (SATA) Auto detect
Network Adapter
USB Controller
Sound Card
Display
Device status
Connected
Connect at power on
Network connection
Add Hardware Wizard
Select a Disk
Which disk do you want to use?
Disk
Create a new virtual disk
A virtual disk is composed of one or more files on the host file system, which will appear as a single hard disk to the guest operating system. Virtual disks can easily be copied or moved on the same host or between hosts.
Use an existing virtual disk
Choose this option to reuse a previously configured disk.
Use a physical disk (for advanced users)
Choose this option to give the virtual machine direct access to a local hard disk. Requires administrator privileges.
< Back
Next >
Cancel
Add...
Remove
OK
Cancel
Help
Library
Type here to sear...
My Computer
Linux
Windows
BMR-test
Home
dc
BMR-test
Power on this virtual machi
Edit virtual machine setting
Devices
Memory
Processors
Hard Disk (NVMe)
CD/DVD (SATA)
Network Adapter
USB Controller
Sound Card
Display
Description
Type here to enter a descriptio
machine.


BMR-test - VMware Workstation
File Edit View VM Tabs Help
116.74.252.91
Hardware Options
Device Summary
Memory 2 GB
Processors 1
Hard Disk (NVMe) 100 GB
CD/DVD (SATA) Auto detect
Network Adapter
USB Controller
Sound Card
Display
Device status
Connected
Connect at power on
Network connection
Add Hardware Wizard
Browse for Existing Disk
Virtual Machines › Server1 ›
Search Server1
Organize
New folder
Videos
OneDrive
This PC
3D Objects
Desktop
Documents
Downloads
Music
Pictures
Videos
Local Disk (C:)
Name
Date modified
caches 10-09-2026 12:16
Server1.vmx.lck 21-10-2026 11:22
Server1 19-10-2026 09:32
Server1-0 12-09-2026 23:11
Server1-1 12-09-2026 12:19
Server1-000002 21-10-2026 11:28
Server1-2 12-09-2026 23:11
Server1-3 12-09-2026 23:11
Server1-4 21-10-2026 11:28
File name: Server1-4
VMware virtual disks (*.vmdk)
Open
Cancel
OK
Cancel
Help
Library
Type here to sear...
My Computer
Linux
Windows
BMR-test
Home
dc
BMR-test
Power on this virtual machi
Edit virtual machine setting
Devices
Memory
Processors
Hard Disk (NVMe)
CD/DVD (SATA)
Network Adapter
USB Controller
Sound Card
Display
Description
Type here to enter a descriptio
machine.


BMR-test - VMware Workstation
File Edit View VM Tabs Help
Library
Type here to sear...
My Computer
Linux
Windows
BMR-test
Home
dc
BMR-test
Power on this virtual machi
Edit virtual machine setting
Devices
Memory
Processors
Hard Disk (NVMe)
CD/DVD (SATA)
Network Adapter
USB Controller
Sound Card
Display
Description
Type here to enter a descriptic
machine.
116.74.252.91
Hardware Options
Device
Summary
Memory 2 GB
Processors 1
Hard Disk (NVMe) 100 GB
New Hard Disk (NVMe)
CD/DVD (SATA) Auto detect
Network Adapter NAT
USB Controller Present
Sound Card Auto detect
Display Auto detect
Add...
Remove
Disk file
C:\Users\m28\Documents\Virtual Machines\Server1\Server1-4.vmdk
Capacity
Current size: 11.6 GB
System free: 196.7 GB
Maximum size: 120 GB
Disk information
Disk space is not preallocated for this hard disk.
Hard disk contents are stored in a single file.
Disk utilities
Defragment files and consolidate free space.
Defragment
Expand disk capacity.
Expand...
Compact disk to reclaim unused space.
Compact
Advanced...
OK
Cancel
Help


BMR-test - VMware Workstation
116.74.252.91
File Edit View VM Tabs Help
Library
Type here to sear...
My Computer
Linux
Windows
BMR-test
Home
dc
Client1
SecondaryDNSServer
Windows
BMR-test
BMR-test
Power on this virtual machine
Edit virtual machine settings
Devices
Memory 2 GB
Processors 1
Hard Disk (NVMe) 100 GB
Hard Disk 2 (NVMe) 120 GB
CD/DVD (SATA) Auto detect
Network Adapter NAT
USB Controller Present
Sound Card Auto detect
Display Auto detect
Description
Type here to enter a description of this virtual machine.
Virtual Machine Details
State: Powered off
Configuration file: C:\Users\m28\Documents\Virtual Machines\BMR-test\BMR-test.vmx
Hardware compatibility: Workstation 17.5 or later virtual machine
Primary IP address: Network information is not available

Give iso now!



Repair your computer!




BMR-test - VMware Workstation
116.74.252.91
File Edit View VM Tabs Help
Library
Type here to sear...
My Computer
Linux
Windows
BMR-test
Home
dc
Client1
SecondaryDNSServer
Windows
BMR-test
Advanced options
System Restore
Use a restore point recorded on your PC to restore Windows
Command Prompt
Use the Command Prompt for advanced troubleshooting
System Image Recovery
Recover Windows using a specific system image file
Go back to the previous build
Startup Repair
Fix problems that keep Windows from loading


BMR-test - VMware Workstation
116.74.252.91
File Edit View VM Tabs Help
Library
Type here to sear...
My Computer
Linux
Windows
BMR-test
Home
dc
Client1
SecondaryDNSServer
Windows
BMR-test
Re-image your computer
Select a system image backup
This computer will be restored using the system image. Everything on this computer will be replaced with the information in the system image.
Troubleshooting information for BMR:
Use the latest available system image (recommended)
Location:
Date and time:
Computer:
Select a system image
< Back
Next >
Cancel





Both DC & BMR-test shouldn't be running at same time!

OU & Group Policy






dc - VMware Workstation
116.74.252.91
File Edit View VM Tabs Help
Library
Type here to sear...
My Computer
Linux
Windows
SecondaryDNS
rodc
Client2
adc
Client1
dc
Home
dc
Client1
Client2
SecondaryDNSServer
New Object - Organizational Unit
Create in: corp.com/
Name:
HR
Protect container from accidental deletion
OK
Cancel
Help


dc - VMware Workstation
116.74.252.91
File Edit View VM Tabs Help
Library
Type here to sear...
My Computer
Linux
Windows
SecondaryDNS
rodc
Client2
adc
Client1
dc
Home
dc
Client1
Client2
SecondaryDNSServer
Active Directory Users and Computers
File Action View Help
Active Directory Users and Com
Saved Queries
corp.com
Builtin
Computers
Domain Controllers
ForeignSecurityPrincipal
Managed Service Accour
Users
Helpdesk
Name
Type
Description
There are no items to show in this view.
Delegate Control...
Move...
Find...
New
All Tasks
Refresh
View
Arrange Icons
Line up Icons
Properties
Help
Computer
Contact
Group
InetOrgPerson
msDS-ShadowPrincipalContainer
mslmaging-PSPs
MSMQ Queue Alias
Organizational Unit
Printer
User
Shared Folder
Create a new object...

Users can be moved from users to newly created OU.



Deleting OU with protected privilege:-

Firstly do the select view>>advanced features




Home
dc
Client1
Client2
SecondaryDNSServer
Active Directory Users and Computers
File Action View Help
corp.com Properties
General Managed By Object Security Attribute Editor
Group or user names:
Everyone
CREATOR OWNER
SELF
Authenticated Users
SYSTEM
Permissions for Everyone
Allow
Deny
Full control
Read
Write
Create all child objects
Delete all child objects
Advanced
OK
Cancel
Apply


Server Manager
Server Manager ▸ Dashboard
Manage
Dashboard
Local Server
All Servers
AD DS
DNS
File and Storage Services
WELCOME TO SERVER MANAGER
QUICK START
WHAT'S NEW
LEARN MORE
Run
Type the name of a program, folder, document, or Internet resource, and Windows will open it for you.
Open:
gpmc.ms
This task will be created with administrative privileges.
OK
Cancel
Browse...
Connect this server to cloud services

gpmc.msc


Home
dc
Client1
Client2
SecondaryDNSServer
Server Manager
Server Manager • Dashboard
Manage
Dashboard
Local Server
All Servers
AD DS
DNS
File and Storag
Group Policy Management
File Action View Window Help
Group Policy Management
Forest: corp.com
Domains
corp.com
Default Domain Policy
Domain Controllers
Default Domain Controllers Policy
Helpdesk
Group Policy Objects
WMI Filters
Starter GPOs
Sites
Group Policy Modeling
Group Policy Results
Default Domain Controllers Policy
Scope Details Settings Delegation
Links
Display links in this location: corp.com
The following sites, domains, and OUs are linked to this GPO:
Location Enforced Link Enable
Domain Controllers No Yes
Security Filtering
The settings in this GPO can only apply to the following groups, users, and compu
Name
Authenticated Users
Add... Remove
WMI Filtering
This GPO is linked to the following WMI filter:


Home
dc
Client1
Client2
SecondaryDNSServer
Group Policy Management
File Action View Window Help
Group Policy Management
Forest: corp.com
Domains
corp.com
Default Domain Policy
Domain Controllers
Helpdesk
Group Policy Objects
WMI Filters
Starter GPOs
Sites
Group Policy Modeling
Group Policy Results
Default Domain Policy
Scope Details Settings Delegation
Default Domain Policy
Data collected on: 10/24/2026 4:32:54 PM
Computer Configuration (Enabled)
Policies
Windows Settings
Security Settings
Account Policies/Password Policy
Policy Setting
Enforce password history 24 passwords remembered
Maximum password age 42 days
Minimum password age 1 days
Minimum password length 7 characters
Password must meet complexity requirements Enabled
Store passwords using reversible encryption Disabled
Account Policies/Account Lockout Policy
Policy Setting
Account lockout threshold 0 invalid logon attempts
Account Policies/Kerberos Policy

Creation group policy could be done by the below or it can be done by creating new in Group Policy Object folder.






Home
dc
Client1
Client2
SecondaryDNSServer
Group Policy Management
File Action View Window Help
Group Policy Management
Forest: corp.com
Domains
corp.com
Default Domain Policy
Domain Controllers
Helpdesk
Group Policy Objects
Default Domain Controllers Policy
Default Domain Policy
No RB for John
WMI Filters
Starter GPOs
Sites
Group Policy Modeling
Group Policy Results
Group Policy Objects in corp.com
Contents
Delegation
Name
GPO Status
WMI Filter
Modified
Owner
Default Domain Controllers Policy
Enabled
None
10/15/2026 3:46:14 ...
Domain Admins (C...
Default Domain Policy
Enabled
None
10/19/2026 12:56:46...
Domain Admins (C...
No RB for John
Enabled
None
10/24/2026 4:38:49 ...
Domain Admins (C...


Home
dc
Client1
Client2
SecondaryDNSServer
Group Policy Management
File Action View Window Help
Group Policy Management
Forest: corp.com
Domains
corp.com
Default Domain Policy
Domain Controllers
Sites
Group Policy Objects in corp.com
Contents
Delegation
Name
GPO Status
WMI Filter
Modified
Owner
Default Domain Controllers Policy
Enabled
None
10/15/2026 3:46:14 ...
Domain Admins (C...
Default Domain Policy
Enabled
None
10/19/2026 12:56:46...
Domain Admins (C...
Enabled
None
10/24/2026 4:38:49 ...
Domain Admins (C...
Create a GPO in this domain, and Link it here...
Link an Existing GPO...
Block Inheritance
Group Policy Update...
Group Policy Modeling Wizard...
New Organizational Unit
New Window from Here
Delete
Rename
Refresh
Properties
Help





Right click on No RB for John and select edit




Home
dc
Client1
Client2
SecondaryDNSServer
Group Policy Manager
File Action View
Remove Recycle Bin icon from desktop
Remove Recycle Bin icon from desktop
Previous Setting
Next Setting
Not Configured
Enabled
Disabled
Comment:
Supported on:
At least Windows Server 2003 operating systems or Windows XP Professional
Options:
Help:
Removes most occurrences of the Recycle Bin icon.
This setting removes the Recycle Bin icon from the desktop, from File Explorer, from programs that use the File Explorer windows, and from the standard Open dialog box.
This setting does not prevent the user from using other methods to gain access to the contents of the Recycle Bin folder.
Note: To make changes to this setting effective, you must log off and then log back on.
Comment
No RB for John [DC.C
Computer Config
User Configuratio
Policies
Software S
Windows
Administra
Contro
Deskto
Netwo
Shared
Start M
Systen
Windo
All Sett
Preferences
gured
No


Home
dc
Client1
Client2
SecondaryDNSServer
Group Policy Manager
File Action View
Remove Recycle Bin icon from desktop
Remove Recycle Bin icon from desktop
Previous Setting
Next Setting
Not Configured
Enabled
Disabled
Comment:
Supported on:
At least Windows Server 2003 operating systems or Windows XP Professional
Options:
Help:
Removes most occurrences of the Recycle Bin icon.
This setting removes the Recycle Bin icon from the desktop, from File Explorer, from programs that use the File Explorer windows, and from the standard Open dialog box.
This setting does not prevent the user from using other methods to gain access to the contents of the Recycle Bin folder.
Note: To make changes to this setting effective, you must log off and then log back on.
No RB for John [DC.C
Computer Config
User Configuratio
Policies
Software S
Windows
Administra
Contro
Deskto
Netwo
Shared
Start M
Systen
Windo
All Sett
Preferences
16 setting(s)
gured



In run menu:- Use any one of the below command

gpupdate >>>> To refresh GP and update the applied group policiest

gpupdate /force

gpupdate /force /boot

gpupdate /force /logoff




Home
dc
Client1
Client2
SecondaryDNSServer
Settings
Desktop Icon Settings
Desktop Icons
Desktop icons
Computer
Recycle Bin
User's Files
Control Panel
Network
This PC
john
Network
Recycle Bin (full)
Recycle Bin (empty)
Change Icon...
Restore Default
Allow themes to change desktop icons
OK
Cancel
Apply
Windows 10
5 images
Flowers
6 images
Make Windows better
Give us feedback

Block Registry



Run only specified windows applications



Apply common wallpaper to all the domain users






Home
dc
Client1
Client2
SecondaryDNSServer
Group Policy Management
File Action View Window
Local Disk (C:)
File Home Share View
This PC > Local Disk (C:)
Search Local Disk (C:)
Quick access
Desktop
Downloads
Documents
Pictures
BMR (E:)
System32
This PC
Network
Name
Date modified
Type
Size
Logs
Users
wallpaper
File folder
wallpaper Properties
Advanced Sharing
Share this folder
Settings
Share name:
wallpaper
Add
Remove
Limit the number of simultaneous users to:
16777
Comments:
Permissions
Caching
OK
Cancel
Apply
7 items
1 item selected
Group Policy Management
Forest: corp.com
Domains
corp.com
Default Domain P
Dept
Domain Controlle
Helpdesk
allow only cm
No RB for Johr
No RC on desk
Group Policy Obje
WMI Filters
Starter GPOs
Sites
Group Policy Modeling
Group Policy Results
7:10 PM


dc
adc
Client2
Group Policy Management
File Action View Window Help
Group Policy Management
Forest: corp.com
Domains
corp.com
Default Domain Polic
Dept
Domain Controllers
Group Policy Objects
WMI Filters
Starter GPOs
Sites
Group Policy Modeling
Group Policy Results
Default Domain Policy
Scope Details Settings Delegation
Certificates
Issued To
Issued By
Expiration Date
administrator
administrator
9/21/2126 12:45:29 PM
For additional information about individual settings, launch the Local Group Policy Object Editor.
User Configuration (Enabled)
Policies
Administrative Templates
Policy definitions (ADMX files) retrieved from the local computer.
Desktop/Desktop
Policy
Setting
Desktop Wallpaper
Enabled
Wallpaper Name:
\\192.168.1.1\wallpaper\wp.
Example: Using a local path: C:\windows\web\wallpaper\home.jpg
Example: Using a UNC path: \\Server\Share\Corp.jpg
Wallpaper Style:
Stretch
Policy
Setting
Prohibit changes
Enabled



No control panel




File Action View Window Help
Group Policy Management
Forest: corp.com
Domains
corp.com
Default Domain Polic
Dept
Domain Controllers
helpdesk
Group Policy Objects
WMI Filters
Starter GPOs
Sites
Group Policy Modeling
Group Policy Results
Group Policy Objects in corp.com
Contents
Delegation
Name
GPO Status
WMI Filter
Default Domain Controllers Policy
Enabled
None
Default Domain Policy
Enabled
None
policy1
Enabled
None
New GPO
Name:
No Control Panel
Source Starter GPO:
(none)
OK
Cancel


Group Policy Management
File Action View Window Help
Group Policy Management
Forest: corp.com
Domains
corp.com
Default Domain Polic
Dept
Domain Controllers
helpdesk
Group Policy Objects
WMI Filters
Starter GPOs
Sites
Group Policy Modeling
Group Policy Results
helpdesk
Linked Group Policy Objects
Group Policy Inheritance
Delegation
Link Order
GPO
Enforced
Link Enabled
GPO Status
1
No Control Panel
No
Yes
Enabled



Hide specific control panel options




dc
Client2
Group Policy Management
File Action View Window Help
Group Policy Management
Forest: corp.com
Domains
corp.com
Default Domain Polic
Dept
Domain Controllers
helpdesk
No Control Panel
Group Policy Objects
WMI Filters
Starter GPOs
Sites
Group Policy Modeling
Group Policy Results
No Control Panel
Scope Details Settings Delegation
No Control Panel
Data collected on: 10/22/2026 9:33:08 AM
Computer Configuration (Enabled)
No settings defined.
User Configuration (Enabled)
Policies
Administrative Templates
Policy definitions (ADMX files) retrieved from the local computer.
Control Panel
Policy
Setting
Hide specified Control Panel items
Enabled
List of disallowed Control Panel items
Microsoft.DateAndTime
Microsoft.Display


dc
Client2
All Control Panel Items
Control Panel › All Control Panel Items ›
Search Control Panel
Adjust your computer's settings
View by: Large icons
Administrative Tools
AutoPlay
Backup and Restore (Windows 7)
BitLocker Drive Encryption
Color Management
Credential Manager
Default Programs
Device Manager
Devices and Printers
Ease of Access Center
File Explorer Options
File History
Flash Player (32-bit)
Fonts
HomeGroup
Indexing Options
Infrared
Internet Options
Keyboard
Language
Mouse
Network and Sharing Center
Phone and Modem
Power Options
Programs and Features
Recovery
Region

Overwriting policy for user using OU over domain policy





dc
Client2
Recycle Bin

FSRM – Server which holds shard data

1. File Screening – Active/Passive – Restrict from storing specific kinds of file

2. Disk Quota

3. Storage Report

1. **File Screening**



Create folder and allow sharing permission






dc
Client2
File Server Resource Manager
le Action View Help
File Server Resource Manager (Loc
Quota Management
File Screening Management
File Screens
File Screen Templates
File Groups
Storage Reports Management
Classification Management
File Management Tasks
File Groups
Include F
Audio and Video Files *.aac, *.ai
Backup Files *.bak, *.b
Compressed Files *.ace, *.ar
E-mail Files *.eml, *.ic
Executable Files *.bat, *.cr
Image Files *.bmp, *.
Office Files *.accdb, *
System Files *.acm, *.c
Temporary Files *.temp, *.
Text Files *.asc, *.te
Web Page Files *.asp, *.as
Create File Group Properties
Settings
File group name:
MyGroup
To select a set of files, type a file name pattern, and click Add.
Examples: *.exe or Q4FY2002*.*
Files to include:
Add
*.jpg
*.mp3
*.mp4
Files to exclude:
Add


dc
Client2
File Server Resource Manager
ile Action View Help
File Server Resource Manager (Loc
Quota Management
File Screening Management
File Screens
File Screen Templates
File Groups
Storage Reports Management
Classification Management
File Management Tasks
File screen Template
Block Audio and Video Files
Block E-mail Files
Block Executable Files
Block Image Files
Monitor Executable and Syst
Create File Screen Template
Copy properties from template (optional):
Block Audio and Video Files
Settings
E-mail Message
Event Log
Command
Report
Template name:
MyTemplate
Screening type:
Active screening: Do not allow users to save unauthorized files
Passive screening: Allow users to save files (use for monitoring)
File groups
Select file groups to block:
Audio and Video Files
Backup Files
Compressed Files
E-mail Files
Executable Files
Image Files
MyGroup
Office Files
Maintain file g
Creat
Edit
To select a fil
edit, highlight


dc
Client2
File Server Resource Manager
Action View Help
File Server Resource Manager (Loc
Quota Management
File Screening Management
File Screens
File Screen Templates
File Groups
Storage Reports Management
Classification Management
File Management Tasks
Filter: Show all: 0 items
File Screen Path
Create File Screen
File screen path:
E:\userdata
Brows
File screen properties
You can either use properties from a file screen template or define file screen properties.
How do you want to configure file screen properties?
Derive properties from this file screen template (recommend
MyTemplate
Define custom file screen properties:
Custom Properties ...
Summary of file screen properties:
File screen: E:\userdata
Source template: MyTemplate
Screening type: Active
File groups: MyGroup
Notifications:
Create


dc
Client2
userdata
File
Home
Share
View
Preview pane
Details pane
Navigation pane
Extra large icons
Large icons
Medium icons
Small icons
List
Details
Sort by
Item check boxes
File name extensions
Hidden items
Panes
Layout
Current view
Show/hide


dc
Client2
userdata
File
Home
Share
View
Network
192.168.1.1
userdata
Search userdata
Quick access
Desktop
Downloads
Documents
Pictures
Music
Videos
OneDrive
This PC
Network
Name
Date modified
Type
file1.txt
10/22/2026 10:13 AM
Text Document
file2.txt
10/22/2026 10:13 AM
Text Document
video.mp3
10/22/2026 10:25 AM
Text Document
File Access Denied
You need permission to perform this action
You require permission from CORP\john to make changes to this file
New Text Document.txt
Type: Text Document
Size: 0 bytes
Date modified: 10/22/2026 10:25 AM
Try Again
Cancel

2. Disk quota


dc
Client2
File Server Resource Manager
ile Action View Help
File Server Resource Manager (Loc
Quota Management
Quotas
Quota Templates
File Screening Management
Storage Reports Management
Classification Management
File Management Tasks
Quota Template
10 GB Limit
100 MB Limit
2 GB Limit
200 MB Limit Reports to User
200 MB Limit with 50 MB Exte
250 MB Extended Limit
5 GB Limit
Monitor 10 TB Volume Usage
Monitor 200 GB Volume Usag
Monitor 3 TB Volume Usage
Monitor 5 TB Volume Usage
Monitor 500 MB Share
Create Quota Template
Copy properties from quota template (optional):
10 GB Limit
Settings
Template name:
MyQuota
Description (optional):
Space limit
Limit:
50
MB
Hard quota: Do not allow users to exceed limit
Soft quota: Allow users to exceed limit (use for monitoring)
Notification thresholds
Threshold
E-mail
Event Log
Command


dc
Client2
File Server Resource Manager
File Action View Help
File Server Resource Manager (Loc
Quota Management
Quotas
Quota Templates
File Screening Management
Storage Reports Management
Classification Management
File Management Tasks
Filter: Show all: 0 items
Quota Path
Create Quota
Quota path:
E:\userdata
Browse...
Create quota on path
Auto apply template and create quotas on existing and new subfolders
Quota properties
You can either use properties from a quota template or define custom quota properties.
How do you want to configure quota properties?
Derive properties from this quota template (recommended):
MyQuota
Define custom quota properties
Custom Properties ...
Summary of quota properties:
Quota: E:\userdata
Source template: MyQuota
Limit: 50.0 MB (Hard)
Notification: 1
Create
Cancel


dc
Client2
userdata
File
Home
Share
View
Network
192.168.1.1
userdata
Search userdata
Quick access
Desktop
Downloads
Documents
Pictures
Music
Videos
OneDrive
This PC
Network
Name
Date modified
Type
file1.txt
10/22/2026 10:13 AM
Text Document
file2.txt
10/22/2026 10:13 AM
Text Document
Program Files (x86)
10/22/2026 10:38 AM
File folder
Copy Item
There is not enough space on v3.5
29.8 MB is needed to copy this item. Delete or move files so you have enough space.
v3.5
Type: File folder
Date modified: 10/16/2026 1:47 AM
Do this for all current items
Try Again
Skip
Cancel
More details


dc
Client2
File Server Resource Manager
File
Action
View
Help
File Server Resource Manager (Loc
Quota Management
Quotas
Quota Templates
File Screening Management
Storage Reports Management
Classification Management
File Management Tasks
Filter: Show all: 1 items
Quota Path
% Used
Limit
Quota Type
Source Template
Source Template: MyQuota (1 item)
E:\userdata
99%
50.0 MB
Hard
MyQuota
Quota details: E:\userdata
Limit: 50.0 MB (Hard)
Used: 50.0 MB (99%) Peak Usage: 50.0 MB (99%) Peak Time: 10/22/2026 10:38:49 AM.
Available: 17.0 KB
Volume details: E:
Capacity: 9.76 GB

3. Storage Report Management – Find the duplicate files









Size by File Group		
File Group	Total size on Disk	Files
Text Files	0.00 MB	3

To top of the current report

Duplicate Group				
File Count	Total size on Disk	Wasted Space	Single file size on disk	Last modified
3	0.00 MB	0.00 MB	0.00 MB	10/22/2026 10:43:07 AM

File name	Folder	
	Last accessed	Owner
reports.txt	E:\userdata	
	10/22/2026 10:42:55 AM	BUILTIN\Administrators
reports.txt	E:\userdata\test	
	10/22/2026 10:43:26 AM	BUILTIN\Administrators
reports.txt	E:\userdata\test2	
	10/22/2026 10:44:03 AM	BUILTIN\Administrators

DNS

Run menu>>>>> dnsmgmt.msc






DNS Manager
File Action View Help
DNS
DC
Forward Lookup Zones
Reverse Lookup Zones
Trust Points
Conditional Forwarders
New Zone Wizard
Reverse Lookup Zone Name
A reverse lookup zone translates IP addresses into DNS names.
To identify the reverse lookup zone, type the network ID or the name of the zone.
Network ID:
192 .168 .1
The network ID is the portion of the IP addresses that belongs to this zone. Enter the network ID in its normal (not reversed) order.
If you use a zero in the network ID, it will appear in the zone name. For example, network ID 10 would create zone 10.in-addr.arpa, and network ID 10.0 would create zone 0.10.in-addr.arpa.
Reverse lookup zone name:
1.168.192.in-addr.arpa
< Back
Next >
Cancel


DNS Manager
File Action View Help
DNS
DC
Forward Lookup Zones
Reverse Lookup Zones
1.168.192.in-addr.arp
Trust Points
Conditional Forwarders
Name
Type
Data
Timestam
(same as parent folder)
Start of Authority (SOA)
[1], dc.corp.com., hostma...
static
(same as parent folder)
Name Server (NS)
dc.corp.com.
static
Document was last saved: Just now


DNS Manager
File Action View Help
DNS
DC
Forward Lookup Zones
Reverse Lookup Zones
1.168.192.in-addr.arp
Trust Points
Conditional Forwarders
Name
Type
Data
Timestam
(same as parent folder)
Start of Authority (SOA)
[1], dc.corp.com., hostma...
static
(same as parent folder)
Name Server (NS)
dc.corp.com.
static
Update Server Data File
Reload
New Pointer (PTR)...
New Alias (CNAME)...
New Delegation...
Other New Records...
DNSSEC
All Tasks
Refresh
Export List...
View
Arrange Icons
Line up Icons
Properties
Create a new pointer resource record.


DNS Manager
File Action View Help
DNS
DC
Forward Lookup Zones
_msdcs.corp.com
corp.com
_msdcs
_sites
_tcp
_udp
DomainDnsZones
ForestDnsZones
IT
Reverse Lookup Zones
1.168.192.in-addr.arp
Trust Points
Conditional Forwarders
dc Properties
Host (A)
Security
Host (uses parent domain if left blank):
dc
Fully qualified domain name (FQDN):
dc.corp.com
IP address:
192.168.1.1
Update associated pointer (PTR) record
OK
Cancel
Apply
Timestam
static
10/15/202
10/16/202
10/15/202


DNS Manager
File Action View Help
DNS
DC
Forward Lookup Zones
_msdcs.corp.com
corp.com
_msdcs
_sites
_tcp
_udp
DomainDnsZones
ForestDnsZones
IT
Reverse Lookup Zones
1.168.192.in-addr.arp
Trust Points
Conditional Forwarders
Name
Type
Data
Timestam
(same as parent folder)
Start of Authority (SOA)
[5], dc.corp.com., hostma...
static
(same as parent folder)
Name Server (NS)
dc.corp.com.
static
192.168.1.1
Pointer (PTR)
dc.corp.com.
static
192.168.1.2
Pointer (PTR)
adc.corp.com.
static
192.168.1.4
Pointer (PTR)
Client1.corp.com.
10/22/202
192.168.1.5
Pointer (PTR)
Client2.corp.com.
10/22/202


dc
Client2
Administrator: C:\Windows\system32\cmd.exe
Microsoft Windows [Version 10.0.16299.64]
(c) 2017 Microsoft Corporation. All rights reserved.
C:\Users\administrator>nslookup
DNS request timed out.
timeout was 2 seconds.
Default Server: UnKnown
Address: 192.168.1.2
> exit
C:\Users\administrator>ipconfig /flushdns
Windows IP Configuration
Successfully flushed the DNS Resolver Cache.
C:\Users\administrator>ipconfig /registerdns
Windows IP Configuration
Registration of the DNS resource records for all adapters of this computer has been initiated. Any errors will
ed in the Event Viewer in 15 minutes.
C:\Users\administrator>nslookup
DNS request timed out.
timeout was 2 seconds.
Default Server: UnKnown
Address: 192.168.1.2


dc
Client2
Server Manager
DNS Manager
File Action View Help
DNS
DC
Forward Lookup Zones
_msdcs.corp.com
corp.com
_msdcs
_sites
_tcp
_udp
DomainDnsZones
ForestDnsZones
IT
Reverse Lookup Zones
1.168.192.in-addr.arp
Trust Points
Conditional Forwarders
New Host
Name (uses parent domain name if blank):
pc1
Fully qualified domain name (FQDN):
pc1.corp.com.
IP address:
7.7.7.7
Create associated pointer (PTR) record
Allow any authenticated user to update DNS records with the same owner name
Add Host
Cancel
Timestam
static
10/15/202
10/16/202


dc
Client2
Server Manager
DNS Manager
File Action View Help
DNS
DC
Forward Lookup Zones
_msdcs.corp.com
corp.com
_msdcs
_sites
_tcp
_udp
DomainDnsZones
ForestDnsZones
IT
Reverse Lookup Zones
1.168.192.in-addr.arp
Trust Points
Conditional Forwarders
Name
Type
Data
Timestam
(same as parent folder)
Start of Authority (SOA)
[6], dc.corp.com., hostma...
static
(same as parent folder)
Name Server (NS)
dc.corp.com.
static
192.168.1.1
Pointer (PTR)
dc.corp.com.
static
192.168.1.2
Pointer (PTR)
adc.corp.com.
static
192.168.1.4
Pointer (PTR)
Client1.corp.com.
10/22/202
192.168.1.5
Pointer (PTR)
Client2.corp.com.
10/22/202
192.168.1.77
Pointer (PTR)
pc1.corp.com.
static


dc
Client2
Server Manager
DNS Manager
File Action View Help
DNS
DC
Forward Lookup Zone
_msdcs.corp.com
corp.com
_msdcs
_sites
_tcp
_udp
DomainDnsZo
ForestDnsZon
IT
Reverse Lookup Zone
1.168.192.in-addr.
Trust Points
Conditional Forwarde
New Resource Record
Alias (CNAME)
Alias name (uses parent domain if left blank):
www
Fully qualified domain name (FQDN):
www.corp.com.
Fully qualified domain name (FQDN) for target host:
dc.corp.com
Browse...
Allow any authenticated user to update all DNS records with the same name. This setting applies only to DNS records for a new name.
OK
Cancel
Timestam
.corp.com., hostm... static
p.com. static
.com. static
.1.1 10/15/202
.1.2 10/16/202
.1.2 static
.1.4 10/15/202
.1.5 10/15/202
.1.1 static
.1.77
6 AM


dc
Client2
Recycle Bin
Administrator: C:\Windows\system32\cmd.exe
Microsoft Windows [Version 10.0.16299.64]
(c) 2017 Microsoft Corporation. All rights reserved.
C:\Users\administrator>ping www.corp.com
Pinging dc.corp.com [192.168.1.1] with 32 bytes of data:
Reply from 192.168.1.1: bytes=32 time<1ms TTL=128
Reply from 192.168.1.1: bytes=32 time<1ms TTL=128
Reply from 192.168.1.1: bytes=32 time<1ms TTL=128
Reply from 192.168.1.1: bytes=32 time<1ms TTL=128
Ping statistics for 192.168.1.1:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\Users\administrator>


dc
Client2
Server Manager
Server Manager
Dashboard
Local Server
All Servers
AD DS
DNS
File and Storage Services
Network Connections
Control Panel › Network and Internet › Network Connections
Organize
Ethernet0
Unidentified net
Intel(R) 82574L
Advanced TCP/IP Settings
IP Settings
DNS
WINS
IP addresses
IP address
Subnet mask
192.168.1.1
255.255.255.0
10.0.0.1
255.0.0.0
172.16.0.1
255.255.0.0
Add...
Edit...
Remove
Default gateways:
Gateway
Metric
Add...
Edit...
Remove
Automatic metric
Interface metric:
OK
Cancel
OK
Cancel
1 item
1 item selected


dc
Client2
Network Connections
Control Panel › Network and Internet › Network Connections
Search Network Connections
Organize
Disable this network device
Diagnose thi
Ethernet0
corp.com
Intel(R) 82574L Gigabit Net...
Advanced TCP/IP Settings
IP Settings
DNS
WINS
IP addresses
IP address
Subnet mask
192.168.1.5
255.255.255.0
10.0.0.4
255.0.0.0
Add...
Edit...
Remove
Default gateways:
Gateway
Metric
Add...
Edit...
Remove
Automatic metric
Interface metric:
OK
Cancel
OK


dc
Client2
Server Manager
DNS Manager
File Action View Help
DNS
DC
Forward Lookup Zones
_msdcs.corp.com
corp.com
apple.com
Reverse Lookup Zones
Trust Points
Conditional Forwarders
Name
Type
Status
_msdcs.corp.com
Active Directory-Integrated Pr...
Running
corp.com
Active Directory-Integrated Pr...
Running
apple.com
Active Directory-Integrated Pr...
Running


dc
Client2
Server Manager
DNS Manager
File Action View Help
DNS
DC
Forward Lookup Zones
_msdcs.corp.com
corp.com
apple.com
Reverse Lookup Zones
1.168.192.in-addr.arp
0.0.10.in-addr.arpa
Trust Points
Conditional Forwarders
Name
Type
Data
(same as parent folder)
Start of Authority (SOA)
[1], dc.corp.com., hostma...
(same as parent folder)
Name Server (NS)
dc.corp.com.
dc
Host (A)
10.0.0.1
client1
Host (A)
10.0.0.4


dc
Client2
Server Manager
DNS Manager
File Action View Help
DNS
DC
Forward Lookup Zones
_msdcs.corp.com
corp.com
apple.com
Reverse Lookup Zones
1.168.192.in-addr.arp
0.0.10.in-addr.arpa
Trust Points
Conditional Forwarders
Name
Type
Data
(same as parent folder)
Start of Authority (SOA)
[5], dc.corp.com., hostma...
(same as parent folder)
Name Server (NS)
dc.corp.com.
10.0.0.1
Pointer (PTR)
dc.apple.com.
10.0.0.4
Pointer (PTR)
client1.apple.com.


dc
Client2
Server Manager
Administrator: C:\Windows\system32\cmd.exe - nslookup
Microsoft Windows [Version 10.0.14393]
(c) 2016 Microsoft Corporation. All rights reserved.
C:\Users\Administrator>nslookup
Default Server: localhost
Address: 127.0.0.1
> exit
C:\Users\Administrator>nslookup dc.apple.com
Server: localhost
Address: 127.0.0.1
Name: dc.apple.com
Address: 10.0.0.1
C:\Users\Administrator>nslookup
Default Server: localhost
Address: 127.0.0.1
> 10.0.0.4
Server: localhost
Address: 127.0.0.1
Name: client1.apple.com
Address: 10.0.0.4
>

IIS (Internet Information Service)

Website can be hosted in different ways :-

1. IP Based
2. Port Based

Steps:-

1. IP assign
2. DNS server
3. FLZ
4. Create a shared folder



5. Add web server role


dc
Client2
Server Manager
Add Roles and Features Wizard
Select server roles
DESTINATION SERVE
dc.corp.cor
Before You Begin
Installation Type
Server Selection
Server Roles
Features
Web Server Role (IIS)
Role Services
Confirmation
Results
Select one or more roles to install on the selected server.
Roles
Active Directory Lightweight Directory Services
Active Directory Rights Management Services
Device Health Attestation
DHCP Server
DNS Server (Installed)
Fax Server
File and Storage Services (3 of 12 installed)
Host Guardian Service
Hyper-V
MultiPoint Services
Network Controller
Network Policy and Access Services
Print and Document Services
Remote Access
Remote Desktop Services
Volume Activation Services
Web Server (IIS)
Windows Deployment Services
Windows Server Essentials Experience
Windows Server Update Services
Description
Web Server (IIS) provides a reliable, manageable, and scalable Web application infrastructure.
< Previous
Next >
Install
Cancel


dc
Client2
Local Disk (C:)
File
Home
Share
View
This PC > Local Disk (C:)
Search Local Disk (C:)
Quick access
Desktop
Downloads
Documents
Pictures
data (E:)
System32
userdata
wallpaper
This PC
Name
Date modified
Type
Logs 9/12/2016 5:05 PM File folder
PerfLogs 7/16/2016 6:53 PM File folder
Program Files 10/15/2026 9:36 AM File folder
Program Files (x86) 10/15/2026 10:04 PM File folder
StorageReports 10/22/2026 10:48 AM File folder
Users 10/15/2026 4:01 PM File folder
wallpaper 10/22/2026 9:52 AM File folder
Windows 10/23/2026 10:05 AM File folder
web 10/23/2026 10:01 AM File folder
inetpub 10/23/2026 10:05 AM File folder

6. Create a html file in wwwroot folder



7. IIS Manager



8. Testing it via client side with IP as well as alias





Hosting a second website:-






ernet Information Services (IIS) Manager
DC ▸ Sites ▸ apple ▸
View Help
ctions
Start Page
DC (CORP\administrator)
Application Pools
Sites
Default Web Site
apple
Default Document
Use this feature to specify the default file(s) to return when a client does not request a specific file. Set defau
Add Default Document
Name:
apple.html
OK
Cancel
Name
Default.htm
Default.asp
index.htm
index.html
iisstart.htm


dc
Client2
web
File Home Share View
This PC ▸ Local Disk (C:) ▸ web
ernet Information Services (IIS) Manager
DC ▸ Sites ▸ apple ▸
View Help
ctions
Start Page
DC (CORP\administrator)
Application Pools
Sites
Default Web Site
apple
Default Document
Use this feature to specify the default file(s) to return when a client does not request a specific file. Set default documents in order of priority.
Name
Entry Type
apple.html
Local
Default.htm
Inherited
Default.asp
Inherited
index.htm
Inherited
index.html
Inherited
iisstart.htm
Inherited
Features View
Content View
Actions


dc
Client2
Recycle
10.0.0.1
10.0.0.1/
Welcomeee!


apple.com
www.apple.com/
Welcomeee!

HTTP to HTTPS






dc
Client2
Server Manager
Internet Information Services (IIS) Manager
DC
File View Help
Connections
Start Page
DC (CORP\administ
Application Poo
Sites
Default Web
apple
rose
Site Bindings
Type Host Name Port IP Address Binding Informa...
http 80 *
Add...
Edit...
Add Site Binding
Type: IP address: Port:
https 192.168.1.1 443
Host name:
Require Server Name Indication
SSL certificate:
corp
Select...
View...
OK
Cancel
Ready
EVENTS


dc
Client2
Server Manager
Internet Information Services (IIS) Manager
DC
File View Help
Connections
Start Page
DC (CORP\administ
Application Poo
Sites
Default Web
apple
rose
Site Bindings
Type Host Name Port IP Address Binding Informa...
http 80 *
https 443 192.168.1.1
Add...
Edit...
Remove
Browse
Close
Features View
Content View
Ready


dc
Client2
Server Manager
Internet Information Services (IIS) Manager
DC ▸ Sites ▸ Default Web Site ▸
File View Help
Connections
Start Page
DC (CORP\administrator)
Application Pools
Sites
Default Web Site
apple
rose
SSL Settings
This page lets you modify the SSL settings for the content of a website or application.
Require SSL
Client certificates:
Ignore
Accept
Require
Actions
Apply
Cancel
Help
Features View
Content View
Configuration: 'localhost' applicationHost.config , <location path="Default Web Site">
dc
Client2
Recycle
403 - Forbidden: Access
www.corp.com/
Server Error
403 - Forbidden: Access is denied.
You do not have permission to view this directory or page using the credentials that you supplied.


dc
Client2
Certificate error: Naviga
https://www.corp.cc
This site is not secure
This might mean that someone's trying to fool you or steal any info you send to the server. You should close this site immediately.
Go to your Start page
Details
Your PC doesn't trust this website's security certificate.
The hostname in the website's security certificate differs from the website you are trying to visit.
Error Code: DLG_FLAGS_INVALID_CA
DLG_FLAGS_SEC_CERT_CN_INVALID
Go on to the webpage (Not recommended)


dc
Client2
corp.com
https://www.corp.cc
Welcome to corp.com
Hellllooooooo

DHCP

1. Scope & IP Assignment








dc
Client2
Server Manager
Server Manager ▸ DHCP
Dashboard
Local Server
All Servers
AD DS
DHCP
DNS
File and Storage Services
IIS
SERVERS
All servers | 1 total
Filter
Server Name
IPv4 Address
Manageability
Last Update
DC
10.0.0.1,172.16.0.1,192.168.1.1,20.0.0.1
Online - Performance counters not started
10/23/2026 12:07:4
Add Roles and Features
Shut Down Local Server
Computer Management
Remote Desktop Connection
Windows PowerShell
Configure NIC Teaming
DHCP Manager
Manage As ...
Start Performance Counters
Refresh
Copy
EVENTS
All events | 7 total
Filter


dc
Client2
Server Manager
Server Manager ▸ DHCP
DHCP
File
Action
View
Help
DHCP
dc.corp.com
IPv4
Add a Scope
Actions
IPv4
More Actions
Display Statistics...
New Scope...
New Multicast Scope...
Configure Failover...
Replicate Failover Scopes...
Define User Classes...
Define Vendor Classes...
Reconcile All Scopes...
Set Predefined Options...
View
Refresh
Properties
Help
ses assigned to computers
ss. You must create and
mic IP addresses can be
tion menu, click New Scope.
tting up a DHCP server, see
Create a new


dc
Client2
Client1
Server Manager
Server Manager ‣ DHCP
DHCP
File Action
New Scope Wizard
IP Address Range
You define the scope address range by identifying a set of consecutive IP addresses.
Configuration settings for DHCP Server
Enter the range of addresses that the scope distributes.
Start IP address: 192 . 168 . 1 . 51
End IP address: 192 . 168 . 1 . 70
Configuration settings that propagate to DHCP Client
Length: 24
Subnet mask: 255 . 255 . 255 . 0
< Back
Next >
Cancel


dc
Client2
Client1
Server Manager
Server Manager ‣ DHCP
DHCP
File Action
New Scope Wizard
Router (Default Gateway)
You can specify the routers, or default gateways, to be distributed by this scope.
To add an IP address for a router used by clients, enter the address below.
IP address:
192.168.1.150
Add
Remove
Up
Down
< Back
Next >
Cancel


dc
Client2
Client1
Server Manager
Server Manager ▸ DHCP
DHCP
File Action
New Scope Wizard
Domain Name and DNS Servers
The Domain Name System (DNS) maps and translates domain names used by clients on your network.
You can specify the parent domain you want the client computers on your network to use for DNS name resolution.
Parent domain: corp.com
To configure scope clients to use DNS servers on your network, enter the IP addresses for those servers.
Server name:
IP address:
Resolve
192.168.1.1
Add
Remove
Up
Down
< Back
Next >
Cancel


dc
Client2
Client1
Server Manager
Server Manager ▸ DHCP
DHCP
File Action
New Scope Wizard
WINS Servers
Computers running Windows can use WINS servers to convert NetBIOS computer names to IP addresses.
Entering server IP addresses here enables Windows clients to query WINS before they use broadcasts to register and resolve NetBIOS names.
Server name:
dc
IP address:
Resolve
192.168.1.155
Add
Remove
Up
Down
To change this behavior for Windows DHCP clients modify option 046, WINS/NBT Node Type, in Scope Options.
< Back
Next >
Cancel


dc
Client2
Client1
Network Connections
Control Panel › Network and Internet › Network Connections
Search Network Connections
Organize
Disable this network device
Diagnose this connection
Rename this connection
Ethernet0
corp.com
Intel(R) 82574L Gigabit Net...
Internet Protocol Version 4 (TCP/IPv4) Properties
General
Alternate Configuration
You can get IP settings assigned automatically if your network supports this capability. Otherwise, you need to ask your network administrator for the appropriate IP settings.
Obtain an IP address automatically
Use the following IP address:
IP address:
Subnet mask:
Default gateway:
Obtain DNS server address automatically
Use the following DNS server addresses:
Preferred DNS server:
Alternate DNS server:
Validate settings upon exit
Advanced...
OK
Cancel
OK
Cancel
1 item
1 item selected


dc
Client2
Client1
Network Connections
« Network and Internet › Network Connections ›
Search Network Connections
Organize
Disable this network device
Diagnose this connection
Rename this connection
Ethernet0
corp.com
Intel(R) 82574L Gigabit Net...
Ethernet0 Status
Network Connection Details
Network Connection Details:
Property
Value
Connection-specific DNS ...
corp.com
Description
Intel(R) 82574L Gigabit Network Connecti
Physical Address
00-0C-29-E3-0D-0E
DHCP Enabled
Yes
IPv4 Address
192.168.1.51
IPv4 Subnet Mask
255.255.255.0
Lease Obtained
Friday, October 23, 2026 12:20:18 PM
Lease Expires
Saturday, October 31, 2026 12:20:19 PM
IPv4 Default Gateway
192.168.1.150
IPv4 DHCP Server
192.168.1.1
IPv4 DNS Server
192.168.1.1
IPv4 WINS Server
192.168.1.155
NetBIOS over Tcpip Enab...
Yes
Close
1 item
1 item selected


dc
Client2
Client1
Server Manager
DHCP
File Action View Help
DHCP
dc.corp.com
IPv4
Scope [192.
Address
Address
Reserva
Scope
Policies
Server Opti
Policies
Filters
IPv6
Client IP Address
Name
Lease Expiration
Type
192.168.1.51
Client2.corp.com
10/31/2026 12:20:18 PM
DHCP
Actions
Address Leases
More Actions
DC 1056 Warning Microsoft-Windows-DHCP-Server System 10/23/2026 12:07:25 PM


dc
Client2
Client1
Server Manager
DNS Manager
File Action View Help
DNS
DC
Forward Lookup Zones
_msdcs.corp.com
apple.com
corp.com
rose.com
Reverse Lookup Zones
Trust Points
Conditional Forwarders
dc.corp.com
Name
Type
Data
Timest
ForestDnsZones
IT
(same as parent folder) Start of Authority (SOA) [96], dc.corp.com., hostm... static
(same as parent folder) Name Server (NS) adc.corp.com. static
(same as parent folder) Name Server (NS) dc.corp.com. static
(same as parent folder) Host (A) 192.168.1.1 10/23/
(same as parent folder) Host (A) 192.168.1.2 10/16/
(same as parent folder) Host (A) 10.0.0.1 10/22/
(same as parent folder) Host (A) 20.0.0.1 10/23/
(same as parent folder) Host (A) 172.16.0.1 10/22/
adc Host (A) 192.168.1.2 static
Client1 Host (A) 192.168.1.4 10/23/
Client2 Host (A) 192.168.1.51 10/23/
dc Host (A) 192.168.1.1 static
dc Host (A) 172.16.0.1 static
dc Host (A) 10.0.0.1 static
dc Host (A) 20.0.0.1 static
pc1 Host (A) 192.168.1.77 static
www Alias (CNAME) dc.corp.com. static

2. Reservation






dc
Client2
Client1
Network Connections
Network and Internet › Network Connections ›
Search Network Connections
Organize
Disable this network device
Diagnose this connection
Rename this connection
Ethernet0
corp.com
Intel(R) 82574L Gigabit Net...
Ethernet0 Status
Network Connection Details
Network Connection Details:
Property
Value
Connection-specific DNS ...
corp.com
Description
Intel(R) 82574L Gigabit Network Connecti
Physical Address
00-0C-29-E3-0D-0E
DHCP Enabled
Yes
IPv4 Address
192.168.1.199
IPv4 Subnet Mask
255.255.255.0
Lease Obtained
Friday, October 23, 2026 12:32:20 PM
Lease Expires
Saturday, October 31, 2026 12:32:20 PM
IPv4 Default Gateway
192.168.1.150
IPv4 DHCP Server
192.168.1.1
IPv4 DNS Server
192.168.1.1
IPv4 WINS Server
192.168.1.155
NetBIOS over Tcpip Enab...
Yes
Close
1 item
1 item selected


dc
Client2
Client1
DHCP
File
Action
View
Help
DHCP
dc.corp.com
IPv4
Scope [192.168.1.0] corp po
Address Pool
Address Leases
Reservations
[192.168.1.199] clien
Scope Options
Policies
Server Options
Policies
Filters
IPv6
Client IP Address
Name
192.168.1.199
Client2.corp.com
Actions
Address Leases
More Actions

3. Backup & Restore






dc
Client2
Client1
Server Manager
DHCP
File Action View Help
DHCP
dc.corp.com
Name
Add/Remove Bindings...
Unauthorize
Backup...
Restore...
All Tasks
View
Delete
Refresh
Export List...
Properties
Help
Actions
dc.corp.com
More Actions
Restore the configuration and database for this server


dc
Client2
Client1
Server Manager
DHCP
File Action View Help
DHCP
dc.corp.com
IPv4
Scope [192.
Address
Address
Reserva
Scope O
Policies
Server Opti
Policies
Filters
IPv6
Contents of Scope
Address Pool
Address Leases
Reservations
Scope Options
Policies
Actions
Scope [192.168.1.0...
More Actions

4. Filter


dc
Client2
Client1
Server Manager
DHCP
File Action View Help
DHCP
dc.corp.com
IPv4
Scope [192.
Server Opti
Policies
Filters
Allow
IPv6
MAC Address
Description
There are no items to show in this view.
Actions
Deny
More Actions
New Filter...
Enable
View
Refresh
Export List...
Help


dc
Client2
Client1
Server Manager
DHCP
File Action View Help
DHCP
dc.corp.com
IPv4
Scope [192.
Address
Address
Reserva
Policies
Server Opti
Policies
Filters
Allow
Deny
IPv6
Client IP Address
Name
Lease Expiration
Type
DHCP
Add to Filter
Add to Reservation
Delete
Refresh
Help
Allow
Deny
Actions
Address Leases
More Actions
192.168.1.199
More Actions


dc
Client2
Client1
Server Manager
DHCP
File
Action
View
Help
DHCP
dc.corp.com
IPv4
Scope [192.
Address
Address
Reserva
Scope (
Policies
Server Opti
Policies
Filters
Allow
Deny
IPv6
MAC Address
Description
00-0C-29-E3-0D-0E
Client2.corp.com


dc
Client2
Client1
Network Connections
Network and Internet
Network Connections
Search Network Connections
Organize
Disable this network device
Diagnose this connection
Rename this connection
Ethernet0
Identifying...
Intel(R) 82574L Gigabit Net...
Ethernet0 Status
Network Connection Details
Network Connection Details:
Property
Value
Connection-specific DNS ...
corp.com
Description
Intel(R) 82574L Gigabit Network Connecti
Physical Address
00-0C-29-E3-0D-0E
DHCP Enabled
Yes
Autoconfiguration IPv4 A...
169.254.169.30
IPv4 Subnet Mask
255.255.0.0
IPv4 Default Gateway
IPv4 DNS Server
192.168.1.1
IPv4 WINS Server
192.168.1.155
NetBIOS over Tcpip Enab...
Yes

WDS

Deploy Win 7/10 over the network on the client machine.

First DHCP pool should be made!






dc
Client2
Client1
Server Manager
Windows Deployment Services
File Action View Help
Windows Deployment Services
Servers
dc.corp.com
Active D
Configure Server
Remove Server
View
Refresh
Help
dc.corp.com
Windows Deployment Services is not configured
This server is not configured. To configure this server, right-click the server, and then click Configure Server.
You must be a local administrator to perform this task.


dc
Client2
Client1
Server Manager
Windows Deployment Services
File Action View Help
Windows Deployment Services
Servers
dc.corp.com
Active Directory Prestaged D
Windows Deployment Services Configuration Wizard
Remote Installation Folder Location
The remote installat
and the Windows D
large enough to hol
NTFS partition and
Enter the path to th
Path:
F:\
Browse For Folder
Select the location on the Windows Deployment Services server to place the remote installation files.
Desktop
administrator
This PC
Libraries
WDS (F:)
Network
Folder:
WDS (F:)
Make New Folder
OK
Cancel
< Back
Next >
Ca


dc
Client2
Client1
Server Manager
Windows Deployment Services
File Action View Help
Windows Deployment Services
Servers
dc.corp.com
Active Directory Prestaged D
Windows Deployment Services Configuration Wizard
Remote Installation Folder Location
The remote installation folder will contain boot images, install images, PXE boot files, and the Windows Deployment Services management tools. Choose a partition that is large enough to hold all of the images that you will have. This partition must be an NTFS partition and should not be the system partition.
Enter the path to the remote installation folder.
Path:
F:\RemoteInstall
Browse...
< Back
Next >
Cancel


dc
Client2
Client1
Server Manager
Windows Deployment Services
File Action View Help
Windows Deployment Services
Servers
dc.corp.com
Active Directory Prestaged D
Windows Deployment Services Configuration Wizard
PXE Server Initial Settings
You can use these settings to define which client computers this server will respond to. Known clients are the clients that have been prestaged. When the physical computer performs a PXE boot, the operating system will be installed based on the settings that you have defined.
Select one of the following options:
Do not respond to any client computers
Respond only to known client computers
Respond to all client computers (known and unknown)
Require administrator approval for unknown computers. When you select this option, you must approve the computers using the Pending Devices node in the snap-in. Approved computers will be added to the list of prestaged clients.
To configure this server, click Next.
< Back
Next >
Cancel


dc
Client2
Client1
Server Manager
Windows Deployment Services
File Action View Help
Windows Deployment Services
Servers
dc.corp.com
Name
Properties
Remove Server
All Tasks
View
Refresh
Export List...
Help
Start
Stop
Restart


116.74.252.91:12004 - Remote Desktop Connection
Hardware
Options
Device
Summary
Memory
4 GB
Processors
1
Hard Disk (SCSI)
100 GB
Hard Disk (NVMe)
100 GB
CD/DVD (SATA)
Auto detect
Network Adapter
LAN Segment
USB Controller
Present
Sound Card
Auto detect
Display
Auto detect
Device status
Connected
Connect at power on
Connection
Use physical drive:
Auto detect
Use ISO image file:
C:\IMS Soft\Windows 7 AIO.ISO
Browse...
Advanced...


dc
Client2
Client1
Server Manager
Windows Deployment Services
File Action View Help
Windows Deployment Services
Servers
dc.corp.com
Install Images
Boot Images
Pending Devices
Multicast Transmissions
Drivers
Active Directory Prestaged Devices
Select Windows Image File
DVD Drive (D:) WIN7_760... › sources ›
Search sources
Organize
Desktop
Downloads
Documents
Pictures
data (E:)
System32
userdata
wallpaper
This PC
WDS (F:)
Network
Name
Date modified
Type
Files Currently on the Disc (10)
dlmanifests 7/19/2009 10:27 PM File folde
en-us 7/19/2009 10:27 PM File folde
etwproviders 7/19/2009 10:27 PM File folde
inf 7/19/2009 10:27 PM File folde
license 7/19/2009 10:27 PM File folde
replacementmanifests 7/19/2009 10:27 PM File folde
servicing 7/19/2009 10:27 PM File folde
servicingstackmisc 7/19/2009 10:27 PM File folde
boot.wim 7/13/2009 6:25 PM WIM File
install.wim 7/19/2009 10:46 PM WIM File
File name: boot.wim
Windows image files (*.wi
Open
Ca


dc
Client2
Client1
Server Manager
Windows Deployment Services
File Action View Help
Windows Deployment Services
Servers
dc.corp.com
Install Images
Boot Images
Pending Devices
Multicast Transmissions
Drivers
Active Directory Prestaged Devices
Install Ima
Image Gro
Add Image Wizard
Image Group
This wizard adds an install image to your server. You must have at least one install image and one boot image on your server in order to boot a client using Pre-Boot Execution Environment (PXE) and install an operating system.
An image group is a collection of images that share common file resources and security. Enter the image group for the install image that you want to add.
Select an existing image group
Create an image group named
ClientOS
< Back
Next >
Cancel


dc
Client2
Client1
Server Manager
Windows Deployment Services
File Action View Help
Windows Deployment Services
Servers
dc.corp.com
Install Images
Boot Images
Pending Devices
Multicast Transmissions
Drivers
Active Directory Prestaged Devices
Install Ima
Image Gro
Add Image Wizard
Image File
Enter the location of the Windows image file that contains the images to add.
File location:
D:\sources\install.wim
Browse...
Note: The default boot and install images (Boot.wim and Install.wim) are located on the installation DVD in the \Sources folder.
More information about images and image types
< Back
Next >
Cancel


dc
Client2
Client1
Server Manager
Windows Deployment Services
File Action View Help
Windows Deployment Services
Servers
dc.corp.com
Install Images
Boot Images
Pending Devices
Multicast Transmissions
Drivers
Active Directory Prestaged Devices
Install Ima
Image Gro
Add Image Wizard
Available Images
The file that you specified contains the following images. Select the images that you want to add to the server.
Name
Architecture
Description
Windows 7 S...
x86
Windows 7 STARTER
Windows 7 H...
x86
Windows 7 HOMEBASIC
Windows 7 H...
x86
Windows 7 HOMEPREMIUM
Windows 7 P...
x86
Windows 7 PROFESSIONAL
Windows 7 U...
x86
Windows 7 ULTIMATE
Windows 7 H...
x64
Windows 7 HOMEBASIC
Windows 7 H...
x64
Windows 7 HOMEPREMIUM
Windows 7 H...
x64
Windows 7 PROFESSIONAL
Windows 7 H...
x64
Windows 7 ULTIMATE
Use the default name and description for each of the selected images
< Back
Next >
Cancel


dc
Client2
Client1
Server Manager
Server Manager ▸ WDS
Dashboard
Local Server
All Servers
AD DS
DHCP
DNS
File and Storage Services
IIS
WDS
SERVERS
All servers | 1 total
Filter
Server Name
IPv4 Address
DC
10.0.0.1,172.16.0.1,
EVENTS
All events | 7 total
Server Name
ID
Severity
Source
Log
Date and Time
New Virtual Machine Wizard
Guest Operating System Installation
A virtual machine is like a physical computer; it needs an operating system. How will you install the guest operating system?
Install from:
Installer disc:
No drives available
Installer disc image file (iso):
C:\IMS Soft\Windows 7 AIO.ISO
Browse...
I will install the operating system later.
The virtual machine will be created with a blank hard disk.
Help
< Back
Next >
Cancel


dc
Client2
Client1
Server Manager
Server Manager ▸ WDS
Dashboard
Local Server
All Servers
AD DS
DHCP
DNS
File and Storage Services
IIS
WDS
SERVERS
All servers | 1 total
Filter
Server Name
IPv4 Address
DC
10.0.0.1,172.16.0.1,
EVENTS
All events | 7 total
New Virtual Machine Wizard
Select a Guest Operating System
Which operating system will be installed on this virtual machine?
Guest operating system
Microsoft Windows
Linux
VMware ESX
Other
Version
Windows 7 x64
Help
< Back
Next >
Cancel


dc
Client2
Client1
WDS Test
Windows Deployment Services
File Action View Help
Windows Deployment Services
Servers
dc.corp.com
Install Images
ClientOS
Boot Images
Pending Devices
Multicast Transmissions
Drivers
Active Directory Prestaged Devices
dc.corp.com
Name
Install Images
Boot Images
Pending Devices
Multicast Transmis
Drivers
DC Properties
Multicast
Advanced
Network
TFTP
General
PXE Response
AD DS
Boot
Client
DHCP
PXE Boot Policy
After a network boot is initiated, define when a PXE boot will continue.
Known clients:
Require the user to press the F12 key to continue the PXE boot
Always continue the PXE boot
Continue the PXE boot unless the user presses the ESC key
Never continue the PXE boot
Unknown clients:
Require the user to press the F12 key to continue the PXE boot
Always continue the PXE boot
Continue the PXE boot unless the user presses the ESC key
Never continue the PXE boot
Default boot image (optional)
x86 architecture:
ia64 architecture:
x64 architecture:
arm architecture:
x86 (UEFI) architecture:
x64 (UEFI) architecture:
Select...
OK
Cancel
Apply


116.74.252.91:12004 - Remote Desktop Connection
dc
WDS
Power on
Edit virtu
Devices
Memory
Processo
Hard Dis
CD/DVD
Network
USB Con
Sound C
Display
Descriptio
Type here to
machine.
Hardware
Options
Device
Summary
Memory
2 GB
Processors
1
Hard Disk (SCSI)
60 GB
CD/DVD (SATA)
Auto detect
Network Adapter
LAN Segment
USB Controller
Present
Sound Card
Auto detect
Display
Auto detect
Device status
Connected
Connect at power on
Network connection
Bridged: Connected directly to the physical network
Replicate physical network connection state
NAT: Used to share the host's IP address
Host-only: A private network shared with the host
Custom: Specific virtual network
VMnet0
LAN segment:
LAN 1
LAN Segments...
Advanced...


dc
Client2
Client1
WDS Test
Loading files...
IP: 192.168.1.1, File: \Boot\x86\Images\boot.wim


Client2
Client1
WDS Test
Install Windows
Windows Deployment Services
Locale: English (United States)
Keyboard or input method: US
Copyright © 2009 Microsoft Corporation. All rights reserved.
Next
1 Collecting information
2 Installing Windows

Powershell


dc
Server Manager
Server Manager ‣ Dashboard
Dashboard
Local Server
All Servers
AD DS
DHCP
DNS
File and Storag
IIS
WDS
WELCOME TO SERVER MANAGER
Administrator: C:\Windows\system32\cmd.exe - powershell
Microsoft Windows [Version 10.0.14393]
(c) 2016 Microsoft Corporation. All rights reserved.
C:\Users\Administrator>powershell
Windows PowerShell
Copyright (C) 2016 Microsoft Corporation. All rights reserved.
PS C:\Users\Administrator> cmd
Microsoft Windows [Version 10.0.14393]
(c) 2016 Microsoft Corporation. All rights reserved.
C:\Users\Administrator>


dc
Administrator: Windows PowerShell ISE
File Edit View Tools Debug Add-ons Help
Untitled1.ps1*
1 ipconfig
Commands
Modules: All
Name: get-comp
Get-ComputerInfo
Get-ComputerRestorePoint
Get-ComputerInfo:
To import the "Microsoft.PowerShell.Management" mod including "Get-ComputerInfo", click Show Details.
LogonServer : \\DC
PowerPlatformRole : Desktop
HyperVisorPresent : True
DeviceGuardSmartStatus : Off
PS C:\Users\Administrator> Get-ComputerInfo


dc - VMware Workstation
File Edit View VM Tabs Help
dc
Administrator: Windows PowerShell ISE
File Edit View Tools Debug Add-ons Help
Show ToolBar
Show Script Pane Ctrl+R
Show Outlining (Regions)
Show Line Numbers
Show Command Add-on
Show Script Pane Top Ctrl+1
Show Script Pane Right Ctrl+2
Show Script Pane Maximized Ctrl+3
Go to Script Pane Ctrl+I
Go To Console Ctrl+D
Zoom In Ctrl+Add
Zoom Out Ctrl+Subtract
PowerShell 1
Untitled1.ps1
HyperVRequirementVMMonitorModeExtensions : off
DeviceGuardSmartStatus :
DeviceGuardRequiredSecurityProperties :
DeviceGuardAvailableSecurityProperties :
DeviceGuardSecurityServicesConfigured :
DeviceGuardSecurityServicesRunning :
DeviceGuardCodeIntegrityPolicyEnforcementStatus :
DeviceGuardUserModeCodeIntegrityPolicyEnforcementStatus :
PS C:\Users\Administrator> Get-ComputerInfo


dc
data (E:)
File Home Share View
This PC > data (E:)
Quick access
Desktop
Name
Date modified
Type
exam
10/16/2026 12:29 PM
File folder
test - Notepad
File Edit Format View Help
hostname
ping 192.168.1.1


dc
Drive Tools
data (E:)
Administrator: C:\Windows\system32\cmd.exe - powershell
Microsoft Windows [Version 10.0.14393]
(c) 2016 Microsoft Corporation. All rights reserved.
C:\Users\Administrator>powershell
Windows PowerShell
Copyright (C) 2016 Microsoft Corporation. All rights reserved.
PS C:\Users\Administrator> cd E:\
PS E:\> .\test.ps1
dc
Pinging 192.168.1.1 with 32 bytes of data:
Reply from 192.168.1.1: bytes=32 time<1ms TTL=128
Reply from 192.168.1.1: bytes=32 time<1ms TTL=128
Reply from 192.168.1.1: bytes=32 time<1ms TTL=128
Reply from 192.168.1.1: bytes=32 time<1ms TTL=128
Ping statistics for 192.168.1.1:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 0ms, Average = 0ms
PS E:\>