

1. General information

To make incoming api connection user must be registered at portal. Then portal support will provide access token. To manifest parcel user must have e-wallet balance and/or credit (support can set credit amount).

Note: All requests are “POST”

{baseUrl} : <https://www.parcelabc.com/api-pabc.php>

2. Shipment create request

Endpoint: {baseUrl}/order/create

Field	Is Required	Type	Description
authToken	Yes	string	Provided by PABC
manifest	No	integer	0 or 1, if not set or empty defaults to 1
orderNumber	Yes	String	External order number
orderCurrency	No	String	3 letter currency code, if not set or empty defaults to EUR
orderValue	Yes	number	Value of shipment
reference	No	String	Reference for parcel
content	Yes	string	Contents of parcel, max length 150
serviceId	No	integer	Service id to use. If not defined or empty, cheapest service will be selected
recipient	Yes	List (array)	
countryCode	Yes	String	2 letter iso code
full_name	Yes	String	2 words
company	No	String	Company of receiver
email	No	String	Email
addressLine1	Yes	String	Max length 40
addressLine2	No	String	Max length 30
post_code	Yes	String	Post code
city	Yes	String	City/Town
observations	No	String	Comments
phone	Yes	string	Numbers and “+” in front is allowed

sender	Yes	List (array)	
countryCode	Yes	String	2 letter iso code
full_name	Yes	String	2 words
company	No	String	Company of sender
email	Yes	String	Email
addressLine1	Yes	string	Max length 40
addressLine2	No	String	Max length 30
post_code	Yes	String	Post code
city	Yes	String	City/Town
observations	No	String	Comments
phone	Yes	string	Numbers and “+” in front is allowed
packages	Yes	List (array)	List of packages with details
width	Yes	integer	In cm
height	Yes	Integer	In cm
length	Yes	Integer	In cm
weight	Yes	number	In kg - ex.: 1.2
qty	No	Integer	If not set or empty, defaults to 1
customs	Conditionally	List (array)	List of custom items with details

Custom Item: (custom items required when shipment is non domestic, in/out EU. Else if set will be ignored)

Field	Is Required	Type	Description
description	yes	String	Max length 255
origin	yes	String	2 letter iso country code
quantity	yes	Integer	Quantity of this item
weight	no	Number	Max length 10
value	yes	Number	Max length 10
itemhscode	Conditionally	String	Max length 12
itemsku	no	String	Max length 14
export_reason	no	String	If not found in “Export reasons” – defaults to “Other”
terms_of_trade	no	String	Defaults to “DAP”

*IF customs items are required – only **one package** per shipment is allowed*

Itemhscode – is required based on service

Export reasons: Sale, Gift, Sample, Return, Documents, Intra company transfer, Temporary export, Other

Terms of trade: DAP

Notes:

If there will be validation error(-s), parcel will not be created.

If payment for parcel is not done (due to insufficient funds or “manifest - 0”) and request will be repeated with same “orderNumber” – existing parcel will be deleted and created new.

If “manifest” is set to 1 (same apply if not set or no value) – system will try to make e-wallet payment and generate labels for shipment.

Not paid parcel will appear in “unpaid” section under “My orders” in portal.

System will attempt to manifest if all was ok, it may take some time to process and return output. Usually it takes up to 10 seconds to complete, but sometimes it can take more time.

Request example:

```
{
  "authToken": "d2645b9b7.....56946c43e6656f8cd8",
  "manifest": "0",
  "orderNumber": "12345689",
  "orderCurrency": "",
  "orderValue": "10.23",
  "serviceId": "101",
  "reference": "My-reference",
  "content": "contents, contents contents contents contents contents contents contents contents contents contents",
  "recipient": {
    "countryCode": "ES",
    "full_name": "Test t",
    "company": "",
    "email": "",
    "addressLine1": "test",
    "addressLine2": "",
    "addressLine3": "",
    "post_code": "12356",
    "city": "Vilnius",
    "observations": "32",
    "phone": "3789"
  },
  "sender": {
    "countryCode": "LT",
    "full_name": "test test",
    "company": "",
  }
}
```

```

        "email": "test@test.lt",
        "addressLine1": "test adr1",
        "addressLine2": "",
        "addressLine3": "",
        "post_code": "456",
        "city": "Kaunas",
        "observations": "",
        "phone": "+3789"
    },
    "packages": [
        {
            "width": "10",
            "height": "10",
            "length": "10",
            "weight": "1",
            "qty": "1"
        },
        {
            "width": "15",
            "height": "10",
            "length": "15",
            "weight": "2",
            "qty": "2"
        }
    ]
}

```

Request example (with custom items):

```

{
    "authToken": "d2645b9b7.....56946c43e6656f8cd8",
    "manifest": "0",
    "orderNumber": "12345689",
    "orderCurrency": "",
    "orderValue": "10.23",
    "reference": "My-reference",
    "content": "contents, contents contents",
    "recipient": {
        "countryCode": "GB",
        "full_name": "Test t",
        "company": "",
        "email": "",
        "addressLine1": "test",
        "addressLine2": "",
        "addressLine3": "",
        "post_code": "12356",
        "city": "Vilnius",
        "observations": "32",
    }
}

```

```

        "phone": "3789"
    },
    "sender": {
        "countryCode": "LT",
        "full_name": "test test",
        "company": "",
        "email": "test@test.lt",
        "addressLine1": "test adr1",
        "addressLine2": "",
        "addressLine3": "",
        "post_code": "456",
        "city": "Kaunas",
        "observations": "",
        "phone": "+3789"
    },
    "packages": [
        {
            "width": "10",
            "height": "10",
            "length": "10",
            "weight": "1",
            "qty": "1",
            "customs": [
                {
                    "description": "goods, books",
                    "origin": "LT",
                    "quantity": "1",
                    "weight": "0.250",
                    "value": "1.5",
                    "itemhscode": "fefwefwefrg",
                    "itemsku": "few44444",
                    "export_reason": "Sale",
                    "terms_of_trade": "DDU"
                },
                {
                    "description": "goods, books",
                    "origin": "LT",
                    "quantity": "2",
                    "weight": "0.250",
                    "value": "1.5",
                    "itemhscode": "fefwefwefrg",
                    "itemsku": "few44444",
                    "export_reason": "Sale",
                    "terms_of_trade": "DDU"
                }
            ]
        }
    ]
}

```

}

3. Shipment create response

Field	Type	Description
status	bool	Request completed successfully or not
errorMessage	string	Error message if any
parcelCode	string	Code of a parcel
parcelTrackUrl	string	Track url for parcel
serviceName	string	Service name
shippingCostNet	number	Shipping cost without VAT
shippingCostVat	number	Shipping VAT amount
shippingCostGross	number	Shipping total cost
currency	string	Shipping cost currency
packages	List (array)	
packageCode	string	Package code from portal
manifestReference	string	Package manifest reference from manifesting provider
finalMile	string	Package code from shipment carrier(provider)
finalMileUrl	string	Track url from from shipment carrier(provider)
labelUrl	string	Url to label file

Notes:

If there will be error while processing payment and/or manifesting, response status will be „false“ with some error message, but some details in response will be available (details for packages will be incomplete or empty), parcel will be created.

Response example (success, not manifested):

```
{
  "parcelCode": "LTES-618417231",
  "parcelTrackUrl": "https://www.parcelabc.com/track/LTES-618417231",
  "serviceName": "PARCEL ABC ECONOMY (3+ days)",
  "shippingCostNet": 27.7,
  "shippingCostVat": 5.54,
  "shippingCostGross": 33.24,
  "currency": "EUR",
  "packages": [
    {
      "packageCode": "",
      "manifestReference": "",
      "finalMile": "",
      "finalMileUrl": "",
      "labelUrl": ""
    }
  ]
}
```

```

    },
    {
        "packageCode": "",
        "manifestReference": "",
        "finalMile": "",
        "finalMileUrl": "",
        "labelUrl": ""
    }
],
"status": true,
"errorMessage": null
}

```

Response example (error):

```

{
    "status": false,
    "errorMessage": "Delivery address:<br>Mobile number has not allowed symbols. Symbol \"+\" can be in front followed by digits<br><br>",
    "parcelCode": "",
    "parcelTrackUrl": "",
    "serviceName": "",
    "shippingCostNet": 0,
    "shippingCostVat": 0,
    "shippingCostGross": 0,
    "currency": "EUR",
    "packages": [
        {
            "packageCode": "",
            "manifestReference": "",
            "finalMile": "",
            "finalMileUrl": "",
            "labelUrl": ""
        },
        {
            "packageCode": "",
            "manifestReference": "",
            "finalMile": "",
            "finalMileUrl": "",
            "labelUrl": ""
        }
    ]
}

```

4. Tracking shipment/packages

Endpoint: {baseUrl}/tracking – for individual or multiple

Field	Required	Type	Description
authToken	Yes	string	Provided by PABC
parcelCode	No	mixed	One or multiple as list
orderNumber	No	mixed	One or multiple as list
reference	No	mixed	One or multiple as list

Notes: only one of “parcelCode orderNumber reference” has to be set to retrieve tracking. Combinations is not allowed (if set “parcelCode” in combination with other - other fields will be ignored). Requester must be owner of the shipment(-s). Shipment limit per request is **50**.

Request example(single):

```
{
  "authToken": "d2645b9b7....c43e6656f8cd8",
  "parcelCode": "PLGB-254063584"
}
```

Request example(multi):

```
{
  "authToken": "d2645b9b7....c43e6656f8cd8",
  "parcelCode": ["PLGB-254063584", "PLGB-254063588"]
}
```

Endpoint: {baseUrl}/tracking/lastHour – for previous hour updates

Field	Required	Type	Description
authToken	Yes	string	Provided by PABC

Notes: will be provided tracking of parcel packages which had tracking update during previous hour (from request time).

Request example:

```
{
  "authToken": "d2645b9b7....c43e6656f8cd8"
}
```

Tracking response fields:

Field	Type	Description
status	bool	Tracking records available or not
errorMessage	string	Error message if any
trackingList	List(array)	List of shipments with information (indexed by parceCode)
parcelCode	string	Code of a parcel
orderNumber	string	Order number provided in order/create endpoint (for orders created via GUI it will not be available)
reference	string	Client reference number
packages	List (array)	List of packages with information and tracking llist
packageCode	string	Package code from portal
manifestReference	string	Package manifest reference from manifesting provider

Track response - package:

Field	Type	Description
packageCode	string	Package code from portal
manifestReference	string	Package manifest reference from manifesting provider
finalMile	string	Package code from shipment carrier(provider)
tracking	List(array)	Tracking event list
trackId	Integer	system track record id
time	String	Date time of event (yyyy-mm-dd hh:mm:ss)
statusId	Integer	Status id
location	String	Event location
comments	String	Event comments

Response example one/multi/lastHour (with tracking information):

```
{
  "trackingList": {
    "PLGB-254063584": {
      "orderNumber": null,
      "parcelCode": "PLGB-254063584",
      "reference": "",
      "packages": [
        {
          "packageCode": "PLGB-254063584-1",
          "manifestReference": "V826010260444475",
          "finalMile": "13229300075148",
          "tracking": [
            {
              "trackId": "1772",
```

```

        "time": "2017-01-31 11:17:00",
        "statusId": "2",
        "location": "1538, Brighton (GB)",
        "comments": null
    },
    .....
    {
        "trackId": "1662",
        "time": "2017-01-25 01:20:00",
        "statusId": "1",
        "location": "0076, Dobra k. Strykowa (PL)",
        "comments": null
    },
    .....
    {
        "trackId": "1604",
        "time": "2017-01-22 17:12:25",
        "statusId": "14",
        "location": null,
        "comments": null
    }
    ]
}
}
},
"status": true,
"errorMessage": ""
}

```

Response when no tracking available, not owning or incorrect data:

```

{
    "status": false,
    "errorMessage": "No tracking information available."
}

```

Endpoint: {baseUrl}/tracking/statusList

Field	Required	Type	Description
authToken	Yes	string	Provided by PABC

Notes: list of available statuses in system (key is status id)

Request example:

```

{

```

```
    "authToken": "d2645b9b7....c43e6656f8cd8"
}
```

Response example:

```
{
  "trackStatusList": {
    "4": "Address not found",
    "7": "Arrived destination country",
    "15": "Attempt Fail",
    "12": "Cancelled",
    "23": "Carrier notified",
    "21": "Collection rearranged",
    "5": "Damaged",
    "2": "Delivered",
    "17": "Delivered in part",
    "11": "Exception",
    "1": "In transit",
    "14": "Info Received",
    "8": "Lost",
    "16": "More information required",
    "6": "Out for delivery",
    "24": "Partial refund",
    "20": "Picked up",
    "13": "Refunded",
    "18": "Refused by customer",
    "22": "Rerouted",
    "9": "Returned to sender",
    "10": "Status Pending",
    "3": "Wrong address"
  },
  "status": true,
  "errorMessage": ""
}
```

5. Quote

Endpoint: {baseUrl}/quote

Request fields

Field	Is Required	Type	Description
authToken	Yes	string	Provided by PABC
countryFrom	Yes	String	2 letter iso code

countryTo	Yes	String	2 letter iso code
zipFrom	Yes	String	Post code
zipTo	Yes	String	Post code
currency	No	String	3 letter currency code, if not set or empty defaults to EUR
packages	Yes	List (array)	List of packages with details
width	Yes	integer	In cm
height	Yes	Integer	In cm
length	Yes	Integer	In cm
weight	Yes	number	In kg - ex.: 1.2
qty	No	Integer	If not set or empty, defaults to 1

Request example:

```
{
  "authToken": "d2645b9b7....c43e6656f8cd8",
  "countryFrom": "LT",
  "countryTo": "GB",
  "zipFrom": "44162",
  "zipTo": "E1W 1BD",
  "currency": "USD",
  "packages": [
    {
      "width": "10",
      "height": "10",
      "length": "10",
      "weight": "1",
      "qty": "1"
    }
  ]
}
```

Response fields:

Field	Type	Description
offers	List(array)	Offer list with details
totalOffers	string	Total offers found
pricesWithVat	Integer	0 - without vat ; 1 - with vat.
currency	string	Currency prices was calculated in

One offer response fields:

price	double	Offer price
-------	--------	-------------

deliveryTimeText	string	Delivery time text formatted as text
deliveryMinTime	Integer	Minumum or exact (if maxtime is null) days amount for delivery
deliveryMaxTime	mixed	Can be string, int, null
serviceName	string	Name of a service
serviceId	Integer	Id of a service (can be used in order/create)
collectionTypeId	Integer	Id of a collection type
collectionTypeName	string	Name of a collection type

Response example:

```
{
  "offers": [
    {
      "price": 23.62,
      "deliveryTimeText": "3+",
      "deliveryMinTime": "3",
      "deliveryMaxTime": "+",
      "serviceName": "PARCEL ABC ECONOMY (3+ days)",
      "serviceId": "3",
      "collectionTypeId": "3",
      "collectionTypeName": "Drop off point to door"
    },
    .....
    {
      "price": 77.85,
      "deliveryTimeText": "7&ndash;10",
      "deliveryMinTime": 7,
      "deliveryMaxTime": 10,
      "serviceName": "TUVI via IMX UK Hub",
      "serviceId": "68",
      "collectionTypeId": "2",
      "collectionTypeName": "Deliver into a hub"
    }
  ],
  "totalOffers": 6,
  "pricesWithVat": "0",
  "currency": "USD",
  "status": true,
  "errorMessage": ""
}
```

Response when no offers found/available (similar response if validation will not pass just different “error message”):

```
{
  "status": false,
```

```
    "errorMessage": "No offers found."
}
```

6. Generic error

Example:

```
{
  "code": 403,
  "message": "Unauthorized",
  "IsError": true,
  "ErrorMessage": "Unauthorized",
  "status": false,
  "errorMessage": "Unauthorized"
}
```